

STATE OF SOUTH CAROLINA

IN THE COURT OF APPEALS

PATRICK MICHAEL TRUITT,

Petitioner/Appellant,

v.

DAVID TRUITT,

Respondent.

Case No.: 2026-CP-06-00105

(Relating to Barnwell County Magistrate Court Case No.: 2026CV0610100023)

**EMERGENCY PETITION FOR WRIT OF SUPERSEDEAS AND TEMPORARY
ADMINISTRATIVE STAY**

**TO THE HONORABLE CHIEF JUDGE AND ASSOCIATE JUDGES OF THE SOUTH
CAROLINA COURT OF APPEALS:**

The Petitioner, Patrick Michael Truitt, proceeding *pro se*, respectfully petitions this Court pursuant to Rule 241, SCACR, for an Emergency Writ of Supersedeas to stay the execution of a Writ of Ejectment scheduled for **Monday, April 13, 2026, at 10:00 AM.**

I. PROCEDURAL HISTORY AND DUE PROCESS FAILURE

1. On April 1, 2026, at **4:44 PM**, Petitioner filed a Motion for a Stay of Execution and an Affidavit of Indigency (Rule 41, SCRCP) with the Barnwell County Circuit Court.
2. Despite this timely filing, which established Petitioner's inability to pay a "pay-to-play" bond due to a monthly income of approximately **\$203.18**, the Circuit Court failed to rule on the indigency status and the Williston Magistrate issued a Writ of Ejectment.
3. The lower court's failure to address the Rule 41 filing constitutes a denial of Due Process, effectively barring Petitioner from the appellate process solely due to his poverty.

II. IRREPARABLE HARM: MEDICAL NECESSITY

4. Petitioner suffers from documented hypertension and acute panic-induced cardiac events triggered by the stress of these proceedings.

RECEIVED

APR 13 2026

SC Court of Appeals

5. **Exhibit A:** Discharge papers dated **January 13, 2026.**

6. **Exhibit B:** Discharge papers dated **January 26, 2026.**

7. These medical records establish that the Petitioner has already faced life-threatening physiological crises directly correlated to the "Administrative Fog" of this case. Forced ejection into homelessness at 10:00 AM Monday creates a substantial and irreparable risk of a fatal medical event.

III. PRAYER FOR RELIEF

Petitioner respectfully requests that this Court:

- Issue an **immediate administrative stay *ex parte*** to halt the 10:00 AM ejection;
- Grant a **Writ of Supersedeas** staying the execution of the judgment pending the final disposition of the appeal;
- Waive any bond requirement or set a nominal undertaking in light of Petitioner's documented indigency and Rule 41 filing.

Respectfully submitted,



Patrick Michael Truitt

VERIFICATION: I, Patrick Michael Truitt, declare under penalty of perjury that the foregoing is true and correct to the best of my knowledge. > Signature:



20167 US Highway 278

Williston, SC 29853

(803) 571-5097

Dated: April 12, 2026

AFTER VISIT SUMMARY

Tru*, P* CEID: MSC-M3Q6-3LL9-5R9Q

1/11/2026 MUSC HEALTH BARNWELL FS ED
803-395-3352

Instructions



Read the attached information

Contusion (English)



Follow up with LAUREN ASHLEY RAY VILLALOBOS, NP in 2 days (around 1/13/2026)

Specialty: Nurse Practitioner
Contact: 86 WREN STREET
Barnwell SC 29812
803-259-5762

Today's Visit

You were seen by Troy P Coon, MD

Diagnosis

Contusion of knee, unspecified laterality, initial encounter

What's Next

You currently have no upcoming appointments scheduled.

You are allergic to the following

Allergen	Reactions
Sulfa (Sulfonamide Antibiotics)	Anaphylaxis

Communication to Patients

MUSC Pharmacies

Phone: (843) 876-0199

Rutledge Tower (RT 106)

Mon-Fri 8:30am-5:30pm

Sat 9:00am-1:00pm

Hollings Cancer Center Pharmacy (HCC 114)

Mon-Fri 8:30am-5:30pm

Ashley River Tower Pharmacy (ART 104)

Mon-Fri 8:30am-5:30pm

Communication to Patients (continued)

Sat 9:00am-1:00pm

University Hospital Pharmacy (UH 149)

Mon-Fri 8:30am-5:30pm

Sat 9:00am-1:00pm

Shawn Jenkins Children Hospital (Room 1103)

Mon-Fri 8:30am-5:30 pm

Sat-Sun 9:30am-1:30 pm

Mail Order Pharmacy

Mon-Fri 8:00am-4:00pm

After-Hours Pharmacies

North Charleston CVS

5215 Ashley Phosphate Road

North Charleston, SC 29418

843-767-4500

Open 24 Hours

Summerville CVS

301 North Main Street

Summerville, SC 29483

843-871-0310

Open 24 Hours

Summerville Walgreens

1120 North Main Street

Summerville, SC 29483

843-821-7537

Open 24 Hours

James Island Walgreens

907 Folly Road

James Island, SC 29412

843-795-5452

Open 24 Hours

Mount Pleasant CVS

1676 N. Highway 17

Mount Pleasant, SC 29464

843-884-8281

Mon-Fri 9:00am-7:00pm

Sat 9:00am-6:00pm

Sun 11:00am-5:00pm

MUSC HEALTH BARNWELL FS ED

1524 Barnwell Highway, Denmark, SC 29042

Phone: 803-395-3352

Fax: 803-395-3351

Communication to Patients

MUSC Health Virtual Care

Now offering online health care whenever and wherever you want, 24 hours a day, seven days a week.

A great option for Flu treatment and prevention - for you and your family!

We also offer diagnosis and treatment for dozens of common conditions. Easy to use - just log in, tell us what's wrong.

Visit www.muschealth.org/virtual-care

In Our DNA SC

No-cost genetic screening!

MUSC invites you to participate in the ***In Our DNA SC*** community health research project—an incredible opportunity to take charge of your health while contributing to a healthier future for generations, all at **no cost to you**.

Why Join?

- Receive personalized insights into your **genetic risks** for certain cancers and heart disease. Plus, you'll receive an **ancestry and traits** report at no additional cost!
- Take proactive steps to improve your health and that of your family.
- Contribute to advancing health care for future generations.

Getting started is easy—visit InOurDNASC.org to enroll and begin your journey to a healthier you. Together, let's prioritize your health and help MUSC change what's possible in health care!

Warm regards,

Your MUSC Health Care Team

Domestic Violence

If someone you know is experiencing intimate partner violence, abuse, or neglect, help is available. Please consider these resources. (MUSC provides this information to all patients).

- **National Domestic Violence Hotline:** Call 1-800-799-SAFE (7233) or text "START" to 88788. Available 24/7 for confidential support for children, teens, adults, senior citizens.
- **Human Trafficking:** Call 1-888-373-7888 to report potential trafficking situations.
- **Child Abuse Hotline:** Call Childhelp® at 1-800-4-A-CHILD.
- **Emergency Services:** In case of immediate danger, call 911 or go to the nearest emergency room for help 24/7.



Communication to Patients (continued)


For more information and resources, please visit the Centers for Disease Control and Prevention (CDC) IPV Resources at <https://www.cdc.gov/intimate-partner-violence/communication-resources/index.html>












Suicide and Crisis Lifeline

If you're in emotional distress there are options available to help you. Please call 988 to be connected with a skilled, caring counselor who can help. Confidential support is available 24/7 for everyone in the United States and its territories.

Changes to Your Medication List

 Please review the med list below for any possible changes to your current medications. For your safety, it is important that you give a copy of this list of medications to your primary care physician as soon as possible after this visit. Keep your own medication list updated any time your medications are changed, or new ones are added. Please carry an up-to-date medication list with you at all times.

ASK your doctor about these medications

 ASK	albuterol 90 mcg/actuation inhaler For diagnoses: SOB (shortness of breath)	Inhale 2 puffs into the lungs every 6 hours as needed.
 ASK	cyclobenzaprine 5 mg tablet Commonly known as: Flexeril For diagnoses: Acute low back pain with left-sided sciatica, unspecified back pain laterality	1 to 2 tablets p.o. every 6-8 hours as needed for muscle tightness or spasm
 ASK	gabapentin 100 mg capsule Commonly known as: Neurontin	Take 1 capsule by mouth 3 times daily.
 ASK	hydroCHLOROthiazide 12.5 mg tablet	Take 1 tablet by mouth daily.
 ASK	ibuprofen 800 mg tablet Commonly known as: Motrin For diagnoses: Acute low back pain with left-sided sciatica, unspecified back pain laterality	Take 1 tablet by mouth every 8 hours as needed (mild to moderate pain). Take with food or milk.
 ASK	LEVOTHYROXINE ORAL	Take by mouth.
 ASK	MELOXICAM ORAL	Take by mouth.
 ASK	methyLPREDNISolone 4 mg tablet dose pack Commonly known as: Medrol Dosepack For diagnoses: Acute low back pain with left-sided sciatica, unspecified back pain laterality	Take according to package instructions.
 ASK	oxyCODONE-acetaminophen 5-325 mg tablet Commonly known as: Percocet For diagnoses: Acute low back pain with left-sided sciatica, unspecified back pain laterality	0.5 to 1 tablet p.o. every 6 hours as needed for SEVERE pain

Changes to Your Medication List (continued)

ASK your doctor about these medications (continued)



ASK

PROPRANOLOL ORAL

Take by mouth.



ASK

VALSARTAN ORAL

Take by mouth.

MUSC Health MyChart

Send messages to your doctor, view your test results, renew your prescriptions, schedule appointments, and more.

Go to mychart.muschealth.com, click "**Create Your Account**", and enter your personal MyChart Access Code: T9FV9-XT7GB-3DH8S

Expires: 1/15/2026 7:42 AM

E-mail MyChartSupport@musc.edu or call 843-792-3111 to speak with our MyChart staff.

Contusion

A contusion is a deep bruise. Contusions are the result of a blunt injury to tissues and muscle fibers under the skin. The injury causes bleeding under the skin. The skin over the contusion may turn blue, purple, or yellow. Minor injuries will give you a painless contusion, but more severe injuries cause contusions that can stay painful and swollen for a few weeks.

Follow these instructions at home:

Pay attention to any changes in your symptoms. Let your health care provider know about them. Take these actions to relieve your pain.

Managing pain, stiffness, and swelling



- Use resting, icing, applying pressure (*compression*), and raising (*elevating*) the injured area. This is often called the RICE method.
 - Rest the injured area. Return to your normal activities as told by your health care provider. Ask your health care provider what activities are safe for you.
 - If directed, put ice on the injured area. To do this:
 - Put ice in a plastic bag.
 - Place a towel between your skin and the bag.
 - Leave the ice on for 20 minutes, 2–3 times a day.
 - If your skin turns bright red, remove the ice right away to prevent skin damage. The risk of skin damage is higher if you cannot feel pain, heat, or cold.
 - If directed, apply light compression to the injured area using an elastic bandage. Make sure the bandage is not wrapped too tightly. Remove and reapply the bandage as directed by your health care provider.
 - If possible, elevate the injured area above the level of your heart while you are sitting or lying down.

General instructions

- Take over-the-counter and prescription medicines only as told by your health care provider.
- Keep all follow-up visits. Your health care provider may want to see how your contusion is healing with treatment.

Contact a health care provider if:

- Your symptoms do not improve after several days of treatment.
- Your symptoms get worse.
- You have difficulty moving the injured area.

Get help right away if:

- You have severe pain.
- You have numbness in a hand or foot.
- Your hand or foot turns pale or cold.

This information is not intended to replace advice given to you by your health care provider. Make sure you discuss any questions you have with your health care provider.

Document Revised: 06/05/2023 Document Reviewed: 06/05/2023

Elsevier Patient Education © 2025 Elsevier Inc.

Aiken Regional Medical Centers
302 University Pkwy
Aiken, SC 298011117
http://www.aikenregional.com/
(803) 641-5000

Name: TRUITT, PATRICK MICHAEL

Age: 41 Years Date of Birth: 1/2/1985

MRN: AIK201157 FIN: AIK5000001108946 Arrival Time: 1/26/2026 22:45:23

Diagnosis: Back pain; Knee pain, bilateral

Emergency Department Care Team:

Provider: Marmora MD- Emergency, Bonnie

The Emergency Department physician has reviewed the information that you have provided concerning medications that have been prescribed previously and found there to be no conflict with any therapy recommended by the Emergency Department physicians. Unless instructed by the Emergency Department physician to discontinue specific medications, you should continue medications prescribed by your regular doctor and follow-up with your doctor or with the physician/facility recommended by the ED as appropriate.

If you plan on operating a motor vehicle or using any dangerous equipment within the next several hours, please check with your physician or nurse to make sure that none of the medicines that you received in the Emergency Department could interfere with your performance of these tasks.

The physicians and staff of the AIK Centers encourage you to lead a healthy lifestyle. If you smoke, we strongly urge you to quit. Contact your local American Lung Association for additional information.

Allergies:

sulfa drugs

Vaccination/Immunologic Information

Prescriptions Given to Patient/Caregiver(s):

No New Prescriptions

Medication Special Considerations:

Patient Education Materials Provided:

AIK Work Excuse - generic (Custom) (CUSTOM); ARMC ED Safe Medication Management (CUSTOM); KNEE PAIN, Uncertain Cause

Comment:

Follow-up Instructions:

With: Jesus Castillo, ORT **Address:** 191 CENTRE SOUTH BLVD,
SUITE 30 AIKEN, SC 29803
(803) 761-9191 Business (1) **When:** Within 1-2 days

With: Lauren Ray-villalobos, FAM1601 GREEN ST COLUMBIA, **When:** Within 1-2 days
SC 29208
803-259-5762 Business (1)



Work Release Form

This notice verifies that your employee, Patrick Truitt
was seen in this facility Aiken Regional Medical Center today 01/27/2026 .
He may return to work on 01/29/2026 with the following restrictions:

None:

No heavy lifting: (over pounds)

No prolonged standing:

Desk Work Only:

Other: (described below)

These restrictions apply through 01/29/2026 . After this date, your employee should be able to participate fully in work duties.

Physician or Nurse:

Notes:

115274en

SPECIAL INSTRUCTIONS FOR HANDLING YOUR MEDICATIONS

It is very important to take your medications as directed. In addition, you should provide a list of your medications to your primary care Physician. Your medication list should be updated when medications are changed or discontinued and when new medications are added (including over the counter medications). Carry your medication list with you at all times as this can provide very valuable information in the event you are involved in an emergency situation.

Please be sure to bring your medication list with you anytime you visit the Emergency Department.

FOLLOW UP with your doctor or as advised by our staff. If you do not have your own doctor, we can recommend one for you.

To find additional information about the medications you are taking, you can visit the following website - ConsumerMedSafety.org

Tips for Healthy Living”



Choosing a healthy lifestyle can help you live a longer, more active life. While chronic health conditions cannot be reversed they can be controlled with good results. Healthy living can help you feel better mentally and socially as well as physically. By making healthy choices, you'll set a positive example for others around you, especially children who are learning to form healthy habits. Here are some suggestions on achieving and maintaining a healthy lifestyle. *Check with your doctor before you make significant changes in your diet or physical activities.*

- Avoid eating a high-fat diet.
- Stop smoking. For information and advice on programs to stop smoking, talk to your doctor or contact the American Heart Association: www.americanheart.org or (800) 242-8721.
- Limit alcohol intake.
- Get some exercise. Talk to your doctor about what's appropriate for you.
- Clean your hands to get rid of germs you pick up from other people, surfaces you touch, and animals you come in contact with.

Living with a chronic disease and some medications can make you have a low energy or mood level. If you need help, discuss this with your medical care provider or someone you trust. The National Suicide Hotline number is (800) 273-TALK or (800) 273-8255.

Special Instructions for Managing your Medications

It is very important to take your medications as directed. In addition, you should provide a list of your medications to your primary care Physician. Your medication list should be updated when medications are changed or discontinued and when new medications are added (including over the counter medications). Carry your medication list with you at all times as this can provide very valuable information in the event you are involved in an emergency situation.

Please be sure to bring your medication list with you anytime you visit the Emergency Department.

FOLLOW UP with your doctor or as advised by our staff. If you do not have your own doctor, we can recommend one for you.

To find additional information about the medications you are taking, you can visit the following website - ConsumerMedSafety.org.

Special Instructions for Patients with chronic diseases

The following applies to patients with congestive heart failure, pulmonary edema from kidney disease (renal failure), heart attack (myocardial infarction) or cardiomyopathy (weakened heart).

Activity: Stay as active as possible. Continue day-to-day activities such as walking and light gardening. Stop and rest if you feel tired or short of breath.

Diet: Salt causes fluid to build up in the body. Limit the amount of salt in your meals and avoid drinking excessive amounts of liquids.

Signs and Symptoms to Report: *Call 911 if you have pain or tightness in your chest, jaw or arm and/or have severe difficulty breathing.* Call your doctor if you have dizziness, fainting spells, difficulty breathing, coughing, short of breath at night or increased swelling of the feet or ankles.

Weight Monitoring: Sudden weight gain may mean you are retaining extra fluid. Weigh yourself daily. Call your doctor if you gain more than two pounds in one day or five pounds in one week. Follow up with your primary doctor within one week unless instructed to follow up sooner.

Special Instructions for Stroke Patients

Warning Signs and Symptoms: Call 911 immediately if any of the following occur:

Sudden numbness or weakness of the face, arm or leg, especially on one side of the body, sudden confusion, trouble speaking or understanding, sudden trouble walking, dizziness, loss of balance or coordination or sudden trouble seeing in one or both eyes

Risk Factors for Stroke:

Smoking, overweight, poor diet, heart disease, high blood pressure, prior stroke, TIA or heart attack, atrial fibrillation, carotid/peripheral artery disease, hereditary and diabetes.

Follow-Up: Follow-up with your primary doctor within one week unless instructed to follow-up sooner.

Special Instruction for Patients taking Warfarin (Coumadin)

Warfarin (Coumadin) is a medication that can increase the risk of bleeding. It is important to have your blood tested often while you are taking Warfarin. PT/INR are special blood tests to check how your blood is clotting. Your physician will check to make sure your INR number falls within the proper range (called the therapeutic range). If the PT/INR results are not within the therapeutic range, your physician may adjust the dose of your medicine.

Keep Your Diet Consistent: Certain foods can affect the PT/INR level. Make sure you check with your physician before making any changes in your diet. Foods high in Vitamin K can cause the blood to clot more easily. Do not avoid foods high in Vitamin K entirely but eat them in small amounts consistently. Avoid major changes in dietary habits, or notify physician before changing habits. Some foods high in Vitamin K are: *Beef Liver, kale, green leafy vegetables, brussel sprouts, broccoli, cabbage and soybean oil.*

Guidelines for Medication Use: It is important that you take Warfarin exactly as your physician instructed you to. There is a potential for adverse drug reactions/interactions while taking Warfarin. Some over-the-counter medications such as Aspirin and Ibuprofen can affect your PT/INR level.

Do not take or discontinue any medication or over-the-counter medication except on the advice of your physician or pharmacist.

Follow-Up: Follow-up with your Physician within 3-5 days to have your PT/INR blood test unless instructed to follow-up sooner.

Special Information for Patients taking Pradaxa (dabigatran), Eliquis (apixaban), and Xarelto (rivaroxaban)


These medications are **anticoagulants**, commonly called “blood thinners.” They are used to help prevent and treat blood clots from forming in the legs, lungs, and clots associated with an irregular, rapid heartbeat called atrial fibrillation.

Take this medication about the same time each day and do not discontinue this medicine suddenly because it puts you at an increased risk of a thrombotic event (clot forming).

Side Effects may also include dyspepsia, gastritis, anemia, syncope, or gastroesophageal reflux disease

Can be taken with or without food. Xarelto tablets can be crushed. Pradaxa capsules must be taken whole.

Home Care For Knee Pain



Knee pain has several common causes. These can include:

- A sprain of the ligaments that support the joint
- An injury to the cartilage lining of the joint
- Arthritis from wear-and-tear or inflammation

There are other causes as well. You may have swelling, reduced movement of the knee joint, and pain with walking. A definite diagnosis will still need to be made. If your symptoms don't get better, you may need further follow-up and testing.

Home care

Stay off the injured leg as much as possible until pain improves.

Apply an ice pack over the injured area for 15 to 20 minutes every 3 to 6 hours. Do this for the first 24 to 48 hours. You can make an ice pack by filling a plastic bag that seals at the top with ice cubes and then wrapping it with a thin towel. Continue to use ice packs for relief of pain and swelling as needed. After 48 hours, apply heat (warm shower or warm bath) for 15 to 20 minutes several times a day, or alternate ice and heat. If you have to wear a hook-and-loop knee brace, you can open it to apply the ice pack, or heat, directly to the knee. Never put ice directly on the skin. Always wrap the ice in a towel or other type of cloth.

You may use over-the-counter pain medicine to control pain, unless another pain medicine was prescribed. Talk with your healthcare provider before using these medicines if you have chronic liver or kidney disease. Also talk with your provider if you have had a stomach ulcer or digestive bleeding or take a blood thinner..

If crutches or a walker have been recommended, don't put weight on the injured leg until you can do so without pain. Check with your healthcare provider before returning to sports or full work duties.

If you have a hook-and-loop knee brace, you can remove it to bathe and sleep, unless told otherwise.

Follow-up care

Follow up with your healthcare provider as advised. This is usually within 1 to 2 weeks.

If X-rays were taken, you will be told of any new findings that may affect your care.

Call 911

Call 911 if you have:

Shortness of breath

Chest pain

When to seek medical advice

Call your healthcare provider right away if any of these occur:

Toes or foot becomes swollen, cold, blue, numb, or tingly

Pain or swelling spreads over the knee or calf

Warmth or redness appears over the knee or calf

Other joints become painful

Rash appears

Fever of 100.4°F (38°C) or higher, or as directed by your healthcare provider

Chills

Major Tests and Procedures:

The following procedures and tests were performed during your ED visit.

Laboratory or Other Results This Visit (last charted value for your 01/26/2026 visit)

No Laboratory or Other Results This Visit

Pending Results

US Right Lower Ext Venous Duplex ordered on 01/27/2026

XR Knee Complete Bilateral ordered on 01/27/2026

XR Spine Lumbosacral 2 or 3 Views ordered on 01/27/2026



Stay Connected

Managing your health is important. That's why we've made it easier than ever to stay connected and on top of your health needs. Our advanced patient portal allows you to:

- › View test results
- › Manage prescriptions
- › Access education
- › And more

SIGN-UP OR LOGIN TODAY!



Common Emergency Awareness Tips

- | | |
|--------------------|--|
| IS IT A
STROKE? | Be FAST and Check for these signs: |
| BALANCE | Does the person have a sudden loss of balance? |
| EYES | Does the person have trouble seeing out of one of both eyes? |
| FACE | Does the face look uneven? |
| ARM | Does one arm drift down? |
| SPEECH | Does their speech sound strange? |
| TIME | Call 9-1-1 at any sign of stroke? |

Heart Attack Signs

Chest discomfort: Most heart attacks involve discomfort in the center of the chest and lasts more than a few minutes, or goes away and comes back. It can feel like uncomfortable pressure,

squeezing, fullness or pain.

Discomfort in upper body: Symptoms can include pain or discomfort in one or both arms, back, neck, jaw or stomach.

Shortness of breath: With or without discomfort.

Other signs: Breaking out in a cold sweat, nausea, or lightheaded.

Remember, **MINUTES DO MATTER** If you experience any of these heart attack warning signs, call **9-1-1** to get immediate medical attention!

**National Suicide Prevention Hotline. Help is Available. Speak with Someone Today.
1-800-273-8255**

**If you or someone you know is a victim of human trafficking, call now. Get help.
1-888-373-7888**



Work Release Form

This notice verifies that your employee, Patrick Truitt
was seen in this facility Aiken Regional Medical Center today 01/27/2026 .
He may return to work on 01/29/2026 with the following restrictions:

None:

No heavy lifting: (over pounds)

No prolonged standing:

Desk Work Only:

Other: (described below)

These restrictions apply through 01/29/2026 . After this date, your employee should be able to participate fully in work duties.

Physician or Nurse:

Two handwritten signatures in black ink are present. The first signature is a cursive 'CB' and the second is a cursive 'TH'.

Notes:

Certificate of Service
**(Emergency Petition for Writ of Supersedeas &
Temporary Administrative Stay)**

Case No.: 2026-CP-06-00105

Ref. Case No.: 2026CV0610100023

Appellant: Patrick Michael Truitt

20167 US Highway 278

Williston, SC 29853-3823

RECEIVED
APR 13 2026
SC Court of Appeals

Vs.

Respondent: David Neil Truitt

151 Sudlow Hills Ct

North Augusta, SC 29841-8725

*Barnwell County Circuit Court
(Attn: Clerk of Court) P. O. Box 723
Barnwell, SC 29812*

*Williston Magistrate Court
P.O. Box 485
Williston, SC 29853*

I, Patrick Michael Truitt, certify that I have served a copy of this Emergency Petition to David Neil Truitt (Pro Se), Respondent, via [Hand Delivery / Certified Mail] on April 13, 2026.

Respectfully Submitted,



Patrick Michael Truitt