

From: [Kimberly Taylor](#)
To: [Court Of Appeals Filings](#)
Cc: [Robert Sumner](#); [Kirby D. Shealy III](#); ["Ainsley.tillman@fordwallace.com"](#); ["Robert.Byrd@FordWallace.com"](#); ["wes@wesleyfew.com"](#); [Trish Friel](#); [Laci Lindsey](#); [Anna Mobley](#)
Subject: Sea Level Systems [Appellant] v. CreatiVasc Medical, Inc., et al. - Appellate Case Number: 2025-001630 [IWOV-BUTLERSNOW.FID9294118]
Date: Tuesday, July 21, 2026 1:27:02 PM
Attachments: [Respondent DiaxaMed LLC's Final Brief.pdf](#)
[Respondent DiaxaMed LLC's Rule 211\(b\), SCACR, Certification.pdf](#)

***** EXTERNAL EMAIL:** This email originated from outside the organization. Please exercise caution before clicking any links or opening attachments. *******

Dear Madame Clerk,

Attached are the following for filing:

1. Respondent DiaxaMed, LLC's Final Brief; and
2. Respondent DiaxaMed, LLC's Rule 211(b), SCACR, Certification.

Counsel for Appellant are copied on this communication.

Thank you,

Kimberly B. Taylor, CP

Paralegal

Butler Snow LLP

D: (843) 277-3715 | F: (843) 277-3701
25 Calhoun Street, Suite 250, Charleston, SC 29401
Kimberly.Taylor@butlersnow.com | [vCard](#)

[X\(Twitter\)](#) | [LinkedIn](#) | [Facebook](#) | [YouTube](#)

CONFIDENTIALITY NOTE: This e-mail and any attachments may be confidential and protected by legal privilege. If you are not the intended recipient, be aware that any disclosure, copying, distribution or use of the e-mail or any attachment is prohibited. If you have received this e-mail in error, please notify us immediately by replying to the sender and deleting this copy and the reply from your system. Thank you for your cooperation.