

THE STATE OF SOUTH CAROLINA
In the Court of Appeals

APPEAL FROM THE ADMINISTRATIVE LAW COURT
John D. McLeod, Administrative Law Judge

Case No. 09-ALJ-07-0332-CC

Trident Medical Center, LLC, d/b/a
Berkeley Medical Center, ...Appellant/Respondent,

v.

South Carolina Department of Health and
Environmental Control and Roper St. Francis
Hospital-Berkeley d/b/a Roper St. Francis Hospital,

Of Whom South Carolina Department of Health and
Environmental Control is the Respondent, and

Roper St. Francis is the Respondent/Appellant.

Case No. 09-ALJ-07-0333-CC

Trident Medical Center, LLC, d/b/a
Berkeley Regional Medical Center, ...Appellant/Respondent,

v.

South Carolina Department of Health and
Environmental Control, and Roper St. Francis
Hospital-Berkeley, Inc. d/b/a Roper St. Francis
Hospital-Berkeley,

Of Whom South Carolina Department of Health and
Environmental Control is the Respondent, and

Roper St. Francis is the Respondent/Appellant.

RECORD ON APPEAL - VOLUME X OF XVI

(caption continued from cover page):

Case No. 09-ALJ-07-0336-CC

CareAlliance Health Services and Roper
St. Francis Hospital-Berkeley, ... Respondents/Appellants,

v.

South Carolina Department of Health and
Environmental Control and Trident Medical
Center, LLC Respondents,

Of whom Trident Medical Center, LLC is the Appellant.

David B. Summer, Jr., SC Bar #7974
William R. Thomas, SC Bar #16348
Faye A. Flowers, SC Bar #2043
Parker Poe Adams & Bernstein LLP
1201 Main Street, Suite 1450 (29201)
Post Office Box 1509
Columbia, South Carolina 29202
Telephone: 803.255.8000
Facsimile: 803.255.8017
E-mail: davidsummer@parkerpoe.com
E-mail: willthomas@parkerpoe.com
E-mail: fayeflowers@parkerpoe.com
Attorneys for Appellant/Respondent
Trident Medical Center, LLC

James G. Long III, SC Bar #64103
Jennifer J. Hollingsworth, SC Bar #73535
Tanya A. Gee, SC Bar #70191
NEXSEN PRUET, LLC
1230 Main Street, Suite 700 (29201)
Post Office Drawer 2426
Columbia, South Carolina 29202
Telephone: 803.771.8900
Facsimile: 803.253.8277
E-mail: JLong@nexsenpruet.com
E-mail: JHollingsworth@nexsenpruet.com
E-mail: TGee@nexsenpruet.com
Attorneys for Respondents/Appellants
CareAlliance Health Services and
Roper St. Francis Hospital-Berkeley

W. Marshall Taylor, Jr., SC Bar #16646
Ashley C. Biggers, SC Bar #17225
Vito M. Wicevic, SC Bar #100265
South Carolina Department of Health
and Environmental Control
2600 Bull Street
Columbia, South Carolina 29201
Telephone: 803.898.3350
Facsimile: 803.898.3367
E-mail: taylorwm@dhec.sc.gov
E-mail: biggerac@dhec.sc.gov
E-mail: vito.wicevic@dhec.sc.gov
Attorneys for Respondent
South Carolina Department of Health
and Environmental Control

INDEX

RECORD VOLUME I OF XVI

ORDERS

PAGE

Order of Judge McLeod, filed November 1, 2012.....	1
Final Order and Decision of Judge McLeod, filed September 26, 2012	3
Order of Judge McLeod, filed February 10, 2012	55
Order of Judge McLeod, filed January 28, 2011	59
Consent Order of Intervention and Consolidation of Judge McLeod, filed January 7, 2010	62

PLEADINGS

Trident Medical Center, LLC's Petition for Administrative Review and Request for Contested Case Hearing, Docket No. 09-ALJ-07-0332-CC, filed August 7, 2009.....	68
Trident Medical Center, LLC's Petition for Administrative Review and Request for Contested Case Hearing, Docket No. 09-ALJ-07-0333-CC, filed August 7, 2009.....	120
CareAlliance Health Services and Roper St. Francis Hospital-Berkeley's Request for Contested Case Hearing, Docket No. 09-ALJ-07-0336-CC, filed August 7, 2009.....	165
SCDHEC's Memorandum of Law in Opposition to Trident Medical Center's Motion for Summary Judgment, December 15, 2010.....	192
Joint Deposition Designation and Counter-Designation Master List (with all deposition designations, filed February 21, 2012	271

RECORD VOLUME II OF XVI

Trident Medical Center, LLC's Motion to Alter or Amend (Reconsider), filed October 5, 2012.....	501
CareAlliance Health Services and Roper St. Francis-Berkeley's Memorandum in Opposition to Motion to Alter or Amend, filed October 19, 2012	516

TRANSCRIPTS**PAGE**

Transcript of Administrative Hearing before The Honorable John D. McLeod, January 30, 2012 – February 16, 2012.....	527

(pp. 10-71 omitted)

JAMES P. RARDIN

Direct Examination by Mr. Thomas	537
Cross Examination by Mr. Long.....	628
Redirect Examination by Mr. Thomas.....	701

TODD GALLATI

Direct Examination by Mr. Summer.....	732
Cross Examination by Mr. Long.....	889

<u>RECORD VOLUME III OF XVI</u>	987

TODD GALLATI

Cross Examination by Ms. Biggers	987
Redirect Examination by Mr. Summer	992

MICHAEL RIDGEWAY

Direct Examination by Mr. Thomas	1039
Cross Examination by Ms. Hollingsworth.....	1063
Redirect Examination by Mr. Thomas.....	1081

BEVERLY BRANDT

Direct Examination by Mr. Summer.....	1087
Cross Examination by Ms. Biggers	1210
Cross Examination by Mr. Long.....	1288
Redirect Examination by Mr. Summer	1340

JOHN S. WEST

Direct Examination by Mr. Summer.....	1401
Cross Examination by Ms. Hollingsworth.....	1435

LESLEY WOODSON SHELTON, III

Direct Examination by Mr. Summer.....	1460

<u>RECORD VOLUME IV OF XVI</u>	1479

LESLEY WOODSON SHELTON, III

Cross Examination by Ms. Biggers	1574
Cross Examination by Mr. Long.....	1609
Redirect Examination by Mr. Summer	1633

<u>TRANSCRIPTS (CONT'D)</u>	<u>PAGE</u>
<u>RICHARD BAEHR</u>	
Direct Examination by Mr. Thomas	1660
<u>RECORD VOLUME V OF XVI</u>	1971
<u>RICHARD BAEHR</u>	
Cross Examination by Mr. Long.....	2001
Redirect Examination by Mr. Thomas.....	2221
<u>KARL GORRELL</u>	
Direct Examination by Mr. Long.....	2319
Cross Examination by Mr. Thomas	2379
Redirect Examination by Mr. Long	2408
<u>LOUIS F. CAPUTO</u>	
Direct Examination by Ms. Hollingsworth.....	2417
<u>RECORD VOLUME VI OF XVI</u>	2463
<u>LOUIS F. CAPUTO</u>	
Cross Examination by Mr. Summer.....	2470
<u>TERRY J. GUNN</u>	
Direct Examination by Ms. Hollingsworth.....	2500
Cross Examination by Mr. Summer.....	2582
Redirect Examination by Ms. Hollingsworth	2611
<u>BRET D. JOHNSON</u>	
Direct Examination by Mr. Long.....	2617
Cross Examination by Mr. Thomas	2704
Redirect Examination by Mr. Long	2872
<u>DOUG BOWLING</u>	
Direct Examination by Mr. Long.....	2907
<u>RECORD VOLUME VII OF XVI</u>	2955
<u>DOUG BOWLING</u>	
Cross Examination by Mr. Thomas	3084
Redirect Examination by Mr. Long	3230
<u>MATTHEW J. SEVERANCE</u>	
Direct Examination by Mr. Long.....	3255
Cross Examination by Mr. Summer.....	3289

TRANSCRIPTS (CONT'D)

PAGE

RICK KNAPP

Direct Examination by Mr. Long.....	3364
Cross Examination by Mr. Thomas	3432

RECORD VOLUME VIII OF XVI.....3447

RICK KNAPP

Redirect Examination by Mr. Long	3525

MARK M. RICHARDSON

Direct Examination by Mr. Long.....	3545
Cross Examination by Mr. Summer.....	3716
Redirect Examination by Mr. Long	3879

RICHARD BAEHR

Direct Rebuttal Examination by Mr. Summer	3914

RECORD VOLUME IX OF XVI.....3939

RICHARD BAEHR

Cross Rebuttal Examination by Mr. Long	4062
Redirect Rebuttal Examination by Mr. Summer.....	4198

EXHIBITS

Petitioner Trident Medical Center, LLC

46.....	4260
112.....	4321
169.....	4322
221.....	4334

Respondent CareAlliance Health Services and Roper St. Francis Hospital-Berkeley

15.....	4335
25.....	4336
36.....	4343
38.....	4344
41.....	4345
45.....	4352
59.....	4353
70.....	4359
75.....	4366
76.....	4375
77.....	4381
82.....	4382

**RESPONDENT CARE ALLIANCE HEALTH SERVICES AND
ROPER ST. FRANCIS HOSPITAL-BERKELEY EXHIBITS (CONT'D)**

PAGE

138.....	4384
146.....	4385

RECORD VOLUME X OF XVI.....4386

158.....	4386
160.....	4458
163.....	4459

Joint Exhibits

1.....	4461

RECORD VOLUME XI OF XVI.....4878

RECORD VOLUME XII OF XVI.....5366

2.....	5379

RECORD VOLUME XIII OF XVI.....5857

RECORD VOLUME XIV OF XVI.....6347

3.....	6663

RECORD VOLUME XV OF XVI.....6838

4.....	6873
8.....	7052

RECORD VOLUME XVI OF XVI.....7330

9.....	7414
10.....	7450
16.....	7519

CERTIFICATE OF COUNSEL.....7527



1

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25

CERTIFICATE OF NEED APPLICATION

PROJECT REVIEW

TRIDENT MEDICAL CENTER, LLC, D/B/A

SUMMERVILLE MEDICAL CENTER

CERTIFIED COPY

DATE: Friday, August 12, 2011

TIME: 1:57 p.m.

LOCATION: South Carolina Department of Health
and Environmental Control
1777 St. Julian Place
Columbia, South Carolina

REPORTED BY: SHERI L. BYERS
Registered Professional Reporter

COMPUSCRIPTS, INC.
A Full-Service Court Reporting Agency
Post Office Box 7172
Columbia, South Carolina 29202
803-988-0086
1-888-988-0086
www.compuscriptsinc.com

8/12/2011

2

1 APPEARANCES:

2 DHEC STAFF:

3 BEVERLY BRANDT
4 MISTY HALLMAN
5 LES SHELTON
6 PAULA BRACEY
7 SALLIE HARRELL

6

7 SPEAKERS FOR SUMMERVILLE MEDICAL CENTER:

8 LOU CAPUTO
9 DAN SULLIVAN
10 NEIL MCDEVITT, M.D.

10

11 SPEAKERS FOR ROPER ST. FRANCIS HEALTHCARE:

12 DOUG BOWLING
13 DAVID LEVITT
14 SARAH STEELE
15 EDWARD SOUTHARD

14

15

16

17

18 (INDEX AT REAR OF TRANSCRIPT)

19

20

21

22

23

24

25

www.compuscripts.com

RECORD 004387

8/12/2011

3

1 MS. BRANDT: Good afternoon. I'm Beverly
2 Brandt, and I'm the chief of the Bureau of Health
3 Facilities and Services Development. We're here today
4 for what I'm calling the Summerville 30-Bed Project.
5 It's a project review.

6 Please sign in, if you haven't done so
7 already. And if you need a restroom, they're outside to
8 the left. You just have to go down towards the far end
9 for the men's and right next door for the women's.

10 I wanted to read something to you. And you
11 all notice the little blue sheets entitled Prohibited
12 Contact. So I wanted to make sure we are clear on that
13 part of the statute, and hopefully, everybody got a
14 handout.

15 And I wanted to clarify, too, this provision
16 applies to all elected officials even though the statute
17 specifically mentions certain elected officials, state
18 and federal. We have had a ruling from our legal
19 department that this does apply to all elected
20 officials, which is certainly the common sense approach.

21 And also since we do have some new DHEC board
22 members, I included the portion from the statute that
23 applies to board members. I don't believe we have any
24 board members here today. But the last half about
25 communications prohibited during the Certificate of Need

www.compuscripts.com

RECORD 004388

8/12/2011

4

1 process, this portion of the statute was effective
2 July 1 of 2010. So that's why some folks may not have
3 familiarity with this, and so I was going to read it to
4 everybody.

5 "After Certificate of Need application has
6 been filed with the Department, state and federal
7 elected officials are prohibited from communicating with
8 the Department with regard to the Certificate of Need
9 application at any time. This prohibition does not
10 include written communication of support or opposition
11 to an application. Such written communication must be
12 included in the administrative record."

13 And, again, this does apply to all elected
14 officials. So hopefully I've cleared the air on that,
15 and we can move forward.

16 Again, the purpose of the project review is
17 to gather information for the Department to make the
18 best decision possible. Obviously, this is not a public
19 hearing and so people from the community in the audience
20 are not really allowed to speak. And the folks that are
21 here today, I know have planned out their presentations
22 and have, you know, specific people they've selected to
23 give presentations or speak on their behalf. And so
24 that's the order that we will follow.

25 What I thought I would go ahead and do is let

www.compuscripts.com

8/12/2011

5

1 our staff introduce themselves, so we can start with
2 Les.

3 MR. SHELTON: Les Shelton, senior planner.

4 MS. BRACEY: Paula Bracey, CON reviewer.

5 MS. HALLMAN: Misty Hallman, CON reviewer.

6 MS. HARRELL: Sallie Harrell, CON reviewer.

7 MS. BRANDT: Okay. And, again, the project
8 is Summerville Medical Center, and the reference is
9 construction and renovation of existing space for a
10 three-story patient tower that will be connected to the
11 existing hospital on each level to accommodate the
12 addition of 30 acute care beds for a total of 124 acute
13 care beds.

14 As far as the order for this afternoon,
15 Summerville Medical Center has been allotted 30 minutes
16 to give their presentation, and whomever is going to be
17 the speaker needs to make sure that all the other
18 presenters introduce themselves, too. Name and title.

19 And then we do have one affected party, which
20 is Roper. And will Roper be presenting today as well?

21 MR. BARBIER: Yes.

22 MS. BRANDT: Again, you all will have 30
23 minutes.

24 After each presentation, our staff will be
25 allowed to ask questions of the presenters. And then

www.compuscripts.com

RECORD 004390

8/12/2011

6

1 after both presentations are concluded, then our staff
2 will again have the opportunity to ask additional
3 questions of either presenter.

4 Are there any questions?

5 MR. BARBIER: Can I ask just one question
6 quickly?

7 MS. BRANDT: Yes.

8 MR. BARBIER: We do have a couple of folks
9 from the Berkeley community who came and were going to
10 speak as part of the Roper presentation. I just want to
11 make sure I was clear on your statement. You're saying
12 that no community speakers for this presentation?

13 MS. BRANDT: No elected officials.

14 MR. BARBIER: Just elected officials. But
15 there could be representatives of the community and
16 people who are supporters of Roper's position can speak?

17 MS. BRANDT: I mean, that's part of your
18 planned presentation.

19 MR. BARBIER: Just wanted to clarify that.

20 MS. BRANDT: If it's part of that and not --
21 okay.

22 Representatives from Summerville.

23 MR. CAPUTO: Thank you. My name is Luke
24 Caputo. I'm the CEO at Summerville Medical Center.
25 It's a privilege to be here and represent our great

www.compuscripts.com

8/12/2011

7

1 hospital.

2 Quick introductions. Lynn Singleton is our
3 chief nursing officer; Chris Moseley is our VP of
4 operations; Pam Brock is our VP of marketing and PR; Jim
5 Rardin is our VP of development; and Dr. Neil McDevitt
6 is going to be part of our presentation. In a short
7 while, I will introduce Dan when we transition to him.

8 The message that I want to get across is that
9 this application is about Summerville Medical Center,
10 and it is about the need in our community and in our
11 hospital for additional beds so that we can serve this
12 community for years to come.

13 My goal is in the 20 minutes that I'm going
14 to spend up here is to effectively communicate to you
15 why we have that need. To give you a little bit of
16 background and who we are and what we want to do for the
17 future, and as Beverly said, provide you additional
18 information and support as you render a decision on our
19 application. My hope in all of this is that you
20 recognize that there is a need for beds at Summerville,
21 and it is a designated need as published in the State
22 Health Plan. And we're going to reiterate why there is
23 that need and support that.

24 I'm going to begin by telling you a little
25 bit about the history of Summerville Medical Center. We

www.compuscripts.com

RECORD 004392

8/12/2011

8

1 began in 1989 as a freestanding ED and outpatient
2 center. We added beds in 1993 to our 94 beds. But our
3 history goes back further than that. We've got a
4 long-standing relationship in our community that dates
5 back to the Dorchester Community Hospital. But we're
6 excited about this expansion because it's the first
7 expansion that we will be doing since 1993, and it's
8 driven by that need that we have in the community.

9 And while we are part of Trident Health
10 System and part of HCA and a larger organization,
11 understand that Summerville Medical Center is its own
12 unique hospital in its own unique community with its own
13 unique patients and its own personality providing great
14 care in our community. And this is about trying to
15 continue to do that for years to come.

16 Here's who we are today. You can see up here
17 some of the key metrics from last year that relate to
18 our employees and our medical staff and our volunteers
19 and also some of the volumetrics from 2010. I thought
20 it was important to include this because in our
21 application that was filed in November, you don't get a
22 complete picture of what 2010 was like for us.

23 Our inpatient discharges were up 12 percent
24 from 2009; our births were up 9 percent; outpatient
25 visits and ER visits were up 3 percent.

www.compuscripts.com

RECORD 004393

8/12/2011

9

1 Again, 2010 has been was a big year for us.
2 2011 has continued to be important for us. The picture
3 to the left is a gentleman by the name of Hayden Smith.
4 He turned 18 this year. He was the first baby that was
5 born at Summerville Medical Center 18 years ago when we
6 opened the beds. So it was fun to get to celebrate our
7 18th year with his 18th birthday and his graduation from
8 high school. That's the type of hospital that
9 Summerville Medical Center is. It is truly a community
10 hospital that serves its community.

11 The story is going to continue for
12 Summerville Medical Center. While we have seen great
13 increases in our volume, the service area continues to
14 grow. We get 70 percent of our admissions come from
15 really Summerville, Ladson, and North charleston ZIP
16 codes, and only about 10 percent of our total patients
17 come from ZIP codes that are wholly in Berkeley County.
18 And I think that's an important message to understand
19 for this project review in that this is truly about
20 Summerville Medical Center and this hospital. Not
21 what's going on elsewhere.

22 And it's going to continue. Summerville, you
23 can see, has had some of the strongest population growth
24 in the entire state. 56 percent over the past ten years
25 compared to 15 percent for the state of South Carolina.

www.compuscripts.com

RECORD 004394

8/12/2011

10

1 And I think from what you saw in our utilization rates
2 and the volume growth and the population growth, you're
3 familiar with the State Health Plan, that's why when you
4 see in the State Health Plan Summerville Medical Center
5 has a bed need. It has a bed need for 24 beds, and it's
6 the only hospital in the Tri-County area that has a bed
7 need.

8 And Dan is going to get a little bit more
9 into the details on the numbers about that need. But we
10 feel the capacity constraints every day in the hospital.
11 Data only shows so much, and your data shows that there
12 is a need. But when we're functioning on a day-to-day
13 basis and we see that at 1:00 in the afternoon we've got
14 101 patients in our hospital, that's what we're
15 concerned about today. And there's the need today at
16 Summerville Medical Center. Not three, five, ten years
17 from now. We've got to have that expansion today.

18 A little bit more about ourselves. These are
19 the services that we provide. They're a high level -- a
20 high level overview of what Summerville Medical Center
21 provides. We want to be able to continue to do this as
22 the population grows, but we want to be able to add
23 services in the future as well. We want to be able to
24 meet the needs of our community for years to come.

25 I think what's important on this slide, as

www.compuscripts.com

RECORD 004395

8/12/2011

11

1 well, if you look at the bottom, the bariatric surgery
2 and the advance wound care and hyperbarics, these were
3 in response to the needs in our community. As we were
4 doing our strategic planning, we saw that there was a
5 gap in our community for those services, and we put
6 strategies and tactics in place to try to meet the needs
7 of our community.

8 Advanced wound care, there was only a program
9 at Roper and Walterboro, and patients were just
10 foregoing care instead of seeking treatment. So we
11 established a program earlier this year to meet that
12 need. And that's exactly what we want to do with that
13 expansion.

14 We are committed to our community, and it is
15 really a community hospital. You can see the numbers up
16 on the overhead. And you can measure the community
17 contribution of a hospital by some of these important
18 numbers. Numbers that are -- taxes that are used to
19 build schools and build roads and build infrastructure
20 and the charity and uncompensated care. And they only
21 tell a little bit of the story.

22 We've got wonderful staff, wonderful
23 volunteers, wonderful physicians that do much more for
24 this community because we truly are part of this
25 community. You see some of our ER nurses here that

www.compuscripts.com

8/12/2011

12

1 because of what they saw coming through the ER, patients
2 that weren't getting the nutrition that they needed,
3 started, really, a food bank. A slow foods program
4 where they're growing fruits and vegetables and
5 delivering them to churches and individuals that don't
6 have access to that type of food. That's the type of
7 hospital Summerville Medical Center is.

8 And it's catching on. This is the Leadership
9 Dorchester class that we fund through the Chamber of
10 Commerce. They're doing that exact same thing in one of
11 our middle schools because they see the opportunity and
12 the need for that in the community.

13 We're committed to our community clinically
14 as well. You will see some of the achievements that we
15 have achieved over the past two to three years that
16 really validate the quality of care we provide at
17 Summerville Medical Center. I think you would be hard
18 pressed to find many 94-bed hospitals that reach this
19 level of accomplishment and honors in the clinical
20 indicators and the quality of care that we provide
21 around cardiac care, stroke care, orthopedics.

22 We're working towards Center of Excellence in
23 bariatrics. We have outstanding core measure results
24 because we have employees and physicians that really
25 care about their patients and, again, want to be able to

www.compuscripts.com

RECORD 004397

8/12/2011

13

1 do that in the future and to get better and to continue
2 to raise the bar and the quality of care that we
3 provide.

4 But we feel like we're limited. We feel as
5 the community continues to grow, as we are limited with
6 space, that we won't be able to meet the needs. We feel
7 like our project, our 30-bed expansion will give us the
8 resources to be able to do that. I mentioned to you the
9 capacity constraints that we have today that we had last
10 year that can't wait. We don't -- with 94 beds, we
11 don't have the ability to have a dedicated orthopedic
12 unit; a dedicated bariatric unit; frankly, a dedicated
13 women's services unit. We have women, for those of you
14 who have delivered before, you can appreciate this, that
15 have to recover and spend their postpartum care in
16 semiprivate rooms. Consumers demand more than that
17 today. But because of how many babies we deliver and
18 the resources that we have, we can't give that to
19 everybody that delivers at Summerville Medical Center.

20 We want to be able to offer higher
21 specialization. We want to be able to have the
22 resources to recruit physician specialties in the future
23 that we can't currently provide at Summerville because
24 of our resource constraints.

25 And, frankly, with the conversion to

www.compuscripts.com

RECORD 004398

8/12/2011

14

1 semiprivate rooms, it's well documented the advantages
2 they provide in infection control, patient privacy, an
3 appropriately therapeutic environment, and increased
4 patient satisfactions. At the end of the day, this is
5 about adding capacity to meet the needs of our community
6 for years to come and to raise the level of the quality
7 of care for those patients.

8 I want to share with you Dr. Dalton, he's one
9 of our orthopedic surgeons, and he felt passionate about
10 adding a word to you today.

11 (Video of James Dalton, M.D. played.)

12 MR. CAPUTO: He's saying we need these beds.
13 Dr. Dalton, orthopedic surgeon, grew up in Summerville,
14 has seen the community grow. He does all of his work at
15 Summerville Medical Center. And he is elaborating on
16 the value of having dedicated units and having private
17 rooms and being able to support the need of this
18 community for years to come, about how patients get
19 caught in the ER or in recovery because there's nowhere
20 for them to go up on the nursing units when we're full.

21 That's a summary of his message. I apologize
22 for the speakers not working.

23 If you listen real closely, you can hear it.

24 Here he's talking about having semiprivate
25 rooms with 20 family members on the other side of the

www.compuscripts.com

RECORD 004399

8/12/2011

15

1 curtain with the patient.

2 The next slide is -- start getting into the
3 specifics about the project. I mentioned it's our first
4 expansion since '93. It's a three-story tower. You can
5 see in the picture where it fits with our existing
6 facility. This is the new construction area. It's a
7 net 30 beds. It's going to allow us to convert 18
8 semiprivate rooms to private. It gives us the ability
9 to have a step-down unit. Right now, frankly, we
10 probably hold patients in the ICU longer than we really
11 should because we don't have a step-down unit. And it's
12 not the right care for patients. But with 94 beds and
13 the capacity constraints that we have, we don't have the
14 luxury of having a step-down unit.

15 And it will also add 22 med/surg and
16 postpartum beds. It will expand women's services. And
17 I think one bullet in Roper's opposition was that it was
18 actually decreasing -- decreasing labor beds. But it's
19 actually an increase of women's service beds by
20 converting five LDRP's to LDRs, and then we use the
21 med/surg expansion as additional postpartum beds. So it
22 actually increases our number of LDRs from 7 to 12.

23 Here's another visual, and what you'll see
24 the green space. The green space is really untouched
25 space. This is our second floor at Summerville Medical

www.compuscripts.com

RECORD 004400

8/12/2011

16

1 Center. Shaped like an upside down T. This is where
2 our labor and delivery unit is. These are those LDRPs
3 that will be converted to LDRs. This is our med/surg
4 postpartum area where you will see most of the
5 conversion of the semiprivate rooms to private rooms.
6 And the blue space is new construction, and you can see
7 it ties on very easy to the existing facility.

8 The next slide is the third floor. Again,
9 you can see the new construction that will add med/surg
10 beds to the third floor and where we currently care for
11 our bariatric and orthopedic patients. That will give
12 us the ability to have some dedicated units with beds
13 that are used just for that level of care. Here is our
14 ICU. So they have a step-down unit closely associated
15 with ICU for easy transitional care.

16 It's a \$27 million project. It is a very
17 efficient project for the cost, and Dan is going to get
18 back into that a little bit more, as well. But
19 essentially \$900,000 per bed. And any hospital that is
20 having -- any community that has a project like this is
21 going to help their economic development. And we're
22 excited about being a part of that for our community with
23 the additional jobs, additional tax revenue on the
24 rolls.

25 And now I'm going to ask Dr. McDevitt to come

www.compuscripts.com

8/12/2011

17

1 up and talk for just a couple of minutes about his
2 program and why this project is needed to support his
3 patients.

4 DR. McDEVITT: Neil McDevitt. I'm the
5 director of bariatric services. And I promise you will
6 be able to hear me better than the videotape.

7 Obesity is a significant problem. It's a
8 problem that has actually doubled in South Carolina in
9 the last 15 years. There really are very few and
10 actually no other disease processes that have actually
11 doubled in so short a period of time. Unfortunately, it
12 is the basis of a myriad of other medical problems:
13 diabetes, high blood pressure, cholesterol. It's the
14 reason, I think, that we're the buckle of the stroke
15 belt.

16 And what we have done in Summerville is,
17 obviously, we've made a concerted effort of treating
18 stroke, treating the sequelae of essentially obesity.
19 But what Summerville has done and the reason that I came
20 on board is they identified a problem that was growing
21 and was causing the community substantial harm. Very
22 few hospitals of this size have bariatric programs. We
23 don't have a bariatric program at Trident. It is
24 centered in Summerville because the vision of the
25 administration of Summerville in treating the underlying

www.compuscripts.com

RECORD 004402

8/12/2011

18

1 problem that is really afflicting the community and is
2 ultimately going to become a crisis. So they anticipate
3 the need, put the resources together to develop a
4 program to assist the community -- the health of the
5 community before it becomes a crisis problem.

6 Where does the bed expansion fit in for me?
7 Number one is it provides the infrastructure for us to
8 deal with additional concerns in our community. Our
9 community is growing. We need the room to provide
10 services as the community dictates.

11 What it provides me personally, though, is a
12 dedicated unit. If my nurses have the ability to see
13 the same problem and the same patients day after day
14 after day, repetition breeds excellence. And if my
15 nursing staff are really dedicated to treating just
16 bariatric patients, they become adroit at anticipating
17 problems. And ultimately the care that's given is
18 substantially greater than when you have a potpourri of
19 nurses that one day are dealing with orthopedics,
20 another day dealing with postpartum, pneumonia, and then
21 bariatrics.

22 The second part is I have the ability to get
23 step-down units. Right now my patients are either on a
24 floor with the standard -- usually, what is it, about
25 six to eight patients per nurse, or they have to go to

www.compuscripts.com

RECORD 004403

8/12/2011

19

1 the ICU. There's no between. And we know that
2 complication rates innately are higher in the intensive
3 care unit, but a lot of my patients don't need that
4 degree of care. They need to be mobile, but they need
5 to have a higher acuity and a lower nurse/patient ratio.
6 We don't have that now, so I have to spend my time in
7 the room.

8 The last problem, and this is, I think, to
9 me, the most critical one is privacy. My bariatric
10 patients are not happy to be put in the situation
11 they're dealing with. A lot of times they're viewed as
12 failures, and they see themselves as failures. To the
13 point that many of them don't even let their families
14 know that they are having the surgery. They kind of do
15 it furtively, and then only after they've lost the
16 weight do they let anyone know.

17 So I had a situation a couple of weeks ago
18 where a patient of mine came out of surgery, came up
19 from recovery after having this very private, intimate
20 procedure, was rolled into a semiprivate room because we
21 didn't have a private bed, and the patient in the room
22 was on the bedpan. Talk about the ignominy of the most
23 private moments where we have one patient who is having
24 a private surgery, who doesn't want anyone knowing, who
25 is in a semiprivate room with potentially somebody from

www.compuseripts.com

RECORD 004404

8/12/2011

20

1 their church or their community and another person who
2 doesn't even have the privacy of being able to sit on
3 the bedpan.

4 So, to me, the expansion, of course, is about
5 letting the framework for our growth. I wouldn't be
6 here if it weren't for that framework. It's not only
7 about improving the care of my patients through
8 specialized nursing care and step-down units, but it's
9 about the baseline of dignity. The dignity of being
10 able to go into a room by yourself and recover from a
11 surgery. And it's not just my bariatric patients. What
12 about the breast cancer patient who has just lost her
13 breasts or somebody who has been diagnosed with a cancer
14 who is sitting there at that most vulnerable moment with
15 their families and they have to share it on the other
16 side of a curtain with a whole other family?

17 So I hope that you will seriously consider
18 not just the political component, which obviously is
19 much greater than I here, but the individual patient
20 needs. Because I feel like this expansion really
21 addresses the core of what we're here to do. Provide
22 good intimate care with dignity.

23 Thank you.

24 MR. CAPUTO: Thank you, Dr. McDevitt.

25 I'm going to skip Dr. Castellone because of

www.compuscripts.com

RECORD 004405

8/12/2011

21

1 the technology. But Dr. Castellone is the president of
2 the largest private practice group in the state,
3 Palmetto Primary Care. Admits his patients to
4 Summerville, Trident. And what he's saying is what
5 you've heard. The need to have additional capacity at
6 Summerville Medical Center. He's experienced where he
7 wants to admit a patient at Summerville and can't do it
8 because there are no available beds. And he's had the
9 experience where he's had patients in the ICU longer
10 than they need to be because we don't have a step-down
11 unit. And just advocating on our behalf the need.

12 Great support from the physicians. Great
13 support from the community. Representative Horne, the
14 new mayor of Summerville, some other local officials
15 turned out for a celebration because of the things that
16 we have done and because of what we feel like is needed
17 in the future from things as little as expanding our
18 parking lot to expanding our nursery, to our new wound
19 care center, bariatric program, and ultimately those
20 30-bed expansion. We're excited to share that with the
21 community and have their support. Most of them have
22 been patients at our hospital and know the great care
23 that we provide. And some of them have experienced the
24 capacity constraints themselves being in semiprivate
25 rooms, and they weren't happy about it either.

www.compuseripts.com

RECORD 004406

8/12/2011

22

1 Most importantly, and I don't know if this
2 will work either, but it's personal for our patients.
3 If you listen quietly, you can hear. We need a new
4 makeup artist for me at this next commercial.

5 (Video played.)

6 MR. CAPUTO: We have gotten many letters from
7 patients that know what we're going through, want to be
8 able to count on Summerville Medical Center for years to
9 come. They know -- they've experienced the capacity
10 constraints, and they see the community growing. They
11 have been very supportive. So we're asking for your
12 support as well.

13 And Roper's opposition, here are some of the
14 points in their letters.

15 One point was that it's a reduction in the OB
16 beds. I hope I've clarified that for you today. That's
17 it's really not a reduction in OB beds, but it's
18 actually an expansion of OB and women's services beds.

19 That the project should wait until the
20 Berkeley County issue is resolved. Again, this project
21 is about Summerville Medical Center, about our
22 community, and it cannot wait for something else to be
23 resolved that could be years to come.

24 Lynn and Chris and I feel the capacity
25 constraints every day when we're hustling around trying

www.compuscripts.com

RECORD 004407

8/12/2011

23

1 to find beds for patients. It can't wait three, five,
2 ten years for a decision to be made. The need is now.
3 The State Health Plan said there's a need now. We hope
4 that you'll support that.

5 That we failed to demonstrate a need. Dan is
6 going to get in more of the detail numbers, but I hope
7 I've conveyed with you the need operationally and the
8 demand from the community.

9 That it's related to proposed Berkeley County
10 hospitals. It really isn't. Again, we are our own
11 hospital with our own needs and our own population. And
12 I hope you can appreciate that more today than what you
13 might see in the application.

14 And then it might have an adverse impact on
15 hospital facilities approved for construction at
16 Berkeley County. When I'm talking to people in the
17 community about that point, it's hard for me to explain
18 to them what that means. Dan's going to get into it in
19 a little more detail. But what's hard to understand is
20 in the application for Roper and Berkeley County, they
21 say that they're not having an impact on any other
22 facility. I don't see why Summerville would have an
23 impact on their facility. Dan is going to talk about
24 that a little bit more.

25 With that, I'm going to turn it over to Dan,

www.compuseripts.com

RECORD 004408

8/12/2011

24

1 who is president of the Sullivan Consulting Group, and
2 the consultant that we used on the application.

3 MR. SULLIVAN: Keeping in mind the time
4 constraints, I'll do the FedEx commercial and talk
5 really fast.

6 Starting off, to talk about the review
7 criteria that DHEC identified in the complete letter --
8 go to the next slide. And I'm going to go through these
9 criteria in the subsequent slides, but the bottom line
10 is, in my opinion, the Summerville project is consistent
11 with each of these criteria.

12 The first is the State Health Plan. And this
13 application was filed under the 2008-2009 State Health
14 Plan, and there's a need for 24 beds identified in that
15 plan. This project seeks the approval of 30 beds. A
16 small increase above the need identified for the reasons
17 that Lou's already talked about. There were efficiency
18 concerns, sizing concerns in terms of units, making sure
19 that there was available capacity in order to be able to
20 address the needs in the future. As you will see in a
21 second, we believe these beds will be well utilized.

22 Based on the projections in the application,
23 we project at the end of 2015, the average daily census
24 will be about 80 patients a day. That's coming from the
25 primary service area. About 6 percent coming from

www.compuscripts.com

RECORD 004409

8/12/2011

25

1 outside. I'm sorry, from the total service area. About
2 6 percent coming from outside the service area. For a
3 total average daily census of about 85.

4 That results in an occupancy rate of
5 68.5 percent for the 124 beds. The target occupancy
6 rate for this facility in the State Health Plan is
7 65 percent. So we believe the projections readily
8 support the approval of this project.

9 In terms of community need documentation, in
10 addition to the quantitative analysis that was presented
11 in the application, which showed those numbers I just
12 talked about, we talked about population and business
13 growth in the service area. According to the
14 projections in the application, there's going to be
15 about 12 percent population growth over the next five
16 years in the defined service area. And there's been an
17 increase in utilization between 2009 and 2010, and I
18 think that's reflective of the overall growth in the
19 market.

20 In terms of economic growth, I just heard on
21 the news this morning that Boeing is accepting
22 applications tonight for their new plant that's opening
23 up. So, you know, at least some of that growth we've
24 talked about is coming to fruition right now.

25 We also discussed in the application the

www.compuscripts.com

RECORD 004410

8/12/2011

26

1 future growth of Summerville's medical staff.
2 Physicians they've recently brought on board and other
3 physicians that they have in the pipeline in terms of
4 their future plans for bringing additional specialties
5 to the community.

6 And the bottom line on community need is
7 really the lack of available beds to meet the demands of
8 patients.

9 In terms of acceptability, this project is
10 highly supported by the community that Summerville
11 serves. And more importantly, in terms of
12 acceptability, the project will ensure that Summerville
13 can effectively serve those patients who supported this
14 project and supported the hospital historically.

15 In terms of distribution, Summerville is
16 ideally situated within its service area to be able to
17 serve that patient population. And probably most
18 important, as we talk about the opposition to this
19 project, is this project is not really changing the
20 distribution of services in any way in the Charleston
21 area. It's going to improve accessibility to the
22 residents of the area, but it's going to do it by
23 providing the same services they provide now, in the
24 same location, with just expanded capacity. And it's
25 already talked about by some of the other speakers, the

www.compuscripts.com

RECORD 004411

8/12/2011

27

1 step-down unit, I think, will be a real enhancement to
2 the facility.

3 Adverse impact on other facilities, which I
4 think is probably at the crux of Roper's opposition.
5 This application, in my view, should have no significant
6 adverse impact on any other facility. It's Summerville
7 services expanding at the same site. In healthcare
8 planning, I think we all realize that when you put new
9 beds and new locations, that changes the dynamics of the
10 healthcare market.

11 What we're talking about here is putting more
12 beds on the same site with the same medical staff. So
13 the patients who would come to Summerville normally are
14 going to continue to come to Summerville normally. This
15 is not really affecting the dynamics of the healthcare
16 marketplace other than to allow Summerville to be able
17 to have sufficient capacity to serve its patients.

18 The only potential impact that I see is that
19 right now Summerville has to, from time to time,
20 transfer patients to Trident Medical Center when an ICU
21 bed is not available or when a regular med/surg bed is
22 not available. So some of those transfers can be
23 avoided, which is actually a positive as far as patient
24 care goes.

25 Roper, as Lou alluded to a moment ago, has

www.compuscripts.com

RECORD 004412

8/12/2011

28

1 opposed this project on the basis it would adversely
2 effect the two approved hospital projects in Berkeley.
3 And Roper also says that Trident Health System is
4 inconsistent in its position in seeking 30 beds at
5 Summerville at the same time it is opposing the 50-bed
6 Goose Creek Hospital that Roper has filed for.

7 And, you know, as Lou has already said, we
8 believe that these applications should be reviewed
9 independently. Berkeley Hospitals are intended to serve
10 the needs of Berkeley County residents. Summerville has
11 its own unique service area. We've talked about it's
12 primarily in Dorchester, North Charleston, and
13 surrounding communities.

14 DHEC was aware of the bed need at Summerville
15 when it approved the two Berkeley projects. It was
16 already in place at the time those projects were
17 approved. It has a result -- we don't think there is
18 really a significant issue with that for its impact.

19 In the additional information we submitted on
20 March 11th of this year, we had an analysis that showed
21 that the Berkeley Medical Center project in Moncks
22 Corner and the 30-bed addition at Summerville could be
23 accommodated with the projected population growth in the
24 area.

25 This just shows -- running out of time. I

www.compuscripts.com

RECORD 004413

8/12/2011

29

1 won't spend much time on this. This just shows the
2 distribution of patients. And the number one ZIP code
3 is one that straddles the Dorchester-Berkeley line.
4 While we don't have the specific data, my belief is that
5 the majority of those patients are the ones who live on
6 the Dorchester side of the line. And by and large,
7 these patients are from Charleston and Dorchester
8 counties.

9 We think that Roper's own statements in its
10 Roper-Berkeley application undercut the opposition that
11 it presents today. And this is an excerpt from page 31
12 of the application. And it's based on the expectation
13 that 60 percent of the new hospital's proposed 2015
14 patient volume will be repositioning of Roper
15 St. Francis Berkeley County residents to a
16 Berkeley-located facility. The remainder of the
17 patients served will have no material adverse impact on
18 any existing health care provider.

19 In fact, no adverse impact is expected on
20 other local providers and population growth alone
21 resulting in an increase in market size is anticipated
22 to offset any potential possible patient volume
23 reductions.

24 If there's no impact of Roper building in
25 Goose Creek, there certainly shouldn't be any impact of

www.compuscripts.com

RECORD 004414

8/12/2011

30

1 Summerville adding 30 beds to an existing site.

2 And then financial feasibility. The project,
3 I believe, is clearly financially feasible. The
4 \$27 million price tag on this. \$900,000 a bed, I think
5 we're all aware that new hospitals are coming in at
6 2 million or more per bed. This is a very reasonable
7 way, building a whole new patient tower. Be able to
8 share a lot of support spaces. So it's an efficient way
9 to way to get 30 beds into the system.

10 Trident has a strong history of financial
11 performance. Project financing guaranteed by HCA. And
12 the financial projections in the application support the
13 feasibility.

14 In terms of cost containment in the project,
15 there's cost containment in several ways. The proposed
16 tower is going to share services with existing
17 providers. There's are several energy efficiency
18 features built into the proposed facility. The creation
19 of a step-down unit. We talked about the elimination of
20 the semiprivate rooms are all benefits.

21 So in conclusion, the project is consistent
22 with the inpatient bed need we've identified in the
23 plan. It's consistent with all other relative CON
24 criteria, in my view. It's not going to have an impact
25 on the other provider. And it's highly supported by the

www.compuscripts.com

RECORD 004415

8/12/2011

31

1 community and medical staff. Thank you.

2 MR. CAPUTO: That concludes it for us. You
3 want to take questions now or wait until the end?

4 MS. BRANDT: We have two opportunities to ask
5 you all questions.

6 I'll open it up to our staff now, if they
7 have any questions. I know Les has got that look.

8 MR. SHELTON: Okay. This is the first thing
9 I just want to confirm in my mind what exactly you all
10 are doing. You are building a three-story addition;
11 second floor and third floor, you're going to have 24
12 new beds. So you're adding 48 new beds.

13 MR. CAPUTO: Yes.

14 MR. SHELTON: Then you're going to convert 13
15 existing semiprivate rooms to private rooms. And then
16 you're getting rid of one OB room and then basically
17 delicensing four LDRPs and making them LDRs, which are
18 not licensed beds. Correct? So that's how you get to
19 the total of 30?

20 MR. CAPUTO: Yes.

21 MR. SHELTON: All right.

22 MR. CAPUTO: It's fun to reconcile that out,
23 isn't it? Because some of it does deal with beds that
24 are licensed and not licensed around the LDR, but I
25 think you've got it.

www.compuseripts.com

RECORD 004416

8/12/2011

32

1 MR. SHELTON: Then I guess my next question
2 is with the whole OB issue. You're basically taking
3 five licensed beds and creating five -- well, actually
4 you're converting one those OBs to storage, so you're
5 really taking five OB beds, delicensing them and
6 creating four unlicensed LDR beds.

7 MR. CAPUTO: There are five. On that
8 drawing, that's actually a licensed bed. We use it as
9 storage because it's too small to use as a LDRP. So
10 it's taking five LDRPs and making them just labor and
11 delivery rooms.

12 MR. SHELTON: Okay. But are you adding any
13 additional LDRs or is it just --

14 MR. CAPUTO: We are.

15 MR. SHELTON: Okay.

16 MR. CAPUTO: Let me try to show you a visual,
17 Les. Give me one second.

18 So right now these rooms right here are those
19 LDRPs that we're converting. We will use all of -- we
20 will use most of this space right -- which is right now
21 med/surg, postpartum. So we recover patients in this
22 area now. These are mostly semiprivate rooms. So we
23 will convert these to private rooms, so that recovery
24 and postpartum piece that used to occur here is now all
25 going to occur out here. And we'll shift the med/surg

www.compuscripts.com

RECORD 004417

8/12/2011

33

1 use that we currently use this for over to this med/surg
2 space.

3 So we're essentially making this whole area
4 right here a women's services part of the hospital and
5 this is med/surg.

6 MR. SHELTON: Okay. The next question is how
7 did you all decide that 30 beds is the right thing? You
8 all could have asked for up to 50 beds. And I assume
9 you're probably going to be shelling some space in that
10 construction?

11 MR. CAPUTO: The first floor is going to be
12 shelled. It gives us the opportunity to expand in the
13 future, whatever is needed in the future. A lot of
14 time, a lot of money with architects and engineers, to
15 be honest with you. The two biggest pieces are we felt
16 the need in our daily operations with capacity
17 constraints. And the State Health Plan said if you're
18 feeling a need, the State Health Plan says you have a
19 need, let's look at a project to expand.

20 So we looked at can we add floors to the top
21 of the hospital? Do we have the land to go elsewhere?
22 I mean, we looked at all kinds of options. This option
23 from the architect was the best option because it
24 allowed us to not disrupt operations, add capacity that
25 connected to the existing facility that still allowed

www.compuseripts.com

RECORD 004418

8/12/2011

34

1 you to flow patients and manage patient flow effectively
2 and add capacity.

3 And so with that given space, it allowed for
4 a footprint of 24 beds. And so second floor, third
5 floor was 48 beds. And we wanted to take advantage of
6 this opportunity to convert those semiprivate rooms to
7 private rooms because it's the best care for the
8 patients.

9 Beyond that, I'd have to sit down with you
10 and an architect to talk through the other options.

11 MR. SHELTON: That's fine.

12 The only other thing I have is just kind of a
13 little -- couple of little minor discrepancies. So I
14 don't know if you've got a copy of the handout or not.
15 But if you just look at pages 14 and 15. Page 14 it
16 says you all's 2009 occupancy rate was 60.6 percent, and
17 then this chart that you have on the next page says
18 57.3. So I think that 60.6 is probably the accurate one
19 rather than that stacked graph on page 15. Or it says
20 57.3 percent for 2009. Your other data says your
21 occupancy was 60.6, and I'm thinking 60.6 is the right
22 number.

23 MR. SULLIVAN: I did that.

24 MR. CAPUTO: I was going to say, we'll have
25 to follow back up. I'm going to refer to Dan on it. We

www.compuscripts.com

RECORD 004419

8/12/2011

35

1 might have to go back and look at if it was different
2 sources or apples to apples.

3 MR. SULLIVAN: Unless there was a difference
4 in time periods. I don't recall when we did the graph,
5 whether that was the calendar year or fiscal year or
6 whatever. But I'll double-check that. But I think the
7 60.6 is correct.

8 MR. SHELTON: Well, I guess this is for Dan,
9 then, because this is the other data question I've got.
10 Just looking at the patient origin by ZIP
11 code for your primary service area.

12 MR. SULLIVAN: Yeah.

13 MR. SHELTON: The summary area totals for
14 primary, it consistently leaves out the 29484 ZIP code
15 from the totals. It's kind of in multiple places in the
16 projections. But the 24 discharges from that ZIP code
17 are never added in to the total. So it's kind of
18 throwing off your numbers slightly.

19 MR. SULLIVAN: I know the bottom line number
20 is correct.

21 MR. SHELTON: That was my question is that
22 that 24 got missed and the bottom total is right, then
23 something needs to be adjusted somewhere in that. And
24 that's, like I said, consistent in several places where
25 you have the projections. It's 24 patients out of 5,400

www.compuseripts.com

RECORD 004420

8/12/2011

36

1 or whatever. So it's half a percent. But ...

2 MR. SULLIVAN: I'll definitely look at that.

3 MR. SHELTON: That's it for me.

4 MS. BRANDT: I've got a couple, but does
5 anybody else have any questions?

6 Okay. Have you all attempted in any way, and
7 if you haven't, perhaps you can follow up with this
8 afterwards, to quantify the transfers to Trident? You
9 had mentioned that that happens every once in a while.

10 MR. CAPUTO: Yes. We can give it to you.

11 MS. BRANDT: Okay. Okay. One thing, too,
12 that's a function of the fact that you all have
13 submitted this application quite a while back is the
14 summaries reflective of the economic development
15 forecast at the time the application was submitted, and
16 I will be curious to get an update on how you all
17 describe, you know, the economic development, you know,
18 what's transpired, you know, what's become victim to the
19 economy and what's moved forward. And if you know any
20 of that; certainly if not, if you would follow up with
21 that.

22 MR. CAPUTO: We will. I couldn't provide you
23 any details standing up here right now. I don't know
24 anything that's changed dramatically. The only thing is
25 maybe the Boeing has expanded their plans, but we will

www.compuseripts.com

RECORD 004421

8/12/2011

37

1 follow back up with you on that.

2 MS. BRANDT: My final question concerns
3 the -- I think you called it the straddle ZIP code.
4 Have you all attempted -- this may be for Dan -- to use
5 other sources to quantify, like maybe census track data
6 or something to figure out which one is in -- what
7 populations are in what county?

8 MR. SULLIVAN: The problem is the hospital
9 registration process doesn't capture things beyond the
10 ZIP code, so we can't really tell which county they're
11 in. And I don't believe county -- I guess if we
12 actually went to the actual address and tried to map.
13 That would be a pretty significant undertaking to look
14 at the 5,700 different discharges. But, you know, it
15 was more just my sense from just geographic proximity.
16 I mean, you typically draw more closely to your
17 hospital.

18 MS. BRANDT: Okay. Any other follow-up
19 questions?

20 MR. SHELTON: I guess the only other thing is
21 nothing has really changed in your plans as far as
22 essentially a two-year time frame from the time the CON
23 would be issued until the time the hospital is licensed?
24 Because originally you had July 1st beginning
25 construction and obviously that isn't going to happen.

www.compuseripts.com

RECORD 004422

8/12/2011

38

1 But nothing else has changed. We have just had some
2 other applicants that have come in after the fact, kind
3 of made some changes to their time frames. But so far
4 you all are still to your track?

5 MR. CAPUTO: Yes.

6 MS. BRANDT: Thank you so much.

7 The presenters from Roper, do you all need to
8 take a minute to get set up?

9 MR. BOWLING: Yes. Just a couple of minutes.

10 (Off the record.)

11 MR. BOWLING: Good afternoon. I'm Doug
12 Bowling. I'm the vice president and chief strategy
13 officer for Roper St. Francis Healthcare.

14 I would like to thank the members of the DHEC
15 Project Review Committee for this opportunity this
16 afternoon to bring to your attention several concerns
17 that we have for Summerville's CON application to add 30
18 new acute care beds.

19 In June of 2009 the Department approved two
20 new 50-bed hospitals in the defined service area of
21 Berkeley, Dorchester, and Charleston counties. Both
22 hospitals to be located in Berkeley County. The
23 proposed Roper St. Francis Hospital will be located at
24 Carnes Crossroads near Goose Creek, and the proposed
25 Trident Hospital will be 12 miles north in Moncks

www.compuscripts.com

RECORD 004423

8/12/2011

39

1 Corner.

2 The 50 beds for the proposed Roper
3 St. Francis Hospital are not new beds. These beds are
4 already in use at our Roper Hospital in downtown
5 Charleston. We're merely planning to move these
6 existing beds to Berkeley County to serve patients
7 there.

8 Trident, on the other hand, requested and was
9 approved to add 50 new beds for their Moncks Corner
10 hospital. To do this, Trident relied on a bed need
11 provided for in the 2004-2005 State Health Plan. The
12 need there was for 17 acute care beds. Trident
13 requested that DHEC approve an additional 33 beds over
14 the 17 bed need for a total of 50 beds. At that time it
15 was a position of Roper St. Francis that the population
16 would easily support a hundred beds in Berkeley County.
17 And Roper St. Francis made it clear that it supported
18 the Department's approval of both of those hospital
19 projects.

20 Trident Health System, however, disagreed
21 with DHEC's decision, arguing that Berkeley County could
22 only support 50 beds. Trident then filed a lawsuit in
23 court to stop Roper St. Francis from receiving its CON.
24 Trident's actions have led to over two years of
25 litigation with a trial date now set for January of

www.compuscripts.com

RECORD 004424

8/12/2011

40

1 2012. Because of Trident's position, Berkeley County
2 may not receive a hospital for many years to come. And
3 yet Trident is now trying to convince the Department
4 that 30 beds are needed at its Summerville facility,
5 less than seven miles from the Berkeley County line. A
6 county they contend cannot support 100 beds the state
7 determined were needed and has already approved.

8 Trident's contention that Dorchester County,
9 with a population of 135,000, needs 124 beds, while the
10 adjacent Berkeley County, with a population of over a
11 178,000, needs, at the most, 50 beds is just
12 inconceivable.

13 In the Trident County service area, we
14 believe Berkeley County has the greatest need. And it's
15 why we feel it is critically important that DHEC not
16 allow Trident to prevail on such inconsistent positions.
17 This map demonstrates the proposed area in Berkeley
18 County each hospital expects to service. I'll try to
19 point these out here.

20 For the Roper project, these are the red dots
21 in Berkeley County. These are the 12 ZIP codes that we
22 included in our service area. The Trident Berkeley
23 Medical Center proposed eight ZIP codes. Those are in
24 the light blue on this map.

25 And then Summerville Medical Center's service

www.compuscripts.com

RECORD 004425

8/12/2011

41

1 area consists of 25 ZIP codes in total. Those ZIP codes
2 which fall in Berkeley County are indicated in the green
3 dots. And if you look at this map, you'll see these
4 highlighted ZIP codes indicating the seven ZIP codes
5 within Berkeley County that are common in all three
6 hospital projects.

7 Both the justification of need and the
8 projected utilization in Summerville's application rely
9 on Berkeley County's population and healthcare
10 utilization, which Trident has double counted. They use
11 Berkeley County population and utilization to justify
12 the need for the 50-bed hospital Berkeley Medical Center
13 in Moncks Corner and again to add the 30 beds to its
14 Summerville Medical Center. There is a clear connection
15 between these three hospital projects despite Trident's
16 assertion these 30 beds aren't mutually exclusive.

17 Roper St. Francis believes that the
18 tri-county service area in question, in particular
19 Berkeley Dorchester area, is exploding. We saw it in
20 their presentation in population growth and healthcare
21 needs. However, to allow Trident to add 30 new beds to
22 Summerville, despite showing a bed need of only nine
23 under the state healthcare plan, while Trident continues
24 to block Berkeley County from getting the 50 beds from
25 Roper to Carnes Crossroads would be unfair to the

www.compuscripts.com

8/12/2011

42

1 citizens of Berkeley and Dorchester County. Those who
2 already choose Roper St. Francis Healthcare.

3 The Roper St. Francis project at Carnes
4 Crossroads would have brought many construction jobs
5 during a time when jobs were scarce, and our hospitals
6 and its physicians will bring hundreds of jobs to
7 Berkeley County once we have final approval.

8 I'm going to turn to the analytical portion
9 of the presentation over to David Levitt. I would like
10 to introduce two community members that have graciously
11 taken time out of their busy schedules to accompany us
12 here today and share their thoughts with you.

13 The first to speak will be Ms. Sarah Steele,
14 a Moncks Corner resident and community leader. And she
15 will be followed by Mr. Edward Southard, not only the
16 chairman of the Berkeley County Planning Commission but
17 also a patient of Roper St. Francis Healthcare.

18 Ms. Steele.

19 MS. STEELE: Good afternoon. I'm Sarah
20 Steele. I have lived in Moncks Corner area for 30 years
21 and appreciate the opportunity to come and speak today
22 and voice my opinion.

23 I'd like to say that I appreciated what
24 Mr. Caputo said and was sharing so warmly about a
25 community hospital. Like I say, I've been in Moncks

www.compuscripts.com

RECORD 004427

8/12/2011

43

1 Corner for 30 years. We have not experienced a
2 community hospital, so I cannot share how excited and
3 thrilled we were two years ago when we heard that we
4 were going to get -- we had been approved for two
5 hospitals. That was wonderful. Not only do we get a
6 hospital, but we also get a choice.

7 When I had my child, I didn't have the
8 opportunity to go to a community hospital. I chose to
9 drive 25 miles or 40 miles to a Roper St. Francis to
10 have my child because that was my choice. I'm asking
11 you all today to consider this, that Trident is
12 continuing to block this. Now it's going to take, as
13 Mr. Caputo said, for us maybe years. It is frustrating
14 and it is not fair that Berkeley County has to wait
15 years to get a hospital. And we have to continue to try
16 to travel those miles to get the care that we desire.

17 And I thank you for this opportunity.

18 MR. CAPUTO: Mr. Southard.

19 MR. SOUTHARD: My name is Eddie Southard. I
20 appreciate the opportunity to come here today and speak
21 to you all. I'm also a resident of Moncks Corner, 33
22 years. I've lived in Berkeley County for 40 years. I
23 just recently was a patient at Roper Berkeley downtown
24 with a heart bypass surgery. I made my choice many,
25 many years ago as to where -- based on some professional

www.compuseripts.com

RECORD 004428

8/12/2011

44

1 advice on where my care would be depending on the need
2 for care. So I have been a patient -- I was a patient
3 there in February.

4 There problem we have is the driving back and
5 forth from Moncks Corner to downtown if your preference
6 is Roper downtown. Once you get there, it's fine. But
7 the traffic on I-26 is terrible. It's just -- I feel
8 like that we need the hospital in Moncks Corner,
9 Berkeley County. I feel like both of them are
10 justified, that the DHEC board approved both of them.

11 It just seems like that -- I don't know where
12 Trident would focus their efforts on the Summerville
13 facility maybe while delaying the Moncks Corner,
14 Berkeley County facility for Roper and for themselves is
15 just a continuation of a delay of the Carnes Crossroad
16 facility while they're focusing their interest on the
17 Summerville facility.

18 As you can see, I'm the chairman of the
19 Berkeley County Planning Commission, so I know where the
20 projected growth is in Berkeley County. The Carnes
21 Crossroads facility, I think, is in the City of Goose
22 Creek. It just has a Summerville address. There's
23 15,000 houses projected in that area in the next five
24 years. 15,000.

25 There's a new high school being built there.

www.compuscripts.com

RECORD 004429

8/12/2011

45

1 There's another private school and church being built at
2 the same time. So most of the growth in the tri-county
3 area is at this Crossroads, which is Highway 17A and
4 176.

5 I appreciate the opportunity to talk with you
6 today. And, again, thank you for allowing us to come
7 here and speak.

8 MS. BRANDT: And thank you for your thoughts.
9 I do want to remind everybody the purpose of the project
10 review is for Summerville Medical Center. But thank you
11 for your comments.

12 MR. BOWLING: Thank you, Beverly.

13 We also have a lot of support from the local
14 community leaders, the local elected officials. And
15 we'll be providing letters of that support. I did want
16 to read just a segment of a letter that was sent in by
17 representative Joe Daning.

18 He says, "I urge the DHEC staff to consider
19 that the argument for one Berkeley County hospital for
20 two years has been that a hundred beds would be too many
21 for Berkeley County's growing population of 179,000.
22 Now we have a claim that 124 beds are needed for
23 Dorchester County, which has 40,000 fewer people.

24 "I do not dispute the need for beds in
25 Dorchester County, but the argument is counterproductive

www.compuscripts.com

RECORD 004430

8/12/2011

46

1 to the needs of the citizens of Berkeley County and
2 flies in the face of the logic that is being used to
3 hold up the Berkeley County hospitals."

4 And we'll provide this letter in full to
5 staff.

6 The healthcare consulting firm of David
7 Levitt Healthcare Affiliates was hired to assist in the
8 project analysis. David has 21 years of experience with
9 a focus on strategic planning. And at this time, I will
10 turn the presentation over to him.

11 MR. LEVITT: Hi. I'm David Levitt. As
12 Mr. Bowling said, I have been asked to look at this
13 application and sort of reconcile it with some previous
14 information that has been submitted to DHEC on some
15 other projects.

16 The reasons for Roper's opposition to the
17 project. The double-counting of patients needed for
18 Summerville Medical Center is partially based on
19 existing patient base that is supposed to be treated by
20 Trident Berkeley Medical Center in the Moncks Corner
21 application.

22 So really what we're talking about, Trident
23 is talking about adding 80 beds. Going to add 50 beds
24 at the Berkeley facility and 30 beds at Summerville
25 based on the same utilization. If you go back and look

www.compuscripts.com

RECORD 004431

8/12/2011

47

1 at the Berkeley application, they presented it as
2 Trident Health System, which includes both Trident
3 Medical Center and Summerville Medical Center. So the
4 utilization at Summerville was in there and relied upon.

5 Also the Roper 50-bed application, as
6 Mr. Bowling talked about, is a relocation of existing
7 beds, not an addition to the inventory of beds. Trident
8 contends that the Roper beds in Berkeley will take
9 patients away from their Trident facilities. However,
10 they argue in this application, Mr. Sullivan said,
11 Trident is going to serve Trident, Roper is going to
12 serve Roper, and Summerville is going to serve
13 Summerville patients. But that's not at all the
14 position they're taking in the Berkeley opposition.

15 So the question is, how do they truly feel?
16 Do they need more beds, or is Roper going to take
17 patients away?

18 They excluded the Berkeley County hospitals
19 in their application. While they talk about it in
20 additional information in the application, and you heard
21 from the CEO of the facility, he talked about
22 Summerville Medical Center and the needs there. He
23 didn't talk about how those patients could be treated
24 and are expected to be treated at the Berkeley center,
25 which was in their application.

www.compuseripts.com

RECORD 004432

8/12/2011

48

1 Despite population growth in the area,
2 Summerville hasn't had tremendous growth in utilization.
3 It's been flat. They haven't demonstrated the need for
4 the 30 additional beds. As Mr. Bowling talked about in
5 the slide, it talks about the bed need in the current
6 plan. It's not 30 beds. It's not 24 beds. It's much
7 lower than that. It's nine beds. There's nine beds in
8 the current plan. They submitted three days before that
9 plan was effective, and I think it's a bit disingenuous
10 to talk about bed need in the old plan and show that
11 when we're talking about today and utilization today.
12 They do like to talk about their 2010 utilization, but
13 they don't want to talk about the bed need in the new
14 plan.

15 The need at Summerville is based partially on
16 existing patient base that's supposed to be served by
17 the new center, talk about the ZIP code overlap and go
18 into some detail on that, about how those patients are
19 going to be treated at one facility versus another
20 facility and the reliance on that in the application.

21 The six ZIP codes within Berkeley County,
22 Mr. Bowling showed the map with the overlap on all three
23 applications. There's a tremendous amount of overlap in
24 those facilities. Mr. Sullivan talked about Berkeley
25 Medical Center would serve Berkeley and Summerville

www.compuscripts.com

RECORD 004433

8/12/2011

49

1. would serve Summerville. But what he didn't talk about
2 was the overlap in the ZIP codes and reliance on those
3 patients.

4 Portions of the Summerville Medical Center
5 within Berkeley County have been relied upon.
6 50 percent of the projected 2016 patient days in the
7 Berkeley Medical Center application are attributed to
8 those ZIP codes. So basically Berkeley is relying on
9 those ZIP codes, but then Summerville also goes on to
10 rely on those. You can see here the map of those
11 Berkeley applications, percentage of those patient days
12 that Berkeley Medical Center is going to rely upon.
13 Which resulting -- felt as though that that overlap ZIP
14 code, most of those patients are one side are going to
15 one facility and the other side will go to the other
16 facility. But there's no way to determine that, even
17 identify that.

18 There's also no way to determine what's going
19 to happen in the future. Berkeley has been approved to
20 have two new hospitals. One of those hospitals is going
21 to be operated by Trident Health System. In that
22 application they said it was going to be redirecting
23 those patients from Berkeley that used to go to
24 Summerville and Trident. Now they're saying it is
25 something a little different.

www.compuscripts.com

RECORD 004434

8/12/2011

50

1 That straddle ZIP code, 29483, that you asked
2 about, that's, I think, an important part of the
3 analysis. ZIP code accounts for 29 percent of
4 Summerville Medical Center's 2009 patient days and
5 30 percent of the projected days. So that is a big
6 piece of the pie. It also accounted for 35 percent of
7 the patient days of Berkeley Medical Center. So they're
8 very reliant on that ZIP code.

9 And what's the distribution of those
10 patients? Where are they going to be going in the
11 future? We can't determine that because Berkeley
12 Medical Center hasn't been built yet. If more of those
13 patients go to Berkeley, Summerville won't have a need.

14 You can see, graphically, that that ZIP code
15 overlap there. It overlaps ZIP code. And then the
16 other ZIP code, 29485, has been very close. A much
17 larger feeder for Summerville Medical Center. I'll
18 represent about 25 percent of the projected patient days
19 and about 2 percent of the Berkeley patient days.

20 So even down here, Berkeley Medical Center,
21 they are proposing Berkeley Medical Center is going to
22 draw patients from there. So it is a balancing act in
23 the mix of patients. Where are the patients going to go
24 and where are they going to be treated? And that really
25 can't be determined until the Berkeley Medical Center

www.compuseripts.com

RECORD 004435

8/12/2011

51

1 has been constructed.

2 Then we talked about they didn't take that
3 into account. What's interesting, though, is in their
4 opposition to the Roper application, they feel as though
5 that the -- reduce their market share, redirect
6 patients. If that's the case, they don't need
7 additional beds at Summerville Medical Center. Roper
8 doesn't feel that's the case. Roper hasn't relied on
9 that as a justification for projecting their need for
10 the Berkeley facility. But that's the contention by
11 Trident. If that's the case, why are they spending
12 \$27 million on beds in Summerville if those patients are
13 going to go away in the future as a result of Roper?

14 In addition in their opposition, they
15 presented an analysis that said there would be a
16 negative \$60 million impact if both 50-bed facilities
17 are approved in Berkeley County.

18 So they think there's going to be a negative
19 \$60 million impact if both hospitals are approved. Yet
20 they need more beds at Summerville now, and they need to
21 spend \$30 million to do that.

22 So the question is, in their application and
23 in their opposition information they identified, as
24 Mr. Sullivan did, the largest provider of services to
25 Berkeley County residents, approximately 53 percent

www.compuseripts.com

RECORD 004436

8/12/2011

52

1 market share, Trident Health System will suffer much
2 larger loss of the patient population. That's in
3 response to the Roper application being approved. They
4 feel as though there's going to be a huge loss in
5 patient volume and yet they need more beds.

6 So the question is, what's the consistency
7 and what is their true position? Today it is very
8 different than what they are saying to oppose the Roper
9 Berkeley application.

10 In the decision for the approval of the
11 Berkeley Hospital, he identified, based upon discharge
12 data, Trident Health System, being the health system
13 including Summerville and Trident Medical Center,
14 captures 53 percent of the patient market share in
15 Berkeley County for 2006. That was the basis for the
16 approval saying both hospitals do serve patients from
17 that area. It does make sense for them to build a
18 hospital in that area to serve those patients. And now
19 they're coming back and saying, "But we want to serve
20 those patients in Summerville also."

21 There's a discrepancy, I guess, from what the
22 CEO said about the beds at Summerville. This is based
23 off the JAR data that reported the 80 licensed beds in
24 2004. It went up to 94 in 2005 and on. You can see the
25 utilization trend. It's fairly flat. The average daily

www.compuscripts.com

RECORD 004437

8/12/2011

53

1 census has been around 60 throughout the projected
2 period with an occupancy of about 65, 60 to 65 on the 94
3 beds. That's strong utilization, but it doesn't seem to
4 be full. It hasn't grown. The population in the area
5 has grown during that time, but their census hasn't.

6 There is, as Les pointed out, some
7 discrepancies in the average daily census. Again, this
8 is based off of JAR data. It showed in 2009 it's 57;
9 2010, 61. They talk about their dramatic growth in
10 2010. Looks like a census of about four. Four more
11 patients in 2010 from 2009. Doesn't look like dramatic
12 growth to me.

13 Again, during this entire time period, the
14 population of the area has been growing but their
15 utilization hasn't. Now they're coming back and saying
16 they need more beds.

17 Under the current health plan, they only show
18 a need of nine beds. The application was filed
19 November 9. Three days before the new plan became
20 effective. Summerville showed a need for 24 beds.
21 Trident showed a need for 56 beds. Combined need of 80
22 beds. So they're relying on this. That didn't include
23 the Berkeley approval. It didn't include more recent
24 utilization and didn't reflect the need of the current
25 plan, which was effective three days later. It is based

www.compuseripts.com

RECORD 004438

8/12/2011

54

1 off the inventories in that time. Again, that excluded
2 the Berkeley applicant, the Berkeley approvals.

3 It's interesting, I thought today, that the
4 CEO of the facility showed this bed need. 2013
5 projected bed need at the time of the application showed
6 a 24-bed need. Not the current bed need. The current
7 plan did not. But a surplus for the facility of ten
8 beds. So with the approval of the Berkeley application
9 for them, they now show a surplus of beds consistently.
10 For deficit of an excess of 19 beds at Trident, and a
11 nine-bed need in Summerville, for a surplus of ten.

12 They did reference the current -- the draft
13 plan when they submitted their Berkeley application.
14 They said, well, look at the new plan, it shows we
15 didn't have a need for 80 beds. That justifies the need
16 for us to have more beds. They didn't do that in this
17 application. Even today, referring to the old plan on
18 the application versus the current plan that everybody
19 has. And they are going to get a new plan very soon at
20 the end of the year.

21 MR. THOMAS: David, can you speak up a little
22 bit? I can't hear you.

23 MR. LEVITT: Sure.

24 MR. THOMAS: Thank you.

25 MR. LEVITT: The Department can look at the

www.compuscripts.com

8/12/2011

55

1 current plan. And the statute states the Department,
2 the Administrative Law Court, the Court of Appeals shall
3 consider the health plan in place at the time of the
4 application, but they may consider the current health
5 plan in making its decision.

6 So I think it gives you the option to look at
7 that. Consistent with that history shows that 2005
8 decision, with DHEC denying an applicant, Providence
9 Hospital Northeast, when there was need in the plan,
10 clearly has occurred. There was a bed need in the plan.
11 The 2003 plan showed the need for 11 beds. Providence
12 Northeast showed their utilization was increasing. By
13 the time the application was under review, they had a
14 slight decrease. Similar to the Summerville experience,
15 up and down but fairly consistent. And DHEC denied that
16 application saying that even though there was a bed need
17 in the plan, they hadn't demonstrated the need for
18 additional beds because of fluctuating utilization.

19 I think Summerville's utilization has gone up
20 and down over the years similar to Providence Northeast.

21 We talked about -- the CEO explained that
22 there was some discrepancy on the OB beds and whether it
23 was an increase or decrease. And, frankly, there's
24 still some -- in Mr. Sullivan's additional information
25 where he talked about 12 beds and in this presentation

www.compuseripts.com

RECORD 004440

8/12/2011

56

1 showed 14 beds, so there's still some discrepancy as far
2 as how many OB beds are projected. Is it level or
3 increased?

4 I will now turn it back over to Mr. Bowling
5 to summarize the opposition.

6 MR. BOWLING: Thank you, David.

7 You know, I think through all of this, the
8 thing we really want to illustrate and point out is we
9 feel that these three hospital projects are linked.
10 They're linked not only by the service areas that we've
11 seen overlap, they are linked by the rationale and lack
12 of rationale that's been used to support them.

13 I do want to point out some the inconsistent
14 statements made. These are statements made to DHEC in
15 the 2009 regarding the Berkeley County Hospital
16 applications. Trident said that there was insufficient
17 projected population growth to support a hundred beds in
18 the county with no existing hospital and that has a
19 current population over 178,000. They are argue that
20 neither approved hospital will be financially successful
21 if both are approved. And David pointed that out in the
22 financials that were put up.

23 They went on to say in a quote in short, "The
24 Department's approval of both the applications would
25 epitomize poor health planning."

www.compuscripts.com

RECORD 004441

8/12/2011

57

1 It said that if the Department approves both
2 applications, the result would be unnecessary
3 duplication and overproliferation of inpatient hospital
4 facilities and services in Berkeley County.

5 In direct contrast in 2010, the statements
6 Trident made to DHEC regarding the additional beds at
7 Summerville Medical Center are that the service area is
8 booming. We saw that again today. Substantial
9 projected growth in what they defined as their primary
10 and secondary service area. And I'll tell you that
11 secondary service area goes way into Berkeley County.

12 They stated that Summerville has to have 30
13 additional beds to accommodate the expected growth in
14 the service area and the demand for hospital services.

15 So I must reiterate that I find Trident's
16 contention that Dorchester County, with 135,000
17 population, now needs 120 more beds while the adjacent
18 larger county, Berkeley County, with 178,000 needs at
19 the most 50. I think that's inconceivable.

20 Allowing additional beds at Summerville
21 Medical Center without giving consideration to the
22 volumes of the two approved but not yet operational
23 hospitals in the same service area does not constitute
24 orderly health planning.

25 So in summary, we are asking that the

www.compuscripts.com

RECORD 004442

8/12/2011

58

1 Department give careful consideration to the many flaws
2 within Summerville's application. And I do appreciate
3 the time to come here today and make our case. We will
4 be glad to take any questions.

5 MS. BRANDT: Staff, do you all have any
6 questions?

7 I don't have any either.

8 MR. BOWLING: Thank you.

9 MS. BRANDT: Thank you.

10 Okay. Where we are now, then, and thank you
11 all for the quality and professionalism of your
12 presentations. I appreciate that.

13 Did either of you all bring copies of your
14 PowerPoints for the Department or will you all be
15 submitting those separate?

16 MR. CAPUTO: We have one.

17 MS. BRANDT: Okay. Will you all be providing
18 these to each other?

19 MR. THOMAS: Yes.

20 MS. BRANDT: What we've done in the past, and
21 we can certainly do this, is we can gather everything
22 and disseminate it. I would expect you all to not only
23 provide the PowerPoint but to provide follow-up remarks.
24 Okay. If you would like, we will go ahead and gather
25 those and disseminate those, and we won't disseminate

www.compuscripts.com

RECORD 004443

8/12/2011

59

1 anything until everything has been received.

2 And so I think that it would be reasonable
3 for us to have any written comments and copies of
4 presentations within five business days of today's
5 meeting, which would mean close of business August 19th.
6 Do you all feel that's too little?

7 MR. SUMMER: Mr. Sullivan is going to be
8 traveling next week. Can you give us a little more
9 time? A week from Wednesday, if that will be okay.

10 MS. BRANDT: The 24th -- there's no way, like
11 Monday is the 22nd, that would not be doable?

12 MR. SUMMER: We'll work with that.

13 MS. BRANDT: And then the 22nd, close of
14 business. And then a decision within 30 days. So,
15 again, as soon as I get everything in, I'll disseminate
16 it. If you want to agree among yourselves, that's fine.
17 I don't -- I'm definitely going to have to get
18 everything in from everybody.

19 And I just want to remind everybody to please
20 sign in if you didn't so already. And that concludes
21 our project review. Thank you.

22 (The hearing concluded at 3:23 p.m.)

23

24

25

8/12/2011

60

CERTIFICATE OF REPORTER

I, Sheri L. Byers, Registered Professional Reporter and Notary Public of the State of South Carolina at Large, do hereby certify:

That the foregoing proceedings were taken before me on the date and at the time mentioned on page 1 and the proceedings were recorded stenographically by me and were thereafter transcribed under my direction; that the foregoing transcript as typed is a true, accurate and complete record of the proceedings to the best of my ability.

I further certify that I am neither related to nor counsel for any party to the cause pending or interested in the events thereof.

Witness my hand, I have hereunto affixed my official seal this 16th day of August, 2011, at Columbia, Richland County, South Carolina.



Sheri L. Byers
Sheri L. Byers,
Registered Professional Reporter,
Notary Public
State of South Carolina at Large
My Commission expires:
January 5, 2014

8/12/2011

61

I N D E X

1

2

3

4

Presentation of Summerville Medical Center 6

5

Presentation of Roper St. Francis Healthcare 38

6

7

Certificate of Reporter 60

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

Page

8/12/2011

Page 1

A	39:13 47:20	50:3 51:15	28:2,15,17	53:7	15:21 16:10
ability 13:11	48:4 51:7	analytical 42:8	38:19 39:9	avoided 27:23	16:12 21:8
15:8 16:12	55:18,24 57:6	anticipate 18:2	40:7 43:4	aware 28:14	22:16,17,18
18:12,22 60:8	57:13,20	anticipated	44:10 49:19	30:5	23:1 24:14,15
able 10:21,22	address 24:20	29:21	51:17,19 52:3		24:21 25:5
10:23 12:25	37:12 44:22	anticipating	56:20,21	B	26:7 27:9,12
13:6,8,20,21	addresses 20:21	18:16	57:22	babies 13:17	28:4 30:1,9
14:17 17:6	adjacent 40:10	anybody 36:5	approves 57:1	baby 9:4	31:12,12,18
20:2,10 22:8	57:17	apologize 14:21	approximately	back 8:3,5	31:23 32:3,5,6
24:19 26:16	adjusted 35:23	Appeals 55:2	51:25	16:18 34:25	33:7,8 34:4,5
27:16 30:7	administration	APPEARAN...	architect 33:23	35:1 36:13	38:18 39:2,3,3
acceptability	17:25	2:1	34:10	37:1 44:4	39:6,9,12,13
26:9,12	administrative	apples 35:2,2	architects 33:14	46:25 52:19	39:14,16,22
accepting 25:21	4:12 55:2	applicant 54:2	area 9:13 10:6	53:15 56:4	40:4,6,9,11
access 12:6	admissions 9:14	55:8	15:6 16:4	background	41:13,16,21
accessibility	admit 21:7	applicants 38:2	24:25 25:1,2	7:16	41:24 45:20
26:21	Admits 21:3	application 1:2	25:13,16	balancing 50:22	45:22,24
accommodate	adroit 18:16	4:5,9,11 7:9	26:16,21,22	bank 12:3	46:23,23,24
5:11 57:13	advance 11:2	7:19 8:21	28:11,24	bar 13:2	47:7,7,8,16
accommodated	Advanced 11:8	23:13,20 24:2	32:22 33:3	BARBIER 5:21	48:4,6,6,7,7
28:23	advantage 34:5	24:13,22	35:11,13	6:5,8,14,19	51:7,12,20
accompany	advantages 14:1	25:11,14,25	38:20 40:13	bariatric 11:1	52:5,22,23
42:11	adverse 23:14	27:5 29:10,12	40:17,22 41:1	13:12 16:11	53:3,16,18,20
accomplishme...	27:3,6 29:17	30:12 36:13	41:18,19	17:5,22,23	53:21,22 54:8
12:19	29:19	36:15 38:17	42:20 44:23	18:16 19:9	54:9,10,15,16
account 51:3	adversely 28:1	41:8 46:13,21	45:3 48:1	20:11 21:19	55:11,18,22
accounted 50:6	advice 44:1	47:1,5,10,19	52:17,18 53:4	bariatrics 12:23	55:25 56:1,2
accounts 50:3	advocating	47:20,25	53:14 57:7,10	18:21	56:17 57:6,13
accurate 34:18	21:11	48:20 49:7,22	57:11,14,23	base 46:19	57:17,20
60:7	Affiliates 46:7	51:4,22 52:3,9	areas 56:10	48:16	began 8:1
achieved 12:15	affixed 60:10	53:18 54:5,8	argue 47:10	based 24:22	beginning 37:24
achievements	afflicting 18:1	54:13,17,18	56:19	29:12 43:25	behalf 4:23
12:14	afternoon 3:1	55:4,13,16	arguing 39:21	46:18,25	21:11
act 50:22	5:14 10:13	58:2	argument 45:19	48:15 52:11	belief 29:4
actions 39:24	38:11,16	applications	45:25	52:22 53:8,25	believe 3:23
actual 37:12	42:19	25:22 28:8	artist 22:4	baseline 20:9	24:21 25:7
acuity 19:5	Agency 1:19	48:23 49:11	asked 33:8	basically 31:16	28:8 30:3
acute 5:12,12	ago 9:5 19:17	56:16,24 57:2	46:12 50:1	32:2 49:8	37:11 40:14
38:18 39:12	27:25 43:3,25	applies 3:16,23	asking 22:11	basis 10:13	believes 41:17
add 10:22 15:15	agree 59:16	apply 3:19 4:13	43:10 57:25	17:12 28:1	belt 17:15
16:9 33:20,24	ahead 4:25	appreciate	assertion 41:16	52:15	benefits 30:20
34:2 38:17	58:24	13:14 23:12	assist 18:4 46:7	bed 10:5,5,6	Berkeley 6:9
39:9 41:13,21	air 4:14	42:21 43:20	associated	16:19 18:6	9:17 22:20
46:23	allotted 5:15	45:5 58:2,12	16:14	19:21 27:21	23:9,16,20
added 8:2 35:17	allow 15:7	appreciated	assume 33:8	27:21 28:14	28:2,9,10,15
adding 14:5,10	27:16 40:16	42:23	attempted 36:6	30:4,6,22 32:8	28:21 29:15
30:1 31:12	41:21	approach 3:20	37:4	39:10,14	38:21,22 39:6
32:12 46:23	allowed 4:20	appropriately	attention 38:16	41:22 48:5,10	39:16,21 40:1
addition 5:12	5:25 33:24,25	14:3	attributed 49:7	48:13 54:4,5,6	40:5,10,14,17
25:10 28:22	34:3	approval 24:15	audience 4:19	55:10,16	40:21,22 41:2
31:10 47:7	allowing 45:6	25:8 39:18	August 1:11	bedpan 19:22	41:5,9,11,12
51:14	57:20	42:7 52:10,16	59:5 60:10	20:3	41:19,24 42:1
additional 6:2	alluded 27:25	53:23 54:8	available 21:8	beds 5:12,13	42:7,16 43:14
7:11,17 15:21	all's 34:16	56:24	24:19 26:7	7:11,20 8:2,2	43:22,23 44:9
16:23,23 18:8	amount 48:23	approvals 54:2	27:21,22	9:6 10:5 13:10	44:14,19,20
21:5 26:4	analysis 25:10	approve 39:13	average 24:23	14:12 15:7,12	45:19,21 46:1
28:19 32:13	28:20 46:8	approved 23:15	25:3 52:25	15:16,18,19	46:3,20,24

www.compucscripts.com

RECORD 004448

8/12/2011

Page 2

47:1,8,14,18 47:24 48:21 48:24,25 49:5 49:7,8,11,12 49:19,23 50:7 50:11,13,19 50:20,21,25 51:10,17,25 52:9,11,15 53:23 54:2,2,8 54:13 56:15 57:4,11,18 Berkeley-loca... 29:16 best 4:18 33:23 34:7 60:8 better 13:1 17:6 Beverly 2:3 3:1 7:17 45:12 beyond 34:9 37:9 big 9:1 50:5 biggest 33:15 birthday 9:7 births 8:24 bit 7:15,25 10:8 10:18 11:21 16:18 23:24 48:9 54:22 block 41:24 43:12 blood 17:13 blue 3:11 16:6 40:24 board 3:21,23 3:24 17:20 26:2 44:10 Boeing 25:21 36:25 booming 57:8 born 9:5 bottom 11:1 24:9 26:6 35:19,22 Bowling 2:12 38:9,11,12 45:12 46:12 47:6 48:4,22 56:4,6 58:8 Box 1:20 Bracey 2:4 5:4 5:4 Brandt 2:3 3:1 3:2 5:7,22 6:7 6:13,17,20 31:4 36:4,11 37:2,18 38:6	45:8 58:5,9,17 58:20 59:10 59:13 breast 20:12 breasts 20:13 breeds 18:14 bring 38:16 42:6 58:13 bringing 26:4 Brock 7:4 brought 26:2 42:4 buckle 17:14 build 11:19,19 11:19 52:17 building 29:24 30:7 31:10 built 30:18 44:25 45:1 50:12 bullet 15:17 Bureau 3:2 business 25:12 59:4,5,14 busy 42:11 Byers 1:15 60:3 60:13 bypass 43:24 C calendar 35:5 called 37:3 calling 3:4 cancer 20:12,13 capacity 10:10 13:9 14:5 15:13 21:5,24 22:9,24 24:19 26:24 27:17 33:16,24 34:2 capture 37:9 captures 52:14 Caputo 2:8 6:23 6:24 14:12 20:24 22:6 31:2,13,20,22 32:7,14,16 33:11 34:24 36:10,22 38:5 42:24 43:13 43:18 58:16 cardiac 12:21 care 5:12,13 8:14 11:2,8,10 11:20 12:16 12:20,21,21 12:25 13:2,15	14:7 15:12 16:10,13,15 18:17 19:3,4 20:7,8,22 21:3 21:19,22 27:24 29:18 34:7 38:18 39:12 43:16 44:1,2 careful 58:1 Carnes 38:24 41:25 42:3 44:15,20 Carolina 1:13 1:14,20 9:25 17:8 60:4,11 60:15 case 51:6,8,11 58:3 Castellone 20:25 21:1 catching 12:8 caught 14:19 cause 60:9 causing 17:21 celebrate 9:6 celebration 21:15 census 24:23 25:3 37:5 53:1 53:5,7,10 center 1:4,5 2:7 5:8,15 6:24 7:9,25 8:2,11 9:5,9,12,20 10:4,16,20 12:7,17,22 13:19 14:15 16:1 21:6,19 22:8,21 27:20 28:21 40:23 41:12,14 45:10 46:18 46:20 47:3,3 47:22,24 48:17,25 49:4 49:7,12 50:7 50:12,17,20 50:21,25 51:7 52:13 57:7,21 61:4 centered 17:24 Center's 40:25 50:4 CEO 6:24 47:21 52:22 54:4 55:21	certain 3:17 certainly 3:20 29:25 36:20 58:21 Certificate 1:2 3:25 4:5,8 60:2 61:7 certify 60:4,8 chairman 42:16 44:18 Chamber 12:9 changed 36:24 37:21 38:1 changes 27:9 38:3 changing 26:19 charity 11:20 charleston 9:15 26:20 28:12 29:7 38:21 39:5 chart 34:17 chief 3:2 7:3 38:12 child 43:7,10 choice 43:6,10 43:24 cholesterol 17:13 choose 42:2 chose 43:8 Chris 7:3 22:24 church 20:1 45:1 churches 12:5 citizens 42:1 46:1 City 44:21 claim 45:22 clarified 22:16 clarify 3:15 6:19 class 12:9 clear 3:12 6:11 39:17 41:14 cleared 4:14 clearly 30:3 55:10 clinical 12:19 clinically 12:13 close 50:16 59:5 59:13 closely 14:23 16:14 37:16 code 29:2 35:11 35:14,16 37:3 37:10 48:17	49:14 50:1,3,8 50:14,15,16 codes 9:16,17 40:21,23 41:1 41:1,4,4 48:21 49:2,8,9 Columbia 1:14 1:20 60:11 Combined 53:21 come 7:12 8:15 9:14,17 10:24 14:6,18 16:25 22:9,23 27:13 27:14 38:2 40:2 42:21 43:20 45:6 58:3 coming 12:1 24:24,25 25:2 25:24 30:5 52:19 53:15 comments 45:11 59:3 Commerce 12:10 commercial 22:4 24:4 Commission 42:16 44:19 60:15 committed 11:14 12:13 Committee 38:15 common 3:20 41:5 communicate 7:14 communicating 4:7 communication 4:10,11 communicatio... 3:25 communities 28:13 community 4:19 6:9,12,15 7:10 7:12 8:4,5,8 8:12,14 9:9,10 10:24 11:3,5,7 11:14,15,16 11:24,25 12:12,13 13:5 14:5,14,18 16:20,22	17:21 18:1,4,5 18:8,9,10 20:1 21:13,21 22:10,22 23:8 23:17 25:9 26:5,6,10 31:1 42:10,14,25 43:2,8 45:14 compared 9:25 complete 8:22 24:7 60:7 complication 19:2 component 20:18 COMPUSCR... 1:19 CON 5:4,5,6 30:23 37:22 38:17 39:23 concerned 10:15 concerns 18:8 24:18,18 37:2 38:16 concerted 17:17 concluded 6:1 59:22 concludes 31:2 59:20 conclusion 30:21 confirm 31:9 connected 5:10 33:25 connection 41:14 consider 20:17 43:11 45:18 55:3,4 consideration 57:21 58:1 consistency 52:6 consistent 24:10 30:21,23 35:24 55:7,15 consistently 35:14 54:9 consists 41:1 constitute 57:23 constraints 10:10 13:9,24 15:13 21:24 22:10,25 24:4 33:17 constructed

www.compusercripts.com

RECORD 004449

8/12/2011

Page 3

51:1 construction 5:9 15:6 16:6 16:9 23:15 33:10 37:25 42:4 consultant 24:2 consulting 24:1 46:6 Consumers 13:16 Contact 3:12 containment 30:14,15 content 40:6 contends 47:8 contention 40:8 51:10 57:16 continuation 44:15 continue 8:15 9:11,22 10:21 13:1 27:14 43:15 continued 9:2 continues 9:13 13:5 41:23 continuing 43:12 contrast 57:5 contribution 11:17 control 1:13 14:2 conversion 13:25 16:5 convert 15:7 31:14 32:23 34:6 converted 16:3 converting 15:20 32:4,19 conveyed 23:7 convince 40:3 copies 58:13 59:3 copy 34:14 core 12:23 20:21 Corner 28:22 39:1,9 41:13 42:14,20 43:1 43:21 44:5,8 44:13 46:20 correct 31:18 35:7,20 cost 16:17 30:14	30:15 counsel 60:9 count 22:8 counted 41:10 counterprodu... 45:25 counties 29:8 38:21 county 9:17 22:20 23:9,16 23:20 28:10 29:15 37:7,10 37:11 38:22 39:6,16,21 40:1,5,6,8,10 40:13,14,18 40:21 41:2,5 41:11,24 42:1 42:7,16 43:14 43:22 44:9,14 44:19,20 45:19,23,25 46:1,3 47:18 48:21 49:5 51:17,25 52:15 56:15 56:18 57:4,11 57:16,18,18 60:11 County's 41:9 45:21 couple 6:8 17:1 19:17 34:13 36:4 38:9 course 20:4 court 1:19 39:23 55:2,2 creating 32:3,6 creation 30:18 Creek 28:6 29:25 38:24 44:22 crisis 18:2,5 criteria 24:7,9 24:11 30:24 critical 19:9 critically 40:15 Crossroad 44:15 Crossroads 38:24 41:25 42:4 44:21 45:3 crux 27:4 curious 36:16 current 48:5,8 53:17,24 54:6	54:6,12,18 55:1,4 56:19 currently 13:23 16:10 33:1 curtain 15:1 20:16 D D 61:1 daily 24:23 25:3 33:16 52:25 53:7 Dalton 14:8,11 14:13 Dan 2:8 7:7 10:8 16:17 23:5,23,25 34:25 35:8 37:4 Daning 45:17 Dan's 23:18 data 10:11,11 29:4 34:20 35:9 37:5 52:12,23 53:8 date 1:11 39:25 60:5 dates 8:4 David 2:12 42:9 46:6,8,11 54:21 56:6,21 day 10:10 14:4 18:13,13,14 18:19,20 22:25 24:24 60:10 days 48:8 49:6 49:11 50:4,5,7 50:18,19 53:19,25 59:4 59:14 day-to-day 10:12 deal 18:8 31:23 dealing 18:19 18:20 19:11 decide 33:7 decision 4:18 7:18 23:2 39:21 52:10 55:5,8 59:14 decrease 55:14 55:23 decreasing 15:18,18 dedicated 13:11 13:12,12	14:16 16:12 18:12,15 deficit 54:10 defined 25:16 38:20 57:9 definitely 36:2 59:17 degree 19:4 delay 44:15 delaying 44:13 delicensing 31:17 32:5 deliver 13:17 delivered 13:14 delivering 12:5 delivers 13:19 delivery 16:2 32:11 demand 13:16 23:8 57:14 demands 26:7 demonstrate 23:5 demonstrated 48:3 55:17 demonstrates 40:17 denied 55:15 denying 55:8 department 1:13 3:19 4:6 4:8,17 38:19 40:3 54:25 55:1 57:1 58:1 58:14 Department's 39:18 56:24 depending 44:1 describe 36:17 designated 7:21 desire 43:16 despite 41:15,22 48:1 detail 23:6,19 48:18 details 10:9 36:23 determine 49:16,18 50:11 determined 40:7 50:25 develop 18:3 development 3:3 7:5 16:21 36:14,17 DHEC 2:2 3:21	24:7 28:14 38:14 39:13 40:15 44:10 45:18 46:14 55:8,15 56:14 57:6 DHEC's 39:21 diabetes 17:13 diagnosed 20:13 dictates 18:10 difference 35:3 different 35:1 37:14 49:25 52:8 dignity 20:9,9 20:22 direct 57:5 direction 60:7 director 17:5 disagreed 39:20 discharge 52:11 discharges 8:23 35:16 37:14 discrepancies 34:13 53:7 discrepancy 52:21 55:22 56:1 discussed 25:25 disease 17:10 disingenuous 48:9 dispute 45:24 disrupt 33:24 disseminate 58:22,25,25 59:15 distribution 26:15,20 29:2 50:9 doable 59:11 documentation 25:9 documented 14:1 doing 8:7 11:4 12:10 31:10 door 3:9 Dorchester 8:5 12:9 28:12 29:6,7 38:21 40:8 41:19 42:1 45:23,25 57:16 Dorchester-B... 29:3 dots 40:20 41:3	double 41:10 doubled 17:8,11 double-check 35:6 double-counti... 46:17 Doug 2:12 38:11 downtown 39:4 43:23 44:5,6 Dr 7:5 14:8,13 16:25 17:4 20:24,25 21:1 draft 54:12 dramatic 53:9 53:11 dramatically 36:24 draw 37:16 50:22 drawing 32:8 drive 43:9 driven 8:8 driving 44:4 duplication 57:3 dynamics 27:9 27:15 D/B/A 1:4 E E 61:1 earlier 11:11 easily 39:16 easy 16:7,15 economic 16:21 25:20 36:14 36:17 economy 36:19 ED 8:1 Eddie 43:19 Edward 2:13 42:15 effect 28:2 effective 4:1 48:9 53:20,25 effectively 7:14 26:13 34:1 efficiency 24:17 30:17 efficient 16:17 30:8 effort 17:17 efforts 44:12 eight 18:25 40:23 either 6:3 18:23

8/12/2011

Page 4

58:7,13 elaborating 14:15 elected 3:16,17 3:19 4:7,13 6:13,14 45:14 elimination 30:19 employees 8:18 12:24 energy 30:17 engineers 33:14 enhancement 27:1 ensure 26:12 entire 9:24 53:13 entitled 3:11 environment 14:3 Environmental 1:13 epitomize 56:25 ER 8:25 11:25 12:1 14:19 essentially 16:19 17:18 33:3 37:22 established 11:11 events 60:9 everybody 3:13 4:4 13:19 45:9 54:18 59:18 59:19 exact 12:10 exactly 11:12 31:9 excellence 12:22 18:14 excerpt 29:11 excess 54:10 excited 8:6 21:20 43:2 excluded 47:18 54:1 exclusive 41:16 existing 5:9,11 15:5 16:7 29:18 30:1,16 31:15 33:25 39:6 46:19 47:6 48:16 56:18 exited 16:22 expand 15:16 33:12,19	expanded 26:24 36:25 expanding 21:17,18 27:7 expansion 8:6,7 10:17 11:13 13:7 15:4,21 18:6 20:4,20 21:20 22:18 expect 58:22 expectation 29:12 expected 29:19 47:24 57:13 expects 40:18 experience 21:9 46:8 55:14 experienced 21:6,23 22:9 43:1 expires 60:15 explain 23:17 explained 55:21 exploding 41:19 F face 46:2 facilities 3:3 23:15 27:3 47:9 48:24 51:16 57:4 facility 15:6 16:7 23:22,23 25:6 27:2,6 29:16 30:18 33:25 40:4 44:13,14,16 44:17,21 46:24 47:21 48:19,20 49:15,16 51:10 54:4,7 fact 29:19 36:12 38:2 failed 23:5 failures 19:12 19:12 fair 43:14 fairly 52:25 55:15 fall 41:2 familiar 10:3 familiarity 4:3 families 19:13 20:15 family 14:25 20:16	far 3:8 5:14 27:23 37:21 38:3 56:1 fast 24:5 feasibility 30:2 30:13 feasible 30:3 features 30:18 February 44:3 federal 3:18 4:6 FedEx 24:4 feeder 50:17 feel 10:10 13:4 13:4,6 20:20 21:16 22:24 40:15 44:7,9 47:15 51:4,8 52:4 56:9 59:6 feeling 33:18 felt 14:9 33:15 49:13 fewer 45:23 figure 37:6 filed 4:6 8:21 24:13 28:6 39:22 53:18 final 37:2 42:7 financial 30:2 30:10,12 financially 30:3 56:20 financials 56:22 financing 30:11 find 12:18 23:1 57:15 fine 34:11 44:6 59:16 firm 46:6 first 8:6 9:4 15:3 24:12 31:8 33:11 42:13 fiscal 35:5 fit 18:6 fits 15:5 five 10:16 15:20 23:1 25:15 32:3,3,5,7,10 44:23 59:4 flat 48:3 52:25 flaws 58:1 flies 46:2 floor 15:25 16:8 16:10 18:24 31:11,11 33:11 34:4,5 floors 33:20	flow 34:1,1 fluctuating 55:18 focus 44:12 46:9 focusing 44:16 folks 4:2,20 6:8 follow 4:24 34:25 36:7,20 37:1 followed 42:15 follow-up 37:18 58:23 food 12:3,6 foods 12:3 footprint 34:4 forecast 36:15 foregoing 11:10 60:5,7 forth 44:5 forward 4:15 36:19 four 31:17 32:6 53:10,10 frame 37:22 frames 38:3 framework 20:5 20:6 Francis 2:11 29:15 38:13 38:23 39:3,15 39:17,23 41:17 42:2,3 42:17 43:9 61:5 frankly 13:12 13:25 15:9 55:23 freestanding 8:1 Friday 1:11 fruition 25:24 fruits 12:4 frustrating 43:13 full 14:20 46:4 53:4 Full-Service 1:19 fun 9:6 31:22 function 36:12 functioning 10:12 fund 12:9 further 8:3 60:8 furtively 19:15 future 7:17 10:23 13:1,22	21:17 24:20 26:1,4 33:13 33:13 49:19 50:11 51:13 G gap 11:5 gather 4:17 58:21,24 gentleman 9:3 geographic 37:15 getting 12:2 15:2 31:16 41:24 give 4:23 5:16 7:15 13:7,18 16:11 32:17 36:10 58:1 59:8 given 18:17 34:3 gives 15:8 33:12 55:6 giving 57:21 glad 58:4 go 3:8 4:25 14:20 18:25 20:10 24:8,8 33:21 35:1 43:8 46:25 48:17 49:15 49:23 50:13 50:23 51:13 58:24 goal 7:13 goes 8:3 27:24 49:9 57:11 going 4:3 5:16 6:9 7:6,13,22 7:24 9:11,21 9:22 10:8 15:7 16:17,21,25 18:2 20:25 22:7 23:6,18 23:23,25 24:8 25:14 26:21 26:22 27:14 30:16,24 31:11,14 32:25 33:9,11 34:24,25 37:25 42:8 43:4,12 46:23 47:11,11,12 47:16 48:19 49:12,14,18	49:20,22 50:10,10,21 50:23,24 51:13,18 52:4 54:19 59:7,17 good 3:1 20:22 38:11 42:19 Goose 28:6 29:25 38:24 44:21 gotten 22:6 graciously 42:10 graduation 9:7 graph 34:19 35:4 graphically 50:14 great 6:25 8:13 9:12 21:12,12 21:22 greater 18:18 20:19 greatest 40:14 green 15:24,24 41:2 grew 14:13 group 21:2 24:1 grow 9:14 13:5 14:14 growing 12:4 17:20 18:9 22:10 45:21 53:14 grown 53:4,5 grows 10:22 growth 9:23 10:2,2 20:5 25:13,15,18 25:20,23 26:1 28:23 29:20 41:20 44:20 45:2 48:1,2 53:9,12 56:17 57:9,13 guaranteed 30:11 guess 32:1 35:8 37:11,20 52:21 H half 3:24 36:1 Hallman 2:3 5:5 5:5 hand 39:8 60:10 handout 3:14

8/12/2011

Page 5

34:14	honors 12:19	impact 23:14,21	intensive 19:2	16:2 32:10	listen 14:23
happen 37:25	hope 7:19 20:17	23:23 27:3,6	interest 44:16	lack 26:7 56:11	22:3
49:19	22:16 23:3,6	27:18 28:18	interested 60:9	Ladson 9:15	litigation 39:25
happens 36:9	23:12	29:17,19,24	interesting 51:3	land 33:21	little 3:11 7:15
happy 19:10	hopefully 3:13	29:25 30:24	54:3	large 29:6 60:4	7:24 10:8,18
21:25	4:14	51:16,19	intimate 19:19	60:15	11:21 16:18
hard 12:17	Horne 21:13	important 8:20	20:22	larger 8:10	21:17 23:19
23:17,19	hospital 5:11	9:2,18 10:25	introduce 5:1	50:17 52:2	23:24 34:13
harm 17:21	7:1,11 8:5,12	11:17 26:18	5:18 7:7 42:10	57:18	34:13 49:25
Harrell 2:5 5:6	9:8,10,20 10:6	40:15 50:2	introductions	largest 21:2	54:21 59:6,8
5:6	10:10,14	importantly	7:2	51:24	live 29:5
Hayden 9:3	11:15,17 12:7	22:1 26:11	inventories 54:1	Law 55:2	lived 42:20
HCA 8:10 30:11	16:19 21:22	improve 26:21	inventory 47:7	lawsuit 39:22	43:22
health 1:13 3:2	23:11,15	improving 20:7	issue 22:20	LDR 31:24 32:6	LLC 1:4
7:22 8:9 10:3	26:14 28:2,6	include 4:10	28:18 32:2	LDRP 32:9	local 21:14
10:4 18:4 23:3	33:4,21 37:8	8:20 53:22,23	issued 37:23	LDRPs 16:2	29:20 45:13
24:12,13 25:6	37:17,23	included 3:22	I-26 44:7	31:17 32:10	45:14
28:3 29:18	38:23,25 39:3	4:12 40:22		32:19	located 38:22
33:17,18	39:4,10,18	includes 47:2	J	LDRP's 15:20	38:23
39:11,20 47:2	40:2,18 41:6	including 52:13	James 14:11	LDRs 15:20,22	location 1:13
49:21 52:1,12	41:12,15	inconceivable	January 39:25	16:3 31:17	26:24
52:12 53:17	42:25 43:2,6,8	40:12 57:19	60:16	32:13	locations 27:9
55:3,4 56:25	43:15 44:8	inconsistent	JAR 52:23 53:8	leader 42:14	logic 46:2
57:24	45:19 52:11	28:4 40:16	Jim 7:4	leaders 45:14	longer 15:10
healthcare 2:11	52:18 55:9	56:13	jobs 16:23 42:4	Leadership	21:9
27:7,10,15	56:9,15,18,20	increase 15:19	42:5,6	12:8	long-standing
38:13 41:9,20	57:3,14	24:16 25:17	Joe 45:17	leaves 35:14	8:4
41:23 42:2,17	hospitals 12:18	29:21 55:23	Julian 1:14	led 39:24	look 11:1 31:7
46:6,7 61:5	17:22 23:10	increased 14:3	July 4:2 37:24	left 3:8 9:3	33:19 34:15
hear 14:23 17:6	28:9 30:5	56:3	June 38:19	legal 3:18	35:1 36:2
22:3 54:22	38:20,22 42:5	increases 9:13	justification	Les 2:4 5:2,3	37:13 41:3
heard 21:5	43:5 46:3	15:22	41:7 51:9	31:7 32:17	46:12,25
25:20 43:3	47:18 49:20	increasing	justified 44:10	53:6	53:11 54:14
47:20	49:20 51:19	55:12	justifies 54:15	letter 24:7	54:25 55:6
hearing 4:19	52:16 57:23	independently	justify 41:11	45:16 46:4	looked 33:20,22
59:22	hospital's 29:13	28:9		letters 22:6,14	looking 35:10
heart 43:24	houses 44:23	INDEX 2:18	K	45:15	Looks 53:10
help 16:21	huge 52:4	indicated 41:2	Keeping 24:3	letting 20:5	loss 52:2,4
hereunto 60:10	hundred 39:16	indicating 41:4	key 8:17	let's 33:19	lost 19:15 20:12
Hi 46:11	45:20 56:17	indicators 12:20	kind 19:14	level 5:11 10:19	lot 19:3,11
high 9:8 10:19	hundreds 42:6	individual	34:12 35:15	10:20 12:19	21:18 30:8
10:20 17:13	hustling 22:25	20:19	35:17 38:2	14:6 16:13	33:13,14
44:25	hyperbarics	individuals 12:5	kinds 33:22	56:2	45:13
higher 13:20	11:2	infection 14:2	know 4:21,22	Levitt 2:12 42:9	Lou 2:8 27:25
19:2,5		information	19:1,14,16	46:7,11,11	28:7
highlighted	I	4:17 7:18	21:22 22:1,7,9	54:23,25	Lou's 24:17
41:4	ICU 15:10	28:19 46:14	25:23 28:7	licensed 31:18	lower 19:5 48:7
highly 26:10	16:14,15 19:1	47:20 51:23	31:7 34:14	31:24,24 32:3	Luke 6:23
30:25	21:9 27:20	55:24	35:19 36:17	32:8 37:23	luxury 15:14
Highway 45:3	ideally 26:16	infrastructure	36:17,18,19	52:23	Lynn 7:2 22:24
hired 46:7	identified 17:20	11:19 18:7	36:23 37:14	light 40:24	
historically	24:7,14,16	innately 19:2	44:11,19 56:7	limited 13:4,5	M
26:14	30:22 51:23	inpatient 8:23	knowing 19:24	line 24:9 26:6	majority 29:5
history 7:25 8:3	52:11	30:22 57:3		29:3,6 35:19	makeup 22:4
30:10 55:7	identify 49:17	insufficient	L	40:5	making 24:18
hold 15:10 46:3	ignominy 19:22	56:16	L 1:15 60:3,13	linked 56:9,10	31:17 32:10
honest 33:15	illustrate 56:8	intended 28:9	labor 15:18	56:11	33:3 55:5

8/12/2011

Page 6

manage 34:1 map 37:12 40:17,24 41:3 48:22 49:10 March 28:20 market 25:19 27:10 29:21 51:5 52:1,14 marketing 7:4 marketplace 27:16 material 29:17 mayor 21:14 McDevitt 2:9 7:5 16:25 17:4 17:4 20:24 mean 6:17 33:22 37:16 59:5 means 23:18 measure 11:16 12:23 medical 1:4,5 2:7 5:8,15 6:24 7:9,25 8:11,18 9:5,9 9:12,20 10:4 10:16,20 12:7 12:17 13:19 14:15 15:25 17:12,21:6 22:8,21 26:1 27:12,20 28:21 31:1 40:23,25 41:12,14 45:10 46:18 46:20 47:3,3 47:22 48:25 49:4,7,12 50:4 50:7,12,17,20 50:21,25 51:7 52:13 57:7,21 61:4 med/surg 15:15 15:21 16:3,9 27:21 32:21 32:25 33:1,5 meet 10:24 11:6 11:11 13:6 14:5 26:7 meeting 59:5 members 3:22 3:23,24 14:25 38:14 42:10 mentioned 13:8 15:3 36:9 60:6	mentions 3:17 men's 3:9 merely 39:5 message 7:8 9:18 14:21 metrics 8:17 middle 12:11 miles 38:25 40:5 43:9,9,16 million 16:16 30:4,6 51:12 51:16,19,21 mind 24:3 31:9 mine 19:18 minor 34:13 minute 38:8 minutes 5:15,23 7:13 17:1 38:9 missed 35:22 Misty 2:3 5:5 mix 50:23 mobile 19:4 moment 20:14 27:25 moments 19:23 Moncks 28:21 38:25 39:9 41:13 42:14 42:20,25 43:21 44:5,8 44:13 46:20 Monday 59:11 money 33:14 morning 25:21 Moseley 7:3 move 4:15 39:5 moved 36:19 multiple 35:15 mutually 41:16 myriad 17:12 M.D 2:9 14:11 N N 61:1 name 5:18 6:23 9:3 43:19 near 38:24 need 1:2 3:7,25 4:5,8 7:10,15 7:20,21,23 8:8 10:5,5,7,9,12 10:15 11:12 12:12 14:12 14:17 18:3,9 19:3,4,4 21:5 21:10,11 22:3 23:2,3,5,7	24:14,16 25:9 26:6 28:14 30:22 33:16 33:18,19 38:7 39:10,12,14 40:14 41:7,12 41:22 44:1,8 45:24 47:16 48:3,5,10,13 48:15 50:13 51:6,9,20,20 52:5 53:16,18 53:20,21,21 53:24 54:4,5,6 54:6,11,15,15 55:9,10,11,16 55:17 needed 12:2 17:2 21:16 33:13 40:4,7 45:22 46:17 needs 5:17 10:24 11:3,6 13:6 14:5 20:20 23:11 24:20 28:10 35:23 40:9,11 41:21 46:1 47:22 57:17 57:18 negative 51:16 51:18 Neil 2:9 7:5 17:4 neither 56:20 60:8 net 15:7 never 35:17 new 3:21 15:6 16:6,9 21:14 21:18 22:3 25:22 27:8,9 29:13 30:5,7 31:12,12 38:18,20 39:3 39:9 41:21 44:25 48:13 48:17 49:20 53:19 54:14 54:19 news 25:21 nine 41:22 48:7 48:7 53:18 nine-bed 54:11 normally 27:13 27:14 north 9:15 28:12 38:25	Northeast 55:9 55:12,20 Notary 60:4,14 notice 3:11 November 8:21 53:19 number 15:22 18:7 29:2 34:22 35:19 numbers 10:9 11:15,18,18 23:6 25:11 35:18 nurse 18:25 nursery 21:18 nurses 11:25 18:12,19 nurse/patient 19:5 nursing 7:3 14:20 18:15 20:8 nutrition 12:2 O OB 22:15,17,18 31:16 32:2,5 55:22 56:2 obesity 17:7,18 OBs 32:4 obviously 4:18 17:17 20:18 37:25 occupancy 25:4 25:5 34:16,21 53:2 occur 32:24,25 occurred 55:10 offer 13:20 Office 1:20 officer 7:3 38:13 official 60:10 officials 3:16,17 3:20 4:7,14 6:13,14 21:14 45:14 offset 29:22 okay 5:7 6:21 31:8 32:12,15 33:6 36:6,11 36:11 37:18 58:10,17,24 59:9 old 48:10 54:17 once 36:9 42:7 44:6	ones 29:5 open 31:6 opened 9:6 opening 25:22 operated 49:21 operational 57:22 operationally 23:7 operations 7:4 33:16,24 opinion 24:10 42:22 opportunities 31:4 opportunity 6:2 12:11 33:12 34:6 38:15 42:21 43:8,17 43:20 45:5 oppose 52:8 opposed 28:1 opposing 28:5 opposition 4:10 15:17 22:13 26:18 27:4 29:10 46:16 47:14 51:4,14 51:23 56:5 option 33:22,23 55:6 options 33:22 34:10 order 4:24 5:14 24:19 orderly 57:24 organization 8:10 origin 35:10 originally 37:24 orthopedic 13:11 14:9,13 16:11 orthopedics 12:21 18:19 outpatient 8:1 8:24 outside 3:7 25:1 25:2 outstanding 12:23 overall 25:18 overhead 11:16 overlap 48:17 48:22,23 49:2 49:13 50:15 56:11	overlaps 50:15 overproliferat... 57:3 overview 10:20 P page 29:11 34:15,17,19 60:6 61:2 pages 34:15 Palmetto 21:3 Pam 7:4 parking 21:18 part 3:13 6:10 6:17,20 7:6 8:9,10 11:24 16:22 18:22 33:4 50:2 partially 46:18 48:15 particular 41:18 party 5:19 60:9 passionate 14:9 patient 5:10 14:2,4 15:1 19:18,21,23 20:12,19 21:7 26:17 27:23 29:14,22 30:7 34:1 35:10 42:17 43:23 44:2,2 46:19 48:16 49:6,11 50:4,7,18,19 52:2,5,14 patients 8:13 9:16 10:14 11:9 12:1,25 14:7,18 15:10 15:12 16:11 17:3 18:13,16 18:23,25 19:3 19:10 20:7,11 21:3,9,22 22:2 22:7 23:1 24:24 26:8,13 27:13,17,20 29:2,5,7,17 32:21 34:1,8 35:25 39:6 46:17 47:9,13 47:17,23 48:18 49:3,14 49:23 50:10 50:13,22,23 50:23 51:6,12

www.compusercripts.com

RECORD 004453

8/12/2011

Page 7

52:16,18,20 53:11 Paula 2:4 5:4 pending 60:9 people 4:19,22 6:16 23:16 45:23 percent 8:23,24 8:25 9:14,16 9:24,25 24:25 25:2,5,7,15 29:13 34:16 34:20 36:1 49:6 50:3,5,6 50:18,19 51:25 52:14 percentage 49:11 performance 30:11 period 17:11 53:2,13 periods 35:4 person 20:1 personal 22:2 personality 8:13 personally 18:11 physician 13:22 physicians 11:23 12:24 21:12 26:2,3 42:6 picture 8:22 9:2 15:5 pie 50:6 piece 32:24 50:6 pieces 33:15 pipeline 26:3 place 1:14 11:6 28:16 55:3 places 35:15,24 plan 7:22 10:3,4 23:3 24:12,14 24:15 25:6 30:23 33:17 33:18 39:11 41:23 48:6,8,9 48:10,14 53:17,19,25 54:7,13,14,17 54:18,19 55:1 55:3,5,9,10,11 55:17 planned 4:21 6:18 planner 5:3	planning 11:4 27:8 39:5 42:16 44:19 46:9 56:25 57:24 plans 26:4 36:25 37:21 plant 25:22 played 14:11 22:5 please 3:6 59:19 pneumonia 18:20 point 19:13 22:15 23:17 40:19 56:8,13 pointed 53:6 56:21 points 22:14 political 20:18 poor 56:25 population 9:23 10:2,22 23:11 25:12,15 26:17 28:23 29:20 39:15 40:9,10 41:9 41:11,20 45:21 48:1 52:2 53:4,14 56:17,19 57:17 populations 37:7 portion 3:22 4:1 42:8 Portions 49:4 position 6:16 28:4 39:15 40:1 47:14 52:7 positions 40:16 positive 27:23 possible 4:18 29:22 Post 1:20 postpartum 13:15 15:16 15:21 16:4 18:20 32:21 32:24 potential 27:18 29:22 potentially 19:25 potpourri 18:18 PowerPoint	58:23 PowerPoints 58:14 PR 7:4 practice 21:2 preference 44:5 presentation 5:16,24 6:10 6:12,18 7:6 41:20 42:9 46:10 55:25 61:4,5 presentations 4:21,23 6:1 58:12 59:4 presented 25:10 47:1 51:15 presenter 6:3 presenters 5:18 5:25 38:7 presenting 5:20 presents 29:11 president 21:1 24:1 38:12 pressed 12:18 pressure 17:13 pretty 37:13 prevail 40:16 previous 46:13 price 30:4 primarily 28:12 primary 21:3 24:25 35:11 35:14 57:9 privacy 14:2 19:9 20:2 private 14:16 15:8 16:5 19:19,21,23 19:24 21:2 31:15 32:23 34:7 45:1 privilege 6:25 probably 15:10 26:17 27:4 33:9 34:18 problem 17:7,8 17:20 18:1,5 18:13 19:8 37:8 44:4 problems 17:12 18:17 procedure 19:20 proceedings 60:5,6,8 process 4:1 37:9	processes 17:10 professional 1:16 43:25 60:4,14 professionalism 58:11 program 11:8 11:11 12:3 17:2,23 18:4 21:19 programs 17:22 prohibited 3:11 3:25 4:7 prohibition 4:9 project 1:3 3:4 3:5 4:16 5:7 9:19 13:7 15:3 16:16,17,20 17:2 22:19,20 24:10,15,23 25:8 26:9,12 26:14,19,19 28:1,21 30:2 30:11,14,21 33:19 38:15 40:20 42:3 45:9 46:8,17 59:21 projected 28:23 41:8 44:20,23 49:6 50:5,18 53:1 54:5 56:2 56:17 57:9 projecting 51:9 projections 24:22 25:7,14 30:12 35:16 35:25 projects 28:2,15 28:16 39:19 41:6,15 46:15 56:9 promise 17:5 proposed 23:9 29:13 30:15 30:18 38:23 38:24 39:2 40:17,23 proposing 50:21 provide 7:17 10:19 12:16 12:20 13:3,23 14:2 18:9 20:21 21:23 26:23 36:22 46:4 58:23,23 provided 39:11	Providence 55:8 55:11,20 provider 29:18 30:25 51:24 providers 29:20 30:17 provides 10:21 18:7,11 providing 8:13 26:23 45:15 58:17 provision 3:15 proximity 37:15 public 4:18 60:4 60:14 published 7:21 purpose 4:16 45:9 put 11:5 18:3 19:10 27:8 56:22 putting 27:11 p.m 1:12 59:22	Q quality 12:16,20 13:2 14:6 58:11 quantify 36:8 37:5 quantitative 25:10 question 6:5 32:1 33:6 35:9 35:21 37:2 41:18 47:15 51:22 52:6 questions 5:25 6:3,4 31:3,5,7 36:5 37:19 58:4,6 Quick 7:2 quickly 6:6 quietly 22:3 quite 36:13 quote 56:23	R raise 13:2 14:6 Rardin 7:5 rate 25:4,6 34:16 rates 10:1 19:2 ratio 19:5 rationale 56:11 56:12 reach 12:18	read 3:10 4:3 45:16 readily 25:7 real 14:23 27:1 realize 27:8 really 4:20 9:15 11:15 12:3,16 12:24 15:10 15:24 17:9 18:1,15 20:20 22:17 23:10 24:5 26:7,19 27:15 28:18 32:5 37:10,21 46:22 50:24 56:8 REAR 2:18 reason 17:14,19 reasonable 30:6 59:2 reasons 24:16 46:16 recall 35:4 receive 40:2 received 59:1 receiving 39:23 recognize 7:20 reconcile 31:22 46:13 record 4:12 38:10 60:8 recorded 60:6 recover 13:15 20:10 32:21 recovery 14:19 19:19 32:23 recruit 13:22 red 40:20 redirect 51:5 redirecting 49:22 reduce 51:5 reduction 22:15 22:17 reductions 29:23 refer 34:25 reference 5:8 54:12 referring 54:17 reflect 53:24 reflective 25:18 36:14 regard 4:8 regarding 56:15 57:6 Registered 1:16

8/12/2011

Page 8

60:3,14 registration 37:9 regular 27:21 reiterate 7:22 57:15 relate 8:17 related 23:9 60:9 relationship 8:4 relative 30:23 reliance 48:20 49:2 reliant 50:8 relied 39:10 47:4 49:5 51:8 relocation 47:6 rely 41:8 49:10 49:12 relying 49:8 53:22 remainder 29:16 remarks 58:23 remind 45:9 59:19 render 7:18 renovation 5:9 repetition 18:14 reported 1:15 52:23 Reporter 1:16 60:2,4,14 61:7 Reporting 1:19 repositioning 29:14 represent 6:25 50:18 representative 21:13 45:17 representatives 6:15,22 requested 39:8 39:13 resident 42:14 43:21 residents 26:22 28:10 29:15 51:25 resolved 22:20 22:23 resource 13:24 resources 13:8 13:18,22 18:3 response 11:3 52:3 restroom 3:7	result 28:17 51:13 57:2 resulting 29:21 49:13 results 12:23 25:4 revenue 16:23 review 1:3 3:5 4:16 9:19 24:6 38:15 45:10 55:13 59:21 reviewed 28:8 reviewer 5:4,5,6 Richland 60:11 rid 31:16 right 3:9 15:9 15:12 18:23 25:24 27:19 31:21 32:18 32:18,20,20 33:4,7 34:21 35:22 36:23 roads 11:19 rolled 19:20 rolls 16:24 room 18:9 19:7 19:20,21,25 20:10 31:16 rooms 13:16 14:1,17,25 15:8 16:5,5 21:25 30:20 31:15,15 32:11,18,22 32:23 34:6,7 Roper 2:11 5:20 5:20 6:10 11:9 23:20 27:25 28:3,6 29:14 29:24 38:7,13 38:23 39:2,4 39:15,17,23 40:20 41:17 41:25 42:2,3 42:17 43:9,23 44:6,14 47:5,8 47:11,12,16 51:4,7,8,13 52:3,8 61:5 Roper's 6:16 15:17 22:13 27:4 29:9 46:16 Roper-Berkeley 29:10 ruling 3:18 running 28:25	S Sallie 2:5 5:6 Sarah 2:13 42:13,19 satisfactions 14:4 saw 10:1 11:4 12:1 41:19 57:8 saying 6:11 14:12 21:4 49:24 52:8,16 52:19 53:15 55:16 says 28:3 33:18 34:16,17,19 34:20 45:18 scarce 42:5 schedules 42:11 school 9:8 44:25 45:1 schools 11:19 12:11 seal 60:10 second 15:25 18:22 24:21 31:11 32:17 34:4 secondary 57:10,11 see 8:16 9:23 10:4,13 11:15 11:25 12:11 12:14 15:5,23 16:4,6,9 18:12 19:12 22:10 23:13,22 24:20 27:18 41:3 44:18 49:10 50:14 52:24 seeking 11:10 28:4 seeks 24:15 seen 9:12 14:14 56:11 segment 45:16 selected 4:22 semiprivate 13:16 14:1,24 15:8 16:5 19:20,25 21:24 30:20 31:15 32:22 34:6 senior 5:3 sense 3:20 37:15	52:17 sent 45:16 separate 58:15 sequelae 17:18 seriously 20:17 serve 7:11 26:13 26:17 27:17 28:9 39:6 47:11,12,12 48:25 49:1 52:16,18,19 served 29:17 48:16 serves 9:10 26:11 service 9:13 15:19 24:25 25:1,2,13,16 26:16 28:11 35:11 38:20 40:13,18,22 40:25 41:18 56:10 57:7,10 57:11,14,23 services 3:3 10:19,23 11:5 13:13 15:16 17:5 18:10 22:18 26:20 26:23 27:7 30:16 33:4 51:24 57:4,14 set 38:8 39:25 seven 40:5 41:4 Shaped 16:1 share 14:8 20:15 21:20 30:8,16 42:12 43:2 51:5 52:1 52:14 sharing 42:24 sheets 3:11 shelled 33:12 shelling 33:9 Shelton 2:4 5:3 5:3 31:8,14,21 32:1,12,15 33:6 34:11 35:8,13,21 36:3 37:20 Sheri 1:15 60:3 60:13 shift 32:25 short 7:6 17:11 56:23 show 32:16 48:10 53:17	54:9 showed 25:11 28:20 48:22 53:8,20,21 54:4,5 55:11 55:12 56:1 showing 41:22 shows 10:11,11 28:25 29:1 54:14 55:7 side 14:25 20:16 29:6 49:14,15 sign 3:6 59:20 significant 17:7 27:5 28:18 37:13 similar 55:14,20 Singleton 7:2 sit 20:2 34:9 site 27:7,12 30:1 sitting 20:14 situated 26:16 situation 19:10 19:17 six 18:25 48:21 size 17:22 29:21 sizing 24:18 skip 20:25 slide 10:25 15:2 16:8 24:8 48:5 slides 24:9 slight 55:14 slightly 35:18 slow 12:3 small 24:16 32:9 Smith 9:3 somebody 19:25 20:13 soon 54:19 59:15 sorry 25:1 sort 46:13 sources 35:2 37:5 South 1:13,14 1:20 9:25 17:8 60:4,11,15 Southard 2:13 42:15 43:18 43:19,19 space 5:9 13:6 15:24,24,25 16:6 32:20 33:2,9 34:3 spaces 30:8 speak 4:20,23 6:10,16 42:13	42:21 43:20 45:7 54:21 speaker 5:17 speakers 2:7,11 6:12 14:22 26:25 specialization 13:21 specialized 20:8 specialties 13:22 26:4 specific 4:22 29:4 specifically 3:17 specifics 15:3 spend 7:14 13:15 19:6 29:1 51:21 spending 51:11 St 1:14 2:11 29:15 38:13 38:23 39:3,15 39:17,23 41:17 42:2,3 42:17 43:9 61:5 stacked 34:19 staff 2:2 5:1,24 6:1 8:18 11:22 18:15 26:1 27:12 31:1,6 45:18 46:5 58:5 standard 18:24 standing 36:23 start 5:1 15:2 started 12:3 Starting 24:6 state 3:17 4:6 7:21 9:24,25 10:3,4 21:2 23:3 24:12,13 25:6 33:17,18 39:11 40:6 41:23 60:4,15 stated 57:12 statement 6:11 statements 29:9 56:14,14 57:5 states 55:1 statute 3:13,16 3:22 4:1 55:1 Steele 2:13 42:13,18,19 42:20 stenographica... 60:6

8/12/2011

Page 9

step-down 15:9 15:11,14 16:14 18:23 20:8 21:10 27:1 30:19 stop 39:23 storage 32:4,9 story 9:11 11:21 straddle 37:3 50:1 straddles 29:3 strategic 11:4 46:9 strategies 11:6 strategy 38:12 stroke 12:21 17:14,18 strong 30:10 53:3 strongest 9:23 submitted 28:19 36:13,15 46:14 48:8 54:13 submitting 58:15 subsequent 24:9 substantial 17:21 57:8 substantially 18:18 successful 56:20 suffer 52:1 sufficient 27:17 Sullivan 2:8 24:1,3 34:23 35:3,12,19 36:2 37:8 47:10 48:24 51:24 59:7 Sullivan's 55:24 summaries 36:14 summarize 56:5 summary 14:21 35:13 57:25 SUMMER 59:7 59:12 Summerville 1:5 2:7 3:4 5:8 5:15 6:22,24 7:9,20,25 8:11 9:5,9,12,15,20 9:22 10:4,16 10:20 12:7,17 13:19,23 14:13,15	15:25 17:16 17:19,24,25 21:4,6,7,14 22:8,21 23:22 24:10 26:10 26:12,15 27:6 27:13,14,16 27:19 28:5,10 28:14,22 30:1 40:4,25 41:14 41:22 44:12 44:17,22 45:10 46:18 46:24 47:3,4 47:12,13,22 48:2,15,25 49:1,4,9,24 50:4,13,17 51:7,12,20 52:13,20,22 53:20 54:11 55:14 57:7,12 57:20 61:4 Summerville's 26:1 38:17 41:8 55:19 58:2 support 4:10 7:18,23 14:17 17:2 21:12,13 21:21 22:12 23:4 25:8 30:8 30:12 39:16 39:22 40:6 45:13,15 56:12,17 supported 26:10,13,14 30:25 39:17 supporters 6:16 supportive 22:11 supposed 46:19 48:16 sure 3:12 5:17 6:11 24:18 54:23 surgeon 14:13 surgeons 14:9 surgery 11:1 19:14,18,24 20:11 43:24 surplus 54:7,9 54:11 surrounding 28:13 system 8:10	28:3 30:9 39:20 47:2 49:21 52:1,12 52:12 T T 16:1 tactics 11:6 tag 30:4 take 31:3 34:5 38:8 43:12 47:8,16 51:2 58:4 taken 42:11 60:5 talk 17:1 19:22 23:23 24:4,6 26:18 34:10 45:5 47:19,23 48:10,12,13 48:17 49:1 53:9 talked 24:17 25:12,12,24 26:25 28:11 30:19 47:6,21 48:4,24 51:2 55:21,25 talking 14:24 23:16 27:11 46:22,23 48:11 talks 48:5 target 25:5 tax 16:23 taxes 11:18 technology 21:1 tell 11:21 37:10 57:10 telling 7:24 ten 9:24 10:16 23:2 54:7,11 terms 24:18 25:9,20 26:3,9 26:11,15 30:14 terrible 44:7 thank 6:23 20:23,24 31:1 38:6,14 43:17 45:6,8,10,12 54:24 56:6 58:8,9,10 59:21 therapeutic 14:3 thereof 60:9	thing 12:10 31:8 33:7 34:12 36:11,24 37:20 56:8 things 21:15,17 37:9 think 9:18 10:1 10:25 12:17 15:17 17:14 19:8 25:18 27:1,4,8 28:17 29:9 30:4 31:25 34:18 35:6 37:3 44:21 48:9 50:2 51:18 55:6,19 56:7 57:19 59:2 thinking 34:21 third 16:8,10 31:11 34:4 THOMAS 54:21,24 58:19 thought 4:25 8:19 54:3 thoughts 42:12 45:8 three 10:16 12:15 23:1 41:5,15 48:8 48:22 53:19 53:25 56:9 three-story 5:10 15:4 31:10 thrilled 43:3 throwing 35:18 ties 16:7 time 1:12 4:9 17:11 19:6 24:3 27:19,19 28:5,16,25 29:1 33:14 35:4 36:15 37:22,22,23 38:3 39:14 42:5,11 45:2 46:9 53:5,13 54:1,5 55:3,13 58:3 59:9 60:5 times 19:11 title 5:18 today 3:3,24 4:21 5:20 8:16 10:15,15,17 13:9,17 14:10 22:16 23:12	29:11 42:12 42:21 43:11 43:20 45:6 48:11,11 52:7 54:3,17 57:8 58:3 today's 59:4 tonight 25:22 top 33:20 total 5:12 9:16 25:1,3 31:19 35:17,22 39:14 41:1 totals 35:13,15 tower 5:10 15:4 30:7,16 track 37:5 38:4 traffic 44:7 transcribed 60:7 transcript 2:18 60:7 transfer 27:20 transfers 27:22 36:8 transition 7:7 transitional 16:15 transpired 36:18 travel 43:16 traveling 59:8 treated 46:19 47:23,24 48:19 50:24 treating 17:17 17:18,25 18:15 treatment 11:10 tremendous 48:2,23 trend 52:25 trial 39:25 Trident 1:4 8:9 17:23 21:4 27:20 28:3 30:10 36:8 38:25 39:8,10 39:12,20,22 40:3,13,16,22 41:10,21,23 43:11 44:12 46:20,22 47:2 47:2,7,9,11,11 49:21,24 51:11 52:1,12 52:13 53:21	54:10 56:16 57:6 Trident's 39:24 40:1,8 41:15 57:15 tried 37:12 tri-county 10:6 41:18 45:2 true 52:7 60:7 truly 9:9,19 11:24 47:15 try 11:6 32:16 40:18 43:15 trying 8:14 22:25 40:3 turn 23:25 42:8 46:10 56:4 turned 9:4 21:15 two 12:15 28:2 28:15 31:4 33:15 38:19 39:24 42:10 43:3,4 45:20 49:20 57:22 two-year 37:22 type 9:8 12:6,6 typed 60:7 typically 37:16 U ultimately 18:2 18:17 21:19 uncompensated 11:20 undercut 29:10 underlying 17:25 understand 8:11 9:18 23:19 undertaking 37:13 unfair 41:25 Unfortunately 17:11 unique 8:12,12 8:13 28:11 unit 13:12,12,13 15:9,11,14 16:2,14 18:12 19:3 21:11 27:1 30:19 units 14:16,20 16:12 18:23 20:8 24:18 unlicensed 32:6

8/12/2011

Page 10

unnecessary 57:2	want 6:10 7:8 7:16 10:21,22	work 14:14 22:2 59:12	1:57 1:12 10 9:16	2012 40:1 2013 54:4	50-bed 28:5 38:20 41:12
untouched 15:24	10:23 11:12 12:25 13:20	working 12:22 14:22	100 40:6 101 10:14	2014 60:16 2015 24:23	47:5 51:16 53 51:25 52:14
update 36:16	13:21 14:8 19:24 22:7	wouldn't 20:5 wound 11:2,8	11 55:11 11th 28:20	29:13 2016 49:6	56 9:24 53:21 57 53:8
upside 16:1	31:3,9 45:9,15 48:13 52:19	21:18 written 4:10,11	12 1:11 8:23 15:22 25:15	21 46:8 22 15:15	57.3 34:18,20
urge 45:18	56:8,13 59:16 59:19	59:3 www.compus...	38:25 40:21 55:25	22nd 59:11,13 24 10:5 24:14	6
use 15:20 32:8,9 32:19,20 33:1 33:1 37:4 39:4 41:10	wanted 3:10,12 3:15 6:19 34:5	1:22	120 57:17 124 5:12 25:5	31:11 34:4 35:16,22,25	6 24:25 25:2 61:4
usually 18:24	wants 21:7	X	40:9 45:22	48:6 53:20	60 29:13 53:1,2 61:7
utilization 10:1 25:17 41:8,10 41:11 46:25 47:4 48:2,11 48:12 52:25 53:3,15,24 55:12,18,19	warmly 42:24 way 26:20 30:7 30:8,9 36:6 49:16,18 57:11 59:10	X 61:1	13 31:14 135,000 40:9 57:16	24th 59:10 24-bed 54:6 25 41:1 43:9 50:18	60.6 34:16,18,21 34:21 35:7 61 53:9 65 25:7 53:2,2 68.5 25:5
utilized 24:21	ways 30:15 Wednesday 59:9	Y	14 34:15,15 56:1	29 50:3 29202 1:20	7
V	we're 3:3 7:22 8:5 10:12,14 12:13,22 13:4 14:20 16:21 17:14 20:21 21:20 22:7,11 22:25 27:11 30:5 32:19 33:3 39:5 46:22 48:11 we've 8:3 10:13 10:17 11:22 17:17 25:23 28:11 30:22 56:10 58:20 wholly 9:17 Witness 60:10 women 13:13 women's 3:9 13:13 15:16 15:19 22:18 33:4	Yeah 35:12 year 8:17 9:1,4 9:7 11:11 13:10 28:20 35:5,5 54:20 years 7:12 8:15 9:5,24 10:16 10:24 12:15 14:6,18 17:9 22:8,23 23:2 25:16 39:24 40:2 42:20 43:1,3,13,15 43:22,22,25 44:24 45:20 46:8 55:20	15 9:25 17:9 34:15,19 15,000 44:23,24 16th 60:10 17 39:12,14 17A 45:3 176 45:4 1777 1:14 178,000 40:11 56:19 57:18 179,000 45:21 18 9:4,5 15:7 18th 9:7,7 19 54:10 19th 59:5 1989 8:1 1993 8:2,7	29483 50:1 29484 35:14 29485 50:16 3	71522 70 9:14 7172 1:20
validate 12:16	week 59:8,9	ZIP 9:15,17	17A 45:3 176 45:4 1777 1:14 178,000 40:11 56:19 57:18 179,000 45:21 18 9:4,5 15:7 18th 9:7,7 19 54:10 19th 59:5 1989 8:1 1993 8:2,7	29483 50:1 29484 35:14 29485 50:16 3	8
value 14:16	weeks 19:17	29:2 35:10,14 35:16 37:3,10 40:21,23 41:1 41:1,4,4 48:17 48:21 49:2,8,9 49:13 50:1,3,8 50:14,15,16	17A 45:3 176 45:4 1777 1:14 178,000 40:11 56:19 57:18 179,000 45:21 18 9:4,5 15:7 18th 9:7,7 19 54:10 19th 59:5 1989 8:1 1993 8:2,7	3 8:25 3:23 59:22 30 5:12,15,22 15:7 24:15 28:4 30:1,9 31:19 33:7 38:17 40:4 41:13,16,21 42:20 43:1 46:24 48:4,6 50:5 57:12 59:14 30-bed 3:4 13:7 21:20 28:22 31 29:11 33 39:13 43:21 35 50:6 38 61:5	80 24:24 46:23 52:23 53:21 54:15 803-988-0086 1:21 85 25:3
vegetables 12:4	weight 19:16	2	2 30:6 50:19 20 7:13 14:25 2003 55:11 2004 52:24 2004-2005 39:11 2005 52:24 55:7 2006 52:15 2008-2009 24:13 2009 8:24 25:17 34:16,20 38:19 50:4 53:8,11 56:15 2010 4:2 8:19 8:22 9:1 25:17 48:12 53:9,10 53:11 57:5 2011 1:11 9:2 60:11	30 5:12,15,22 15:7 24:15 28:4 30:1,9 31:19 33:7 38:17 40:4 41:13,16,21 42:20 43:1 46:24 48:4,6 50:5 57:12 59:14 30-bed 3:4 13:7 21:20 28:22 31 29:11 33 39:13 43:21 35 50:6 38 61:5	9
versus 48:19 54:18	went 37:12 52:24 56:23 weren't 12:2 20:6 21:25 we'll 32:25 34:24 45:15 46:4 59:12	3	2005 52:24 55:7 2006 52:15 2008-2009 24:13 2009 8:24 25:17 34:16,20 38:19 50:4 53:8,11 56:15 2010 4:2 8:19 8:22 9:1 25:17 48:12 53:9,10 53:11 57:5 2011 1:11 9:2 60:11	40 43:9,22 40,000 45:23 48 31:12 34:5	94 8:2 13:10 15:12 52:24 53:2 94-bed 12:18
vice 38:12	we're 3:3 7:22 8:5 10:12,14 12:13,22 13:4 14:20 16:21 17:14 20:21 21:20 22:7,11 22:25 27:11 30:5 32:19 33:3 39:5 46:22 48:11 we've 8:3 10:13 10:17 11:22 17:17 25:23 28:11 30:22 56:10 58:20 wholly 9:17 Witness 60:10 women 13:13 women's 3:9 13:13 15:16 15:19 22:18 33:4	4	2005 52:24 55:7 2006 52:15 2008-2009 24:13 2009 8:24 25:17 34:16,20 38:19 50:4 53:8,11 56:15 2010 4:2 8:19 8:22 9:1 25:17 48:12 53:9,10 53:11 57:5 2011 1:11 9:2 60:11	5	98 24 53:19 93 15:4 94 8:2 13:10 15:12 52:24 53:2 94-bed 12:18
victim 36:18	we'll 32:25 34:24 45:15 46:4 59:12	5	2005 52:24 55:7 2006 52:15 2008-2009 24:13 2009 8:24 25:17 34:16,20 38:19 50:4 53:8,11 56:15 2010 4:2 8:19 8:22 9:1 25:17 48:12 53:9,10 53:11 57:5 2011 1:11 9:2 60:11	5 60:16 5,400 35:25 5,700 37:14 50 33:8 39:2,9 39:14,22 40:11 41:24 46:23 49:6 57:19	
Video 14:11 22:5	we're 3:3 7:22 8:5 10:12,14 12:13,22 13:4 14:20 16:21 17:14 20:21 21:20 22:7,11 22:25 27:11 30:5 32:19 33:3 39:5 46:22 48:11 we've 8:3 10:13 10:17 11:22 17:17 25:23 28:11 30:22 56:10 58:20 wholly 9:17 Witness 60:10 women 13:13 women's 3:9 13:13 15:16 15:19 22:18 33:4	6	2005 52:24 55:7 2006 52:15 2008-2009 24:13 2009 8:24 25:17 34:16,20 38:19 50:4 53:8,11 56:15 2010 4:2 8:19 8:22 9:1 25:17 48:12 53:9,10 53:11 57:5 2011 1:11 9:2 60:11	6	
videotape 17:6	we'll 32:25 34:24 45:15 46:4 59:12	7	2005 52:24 55:7 2006 52:15 2008-2009 24:13 2009 8:24 25:17 34:16,20 38:19 50:4 53:8,11 56:15 2010 4:2 8:19 8:22 9:1 25:17 48:12 53:9,10 53:11 57:5 2011 1:11 9:2 60:11	7	
view 27:5 30:24	we're 3:3 7:22 8:5 10:12,14 12:13,22 13:4 14:20 16:21 17:14 20:21 21:20 22:7,11 22:25 27:11 30:5 32:19 33:3 39:5 46:22 48:11 we've 8:3 10:13 10:17 11:22 17:17 25:23 28:11 30:22 56:10 58:20 wholly 9:17 Witness 60:10 women 13:13 women's 3:9 13:13 15:16 15:19 22:18 33:4	8	2005 52:24 55:7 2006 52:15 2008-2009 24:13 2009 8:24 25:17 34:16,20 38:19 50:4 53:8,11 56:15 2010 4:2 8:19 8:22 9:1 25:17 48:12 53:9,10 53:11 57:5 2011 1:11 9:2 60:11	8	
viewed 19:11	we're 3:3 7:22 8:5 10:12,14 12:13,22 13:4 14:20 16:21 17:14 20:21 21:20 22:7,11 22:25 27:11 30:5 32:19 33:3 39:5 46:22 48:11 we've 8:3 10:13 10:17 11:22 17:17 25:23 28:11 30:22 56:10 58:20 wholly 9:17 Witness 60:10 women 13:13 women's 3:9 13:13 15:16 15:19 22:18 33:4	9	2005 52:24 55:7 2006 52:15 2008-2009 24:13 2009 8:24 25:17 34:16,20 38:19 50:4 53:8,11 56:15 2010 4:2 8:19 8:22 9:1 25:17 48:12 53:9,10 53:11 57:5 2011 1:11 9:2 60:11	9	
vision 17:24	we're 3:3 7:22 8:5 10:12,14 12:13,22 13:4 14:20 16:21 17:14 20:21 21:20 22:7,11 22:25 27:11 30:5 32:19 33:3 39:5 46:22 48:11 we've 8:3 10:13 10:17 11:22 17:17 25:23 28:11 30:22 56:10 58:20 wholly 9:17 Witness 60:10 women 13:13 women's 3:9 13:13 15:16 15:19 22:18 33:4	10	2005 52:24 55:7 2006 52:15 2008-2009 24:13 2009 8:24 25:17 34:16,20 38:19 50:4 53:8,11 56:15 2010 4:2 8:19 8:22 9:1 25:17 48:12 53:9,10 53:11 57:5 2011 1:11 9:2 60:11	10	
visits 8:25,25	we're 3:3 7:22 8:5 10:12,14 12:13,22 13:4 14:20 16:21 17:14 20:21 21:20 22:7,11 22:25 27:11 30:5 32:19 33:3 39:5 46:22 48:11 we've 8:3 10:13 10:17 11:22 17:17 25:23 28:11 30:22 56:10 58:20 wholly 9:17 Witness 60:10 women 13:13 women's 3:9 13:13 15:16 15:19 22:18 33:4	11	2005 52:24 55:7 2006 52:15 2008-2009 24:13 2009 8:24 25:17 34:16,20 38:19 50:4 53:8,11 56:15 2010 4:2 8:19 8:22 9:1 25:17 48:12 53:9,10 53:11 57:5 2011 1:11 9:2 60:11	11	
visual 15:23 32:16	we're 3:3 7:22 8:5 10:12,14 12:13,22 13:4 14:20 16:21 17:14 20:21 21:20 22:7,11 22:25 27:11 30:5 32:19 33:3 39:5 46:22 48:11 we've 8:3 10:13 10:17 11:22 17:17 25:23 28:11 30:22 56:10 58:20 wholly 9:17 Witness 60:10 women 13:13 women's 3:9 13:13 15:16 15:19 22:18 33:4	12	2005 52:24 55:7 2006 52:15 2008-2009 24:13 2009 8:24 25:17 34:16,20 38:19 50:4 53:8,11 56:15 2010 4:2 8:19 8:22 9:1 25:17 48:12 53:9,10 53:11 57:5 2011 1:11 9:2 60:11	12	
voice 42:22	we're 3:3 7:22 8:5 10:12,14 12:13,22 13:4 14:20 16:21 17:14 20:21 21:20 22:7,11 22:25 27:11 30:5 32:19 33:3 39:5 46:22 48:11 we've 8:3 10:13 10:17 11:22 17:17 25:23 28:11 30:22 56:10 58:20 wholly 9:17 Witness 60:10 women 13:13 women's 3:9 13:13 15:16 15:19 22:18 33:4	13	2005 52:24 55:7 2006 52:15 2008-2009 24:13 2009 8:24 25:17 34:16,20 38:19 50:4 53:8,11 56:15 2010 4:2 8:19 8:22 9:1 25:17 48:12 53:9,10 53:11 57:5 2011 1:11 9:2 60:11	13	
volume 9:13 10:2 29:14,22 52:5	we're 3:3 7:22 8:5 10:12,14 12:13,22 13:4 14:20 16:21 17:14 20:21 21:20 22:7,11 22:25 27:11 30:5 32:19 33:3 39:5 46:22 48:11 we've 8:3 10:13 10:17 11:22 17:17 25:23 28:11 30:22 56:10 58:20 wholly 9:17 Witness 60:10 women 13:13 women's 3:9 13:13 15:16 15:19 22:18 33:4	14	2005 52:24 55:7 2006 52:15 2008-2009 24:13 2009 8:24 25:17 34:16,20 38:19 50:4 53:8,11 56:15 2010 4:2 8:19 8:22 9:1 25:17 48:12 53:9,10 53:11 57:5 2011 1:11 9:2 60:11	14	
volumes 57:22	we're 3:3 7:22 8:5 10:12,14 12:13,22 13:4 14:20 16:21 17:14 20:21 21:20 22:7,11 22:25 27:11 30:5 32:19 33:3 39:5 46:22 48:11 we've 8:3 10:13 10:17 11:22 17:17 25:23 28:11 30:22 56:10 58:20 wholly 9:17 Witness 60:10 women 13:13 women's 3:9 13:13 15:16 15:19 22:18 33:4	15	2005 52:24 55:7 2006 52:15 2008-2009 24:13 2009 8:24 25:17 34:16,20 38:19 50:4 53:8,11 56:15 2010 4:2 8:19 8:22 9:1 25:17 48:12 53:9,10 53:11 57:5 2011 1:11 9:2 60:11	15	
volumetrics 8:19	we're 3:3 7:22 8:5 10:12,14 12:13,22 13:4 14:20 16:21 17:14 20:21 21:20 22:7,11 22:25 27:11 30:5 32:19 33:3 39:5 46:22 48:11 we've 8:3 10:13 10:17 11:22 17:17 25:23 28:11 30:22 56:10 58:20 wholly 9:17 Witness 60:10 women 13:13 women's 3:9 13:13 15:16 15:19 22:18 33:4	16	2005 52:24 55:7 2006 52:15 2008-2009 24:13 2009 8:24 25:17 34:16,20 38:19 50:4 53:8,11 56:15 2010 4:2 8:19 8:22 9:1 25:17 48:12 53:9,10 53:11 57:5 2011 1:11 9:2 60:11	16	
volunteers 8:18 11:23	we're 3:3 7:22 8:5 10:12,14 12:13,22 13:4 14:20 16:21 17:14 20:21 21:20 22:7,11 22:25 27:11 30:5 32:19 33:3 39:5 46:22 48:11 we've 8:3 10:13 10:17 11:22 17:17 25:23 28:11 30:22 56:10 58:20 wholly 9:17 Witness 60:10 women 13:13 women's 3:9 13:13 15:16 15:19 22:18 33:4	17	2005 52:24 55:7 2006 52:15 2008-2009 24:13 2009 8:24 25:17 34:16,20 38:19 50:4 53:8,11 56:15 2010 4:2 8:19 8:22 9:1 25:17 48:12 53:9,10 53:11 57:5 2011 1:11 9:2 60:11	17	
VP 7:3,4,5	we're 3:3 7:22 8:5 10:12,14 12:13,22 13:4 14:20 16:21 17:14 20:21 21:20 22:7,11 22:25 27:11 30:5 32:19 33:3 39:5 46:22 48:11 we've 8:3 10:13 10:17 11:22 17:17 25:23 28:11 30:22 56:10 58:20 wholly 9:17 Witness 60:10 women 13:13 women's 3:9 13:13 15:16 15:19 22:18 33:4	18	2005 52:24 55:7 2006 52:15 2008-2009 24:13 2009 8:24 25:17 34:16,20 38:19 50:4 53:8,11 56:15 2010 4:2 8:19 8:22 9:1 25:17 48:12 53:9,10 53:11 57:5 2011 1:11 9:2 60:11	18	
vulnerable 20:14	we're 3:3 7:22 8:5 10:12,14 12:13,22 13:4 14:20 16:21 17:14 20:21 21:20 22:7,11 22:25 27:11 30:5 32:19 33:3 39:5 46:22 48:11 we've 8:3 10:13 10:17 11:22 17:17 25:23 28:11 30:22 56:10 58:20 wholly 9:17 Witness 60:10 women 13:13 women's 3:9 13:13 15:16 15:19 22:18 33:4	19	2005 52:24 55:7 2006 52:15 2008-2009 24:13 2009 8:24 25:17 34:16,20 38:19 50:4 53:8,11 56:15 2010 4:2 8:19 8:22 9:1 25:17 48:12 53:9,10 53:11 57:5 2011 1:11 9:2 60:11	19	
W	we're 3:3 7:22 8:5 10:12,14 12:13,22 13:4 14:20 16:21 17:14 20:21 21:20 22:7,11 22:25 27:11 30:5 32:19 33:3 39:5 46:22 48:11 we've 8:3 10:13 10:17 11:22 17:17 25:23 28:11 30:22 56:10 58:20 wholly 9:17 Witness 60:10 women 13:13 women's 3:9 13:13 15:16 15:19 22:18 33:4	20	2005 52:24 55:7 2006 52:15 2008-2009 24:13 2009 8:24 25:17 34:16,20 38:19 50:4 53:8,11 56:15 2010 4:2 8:19 8:22 9:1 25:17 48:12 53:9,10 53:11 57:5 2011 1:11 9:2 60:11	20	
wait 13:10 22:19,22 23:1 31:3 43:14	we're 3:3 7:22 8:5 10:12,14 12:13,22 13:4 14:20 16:21 17:14 20:21 21:20 22:7,11 22:25 27:11 30:5 32:19 33:3 39:5 46:22 48:11 we've 8:3 10:13 10:17 11:22 17:17 25:23 28:11 30:22 56:10 58:20 wholly 9:17 Witness 60:10 women 13:13 women's 3:9 13:13 15:16 15:19 22:18 33:4	21	2005 52:24 55:7 2006 52:15 2008-2009 24:13		



TRIDENT HEALTH SYSTEM FINANCIAL STATEMENTS

2007 Income Statement

Net Revenue = \$370,210,153

EBITD = \$82,999,822

2008 Income Statement

Net Revenue = \$369,151,920

EBITD = \$56,944,154

2009 Income Statement

Net Revenue = \$394,124,575

EBITD = \$78,077,133

2010 Income Statement


Net Revenue = \$370,688,000

EBITD = \$92,862,000


Total Net Revenue (2007 to 2010) = \$1,504,174,648

Total EBITD (2007 to 2010) = \$310,883,109

SUMMARY OF RESPONDENT 150 AND RESPONDENT 151



RECORD 004459



RECORD 004460

CERTIFICATE OF NEED APPLICATION

OF

**TRIDENT MEDICAL CENTER, LLC
MONCK'S CORNER, SOUTH CAROLINA**

**FOR THE CONSTRUCTION OF A
NEW FIFTY (50) BED HOSPITAL**

Submitted To:

**South Carolina Department of Health and
Environmental Control
Division of Certification of Need
1777 St. Julian Place
Columbia, South Carolina 29201**

AUG 13 2008

000001

Construction of a New 50 Bed Hospital/Berkeley Medical Center

TABLE OF CONTENTS

	<u>PAGE</u>
PART A QUESTIONNAIRE.....	2
PART B ADDITIONAL INFORMATION	5
PART C PROGRAMMATIC DOCUMENTS AND ATTACHMENTS.....	58
PART D ASSURANCES	68

LIST OF EXHIBITS

<u>Tab</u>	<u>Exhibit</u>
1.	Affidavit of Publication
2.	Right of First Refusal and Site Option Agreement
3.	Trident Health System Facilities and Services
4.	Verification of Construction Costs
5.	Equipment List (Including Furniture)
6.	
	A Location Map/Site Plan
	B Floor Plans
	C Space Allocation Program
	D Architectural, Interior Design, and Structural Narratives
7.	Trident Medical Center LLC Operating Agreement
8.	Indigent Care Policy
9.	Physician and Community Support Letters
10.	Confirmation of the Availability of Funds
11.	Projected Budgets/Budget Attestation
12.	Projected Manpower Budget
13.	Trident Health System Medical Staff
14.	Zoning and Utility Letters
15.	Governing Body Approval

**APPLICATION FOR CERTIFICATE OF NEED
FOR A HEALTH FACILITY OR SERVICES**

Proposal Prepared By:

NAME: Jim Rardin
TITLE: Vice-President
ORGANIZATION: Trident Health System
ADDRESS: 9330 Medical Plaza Drive
CITY: Charleston
STATE: South Carolina
ZIP CODE: 29406
TELEPHONE NUMBER: (843) 797-4100

This Applicant hereby certifies that the information contained in this Application, including all assurances and attachments, are correct to the best of Applicant's knowledge and belief.

Signature: _____

J Rardin

Date: _____

8-12-08

000003

Construction of a New 50 Bed Hospital/Berkeley Medical Center

APPLICATION FOR CERTIFICATION OF NEED FOR A HEALTH FACILITY OR SERVICE

NOTE: A "complete" application shall include a written narrative report by the applicant
(Regulation 61-15, Section 202)

PART A-QUESTIONNAIRE (Page 1)			
1. Name of Facility: Berkeley Medical Center			
2. Address, City, County, State, Zip Code: Intersection of Martin Luther King Drive and Highway 17A, Moncks Corner, Berkeley County, SC 29461			
3. Type of Facility (Circle)			
A. Hospital	B. Nursing Home	C. Psychiatric Facility	D. Rehabilitation Facility
E. Substance Abuse Facility	F. Ambulatory Surgery Center	G. Other (Specify) -	
4. Purpose of Review (Circle)			
A. New Facility	B. Change of Licensure	C. Addition to Existing Facility	
D. Renovation of Existing Facility	E. Change of Services	G. Other (Specify):	
5. Management			
A. Name of Administrator To be determined	B. Address, City, State, Zip Code 9300 Medical Plaza Drive North Charleston, SC 29406		
C. Telephone 843.	D. Name of Licensee Trident Medical Center, LLC		
6. Ownership or control of the facility (attach a list of names and addresses of the owners of the facility, indicating percent of ownership of each owner, the person responsible for the proposal and the attorney(s) representing the proposal). Circle the appropriate information regarding ownership.			
A. Individual	B. Partnership	C. Corporation*	D. Proprietary
E. Non-Profit	F. Government	G. Other (Specify):	
*See response to B-8 herein.			

Construction of a New 50 Bed Hospital/Berkeley Medical Center

PART A-QUESTIONNAIRE (Page 2)

7. Is the Proposed Site of the Property?

A. Owned

B. Leased

C. Length of Site Lease:

D. Option

E. Length of Option: 5 years

F. Name and Address of Owner(s) of Real Property:

Cooper Investments Ltd. Pshp.

P.O. Box 98

Moncks Corner, SC 29461

See Exhibit 2 for a copy of the Right of First Refusal and Option Agreement.
See also B-8(h) herein.

8. Total Bed Capacity for Which Application is Made		Existing Facilities		
Type of Beds	New Facility Only	Existing Beds	# Gained or Lost	Bed Total
A. Medical/Surgical	36	237	36	273
B. Obstetrics	6	25	6	31
C. Pediatrics		6		6
D. Substance Abuse				
E. Psychiatric				
F. Rehabilitation				
G. Nursing Care				
H. RTC's				
I. ICU/CCU	8	28	8	36
J. Other				
K. TOTAL	50	296	50	346

Construction of a New 50 Bed Hospital/Berkeley Medical Center

PART A QUESTIONNAIRE (Page 3)	
9. Construction and Site	
A. Type of Construction: Institutional	B. Number of Buildings 1
	C. Number of Stories 3
D. Size of the Site in Acres: 21 acres	E. Square Footage of Facility: 145,150 sf
F. Anticipated Date of Beginning Construction:	G. Anticipated Date of Licensing or Project Completion:
Within 180 days of CON issuance	Within 36 months of CON issuance
10. Zoning of Construction Site: General Commercial District	
11. Costs (Provided Estimated Cost Statement from Either the Architect or Engineer)	
A. Land Cost: \$3,200,000	B. Construction Cost: \$57,256,075
C. Architect's Fee: \$4,009,477	D. Equipment Costs: \$27,149,815
E. Financing Cost During Construction: \$7,357,778	
F. Other Costs (application fees, bldg. fees, site development, professional fees, overhead, contingency): \$16,026,855	G. Total Project Cost \$115,000,000
H. Construction and Equipment Cost: \$84,405,890	
1) Per Square Foot: \$582.50	
2) Per Bed: \$1,688,118	

Construction of a New 50 Bed Hospital/Berkeley Medical Center

PART B - ADDITIONAL INFORMATION

- (1) Document that the applicant has published notification of this project in a local newspaper as required by Section 201 of these Regulations.

See Affidavit of Publication attached hereto at Exhibit 1.

Construction of a New 50 Bed Hospital/Berkeley Medical Center

- (2) Describe the project setting forth the proposed change in services or facilities in as much detail as possible. State whether the project will change the existing licensed or survey bed capacity, will encompass the development of a new service, or will result in the discontinuance of an existing service. If a new facility is proposed, list all services provided.

Trident Health System ("Trident") proposes to continue its commitment to providing quality and accessible healthcare services to the citizens of Berkeley County by developing a 50-bed community hospital in Moncks Corner, Berkeley County, South Carolina, to be known as Berkeley Medical Center ("Berkeley Medical Center"). Trident recognizes the need for a full-service hospital located in central Berkeley County.

Berkeley Medical Center will be constructed on a twenty-one (21) acre site adjacent to the existing Moncks Corner Medical Center site located on North Live Oak Drive in Moncks Corner. The hospital site will house the main hospital as well as medical office buildings and parking. Upon opening the doors of Berkeley Medical Center, Trident intends to convert the existing Moncks Corner Medical Center into a medical office building.

The History of Trident Health System

Trident's origins are rooted in its initial mission to serve the citizens of Berkeley, Dorchester and northern Charleston Counties. In 1973, the county hospitals located in and operated by Dorchester and Berkeley Counties elected to close those hospitals upon HCA's opening of a brand new facility to replace those aging hospitals and serve their populations. This facility is now known as Trident Medical Center.

In furtherance of this mission, in 1989, Trident established a freestanding emergency room and other services in Summerville, Dorchester County. Then, in 1993, Trident opened Summerville Medical Center to provide Dorchester County citizens increased access to full-service inpatient and outpatient services. Similarly, Trident has operated various sub-acute services at Moncks Corner Medical Center since 1983, which has developed into a freestanding emergency department and a comprehensive outpatient diagnostic center offering a broad range of services, including general radiology, CT, mammography, basic laboratory services, physical rehabilitation, and ongoing health education programs. Now, just as it committed to do and did in Dorchester County, Trident proposes to build a new hospital to provide full-service acute care services to the growing population of Berkeley County.

After thirty-five years in the community, Trident Health System now consists of a family of hospitals and healthcare facilities serving the tri-county area, including:

- Trident Medical Center, a 296-bed tertiary-care hospital providing a comprehensive range of services and specialties located in northern Charleston, South Carolina;
- Summerville Medical Center, a 94-bed acute-care hospital with a 24-hour emergency department and comprehensive medical services located in Summerville, Dorchester County, South Carolina; and

000008

Construction of a New 50 Bed Hospital/Berkeley Medical Center

- Moncks Corner Medical Center, a freestanding emergency department and an outpatient diagnostic center offering a broad range of services, including general radiology, CT, mammography, basic laboratory services, physical rehabilitation, and ongoing health education programs located in Moncks Corner, South Carolina.

See Exhibit 3 for a complete listing of the facilities and services provided by the Trident Health System.

The Need for a Hospital in Berkeley County

The bed need methodology outlined in the 2004-2005 *South Carolina State Health Plan* is based on a facility-specific need for acute care beds. Under the *Plan*, Trident Medical Center shows a facility-specific need of forty-two (42) acute care beds. Trident recently acted on that bed need by converting twenty-five (25) of its skilled nursing beds to acute care beds. See CON SC-07-61. However, seventeen (17) beds remain to be utilized. As outlined in greater detail in Section B.12 of this Application, Trident has determined that the best distribution of its resources would be to extend its full-care services to the growing community of Berkeley County.

Berkeley Medical Center will provide general acute care hospital services. These services include medical/surgical and intensive care beds, Level I nursery services, emergency department and various outpatient services. Acute care services to be offered at Berkeley Medical Center include the following:

➤ Emergency Medicine	➤ Obstetrics/Gynecology
➤ Endocrinology	➤ Orthopaedic
➤ Otolaryngology	➤ Plastic Surgery
➤ Gastroenterology	➤ Pulmonary Medicine
➤ General Medicine	➤ Physical Rehabilitation
➤ General Surgery	➤ Urology
	➤ Medical Imaging

Ancillary services to be offered at Berkeley Medical Center include:

- Diagnostic Imaging
(Computed Tomography, MRI, mammography, x-ray, ultrasound)
- Laboratory
- Respiratory Therapy
- Pharmacy
- Special Testing

Berkeley Medical Center's emergency services also will include a helicopter pad for emergency transport to tertiary care facilities.

The proposed hospital, along with the Trident Health System, will enable Trident to meet the current and future healthcare needs of the community it serves in the Berkeley, Charleston, and Dorchester tri-county area.

Construction of a New 50 Bed Hospital/Berkeley Medical Center

- (3) Provide the total cost of the project, indicating design fees, land cost, interest cost, construction cost, equipment cost and any other cost involved in the project. Provide an estimate of the construction cost from a licensed architect or engineer; in the case of equipment, an estimate from a vendor is acceptable.

The total project costs are as follows:

A. Land Cost		\$ 3,200,000
B. Construction Cost		\$ 60,228,876
C. Architect's Fee		\$ 4,009,477
D. Equipment Costs		\$ 27,149,815
Equipment & FFE	\$22,699,815	
Information Systems	\$ 3,800,000	
Telecommunications	\$ 650,000	
E. Financing Cost During Construction		\$ 7,357,778
F. Other Costs:		\$13,054,054
Overhead	\$ 1,287,389	
DHEC CON Fees:		
Filing Fee	\$ 500	
Application Fee	\$ 7,000	
Issuance Fee	\$ 7,500	
Professional Fees (est.)	\$ 75,000	
Contingency (11.5% of A - E)	\$11,676,665	
G. Total Project Cost		\$115,000,000

See Exhibit 4 for construction cost estimate.

Equipment cost estimates, including a list of equipment and furniture for the project, are attached hereto at Exhibit 5.

Construction of a New 50 Bed Hospital/Berkeley Medical Center

- (3) Provide the total cost of the project, indicating design fees, land cost, interest cost, construction cost, equipment cost and any other cost involved in the project. Provide an estimate of the construction cost from a licensed architect or engineer; in the case of equipment, an estimate from a vendor is acceptable.

The total project costs are as follows:

A. Land Cost		\$ 3,200,000
B. Construction Cost		\$ 57,256,075
C. Architect's Fee		\$ 4,009,477
D. Equipment Costs		\$ 27,149,815
Equipment & FFE	\$22,699,815	
Information Systems	\$ 3,800,000	
Telecommunications	\$ 650,000	
E. Financing Cost During Construction		\$ 7,357,778
F. Other Costs:		\$16,026,855
Overhead	\$ 1,287,389	
Site Development	\$ 7,105,060	
Other (sewer)	\$ 450,000	
Building Fees	\$ 1,145,565	
DHEC CON Fees:		
Filing Fee	\$ 500	
Application Fee	\$ 7,000	
Issuance Fee	\$ 7,500	
Professional Fees (est.)	\$ 75,000	
Other Contingency	\$ 5,948,841	
G. Total Project Cost		\$115,000,000

See Exhibit 4 for construction cost estimate.

Equipment cost estimates, including a list of equipment and furniture for the project, are attached hereto at Exhibit 5.

000011

Construction of a New 50 Bed Hospital/Berkeley Medical Center

- (4) State the specific location of the facility or service and/or equipment, including, where applicable, specific areas of an existing facility to be affected by the project. Provide room numbers of all patient rooms affected. Sufficient detail should be provided to allow the Department to visually inspect the site. The number of private and semi-private patient rooms shall be identified.

Berkeley Medical Center will be constructed as a three-story, approximately 145,150 square foot facility on property located adjacent to the current site of the Moncks Corner Medical Center. Once Berkeley Medical Center's doors are open, Moncks Corner Medical Center will be converted into a medical office building housing physician offices and clinics.

All patient rooms at Berkeley Medical Center will be private. Room numbers have not yet been assigned to the patient rooms in the proposed hospital.

Please see Exhibit 6-A for a copy of the location map and site plan, and Exhibit 6-B for a copy of the floor plans for the proposed Berkeley Medical Center.

000012

Construction of a New 50 Bed Hospital/Berkeley Medical Center

- (5) Provide details regarding any proposed construction and/or renovation. Discuss alternatives to new construction and why these alternatives were rejected. For a multi-floor project, construction and/or renovation must be described, by floor, to include any additions and/or deletions made to each floor. Provide evidence that the applicant has adequately planned for and temporary move or relocation of any department, facility or services, which may be necessary during the construction period. Document that plans exist to assure adequate protection (from fire, noise, dust, etc.) and continuation of all services during the proposed construction period.

Berkeley Medical Center will be a 145,150 square foot facility consisting of 36 acute care beds, 6 post-partum beds, and 8 ICU/CCU beds. Berkeley Medical Center will be a three-story facility configured as follows:

First Floor

- Public and Administration Areas
- Surgical Services and Endoscopy
- Emergency Services
- Patient Support
- Central Support
- Ancillary Services

Second Floor – Women's Services

- 6 LDRs
- 6 Post-Partum rooms
- 2 C-Section rooms
- Well-baby Nursery
- 24 acute care beds

Third Floor

- 8 ICU beds
- 12 acute care beds

See floor plans attached hereto at Exhibit 6-B, a detailed space allocation program attached hereto at Exhibit 6-C, and the architectural, interior design, and structural narratives attached hereto at Exhibit 6-D.

To ensure continuity of care and avoid disruption of services, Moncks Corner Medical Center will not cease operating until Berkeley Medical Center's doors are open. Because of the age of most of the equipment at Moncks Corner Medical Center, Trident does not anticipate relocating that equipment to Berkeley Medical Center.

Construction of a New 50 Bed Hospital/Berkeley Medical Center

- (6) If a replacement facility or ancillary service is being constructed, describe plans for disposition of the existing facility or ancillary service area upon completion of the project.

Not applicable.

Construction of a New 50 Bed Hospital/Berkeley Medical Center

- (7) Provide a timetable for development and completion of the project to include, at a minimum, the date of site acquisition, date of architectural contract, architectural design schedule, date of closing for financing, date of valid construction contract, date that all necessary permits (grading, building, sewer, etc.) will be obtained, and date of start of construction. The timetable shall be presented in one month increments commencing with the month following receipt of the Certificate of Need and ending with the execution of a contract or purchase order for equipment only projects.

The proposed project will begin immediately upon receipt of the Department's approval of this project. Following is a projected timetable based upon issuance of the CON:

Finalize site	within 90 days from CON issue
Finalize plan	within 120 days from CON issue
Finalizing financing	not applicable
Bid for Construction	within 150 days from CON issue
Award bid and sign contract for construction	within 150 days from CON issue
Begin construction	within 180 days from CON issue
Complete construction	within 30 months from beginning construction
Install equipment	within 30 days from end construction
Occupy new hospital	within 60 days from end construction

Construction of a New 50 Bed Hospital/Berkeley Medical Center

(8) Provide the following ownership information:

(a) Proposed name of facility.

Berkeley Medical Center

(b) Name and address of licensee or prospective licensee. (Note: The licensee is defined as the legal entity who, or whose governing body, has the ultimate responsibility and authority for the conduct of the facility or service; the owner of the business. The licensee must be the entity to whom the Certificate of Need is issued.)

Trident Medical Center, LLC d/b/a Berkeley Medical Center
9330 Medical Plaza Drive
Charleston, SC 29406

(c) Complete title of the licensee's governing body.

Trident Medical Center Board of Trustees

(d) Name, title and mailing address of presiding officer of the governing body.

David E. Bolster, MD, Chairman
Trident Medical Center Board of Trustees
9330 Medical Plaza Drive
Charleston, SC 29406

(e) Name and mailing address of all persons and/or legal entities having any ownership interest or owner's equity of the licensee to include a schedule of percent and type of ownership claim of each.

Health Trust, Inc, One Park Plaza,
Nashville, TN 37202-0550 Ownership: 100%

(f) Name and mailing address of all persons and/or legal entities claiming liabilities of the licensee or of the facility or service for which this Certificate of Need is requested to include a schedule of percent and type of claim of each.

Health Trust, Inc, One Park Plaza,
Nashville, TN 37202-0550 Ownership: 100%

000016

Construction of a New 50 Bed Hospital/Berkeley Medical Center

(g) Provide a listing which identifies all officers of the licensee.

OFFICERS AND MANAGERS OF TRIDENT MEDICAL CENTER, LLC:

Chuck Hall	President	One Park Plaza Nashville, TN 37203
Terry Gunn	Senior Vice President	9330 Medical Plaza Drive Charleston, SC 29406
Michael Joyce	Senior Vice President	101 North Monroe St., Ste. 801 Tallahassee, FL 32301
Robert A. Waterman	Senior Vice President	One Park Plaza Nashville, TN 37203
David G. Anderson	Vice President and Treasurer	One Park Plaza Nashville, TN 37203
Dora A. Blackwood	Vice President and Secretary	One Park Plaza Nashville, TN 37203
Mike T. Bray	Vice President	One Park Plaza Nashville, TN 37203
Steven E. Clifton	Vice President and Assistant Secretary	One Park Plaza Nashville, TN 37203
David L. Denson	Vice President and Assistant Secretary	One Park Plaza Nashville, TN 37203
David Dye	Vice President	101 North Monroe, St., Ste. 801 Tallahassee, FL 32301
Rosalyn S. Elton	Vice President	One Park Plaza Nashville, TN 37203
*John M. Franck II	Vice President and Assistant Secretary	One Park Plaza Nashville, TN 37203
V. Carl George	Vice President	One Park Plaza Nashville, TN 37203
Karl Gorrell	Vice President	9330 Medical Plaza Drive Charleston, SC 29406
Ronald Lee Grubbs, Jr.	Vice President	One Park Plaza Nashville, TN 37203

000017

Construction of a New 50 Bed Hospital/Berkeley Medical Center

Jim D. Hinton	Vice President	One Park Plaza Nashville, TN 37203
*R. Milton Johnson	Vice President	One Park Plaza Nashville, TN 37203
W. Mark Kimbrough	Vice President	One Park Plaza Nashville, TN 37203
Dwight E. Long	Vice President	One Park Plaza Nashville, TN 37203
Sara Margraf	Vice President	One Park Plaza Nashville, TN 37203
*A. Bruce Moore, Jr.	Vice President	One Park Plaza Nashville, TN 37203
Don Stinnett	Vice President	One Park Plaza Nashville, TN 37203
Christopher Gentile	Assistant Secretary	One Park Plaza Nashville, TN 37203
Dianne Johnson	Assistant Secretary	One Park Plaza Nashville, TN 37203
Lisa Marie Meister	Assistant Secretary	One Park Plaza Nashville, TN 37203
Deborah H. Mullin	Assistant Secretary	One Park Plaza Nashville, TN 37203
Robert Jerome Nevens	Assistant Secretary	One Park Plaza Nashville, TN 37203
Kenneth Kurt Roth	Assistant Secretary	One Park Plaza Nashville, TN 37203
Shirley E. Scharf	Assistant Secretary	One Park Plaza Nashville, TN 37203
James L. Williams	Assistant Secretary	One Park Plaza Nashville, TN 37203

***Managers.**

Persons employed in the capacity of Chief Executive Officer, Chief Financial Officer, Chief Operating Officer, Administrator and Assistant Administrator of facilities owned and/or operated by this Company or by a partnership for which this Company acts as general partner, are hereby authorized to, subject to the Company's policies and

Construction of a New 50 Bed Hospital/Berkeley Medical Center

procedures, (a) manage the facilities and all employees and agents of the Company at such facilities, and take such other acts as are necessary or appropriate for the proper functioning of the facilities, and (b) negotiate and enter into contracts and agreements necessary to conduct the day-to-day business of such facility, including, but not limited to, physician contracts, personal property leases, purchase agreements, cost reports, and similar documents (but specifically excluding any contracts or leases relating to real estate, except for leases to tenants in buildings owned by or leased to the Company entered into pursuant to the Company's policies and procedures) which with the advice of legal counsel shall be deemed appropriate and advisable, and to execute and deliver Certificates of Resolution required in connection with such contracts and agreements.

See Exhibit 7 for a copy of Trident Medical Center LLC's Operating Agreement.

- (h) Is the land and/or building on/in which the proposed facility or service is to be conducted owned by the applicant? Yes X No. If no, provide information on the land and building similar to that required in (b) through (g) above.

Trident Medical Center has an option to purchase the land from:

Cooper Investments Ltd. Pshp.
P.O. Box 98
Moncks Corner, SC 29461

See Exhibit 2 for a copy of the Right of First Refusal and Option Agreement.

- (i) Has the licensee engaged an entity other than an employee of the licensee to manage or operate the facility or service? Yes X No. If yes, provide information similar to that required in (b) through (g) above.
- (j) Is there any agreement, contract, option, understanding, intent or other arrangement that will effect a change in any of the information requested and/or provided in (b) through (g) above. Yes X No. If yes, provide information similar to that required in (b) through (g) above.
- (k) Provide a complete listing of all existing licensed health care facilities and/or services and Certificates of Need in which the proposed licensee currently has an ownership interest, to include names and addresses of each facility or service. In the cases of Certificates of Need for undeveloped facilities and services, provide the name, address, and telephone number of a contact person representing the authority which issued the Certificate of Need.

Trident Medical Center, LLC d/b/a Trident Medical Center
9330 Medical Plaza Drive, Charleston, SC 29406

Trident Medical Center, LLC d/b/a Summerville Medical Center
295 Midland Parkway, Summerville, SC 29485

Construction of a New 50 Bed Hospital/Berkeley Medical Center

Trident Ambulatory Surgery Center, LP d/b/a Trident Surgery Center
9313 Medical Plaza Drive, Charleston, SC 29406

Trident Eye Surgery Center, LP d/b/a Trident Eye Surgery Center
9297-C Medical Plaza Drive, Charleston, SC 29406

Moncks Corner Medical Center
401 N. Live Oak Dr., Moncks Corner, SC 29461

Summerville Medical Center CT Outpatient Imaging Center (CON SC-08-22)
5401 Netherby Lane at Dorchester Rd., Suite 1201
North Charleston, SC 29420

The contact person for all referenced CONs is:

Jim Rardin, Vice-President
Trident Health System
9330 Medical Plaza Drive
Charleston, SC 29406
843.797.4100

- (I) Should the licensee be a subsidiary corporation, provide a diagram of the licensee's relationship to the parent corporation and list the name and address of the parent corporation as well as the corporation which has ultimate control. In addition, please provide the name and mailing address of all persons and/or legal entities having ownership interest of 5 percent or more or any person with any agreement, contract, option, arrangement, or intent to acquire ownership interest of 5 percent or more, of all corporations in the corporate organizational structure which have ultimate control of the licensee.

HCA Inc.
(a Delaware Corporation)
One Park Plaza
Nashville, TN 37203
Owns 100% Common Stock of:
|
Healthtrust, Inc. - The Hospital Company
(a Delaware Corporation)
One Park Plaza
Nashville, TN 37203
Owns 100% Membership Interest - Sole Member of:
|
Trident Medical Center, LLC
(a Delaware LLC, qualified in South Carolina)
Principal Office Address: One Park Place
Nashville, TN 37203
Proposed 100% Owner of Assets and Operations of:
|
Berkeley Medical Center
|
Moncks Corner, SC 29461

Construction of a New 50 Bed Hospital/Berkeley Medical Center

- (9) **Provide documentation that the applicant has sought cooperative agreements such as transfer agreements with other facilities, as applicable.**

Trident expects that Berkeley Medical Center will have transfer agreements in place with the following facilities:

Trident Medical Center (North Charleston, SC)
Summerville Medical Center (Summerville, SC)
Trident Surgery Center (North Charleston, SC)
Trident Eye Surgery Center (North Charleston, SC)
Colleton Medical Center (Walterboro, SC)
Grand Strand Regional Medical Center (Myrtle Beach, SC)
Redmond Park Hospital, LLC (Rome, GA)
Coliseum Medical Center (Macon, GA)
Doctors Hospital of Augusta (Augusta, GA)
Fairview Park Hospital (Dublin, GA)
Palmyra Hospital (Albany, GA)
Emory Eastside Medical Center (Snellville, GA)

Construction of a New 50 Bed Hospital/Berkeley Medical Center

- (10) Indicate the means by which a person will have access to the facility's services (i.e. physician referral, self admission, etc.). Identify the specific facilities or agencies the applicant expects to receive referrals from (i.e. hospitals, home health agencies, etc.). Describe any limitations placed on admission.

The Applicant anticipates that patients will access the proposed Berkeley Medical Center via the same channels through which they currently access the existing acute facilities of the Trident Health System.

Major admission sources include the Emergency Department, Physician Admissions, ambulances, and Transfers from other ambulatory surgical facilities and nursing homes.

The Table below summarizes admission sources for all Berkeley County residents who were admitted to Trident Health System acute care facilities in 2007.

Admission Source	Berkeley County Residents Admitted to Trident Health System Acute Care Hospitals in 2007
Physician -- Self Admit	4,582
Emergency Department	3,436
Transfer From Skilled or Intermediate Care Facility	303
Transfer from a Non-Hospital Health Care Facility	74
Intra-Hospital Transfer	24
Transfer from Another Acute Care Hospital	14
HMO Referral	3
Clinic	1
Total	8,437

See Indigent Care Policy, attached hereto as Exhibit 8.

Construction of a New 50 Bed Hospital/Berkeley Medical Center

- (11) **Demonstrate that the proposed project is needed or projected as necessary to meet an identified need of the public. This shall address at a minimum: identification of the target population; the degree of unmet need; projected utilization of the proposed facility or service; utilization of existing facilities and services; past utilization of existing similar services within the facility; and justification that the proposed project will not unnecessarily duplicate existing entities. The applicant must show all assumptions, data sources, and methodologies used. The applicant must use population statistics consistent with those generated by the State Demographer, State Budget and Control Board.**

Trident's application to develop a community hospital in Berkeley County reflects the continuation of Trident's long-term commitment to the County's residents. This commitment has been an explicit component of Trident Health System's mission since its inception.

Although located in northern Charleston County, Trident Medical Center's existence was always premised upon its provision of services to the residents of Berkeley, Dorchester and northern Charleston Counties. The original Certificate of Need Application filed by HCA in 1972 proposed to construct Trident Medical Center f/k/a North Trident Regional Hospital and contemplated that the new hospital would replace the two then-existing acute care hospitals in Dorchester and Berkeley Counties. Trident's role as a replacement facility for Berkeley County Hospital and Dorchester County Hospital was expressly recognized by the governing bodies of those two hospitals, both of which agreed in advance to cease operating as acute care facilities following the opening of the new Trident facility. Trident received support from local health authorities, governments, community leaders and citizens because it proposed to provide a mechanism to improve community access to high quality medicine through the consolidation of health care services and resources into a single regional setting.

Since obtaining approval to construct Trident Medical Center, the Trident Health System has fulfilled its commitments to serve the residents of Dorchester and Berkeley Counties and has steadily expanded its scope of services to those residents.

Trident Health System now includes Summerville Medical Center, a 94-bed acute care hospital opened in 1993 to serve the residents of Dorchester County. This facility grew out of the initial establishment of a freestanding ER in 1989. Similarly, Trident has operated an outpatient facility in Moncks Corner since 1983 and it has developed into a freestanding emergency department and an outpatient care center now known as Moncks Corner Medical Center. Trident now intends to improve the delivery of healthcare services to Berkeley County and replace this facility with a new acute care community hospital.

Trident Health System is the leading provider of inpatient services in both Berkeley and Dorchester Counties, with 2006 inpatient market shares of 52.9 and 62.0 percent, respectively, in those counties. Trident's significant market share in both counties is important to note because it offers an important insight into what this application is and

Construction of a New 50 Bed Hospital/Berkeley Medical Center

what it is *not*. Trident Health System is not attempting to establish itself in the service area of other, long-established providers with the intention of replacing them. Rather, Trident proposes to take the next step in the fulfillment of its long-standing commitment to serve the citizens of Berkeley and Dorchester Counties by developing an acute care hospital in a section of Berkeley County that can support it and should have its own acute care hospital. Generally, acute care services should be located in reasonable geographic proximity to the citizens that they serve. As Berkeley and Dorchester Counties continue to grow, it will become progressively less feasible and less fair to expect their residents to make long automobile drives to access routine acute care services at facilities that are distant from their homes. While Trident Health System's facilities have represented a reasonably accessible resource for acute care services for the residents of Berkeley and Dorchester Counties when those counties were less developed and less populated, they cannot continue in such a role indefinitely.

The balance of this response will provide specific documentation of the need to develop the new acute care facility that the Trident Health System proposes in this application.

Target Population

Figure 1, attached hereto, provides a map of Berkeley, Charleston, and Dorchester Counties and illustrates the primary service area of the proposed Berkeley Medical Center. As this map shows, the service area includes the ZIP Codes in northern Berkeley County that surround Lake Moultrie, as well as ZIP Code 29483 in Dorchester County. ZIP Code 29483 is also served by Summerville Medical Center, but a significant portion of this population is located in Berkeley County and is as close if not closer to Moncks Corner as it is to Summerville.

Table A provides historical and projected population information for Berkeley, Charleston, and Dorchester Counties from the South Carolina Budget and Control Board. As shown in this Table, Berkeley and Dorchester Counties are expected to experience substantially higher population growth between 2005 and 2020 than is Charleston County. Berkeley County's population is expected to increase by approximately 32,000 persons, or 20.9 percent during this time period; while Dorchester County's population is expected to increase by approximately 28,000 persons, or 24.9 percent. While percentage growth in Charleston County is projected at only 8.0 percent, its population is nevertheless expected to increase by over 26,000 persons between 2005 and 2020. Overall, the population of the tri-county area is expected to increase by approximately 86,000 persons between 2005 and 2020.

Construction of a New 50 Bed Hospital/Berkeley Medical Center

TABLE A
POPULATION PROJECTIONS
BERKELEY, CHARLESTON & DORCHESTER COUNTIES 2005-2020

County	Projected Population				Percent Increase 2005-2020	Average Annual Rate of Growth
	2005	2010	2015	2020		
Berkeley	151,798	162,370	172,940	183,520	20.9%	1.3%
Charleston	330,381	339,140	347,910	356,680	8.0%	0.5%
Dorchester	112,808	122,170	131,530	140,900	24.9%	1.5%
Total	594,985	623,680	652,380	681,100	14.5%	0.9%

Source: South Carolina Budget and Control Board, Office of Research and Statistics

These population projections demonstrate several important facts that are relevant to the review of this application. First, Berkeley County, which currently has no acute care hospital, is expected to have over 183,000 residents by 2020. While it is true that hospitals on the periphery of Berkeley County, including Trident Medical Center and Summerville Medical Center, have provided and will continue to provide acute care services to the residents of southern Berkeley County, it is equally clear that as the county's population moves north, the residents of northern and central Berkeley County will face increasingly difficult access and availability to basic acute care hospital services.

Second, total service area growth is expected to be substantial over the projection period. There will be enough population growth in all three counties to permit all of the Tricounty area's existing and approved acute care hospitals to maintain healthy levels of inpatient utilization.

Table B presents 2005 U.S. Census estimates for population by age group in the tri-county area. Charleston County has the highest percentage of persons over age 65, at 12.0 percent, with Berkeley and Dorchester at 9.3 and 9.5 percent, respectively. All three counties have large percentages of persons in the 45 to 64 age cohort, who will represent a significant source of acute admissions in the coming decades.

Construction of a New 50 Bed Hospital/Berkeley Medical Center

TABLE B
2005 AGE DISTRIBUTION
BERKELEY, CHARLESTON & DORCHESTER COUNTIES

2005 Population					
County	Under 18	18-44	45-64	65 & Over	Total
Berkeley	40,031	59,828	37,649	14,165	151,673
Charleston	77,727	130,907	82,129	39,605	330,368
Dorchester	29,037	44,784	28,272	10,765	112,858
Total	146,795	235,519	148,050	64,535	594,899

Percentage of 2005 Population					
County	Under 18	18-44	45-64	65 & Over	Total
Berkeley	26.4%	39.4%	24.8%	9.3%	100.0%
Charleston	23.5%	39.6%	24.9%	12.0%	100.0%
Dorchester	25.7%	39.7%	25.1%	9.5%	100.0%
Total	24.7%	39.6%	24.9%	10.8%	100.0%

Source: Population Division, US Census Bureau
Note 2005 Census Projections differ slightly

In many of the utilization forecasts that support this application, population projections from Claritas will be employed. These projections permit analysis of population growth trends at the sub-County (ZIP Code) level.

Table C compares the population projections of Claritas with those developed by the South Carolina Budget and Control Board. As shown in this Table, Claritas projects a higher rate of growth for the entire tri-county area than does the State Budget and Control Board. However, if one focuses on Berkeley County, the opposite is true. Claritas projects a lower rate of growth for Berkeley County between 2008 and 2013 than does the State.

TABLE C
COMPARISON OF CLARITAS AND SOUTH CAROLINA
POPULATION PROJECTIONS FOR
BERKELEY, CHARLESTON & DORCHESTER COUNTIES

Total Population Projection						
County	2008		2013		Percent Increase 2008-2013	
	South Carolina	Claritas	South Carolina	Claritas	South Carolina	Claritas
Berkeley	158,140	143,849	168,710	152,982	6.7%	6.3%
Charleston	335,640	333,836	344,400	351,184	2.6%	5.2%
Dorchester	118,420	141,709	127,780	160,219	7.9%	13.1%
Total	612,200	619,394	640,890	664,385	4.7%	7.3%

Source: South Carolina Budget and Control Board, Office of Research and Statistics & Claritas

Construction of a New 50 Bed Hospital/Berkeley Medical Center

Because the proposed hospital is expected to obtain the great majority of its admissions from selected ZIP codes in Berkeley and Dorchester Counties, it is necessary to utilize a data source that provides population projections at the ZIP code level to develop the project's utilization projections. Claritas projections provide such detail, while the state's projections do not. It is important to note, however, that because Claritas generally projects a lower rate of population growth in the ZIP Codes that comprise the project's primary service area, use of Claritas data will not skew the utilization projections in a manner inconsistent with the growth expectations that support the state's population projections.

Table D provides Claritas population projections by ZIP code for Berkeley, Charleston, and Dorchester Counties. For each Zip Code, a 5-year and an average annual growth rate are computed. These growth rates are applied in subsequent projections to estimate the demand for acute hospital services at the Trident System generally and at the Berkeley Medical Center facility in particular.

TABLE D
CLARITAS POPULATION PROJECTIONS
BERKELEY, CHARLESTON & DORCHESTER COUNTIES
2008-2013

County\ZIP Code	Location	Population		Percent Increase	Average Annual Rate of Growth
		2008	2013	2008-2013	2008-213
<u>Berkeley County</u>					
29410	North Charleston	14,124	14,933	5.7%	1.1%
29431	Bonneau	6,407	6,860	7.1%	1.4%
29434	Cordesville	551	536	-2.7%	-0.6%
29436	Cross	4,213	4,179	-0.8%	-0.2%
29445	Goose Creek	48,987	49,916	1.9%	0.4%
29450	Huger	6,421	8,275	28.9%	5.2%
29463	Jamestown	1,335	1,321	-1.0%	-0.2%
29456	Ladson	19,251	20,944	8.8%	1.7%
29461	Moncks Corner	25,209	26,068	3.4%	0.7%
29468	Pineville	2,305	2,148	-6.8%	-1.4%
29469	Pinopolis	914	869	-4.9%	-1.0%
29479	Saint Stephen	6,711	6,676	-0.5%	-0.1%
29492	Charleston	7,421	10,257	38.2%	6.7%
Subtotal Berkeley County		143,849	152,982	6.3%	1.2%

Construction of a New 50 Bed Hospital/Berkeley Medical Center

TABLE D
CLARITAS POPULATION PROJECTIONS
BERKELEY, CHARLESTON & DORCHESTER COUNTIES
2008-2013

		2008-2013		Average	
County\ZIP Code	Location	Population		Percent	Annual Rate
		2008	2013	Increase	of Growth
2008-2013					
<u>Charleston County</u>					
29401	Charleston	10,006	9,939	-0.7%	-0.1%
29403	Charleston	24,684	25,111	1.7%	0.3%
29404	Charleston AFB	3,765	3,580	-4.9%	-1.0%
29405	North Charleston	30,675	30,929	0.8%	0.2%
29406	Charleston	27,711	29,667	7.1%	1.4%
29407	Charleston	35,201	34,983	-0.6%	-0.1%
29412	Charleston	36,015	37,389	3.8%	0.8%
29414	Charleston	29,058	31,634	8.9%	1.7%
29418	North Charleston	24,085	25,804	7.1%	1.4%
29426	Adams Run	2,042	2,142	4.9%	1.0%
29429	Awendaw	3,200	3,469	8.4%	1.6%
29438	Edisto Island	3,163	3,625	14.6%	2.8%
29449	Hollywood	7,907	8,107	2.5%	0.5%
29461	Isle of Palms	4,645	4,719	1.6%	0.3%
29465	Johns Island	15,123	16,202	7.1%	1.4%
29458	MC Clellanville	2,672	2,609	-2.4%	-0.5%
29464	Mount Pleasant	42,153	43,895	4.1%	0.8%
29466	Mount Pleasant	23,452	29,007	23.7%	4.3%
29470	Ravenel	3,888	4,037	3.8%	0.8%
29482	Sullivan's Island	1,877	1,863	-0.7%	-0.1%
29487	Wadmalaw Island	2,514	2,473	-1.6%	-0.3%
Subtotal Charleston County		333,836	351,184	5.2%	1.0%
<u>Dorchester County</u>					
29420	North Charleston	18,164	20,086	10.6%	2.0%
29437	Dorchester	2,437	2,627	7.8%	1.5%
29448	Harleyville	2,486	2,632	5.9%	1.1%
29471	Reevesville	1,662	1,801	8.4%	1.6%
29472	Ridgeville	9,604	10,246	6.7%	1.3%
29477	Saint George	6,816	7,100	4.2%	0.8%
29483	Summerville	58,918	68,537	12.9%	2.5%
29485	Summerville	41,622	49,190	18.2%	3.4%
Subtotal Dorchester County		141,709	160,219	13.1%	2.5%
Total		619,394	664,385	7.3%	1.4%
Source: Claritas					

Table E focuses on the population growth and age distribution of the ZIP Codes that have been identified as the Berkeley Medical Center primary service area. The primary service area identified for the proposed hospital is expected to grow to over 211,000 persons by the year 2013. The elderly populations of this service area are expected to grow rapidly between 2008 and 2013. The population age 65 to 74 is expected to increase by 38.5 percent between 2008 and 2013, while the population 75 and over is expected to increase by 25.6 percent. As these population projections show, the service area that the proposed Berkeley Medical Center is intended to serve is large enough to support a 50-bed acute care hospital.

Construction of a New 50 Bed Hospital/Berkeley Medical Center

ZIP Code	Location	2008				2013				Percent Increase 2008-2013			
		Under 65	65 to 74	75 & Over	Total	Under 65	65 to 74	75 & Over	Total	Under 65	65 to 74	75 & Over	Total
29483	Summerville	53,123	3,641	2,254	58,918	58,396	5,176	2,965	66,537	9.9%	46.2%	31.5%	12.0%
29461	Moncks Corner	22,000	1,839	1,370	25,209	22,240	2,294	1,534	26,068	1.1%	24.7%	12.0%	3.4%
29479	Saint Stephen	5,829	490	392	6,711	5,894	582	400	6,876	-2.3%	18.8%	2.0%	-0.5%
29431	Bonneau	6,489	522	398	7,407	5,749	668	443	6,860	4.7%	28.0%	11.9%	7.1%
29436	Cross	3,585	381	247	4,213	3,473	438	270	4,179	-3.1%	14.4%	9.3%	-0.8%
29468	Pineville	1,975	198	132	2,305	1,785	220	143	2,148	-9.6%	11.1%	8.3%	-6.6%
29485	Summerville	37,473	2,500	1,649	41,622	43,140	3,817	2,233	49,190	15.1%	52.7%	35.4%	19.2%
29445	Goose Creek	45,302	2,524	1,161	48,987	44,942	3,418	1,555	49,916	-0.8%	35.4%	34.0%	1.9%
Total		174,776	11,995	7,601	194,372	185,419	16,611	9,544	211,574	6.1%	38.5%	25.6%	8.9%

Source: Claritas

Degree of Unmet Need

Need for the proposed project is supported both by reference to applicable state regulatory projections and by analysis of the historical and projected utilization of the service area's existing acute care resources.

The State Health Plan

The 2004-2005 South Carolina Health Plan projects the 2010 acute bed need at the facility level in each of the state's four planning Regions. The Berkeley-Charleston-Dorchester planning area is part of Region IV. According to the 2004-2005 South Carolina State Health Plan, Trident Medical Center has a projected 2010 need for 42 additional acute care beds. In 2008, Trident Medical Center acted on that bed need and converted 25 hospital-based skilled care beds to 25 acute care beds, which reduced its net 2010 bed need to 17 beds. However, 17 beds remain to be utilized in a manner that is most consistent with health planning principles embodied in the Plan. Under the Plan, an entity applying to construct a new acute care hospital may apply for a bed complement equal to the greater of its actual forecast need (in this case $42-25=17$) or 50 beds. In order to achieve a cost-effective addition to meet its patient needs, Trident Health System is proposing to construct a 50-bed facility.

It is important to note that, in this context, utilization growth at Trident Medical Center has been such that in the draft 2008-2009 South Carolina State Health Plan, the state projects a 2013 need for 56 additional acute care beds at Trident Medical Center beyond the 296 acute bed inventory that resulted from the conversion of the above-referenced 25 skilled nursing beds. While the draft Plan has no legal force as yet, its bed need forecasts clearly indicate substantial incremental need within the Trident Health System over and above its current capacity.

Construction of a New 50 Bed Hospital/Berkeley Medical Center

Utilization of Trident Health System Acute Beds

Table F provides 2003 utilization data for the acute care and long-term acute hospitals in Charleston and Dorchester Counties. There are no acute care or long-term acute care hospitals licensed or approved in Berkeley County.

TABLE F ACUTE BED INVENTORIES AND INPATIENT UTILIZATION BERKELEY, DORCHESTER & CHARLESTON COUNTIES : 2003				
County/Provider	Licensed Beds	2003 Patient Days	2003 Percent Occupancy	2003 Tri-County Market Share
<u>Berkeley County</u>				
None	0	0	0	0
<u>Charleston County</u>				
Trident Medical Center	271	74,225	75.0%	18.9%
Kindred Hospital	59	11,975	55.6%	3.0%
MUSC Medical Center	536	133,072	68.0%	33.9%
Roper Hospital	403	93,489	63.8%	23.8%
Bon Secours St. Francis Xavier	175	38,579	60.4%	9.8%
East Cooper Medical Center	101	20,800	56.4%	5.3%
Subtotal Charleston County	1,545	372,140	66.0%	
<u>Dorchester County</u>				
Summerville Medical Center	80	20,817	71.3%	5.3%
Subtotal Dorchester County	80	20,817	71.3%	5.3%
TOTAL	1,625	392,957	66.3%	100.0%
Source: 2004-2005 South Carolina Health Plan				

In 2003, Trident Medical Center was occupied at an average of 75.0 percent of its licensed capacity of 271 acute beds. Summerville Medical Center, also a member of the Trident Health System was occupied at 71.3 percent of its licensed capacity of 80 acute beds.

Table G provides 2006 utilization data for the same group of hospitals, except for Kindred. In 2006, Trident Medical Center was occupied at 78.3 percent of its then 271 licensed acute care beds, and Summerville Medical Center was occupied at 70.3 percent of its 94 acute care beds.

Construction of a New 50 Bed Hospital/Berkeley Medical Center

TABLE G
ACUTE BED INVENTORIES AND INPATIENT UTILIZATION
BERKELEY, DORCHESTER & CHARLESTON COUNTIES: 2006

County\Provider	Licensed Beds	2006 Patient Days	2006 Percent Occupancy	2006 Tri-County Market Share
<u>Berkeley County</u>				
None	0	0	0	0
<u>Charleston County</u>				
Trident Medical Center	271	77,477	78.3%	19.7%
MUSC Medical Center	604	133,975	60.8%	34.1%
Roper Hospital	401	87,576	59.8%	22.3%
Bon Secours St Francis Xavier	204	41,193	55.3%	10.5%
East Cooper Medical Center	140	19,904	39.0%	5.1%
Subtotal Charleston County	1,620	360,125	60.9%	
<u>Dorchester County</u>				
Summerville Medical Center	94	24,130	70.3%	6.1%
Subtotal Dorchester County	94	24,130	70.3%	6.1%
TOTAL	1,714	384,255	61.4%	97.8%

Source: DRAFT 2008-2009 South Carolina Health Plan

Note: 25 SNF beds were not converted to Med/Surg beds at Trident Medical Center until 2008.

According to Trident Medical Center's internal records, Trident Medical Center's 271 licensed beds were occupied at an average rate of 76.2 percent in calendar year 2007. In the same year, Summerville Medical Center reported occupancy of 66.9 percent of its increased complement of 94 acute beds.

As these data demonstrate, a substantial increase in Trident's acute bed inventory is needed and is needed soon. In addition, all of the other hospitals in the tri-county service area are located in Charleston County, with the vast majority of the beds located in downtown Charleston at MUSC and Roper Hospital. These two hospitals are not conveniently accessible to most of the residents of Berkeley and Dorchester Counties now, and they will be even less so in the future as the population centers of those two counties move to the north and west.

Moreover, all of the service area's existing facilities will have to deal with increased demands for services from the residents of their own service areas. As shown above in Table A, Charleston County is expected to experience 8.0 percent growth between 2005 and 2020 according to the South Carolina Budget and Control Board.

Construction of a New 50 Bed Hospital/Berkeley Medical Center

Other hospitals will also benefit from increased utilization from patients residing in Berkeley and Dorchester Counties. As shown in Table H, application of the state's population growth projections to the total discharges from non-Trident Health System hospitals from the tri-county area indicates that, by 2014, the other hospitals in the tri-county area will have 7.2 percent more admissions than they experienced in 2006. In short, the additional beds that Trident is requesting in this application are needed to meet the growing demands of *Trident's* existing service area. As stated before, this proposal has never been premised on the diversion of utilization or a shift in market share from other service area providers to the Trident System.

**TABLE H
PROJECTION OF FUTURE PATIENT DAYS
FOR NON-TRIDENT SYSTEM PROVIDERS FROM
RESIDENTS OF BERKELEY, CHARLESTON & DORCHESTER COUNTIES**

<u>County</u>	<u>2006 Admissions by Non-Trident Providers</u>	<u>2006 Population</u>	<u>2006 Use Rate</u>
Berkeley	7,711	151,798	0.051
Charleston	37,935	330,381	0.115
Dorchester	6,239	112,806	0.055
Total	51,885	594,985	0.087
<u>Forecast Population</u>			
<u>County</u>	<u>2012</u>	<u>2013</u>	<u>2014</u>
Berkeley	166,600	168,710	170,820
Charleston	342,650	344,400	346,160
Dorchester	125,910	127,780	129,660
Total	635,160	640,890	646,640
<u>Forecast Admissions</u>			
<u>County</u>	<u>2012</u>	<u>2013</u>	<u>2014</u>
Berkeley	8,483	8,570	8,677
Charleston	39,344	39,545	39,747
Dorchester	6,964	7,067	7,171
Total	54,770	55,182	55,595
<u>Admission Increase Over 2006</u>			
<u>County</u>	<u>2012</u>	<u>2013</u>	<u>2014</u>
Berkeley	752	859	966
Charleston	1,409	1,610	1,812
Dorchester	725	828	932
Total	2,885	3,297	3,710
<u>Percentage Increase in Admissions Over 2006</u>			
<u>County</u>	<u>2012</u>	<u>2013</u>	<u>2014</u>
Berkeley	9.8%	11.1%	12.5%
Charleston	3.7%	4.2%	4.8%
Dorchester	11.6%	13.3%	14.9%
Total	5.6%	6.4%	7.2%

Source: South Carolina Budget and Control Board, Office of Research and Statistics

Construction of a New 50 Bed Hospital/Berkeley Medical Center

Projected Utilization of the Proposed Facility or Service

Inpatient

The applicant is currently the leading provider of inpatient acute services in Berkeley and Dorchester Counties. As shown in **Table I**, the hospitals in the Trident System obtained 52.9 percent of the inpatient admissions generated by Berkeley County residents in 2006, and 62.0 percent of inpatient admissions generated by Dorchester County residents.

TABLE I CALENDAR YEAR 2006 MARKET SHARE OF TRIDENT HEALTH SYSTEM IN BERKELEY, CHARLESTON & DORCHESTER COUNTIES							
County	ZIP Code	Trident System		All Other Provider		Trident System	
		Discharges	State Total	Discharges	State Total	Market Share	
BERKELEY COUNTY		29430	1	0	1	100.00%	
		29431	448	332	780	57.44%	
		29434	49	38	87	56.32%	
		29436	387	291	678	57.08%	
		29445	3,188	2,462	5,648	56.41%	
		29450	24	389	413	5.81%	
		29453	83	124	207	40.10%	
		29456	1,608	1,051	2,659	60.47%	
		29461	2,021	1,757	3,778	53.49%	
		29468	218	183	401	54.36%	
		29469	39	58	97	40.21%	
		29479	563	500	1,063	52.96%	
		29482	37	526	563	6.57%	
Berkeley County Subtotal			8,684	7,741	16,375	52.91%	
CHARLESTON COUNTY		29401	22	824	846	2.60%	
		29403	49	3,175	3,224	1.52%	
		29404	169	70	239	70.71%	
		29405	302	4,328	4,630	6.52%	
		29406	1,827	3,835	5,662	32.27%	
		29407	167	4,762	4,929	3.39%	
		29412	80	3,999	4,079	1.96%	
		29414	118	3,042	3,160	3.73%	
		29418	735	2,131	2,868	25.65%	
		29423	9	47	56	16.07%	
		29426	26	264	280	8.97%	
		29429	9	329	338	2.66%	
		29439	3	175	178	1.69%	
		29449	30	1,104	1,134	2.65%	
		29451	7	338	345	2.03%	
		29455	66	2,051	2,117	3.12%	
		29458	3	461	464	0.65%	
		29464	93	4,161	4,254	2.19%	
		29465	5	79	84	5.95%	
		29466	53	1,748	1,801	2.94%	
		29470	26	669	595	4.37%	
		29482	3	126	129	2.33%	
		29487	17	317	334	5.09%	
Charleston County Subtotal			3,818	37,835	41,754	9.34%	
DORCHESTER COUNTY		29420	621	1,111	1,732	35.85%	
		29437	237	87	334	70.96%	
		29448	230	135	365	63.01%	
		29471	101	154	255	39.61%	
		29472	814	397	1,211	67.22%	
		29477	440	553	1,003	43.87%	
		29483	4,789	2,258	7,047	67.96%	
		29485	2,949	1,524	4,473	65.93%	
Dorchester County Subtotal Total			10,151	6,239	16,426	62.00%	
Grand Total			22,654	51,805	74,449	30.40%	

000033

Construction of a New 50 Bed Hospital/Berkeley Medical Center

Berkeley and Dorchester Counties form the core of Trident's service area. As shown in **Table I**, Trident System hospitals have only a 9.2 percent market share of inpatient admissions in Charleston County, and Charleston County residents contributed fewer than 4,000 of the System's 22,664 inpatient admissions in 2006.

The Trident Health System provided 89,357 patient days of care to tri-county residents in 2007, and 8,916 patient days of care to residents of other geographic areas. Based on the Claritas population projections presented above in **Table D**, the entire Trident System projects the following patient days for calendar years 2012 through 2016.

Forecast Trident Health System Utilization	2012	2013	2014	2015	2016
Tri-County Patient Days	96,780	98,372	100,003	101,673	103,388
Other Patient Days	9,657	9,816	9,978	10,145	10,316
Total Patient Days	106,437	108,188	109,981	111,818	113,704
Increase in Patient Days Over 2007	8,164	9,915	11,708	13,545	15,431
Incremental ADC	22.4	27.2	32.1	37.1	42.3

As these projections show, incremental demand for inpatient services in the Trident Health System will be sufficient for a new 50-bed hospital to achieve a high level of occupancy by 2015. (For detailed projections, please see **Appendix 1**).

In the context of a community-based hospital, it is important to refine the analysis above to determine whether the DRG-level demand analyzed at the ZIP Code level will support a new hospital in Berkeley County.

For purposes of this analysis, DRGs representing specialty and tertiary services such as inpatient psychiatry, inpatient rehabilitation, open heart surgery, neonatal intensive care and transplant services are excluded. The *excluded* DRGs include the following:

103-110	Open Heart Surgery	504-511	Burns
302	Kidney Transplant	512-513	Pancreas Transplant
385-390	NICU	514-518	Major Cardiovascular
391	Normal Newborn	521-523	Alcohol & Drug Abuse
424-437	Psychiatric	525-527	Heart Assist Implants
449-451	Substance Abuse	535-536	Defibrillator Implants
462	Rehabilitation	541	ECMO
480-481	Liver & Bone Marrow Transplant	547-552	Open Heart Surgery
483-487	Trauma	555-558	PTCA
495	Lung Transplant		

Construction of a New 50 Bed Hospital/Berkeley Medical Center

In 2007, the Trident Health System delivered 78,659 patient days of care to tri-county residents assigned to this adjusted set of DRGs, and an estimated 7,817 to patients resident in other geographic areas, for a total of 86,476.

Based on the Claritas population projections presented above in **Table D**, Trident projects the following non-specialty and non-tertiary patient days for calendar years 2012 through 2016.

Forecast Trident Health System Utilization	2012	2013	2014	2015	2016
Tri-County Non-Specialty, Non-Tertiary Patient Days	83,797	85,174	86,585	88,030	89,515
Other Non-Specialty, Non-Tertiary Patient Days	8,327	8,464	8,605	8,748	8,896
Total Non-Specialty, Non-Tertiary Patient Days	92,124	93,639	95,190	96,778	98,410
Increase in Non-Specialty, Non-Tertiary Patient Days Over 2007	7,061	8,575	10,126	11,715	13,347
Incremental ADC	19.3	23.5	27.7	32.1	36.6

As these figures show, the incremental utilization expected for discharges and patient days appropriate to a satellite facility are sufficient to justify approval of the 50-bed facility proposed in this application. (For detailed projections, please see **Appendix 1**).

A final analysis of the data addresses the question of whether the utilization projected above will in fact be generated in sufficient quantity in the service area proposed for the new hospital.

In this analysis, the following assumptions were employed:

- Future inpatient utilization by ZIP Code is forecast to equal 2007 utilization increased to reflect population growth as forecast by Claritas.
- The Trident System maintains its current market share in each ZIP Code at 2007 levels.
- Any utilization attributed to the proposed Berkeley Medical Center is achieved by redirecting utilization only from one or another of the two existing Trident Health System hospitals.

By employing these assumptions, the analysis tests whether the proposed project can be implemented without adverse impact on existing providers that are not part of the Trident

000035

Construction of a New 50 Bed Hospital/Berkeley Medical Center

System. Under the assumptions utilized, all non-Trident providers will not only maintain their current levels of utilization, they also will maintain their current market shares in competing for the incremental utilization to be generated in the Berkeley Medical Center service area during the forecast period.

The details of the projections appear in Appendix 1. It is anticipated that the proposed Berkeley Medical Center will make it more convenient for patients from the following ZIP Codes to be served:

29431	29468
29434	29469
29436	29476
29450	29479
29453	29483
29461	

Of these ZIP Codes, all except for a portion of 29483 are located in Berkeley County. ZIP Code 29483 is partially located in Dorchester County. However, this ZIP Code borders Berkeley County and portions of it are not materially more distant from Moncks Corner than from downtown Summerville.

Based on the reallocation of the Trident System's *internal* market shares, the following inpatient utilization projections for the proposed Berkeley Medical Center are developed.

Forecast Berkeley Medical Center Utilization	2012	2013	2014	2015	2016
Tri-County Non-Specialty, Non-Tertiary Patient Days	6,851	9,015	11,701	11,847	11,996
Other Non-Specialty, Non-Tertiary Patient Days	361	474	616	624	631
Total Non-Specialty, Non-Tertiary Patient Days	7,212	9,490	12,317	12,470	12,628
ADC	19.8	26.0	33.7	34.2	34.6
Proposed Bed Addition	50	50	50	50	50
Percent Occupancy of Proposed Bed Addition	39.5%	52.0%	67.5%	68.3%	69.2%

Construction of a New 50 Bed Hospital/Berkeley Medical Center

As shown above, the proposed Berkeley Medical Center can achieve high levels of utilization, consistent with the *State Health Plan's* occupancy standards for hospitals of 175 beds and fewer (65 percent) by its third year of operations. Again, it must be noted that these utilization projections assume that the market share of the entire Trident System (including the new hospital) does not have to grow in order to meet these utilization projections. There will be no adverse impact on any existing provider outside of the Trident System pursuant to the approval of this project.

The adverse impact on the other hospitals within the Trident Health System will be insignificant, based on a comparison of the growth in non-tertiary, non-specialty patient days projected for the Trident Health System as a whole and the volume of patient days projected for Berkeley Medical Center. The scale of this shortfall is quite small, ranging from reductions in ADC of 0.5 in 2012 to 6.2 in 2014. By 2016, all "cannibalization" effects will be gone. A comparison of the growth in total patient days projected for the Trident Health System and the volume projected for Berkeley Medical Center shows no impact in any year except 2014.

	12-Month Period Below Relative to Calendar Year 2007				
	31-Dec-12	31-Dec-13	31-Dec-14	31-Dec-15	31-Dec-16
Incremental Non-Tertiary, Non-Specialty Patient Days Forecast for the Trident Health System	7,061	8,575	10,126	11,715	13,347
Non-Tertiary, Non-Specialty Patient Days Forecast for Berkeley Medical Center	7,212	9,490	12,317	12,470	12,628
Cannibalization from Existing Trident Health System Facilities Relative to 2007 Necessary to Achieve Projected Utilization at Berkeley Medical Center	151	914	2,190	755	None
Reduction in ADC at Existing Trident Health System Facilities Relative to 2007 Necessary to Achieve Projected Utilization at Berkeley Medical Center	0.4	2.5	6.0	2.1	None

Construction of a New 50 Bed Hospital/Berkeley Medical Center

	12-Month Period Below Relative to Calendar Year 2007				
	31-Dec-12	31-Dec-13	31-Dec-14	31-Dec-15	31-Dec-16
Incremental Patient Days Forecast for the Trident Health System	8,164	9,915	11,708	13,545	15,431
Patient Days Forecast for Berkeley Medical Center	7,212	9,490	12,317	12,470	12,628
Cannibalization from Existing Trident Health System Facilities Relative to 2007 Necessary to Achieve Projected Utilization at Berkeley Medical Center	None	None	609	None	None
Reduction in ADC at Existing Trident Health System Facilities Relative to 2007 Necessary to Achieve Projected Utilization at Berkeley Medical Center	None	None	1.7	None	None

Outpatient

The following levels of outpatient utilization are forecast in connection with the Berkeley Medical Center proposal:

Forecast Berkeley Medical Center Utilization	2012	2013	2014	2015	2016
ER Visits	17,418	17,592	17,769	17,950	18,136
Ambulatory Surgery Procedures	1,555	1,573	1,592	1,611	1,630
Other Outpatient Visits	23,701	23,967	24,239	24,517	24,802

As with the inpatient utilization projections, it is assumed that the Trident Health System market share of all outpatient services will remain at 2007 levels. No existing provider outside of the Trident System is projected to lose market share and all are expected to benefit from future population-driven increases in demand for services consistent with their current (2007) market shares.

This point merits additional discussion. In some Certificate of Need applications, applicants contend that if total service area growth is sufficient to maintain existing providers at their *existing levels of service* while at the same time permitting the proposed facility to achieve needed volume, then the issue of adverse impact can be dismissed. The existing providers will not, under this scenario, experience a material adverse impact.

000038

Construction of a New 50 Bed Hospital/Berkeley Medical Center

The proposed project passes an even more rigorous adverse impact test. As shown above, existing providers will maintain their current market shares and they will be able to enjoy the same benefits of service area population growth that they historically have done.

Detailed outpatient utilization projections are provided in Appendix 2.

MRI

In compliance with the provisions of the current *State Health Plan*, the applicant will provide MRI services at Berkeley Medical Center. Based upon the service area's historical demand for MRI services, the applicant intends to establish a permanent on-site MRI unit at the proposed new hospital. Table J summarizes the analysis on which this proposal is based.

TABLE J PROJECTION OF DEMAND FOR MRI SERVICES BERKELEY MEDICAL CENTER PRIMARY SERVICE AREA									
	ZIP Code								
	20431	20435	20445	20461	20466	20478	20483	20485	Total
Trident System 2007 MRI Procedures	176	118	1,077	709	30	157	1,738	1,364	5,369
Phoenix Community Market Share of Trident System Procedures	80.0%	80.0%	2.0%	80.0%	80.0%	80.0%	20.0%	2.0%	
Phoenix Community Base 2007 Volume	141	94	22	567	24	126	348	27	1,348
Annual Projected Rate of Population Increase or Decline	1.4%	-0.2%	0.4%	0.7%	-1.4%	-0.1%	2.5%	3.4%	
Projected MRI Volume									
2012	151	94	22	587	22	125	393	32	1,425
2013	153	93	22	590	22	125	402	33	1,441
2014	155	93	22	594	22	125	412	34	1,458
2015	157	93	22	598	21	125	422	36	1,475
2016	159	93	22	602	21	124	433	37	1,492
Source: Trident Medical Center Internal Records Claritas Population Projections									

In 2007, Trident Health System facilities performed 5,369 MRI procedures on residents of the eight ZIP Codes that comprise the proposed Berkeley Medical Center's primary service area.

The applicant has estimated the percentage of those Trident Health System procedures that would appropriately be performed at the proposed Berkeley Medical Center. The high (80 percent) percentages are applied to utilization generated in ZIP Codes immediately adjacent to Lake Moultrie or otherwise distant from Trident Medical Center or Summerville Medical Center. Lower percentages are applied to those ZIP Codes in the Berkeley Medical Center primary service area whose residents may reside closer to one of the existing Trident Health System hospitals than they would to the proposed Berkeley Medical Center.

Construction of a New 50 Bed Hospital/Berkeley Medical Center

Application of these ZIP Code-specific percentages to the actual 2007 volume for the Trident System results in an estimate of 1,348 MRI procedures that would appropriately have been routed to the Berkeley Medical Center had it been in existence in 2007.

This 1,348 volume is increased to reflect future population growth to develop the forecast period MRI volume projections. As **Table I** shows, these projections are forecast to increase from 1,425 in 2012 to 1,492 in 2016.

These volume forecasts translate to approximately six (6) cases per week day, which is a volume sufficient to justify a fixed unit.

Utilization of Existing Facilities and Services

As discussed above, the existing hospitals in the Trident Health System currently experience high levels of utilization. In 2007, Trident Medical Center was occupied at 76.2 percent occupancy of its 271 licensed beds. The current *Plan* recommends a target occupancy of 70 percent for hospitals with bed complements between 175 and 349 beds. In 2007, Summerville Medical Center was occupied at 66.9 percent of its complement of 94 acute beds. This level exceeds the 65 percent occupancy standard set forth in the current *Plan* for acute hospitals with 174 beds or fewer.

Based on the occupancy of Trident's existing acute hospitals, the proposed new hospital is justified. The current *State Health Plan* recognizes the bed need in the Trident System and projects a need for 17 additional beds at Trident Medical Center beyond the 25 beds that the Medical Center converted from skilled nursing beds to acute care beds in 2008. Moreover, the *draft 2008-2009 Plan* forecasts a net 2013 acute bed need for 56 beds at Trident Medical Center beyond its current acute bed inventory of 296 beds. It also forecasts a net need for 24 acute beds at Summerville Medical Center.

The populations to be served by the proposed Berkeley Medical Center will reside primarily in Berkeley and Dorchester Counties. Except for certain tertiary services such as open heart, transplant, and neonatal intensive care, MUSC Medical Center and Roper Hospital are not optimal destinations for patients resident in Berkeley and Dorchester Counties. Patients are generally best served in acute facilities that are reasonably proximate to their own homes and to the homes of their families. As the population centers of Berkeley and Dorchester Counties continue to move to the north and west, acute facilities in downtown Charleston and Charleston County will become increasingly difficult to access, especially with the increased traffic congestion that can be expected to accompany population growth. As explained in Section B.12 of this Application, if this were not the case, Trident Medical Center would be applying for additional beds on its existing campus.

Finally, there is sufficient population-driven growth in the demand for inpatient services throughout the tri-county area that Roper St. Francis Healthcare, MUSC and East Cooper Regional Medical Center can anticipate significant and sustained growth in their inpatient

Construction of a New 50 Bed Hospital/Berkeley Medical Center

and outpatient utilization from the population groups and geographic areas that they already serve.

Past Utilization of Existing Services Within the Facility

As discussed above, the existing hospitals in the Trident Health System currently experience high levels of utilization. In 2007, Trident Medical Center was occupied at 76.2 percent occupancy of its 271 licensed beds. The current *State Health Plan* recommends a target occupancy of 70 percent for hospitals with bed complements between 175 and 349 beds. In 2007, Summerville Medical Center was occupied at 66.9 percent of its complement of 94 acute beds. This level exceeds the 65 percent occupancy standard set forth in the *State Health Plan* for acute hospitals with 174 beds or fewer.

Based on the occupancy of Trident's existing acute hospitals, the proposed new hospital is justified. The current *State Health Plan* recognizes the bed need in the Trident System and projected a need for 42 additional beds at Trident Medical Center for the year 2013, of which only 25 have been implemented.

No Unnecessary Duplication of Services

As has been documented in the utilization projections for this project, the proposed Berkeley Medical Center will not replicate or unnecessarily duplicate services that already exist in the service area.

The need for the Trident System to expand its acute bed inventory is recognized in the current *State Health Plan* and is further demonstrated by the independent demand projections contained in this application. Trident Health System's acute care hospitals that are located in the Tri-County service area are operating at occupancy levels in excess of the occupancy standards published for hospitals in the current *State Health Plan*.

There is no acute care hospital in Berkeley County, although the county's current and projected populations are large enough to support a small acute care hospital. For reasons that have been discussed elsewhere, the needs of the Berkeley County population for reasonably accessible and convenient acute hospital services cannot be met by the acute hospitals that are located in downtown Charleston.

Cost Containment

Because Berkeley Medical Center will be a part of the Trident Health System and a member of the HCA network of facilities, it will be possible to achieve certain economies of operations and scale. HCA offers a broad resource base of administrative and technical expertise in hospital operations as well as centralized purchasing, distribution, payroll, billing, collections, employee benefits, regulatory compliance, quality resources, and IT support. These shared services and programs result in real and ongoing economies of operations for all of the hospitals in the system. In addition, because of the

Construction of a New 50 Bed Hospital/Berkeley Medical Center

common bond among hospital personnel from HCA facilities all over the country, they share useful ideas that save costs and improve their quality of care.

Other Considerations

Community Support

The proposed Berkeley Medical Center enjoys strong community support. **Exhibit 9** contains letters from a wide variety of community representatives, including government leaders, community business leaders, and citizens.

Medical Staff Support

The Trident Health System has received support from its medical staff for the proposed new hospital. **Exhibit 9** also contains letters of support from medical staff members representing a broad array of specialties and sub-specialties. Several of the letters indicate the physician's intent to admit patients to the proposed facility.

Summary

The Department should approve the proposed Berkeley Medical Center as consistent with the state health planning principles and standards set forth in the *2004-2005 State Health Plan*, and as consistent with the needs of Berkeley County. This new hospital will provide necessary medical services and resources at the site where they are needed. Berkeley County has grown to the point where Berkeley County can support its own hospital. The development of a hospital in Moncks Corner will not only provide the residents of Berkeley County with needed medical services, it will enhance the status of those communities as destinations for employers and residents.

Finally, the proposed hospital can be developed and filled without diverting market share or otherwise materially affecting other competing non-Trident Health System providers. The proposed facility is an extension and fulfillment of Trident Health System's historical mission to serve the residents of Berkeley and Dorchester Counties.

Figure 1

Berkeley, Charleston, & Dorchester County

Territory	Code
BERKELEY	■
CHARLESTON	▨
DORCHESTER	□

HCA - Charleston Market
Canal Bay (Proposed)
Colleton Medical Center
Moncks Corner Medical Center
Summerville Medical Center
Trident Medical Center


Lab & Rad OP Access Points
East Cooper Imaging
LabCorp
Quest Diagnostics
Tricom Diagnostic Imaging

Urgent Care OP Access Points
Doctors Care Northwoods
Doctors Care Oakbrook
Doctors Care Summerville
HealthFirst
MedCare Express

Phys Owned OP Access Points
Charleston Cancer Center
Charleston Physicians Imaging Center
Elms Endoscopy
HealthSouth Surgery Center
Lowcountry Orthopaedics & Sports Med
Palmetto Primary Care

Non HCA Hospital OP Access ...
MUSC Specialty Care Goose ...
MUSC Specialty Care North
Roper St Francis Northwoods
Roper St. Francis Goose Creek
Roper St. Francis Medshare ...

Non HCA Hospitals
Bon Secours St Francis Hosp...
East Cooper Regional Med. ...
East Cooper Regional Medic...
MUSC
Roper - Mt. Pleasant
Roper Hospital
Roper St. Francis Berkeley



APPENDIX 1

000044

Inpatient Utilization Forecast

The utilization projections analyze future demand from the perspective of the Trident System as a whole and from the perspective of the proposed Berkeley Medical Center.

System-Wide Utilization

Chart 1

Chart 1 presents calendar year 2007 admissions and patient days at the hospitals of the Trident System by patients resident in Berkeley, Dorchester, and Charleston counties. Residents of these three counties accounted for approximately 91 percent of total patient days and 95 percent of total admissions delivered in the Trident System in 2007.

Chart 1 also presents 2008 and 2013 Claritas population projections by ZIP Code for each of the ZIP Codes that comprise Berkeley, Dorchester, and Charleston counties. For each ZIP Code a 5-year growth (or decline) rate is computed along with an average annual rate of growth (or decline). The computed annual growth (or decline) rates are applied to historical admission and patient day volumes at the ZIP Code level in subsequent steps to project future utilization.

Trident System
2007 Inpatient Utilization
and Projected 2012-2016 Inpatient Utilization
All DRGs

CHART 1

ZIP Code	Calendar Year 2007		Claritas Population			
	Admissions	Patient Days	2008	2013	5-Year Growth Rate	Annual Growth Rate
29401	12	116	10,006	9,939	-0.7%	-0.1%
29402	4	18	-	-	7.2%	1.4%
29403	28	204	24,684	25,111	1.7%	0.3%
29404	122	334	3,765	3,580	-4.9%	-1.0%
29405	273	1,408	30,675	30,929	0.8%	0.2%
29406	1,347	7,524	27,711	29,667	7.1%	1.4%
29407	89	467	35,201	34,983	-0.6%	-0.1%
29409	2	11	-	-	7.2%	1.4%
29410	104	385	14,124	14,933	5.7%	1.1%
29412	52	239	35,015	37,389	3.8%	0.8%
29413	4	24	-	-	7.2%	1.4%
29414	111	317	29,058	31,634	8.9%	1.7%
29415	6	13	-	-	7.2%	1.4%
29416	8	25	-	-	7.2%	1.4%
29417	1	1	-	-	7.2%	1.4%
29418	584	2,730	24,085	25,804	7.1%	1.4%
29419	15	52	-	-	7.2%	1.4%
29420	595	2,552	18,164	20,086	10.6%	2.0%
29423	21	99	-	-	7.2%	1.4%
29426	30	90	2,042	2,142	4.9%	1.0%
29429	13	46	3,200	3,469	8.4%	1.6%
29431	426	1,880	8,407	6,860	7.1%	1.4%
29434	34	150	551	536	-2.7%	-0.6%
29436	392	1,852	4,213	4,179	-0.8%	-0.2%
29437	186	1,010	2,437	2,627	7.8%	1.5%
29439	4	13	-	-	7.2%	1.4%
29445	2,630	10,757	48,987	49,916	1.9%	0.4%
29447	7	30	-	-	7.2%	1.4%
29448	212	1,134	2,486	2,632	5.9%	1.1%
29449	25	130	7,907	8,107	2.5%	0.5%
29450	11	55	6,421	8,275	28.9%	5.2%
29451	5	11	4,845	4,719	1.6%	0.3%
29453	68	466	1,335	1,321	-1.0%	-0.2%
29455	35	92	15,123	16,202	7.1%	1.4%
29456	1,396	6,065	19,251	20,944	8.8%	1.7%
29461	1,640	7,087	25,209	26,068	3.4%	0.7%
29464	65	262	42,153	43,895	4.1%	0.8%
29465	4	12	-	-	7.2%	1.4%
29466	31	92	23,452	29,007	23.7%	4.3%
29468	151	792	2,305	2,148	-6.8%	-1.4%
29469	37	213	914	869	-4.9%	-1.0%
29470	45	249	3,888	4,037	3.8%	0.8%
29471	88	502	1,662	1,801	8.4%	1.6%
29472	662	3,341	9,604	10,246	6.7%	1.3%
29476	6	24	-	-	7.2%	1.4%
29477	419	2,172	6,816	7,100	4.2%	0.8%
29479	483	2,323	6,711	6,676	-0.5%	-0.1%
29482	2	16	1,877	1,883	-0.7%	-0.1%
29483	4,384	20,113	58,918	66,537	12.9%	2.5%
29484	73	283	-	-	7.2%	1.4%
29485	2,565	11,416	41,622	49,190	18.2%	3.4%
29487	3	14	2,514	2,473	-1.6%	-0.3%
29492	37	146	7,421	10,257	38.2%	6.7%
Subtotal Tri-Counties	19,525	89,357	613,559	658,151		
Other Utilization	1,011	8,916				
Total	20,536	98,273				
Tri-County Percentage of Total	95%	91%				

Forecast/Incremental ADC

Actual/Proposed Acute Beds

Percent Occupancy of Acute Beds

Notes:

ZIP Code Level Population from Claritas
For ZIP Codes that do not have separate
projections, the aggregate annual
growth rate for the tri-County area is used

Chart 2

Chart 2 presents the level of population increase or decrease projected to occur between calendar year 2007 and each of the five forecast years based on the annual population.

Trident System
2007 Inpatient Utilization
and Projected 2012-2016 Inpatient Utiliz
All DRGS

CHART 2

ZIP Code	Compound Growth Projection				
	31-Dec-12	31-Dec-13	31-Dec-14	31-Dec-15	31-Dec-16
29401	99.3%	99.2%	99.1%	98.9%	98.8%
29402	107.2%	108.7%	110.2%	111.7%	113.3%
29403	101.7%	102.1%	102.4%	102.8%	103.1%
29404	85.1%	84.1%	93.2%	92.2%	91.3%
29405	100.8%	101.0%	101.2%	101.3%	101.5%
29406	107.1%	108.5%	110.0%	111.5%	113.1%
29407	99.4%	99.3%	99.1%	99.0%	98.9%
29409	107.2%	108.7%	110.2%	111.7%	113.3%
29410	105.7%	108.9%	108.1%	109.3%	110.5%
29412	103.8%	104.6%	105.4%	106.2%	107.0%
29413	107.2%	108.7%	110.2%	111.7%	113.3%
29414	108.9%	110.7%	112.6%	114.6%	116.5%
29415	107.2%	108.7%	110.2%	111.7%	113.3%
29416	107.2%	108.7%	110.2%	111.7%	113.3%
29417	107.1%	108.6%	110.1%	111.7%	113.2%
29418	107.2%	108.7%	110.2%	111.7%	113.3%
29419	110.6%	112.8%	115.1%	117.5%	119.9%
29420	107.2%	108.7%	110.2%	111.7%	113.3%
29423	104.9%	105.9%	106.9%	108.0%	109.0%
29425	108.4%	110.2%	112.0%	113.8%	115.7%
29429	107.1%	108.6%	110.0%	111.6%	113.1%
29431	97.3%	98.7%	98.2%	95.7%	95.1%
29434	99.2%	99.0%	98.9%	98.7%	98.6%
29436	107.8%	109.4%	111.1%	112.8%	114.5%
29437	107.2%	108.7%	110.2%	111.7%	113.3%
29439	101.9%	102.3%	102.7%	103.1%	103.4%
29445	107.2%	108.7%	110.2%	111.7%	113.3%
29447	105.9%	107.1%	108.3%	109.6%	110.8%
29448	102.5%	103.0%	103.6%	104.1%	104.6%
29449	128.9%	135.6%	142.7%	150.1%	157.9%
29450	101.6%	101.9%	102.2%	102.6%	102.9%
29451	99.0%	98.7%	98.5%	98.3%	98.1%
29453	107.1%	108.6%	110.1%	111.7%	113.2%
29455	108.8%	110.7%	112.5%	114.4%	116.4%
29456	103.4%	104.1%	104.8%	105.5%	106.2%
29461	104.1%	105.0%	105.8%	106.7%	107.6%
29464	107.2%	108.7%	110.2%	111.7%	113.3%
29465	123.7%	129.1%	134.7%	140.5%	146.7%
29466	83.2%	91.9%	80.6%	89.3%	88.1%
29468	95.1%	94.1%	93.2%	92.2%	91.3%
29470	103.8%	104.6%	105.4%	106.2%	107.0%
29471	108.4%	110.1%	111.9%	113.7%	115.6%
29472	106.7%	108.1%	109.5%	110.9%	112.4%
29476	107.2%	108.7%	110.2%	111.7%	113.3%
29477	104.2%	105.0%	105.9%	106.8%	107.6%
29479	89.5%	99.4%	99.3%	99.2%	99.1%
29482	89.3%	99.1%	99.0%	98.8%	98.7%
29483	112.8%	115.7%	118.6%	121.5%	124.5%
29484	107.2%	108.7%	110.2%	111.7%	113.3%
29485	118.2%	122.2%	126.4%	130.7%	135.1%
29487	95.4%	98.0%	97.7%	97.4%	97.1%
29492	138.3%	147.5%	157.4%	167.9%	179.2%
Subtotal Tri-Counties					
Other Utilization					
Total					
Tri-County Percentage of Total					
Forecast Incremental ADC					
Actual/Proposed Acute Beds					
Percent Occupancy of Acute Beds					

Notes:

ZIP Code Level Population from Claritas
For ZIP Codes that do not have separate
projections, the aggregate annual
growth rate for the tri-County area is used

Chart 3

Chart 3 applies the compounded growth (or decline) rates from Chart 2 to the historical admissions to the Trident System from each ZIP Code in the Tri-County service area to develop forecasted admissions for each forecast year.

Admissions from the Tri-County service area are expected to increase from 21,152 in 2012 to 22,602 in 2016. When admissions from other geographic areas are added, the admission forecasts grow from 23,263 in 2012 to 24,858 in 2016.

000049

Trident System
2007 Inpatient Utilization
and Projected 2012-2016 Inpatient Utiliz
All DRGs

CHART 3

ZIP Code	Projected Trident System Inpatient Admissions : 12 Month Period Ended				
	31-Dec-12	31-Dec-13	31-Dec-14	31-Dec-15	31-Dec-16
29401	12	12	12	12	12
29402	4	4	4	4	5
29403	28	29	29	29	29
29404	116	115	114	113	111
29405	275	276	276	277	277
29406	1,442	1,462	1,482	1,502	1,523
29407	88	88	88	88	88
29409	2	2	2	2	2
29410	110	111	112	114	115
29412	54	54	55	55	56
29413	4	4	4	4	5
29414	121	123	125	127	129
29415	6	7	7	7	7
29416	9	9	9	9	9
29417	1	1	1	1	1
29418	626	634	643	652	661
29419	16	16	17	17	17
29420	658	671	685	699	713
29423	23	23	23	23	24
29426	31	32	32	32	33
29429	14	14	15	15	15
29431	456	462	469	475	482
29434	33	33	33	33	32
29436	389	388	388	387	386
29437	201	204	207	210	213
29439	4	4	4	4	5
29446	2,680	2,690	2,700	2,710	2,721
29447	8	8	8	8	8
29448	224	227	230	232	235
29449	26	26	26	26	26
29450	14	15	16	17	17
29451	5	5	5	5	5
29453	65	65	65	65	65
29455	38	38	39	39	40
29456	1,519	1,545	1,571	1,598	1,625
29461	1,698	1,707	1,719	1,730	1,742
29464	68	68	69	69	70
29465	4	4	4	4	5
29466	38	40	42	44	45
29468	141	139	137	135	133
29469	35	35	34	34	34
29470	47	47	47	48	48
29471	95	97	98	100	102
29472	705	718	725	734	744
29476	6	7	7	7	7
29477	436	440	444	447	451
29479	480	480	479	479	478
29482	2	2	2	2	2
29483	4,929	5,050	5,176	5,302	5,433
29484	78	79	80	82	83
29485	3,032	3,135	3,241	3,352	3,466
29487	3	3	3	3	3
29492	51	55	58	62	66
Subtotal Tri-Counties	21,162	21,502	21,859	22,228	22,602
Other Utilization	2,111	2,145	2,181	2,218	2,255
Total	23,263	23,647	24,040	24,443	24,858
Tri-County Percentage of Total	91%	91%	91%	91%	91%

Forecast/Incremental ADC

Actual/Proposed Acute Beds

Percent Occupancy of Acute Beds

Notes:

ZIP Code Level Population from Claritas
For ZIP Codes that do not have separate
projections, the aggregate annual
growth rate for the tri-County area is used

Chart 4

On Chart 4, the increase in admissions in each forecast year relative to the admissions recorded in 2007 is computed. In the calendar year ended December 31, 2012, for example, 1,712 incremental admissions are forecast for the hospitals in the Trident System as a result of service area population growth and increased utilization from other geographic areas. The level of incremental admissions increases to 3,237 for the 12 month period ended December 31, 2016.

Trident System
2007 Inpatient Utilization
and Projected 2012-2016 Inpatient Utiliz
All DRGS

CHART 4

ZIP Code	Increase In Trident System Admissions from Calendar Year 2007				
	31-Dec-12	31-Dec-13	31-Dec-14	31-Dec-15	31-Dec-16
29401	(0)	(0)	(0)	(0)	(0)
29402	0	0	0	0	1
29403	0	1	1	1	1
29404	(6)	(7)	(8)	(9)	(11)
29405	2	3	3	4	4
29406	95	115	135	155	176
29407	(1)	(1)	(1)	(1)	(1)
29409	0	0	0	0	0
29410	6	7	8	10	11
29412	2	2	3	3	4
29413	0	0	0	0	1
29414	10	12	14	16	18
29415	0	1	1	1	1
29416	1	1	1	1	1
29417	0	0	0	0	0
29418	42	50	59	68	77
29419	1	1	2	2	2
29420	63	76	90	104	118
29423	2	2	2	2	3
29426	1	2	2	2	3
29429	1	1	2	2	2
29431	30	36	43	49	56
29434	(1)	(1)	(1)	(1)	(2)
29436	(3)	(4)	(4)	(5)	(6)
29437	15	18	21	24	27
29439	0	0	0	0	1
29445	50	60	70	80	91
29447	1	1	1	1	1
29448	12	15	18	20	23
29449	1	1	1	1	1
29450	3	4	5	6	6
29451	0	0	0	0	0
29453	(1)	(1)	(1)	(1)	(1)
29455	3	3	4	4	5
29456	123	149	175	202	229
29461	58	67	79	90	102
29464	3	3	4	4	5
29465	0	0	0	0	1
29466	7	9	11	13	14
29468	(10)	(12)	(14)	(16)	(18)
29469	(2)	(2)	(3)	(3)	(3)
29470	2	2	2	3	3
29471	7	8	10	12	14
29472	44	54	63	72	82
29476	0	1	1	1	1
29477	17	21	25	28	32
29479	(3)	(3)	(4)	(4)	(5)
29482	(0)	(0)	(0)	(0)	(0)
29483	565	686	811	938	1,069
29484	5	6	7	9	10
29485	467	570	676	787	901
29487	(0)	(0)	(0)	(0)	(0)
29492	14	18	21	25	29
Subtotal Tri-Counties	1,627	1,977	2,334	2,701	3,077
Other Utilization	84	102	121	140	159
Total	1,712	2,079	2,455	2,841	3,237
Tri-County Percentage of Total	95%	95%	95%	95%	95%

Forecast/Incremental ADC

Actual/Proposed Acute Beds

Percent Occupancy of Acute Beds

Notes:

ZIP Code Level Population from Clarita:
For ZIP Codes that do not have separate
projections, the aggregate annual
growth rate for the tri-County area is used

Chart 5

Chart 5 presents a ZIP Code level projection of patient days to be delivered at Trident System inpatient hospitals for the years 2012 through 2016. These patient day projections are increased to reflect the impact on utilization of services delivered to patients not resident in the Tri-County area. So, for example, in 2012, the forecast of 96,780 Tri-County patient days is augmented by 9,657 patient days from residents of other geographic areas to project a total of 106,437 patient days.

The ADC for the Trident System hospitals is projected to increase from 291.6 to 311.5 between 2012 and 2016. These ADC projections represent occupancy levels of the Trident System's 365 acute care beds that increase from 79.9 percent in 2012 to 85.3 percent in 2016.

These occupancy levels clearly indicate the need for additional inpatient capacity at the Trident System, consistent with the published findings of the current State Health Plan.

Trident System
2007 Inpatient Utilization
and Projected 2012-2016 Inpatient Utilization
All DRGs

CHART 5

ZIP Code	Projected Trident System Inpatient Days : 12 Month Period Ended				
	31-Dec-12	31-Dec-13	31-Dec-14	31-Dec-15	31-Dec-16
29401	115	115	115	115	115
29402	19	20	20	20	20
29403	208	208	209	210	210
29404	318	314	311	308	305
29405	1,420	1,422	1,424	1,427	1,429
29406	8,056	8,166	8,278	8,392	8,508
29407	484	464	463	462	462
29409	12	12	12	12	12
29410	407	412	416	421	426
29412	248	250	252	254	256
29413	26	26	26	27	27
29414	345	351	357	363	369
29415	14	14	14	15	15
29416	27	27	28	28	28
29417	1	1	1	1	1
29418	2,825	2,866	3,007	3,049	3,091
29419	56	57	57	58	59
29420	2,822	2,880	2,938	2,998	3,059
29423	106	108	109	111	112
29426	94	95	96	97	98
29429	50	51	52	52	53
29431	2,013	2,041	2,069	2,097	2,126
29434	146	145	144	144	143
29436	1,837	1,834	1,831	1,828	1,825
29437	1,089	1,105	1,122	1,139	1,156
29439	14	14	14	15	15
29445	10,861	11,002	11,044	11,085	11,127
29447	32	33	33	34	34
29448	1,201	1,214	1,228	1,242	1,257
29449	133	134	135	135	136
29450	71	75	78	83	87
29451	11	11	11	11	11
29453	461	460	459	458	457
29455	89	100	101	103	104
29456	6,599	6,711	6,825	6,941	7,060
29461	7,329	7,378	7,428	7,478	7,528
29464	273	275	277	280	282
29465	13	13	13	13	14
29466	114	119	124	129	135
29468	738	728	717	707	697
29469	203	200	198	196	194
29470	259	281	282	284	286
29471	544	553	562	571	580
29472	3,565	3,611	3,658	3,706	3,754
29476	26	26	26	27	27
29477	2,263	2,281	2,300	2,319	2,338
29479	2,311	2,308	2,306	2,304	2,301
29482	16	16	16	16	16
29483	22,717	23,276	23,849	24,437	25,040
29484	303	308	312	316	321
29485	13,494	13,953	14,427	14,917	15,425
29487	14	14	14	14	14
29492	202	215	230	245	262
Subtotal Tri-Counties	96,780	98,372	100,003	101,673	103,388
Other Utilization	9,657	9,816	9,978	10,145	10,316
Total	106,437	108,188	109,981	111,818	113,704
Tri-County Percentage of Total	91%	91%	91%	91%	91%
Forecast\Incremental ADC	291.6	296.4	301.3	306.3	311.5
Actual\Proposed Acute Beds	365	365	365	365	365
Percent Occupancy of Acute Beds	79.9%	81.2%	82.6%	83.9%	85.3%

Notes:

ZIP Code Level Population from Claritas
For ZIP Codes that do not have separate
projections, the aggregate annual
growth rate for the tri-County area is used

Chart 6

On Chart 4, the increase in patient days in each forecast year relative to the patient days recorded in 2007 is computed. In the calendar year ended December 31, 2012, for example, 8,164 incremental patient days are forecast for the hospitals in the Trident System as a result of service area population growth. The level of incremental patient days increases to 15,431 for the 12 month period ended December 31, 2016.

The proposed Berkeley Medical Center will have 50 acute beds. While the incremental utilization projected for the hospitals of the Trident System will not be sufficient to fill a 50-bed hospital to capacity in the year of its projected opening (2012), forecast growth is sufficiently strong to enable the hospital to be filled beyond target occupancy levels by 2016. Viewed from this perspective, the bed complement proposed for the Berkeley Medical Center is conservative.

Trident System
2007 Inpatient Utilization
and Projected 2012-2016 Inpatient Utilization
All DRGs

CHART 6

ZIP Code	Increase In Trident System Patient Days from 2007				
	31-Dec-12	31-Dec-13	31-Dec-14	31-Dec-15	31-Dec-16
29401	(1)	(1)	(1)	(1)	(1)
29402	1	2	2	2	2
29403	4	4	5	6	6
29404	(16)	(20)	(23)	(26)	(29)
29405	12	14	15	19	21
29406	532	642	754	868	984
29407	(3)	(3)	(4)	(5)	(5)
29408	1	1	1	1	1
29410	22	27	31	36	41
29412	9	11	13	15	17
29413	2	2	2	3	3
29414	28	34	40	46	52
29415	1	1	1	2	2
29416	2	2	3	3	3
29417	0	0	0	0	0
29418	195	236	277	319	361
29419	4	5	5	6	7
29420	270	328	388	446	507
29423	7	9	10	12	13
29426	4	5	6	7	8
29429	4	5	6	6	7
29431	133	161	189	217	246
29434	(4)	(5)	(5)	(6)	(7)
29436	(15)	(18)	(21)	(24)	(27)
29437	79	95	112	129	146
29439	1	1	1	2	2
29445	204	245	287	328	370
29447	2	3	3	4	4
29448	67	80	94	108	123
29448	3	4	5	5	6
29450	16	20	23	28	32
29451	0	0	0	0	0
29453	(5)	(6)	(7)	(8)	(9)
29455	7	8	9	11	12
29456	534	648	760	876	995
29461	242	291	341	391	441
29464	11	13	15	18	20
29465	1	1	1	1	2
29466	22	27	32	37	43
29468	(54)	(64)	(75)	(85)	(95)
29469	(10)	(13)	(15)	(17)	(19)
29470	10	12	13	15	17
29471	42	51	60	69	78
29472	224	270	317	365	413
29476	2	2	2	3	3
29477	91	109	128	147	166
29479	(12)	(15)	(17)	(19)	(22)
29482	(0)	(0)	(0)	(0)	(0)
29483	2,604	3,163	3,736	4,324	4,927
29484	20	25	29	33	38
29485	2,078	2,537	3,011	3,501	4,009
29487	(0)	(0)	(0)	(0)	(0)
29492	56	69	84	99	116
Subtotal Tri-Counties	7,423	9,015	10,648	12,316	14,031
Other Utilization	741	900	1,062	1,229	1,400
Total	8,164	9,915	11,708	13,545	15,431
Tri-County Percentage of Total	91%	91%	91%	91%	91%
Forecast/Incremental ADC	22.4	27.2	32.1	37.1	42.3
Actual/Proposed Acute Beds	50	50	50	50	50
Percent Occupancy of Acute Beds	45%	54%	64%	74%	85%

Notes:

ZIP Code Level Population from Claritas
For ZIP Codes that do not have separate
projections, the aggregate annual
growth rate for the tri-County area is used

Projection of Future Utilization by DRG and County/All DRGs

Chart 7

Chart 7 presents a forecast of utilization that follows the same methodology as presented in Charts 1 through 6. In this second presentation, however, the DRGs considered exclude specialty and tertiary admissions of the sort that would not be appropriate for a small community hospital. Examples of excluded specialty admissions include inpatient psychiatric, substance abuse, and rehabilitation. Examples of excluded tertiary admissions include open heart, therapeutic catheterization, and neonatal intensive care.

As shown on Chart 7, hospitals of the Trident System admitted 17,752 non-specialty and non-tertiary patients from the tri-county area in 2007. These admissions resulted in 78,687 patient days.

It is assumed in these projections that the level of utilization from outside of the Tri-County service area will be the same proportionately for non-specialty, non-tertiary services as it was for all services.

Trident System
2007 Utilization and
2012-2016 Projected Utilization
for Selected DRGs

CHART 7

ZIP Code	Calendar Year 2007	
	Admissions	Patient Days
29401	11	184
29402	4	18
29403	26	185
29404	108	275
29405	251	1283
29406	1197	6288
29407	80	408
29409	1	4
29410	96	348
29412	41	194
29413	1	7
29414	96	266
29415	5	12
29416	4	10
29417	1	1
29418	502	2345
29419	14	51
29420	538	2269
29423	19	81
29426	29	87
29429	13	46
29431	385	1661
29434	29	114
29436	354	1610
29437	155	872
29439	4	13
29445	2343	9295
29447	6	21
29448	183	909
29449	20	106
29450	9	37
29451	3	9
29452	60	363
29455	30	79
29456	1257	5249
29461	1480	6161
29464	59	235
29465	4	12
29468	28	73
29469	132	598
29470	34	195
29471	25	99
29472	79	475
29476	502	3045
29477	6	24
29479	371	1880
29482	438	2089
29483	2	16
29484	3932	17504
29485	59	265
29486	2311	9803
29487	3	14
29492	36	141
Subtotal Tri-Counties	17,474	77,374
Other Utilization	805	7,689
TOTAL	18,379	85,063
Tri-County Percentage of Total	85%	91%
Incremental ADC		
Proposed Increase in Acute Beds		
Percent Occupancy of Acute Beds		

Notes:

Selected DRGs exclude Specialty and Tertiary utilization. Excluded DRGs are: 103-110, 302, 385-391, 395, 424-437, 449-451, 462, 480-481, 484-487, 495, 504-511, 512-518, 521-523, 525-527, 535-536, 541, 547-552, 555-558.

ZIP Code Level Population from Claritas.
For ZIP Codes that do not have separate
projections, the aggregate annual
growth rate for the tri-County area is used.

000058

Chart 8

Chart 8 presents 2008 and 2013 Claritas population projections by ZIP Code for each of the ZIP Codes that comprise Berkeley, Dorchester, and Charleston counties. For each ZIP Code a 5-year growth (or decline) rate is computed along with an average annual rate of growth (or decline). The computed annual growth (or decline) rates are applied to historical admission and patient day volumes at the ZIP Code level in subsequent steps to project future utilization

Trident System
2007 Utilization and
2012-2016 Projected Utilization
for Selected DRGs

CHART 8

ZIP Code	Claritas Population			
	2008	2013	5-Year Growth Rate	Annual Growth Rate
29401	10,006	9,939	-0.7%	-0.1%
29402	-	-	7.2%	1.4%
29403	24,684	25,111	1.7%	0.3%
29404	3,765	3,580	-4.8%	-1.0%
29405	30,675	30,629	0.8%	0.2%
29406	27,711	29,657	7.1%	1.4%
29407	35,201	34,953	-0.6%	-0.1%
29409	-	-	7.2%	1.4%
29410	14,124	14,933	5.7%	1.1%
29412	36,015	37,389	3.8%	0.8%
29413	-	-	7.2%	1.4%
29414	29,058	31,634	8.9%	1.7%
29415	-	-	7.2%	1.4%
29416	-	-	7.2%	1.4%
29417	-	-	7.2%	1.4%
29418	24,085	25,804	7.1%	1.4%
29419	-	-	7.2%	1.4%
29420	18,164	20,086	10.6%	2.0%
29423	-	-	7.2%	1.4%
29426	2,042	2,142	4.9%	1.0%
29429	3,200	3,469	8.4%	1.6%
29431	6,407	8,860	7.1%	1.4%
29434	551	636	-2.7%	-0.6%
29436	4,213	4,179	-0.8%	-0.2%
29437	2,437	2,627	7.8%	1.5%
29439	-	-	7.2%	1.4%
29445	48,987	49,916	1.9%	0.4%
29447	-	-	7.2%	1.4%
29449	2,486	2,632	5.9%	1.1%
29449	7,907	8,107	2.5%	0.5%
29450	6,421	8,275	28.9%	5.2%
29451	4,846	4,719	1.6%	0.3%
29452	1,335	1,321	-1.0%	-0.2%
29455	15,123	16,202	7.1%	1.4%
29456	19,251	20,844	8.8%	1.7%
29461	25,209	26,088	3.4%	0.7%
29464	42,153	43,895	4.1%	0.8%
29465	-	-	7.2%	1.4%
29466	23,452	29,007	23.7%	4.3%
29468	2,305	2,148	-6.8%	-1.4%
29469	914	869	-4.9%	-1.0%
29470	3,888	4,037	3.8%	0.8%
29471	1,662	1,801	8.4%	1.6%
29472	9,804	10,246	6.7%	1.3%
29476	-	-	7.2%	1.4%
29477	6,816	7,100	4.2%	0.8%
29479	6,711	6,676	-0.5%	-0.1%
29482	1,877	1,863	-0.7%	-0.1%
29484	58,918	66,537	12.9%	2.5%
29485	-	-	7.2%	1.4%
29487	41,622	49,180	18.2%	3.4%
29492	2,514	2,473	-1.6%	-0.3%
29492	7,421	10,257	38.2%	6.7%
Subtotal Tri-Counties	613,559	658,181		
Other Utilization				
TOTAL				
Tri-County Percentage of Total				
Incremental ADC				
Proposed Increase In Acute Beds				
Percent Occupancy of Acute Beds				

Notes:

Selected DRGs exclude Specialty and Tertiary utilization. Excluded DRGs are: 103-110, 302, 365-391, 398, 424-437, 443-451, 462, 480-481, 484-487, 495, 504-511, 512-518, 521-523, 525-527, 535-536, 541, 547-552, 555-558.

ZIP Code Level Population from Claritas.
For ZIP Codes that do not have separate
projections, the aggregate annual
growth rate for the tri-County area is used.

000060

Chart 9

Chart 9 presents the level of population increase or decrease projected to occur between calendar year 2007 and each of the five forecast years based on the annual population.

Trident System
2007 Utilization and
2012-2016 Projected Utilization
for Selected DRGs

CHART 9

ZIP Code	Compound Growth Projection				
	31-Dec-12	31-Dec-13	31-Dec-14	31-Dec-15	31-Dec-16
29401	99.3%	99.2%	99.1%	98.9%	98.8%
29402	107.2%	108.7%	110.2%	111.7%	113.3%
29403	101.7%	102.1%	102.4%	102.8%	103.1%
29404	85.1%	84.1%	83.2%	82.2%	81.3%
29405	100.8%	101.0%	101.2%	101.3%	101.5%
29406	107.1%	108.5%	110.0%	111.5%	113.1%
29407	89.4%	89.3%	89.1%	89.0%	88.9%
29409	107.2%	108.7%	110.2%	111.7%	113.3%
29410	105.7%	106.8%	108.1%	109.3%	110.5%
29412	103.6%	104.6%	105.4%	106.2%	107.0%
29413	107.2%	108.7%	110.2%	111.7%	113.3%
29414	108.9%	110.7%	112.6%	114.5%	116.5%
29415	107.2%	108.7%	110.2%	111.7%	113.3%
29416	107.2%	108.7%	110.2%	111.7%	113.3%
29417	107.2%	108.7%	110.2%	111.7%	113.3%
29418	107.2%	108.7%	110.2%	111.7%	113.3%
29419	107.1%	108.6%	110.1%	111.7%	113.2%
29420	107.2%	108.7%	110.2%	111.7%	113.3%
29423	110.6%	112.8%	115.1%	117.5%	119.9%
29426	107.2%	108.7%	110.2%	111.7%	113.3%
29429	104.9%	105.9%	106.9%	108.0%	109.0%
29431	108.4%	110.2%	112.0%	113.8%	115.7%
29434	107.1%	108.6%	110.0%	111.6%	113.1%
29436	97.3%	96.7%	96.2%	95.7%	95.1%
29437	89.2%	89.0%	88.8%	88.7%	88.6%
29439	107.8%	109.4%	111.1%	112.8%	114.5%
29445	107.2%	108.7%	110.2%	111.7%	113.3%
29447	101.8%	102.3%	102.7%	103.1%	103.4%
29448	107.2%	108.7%	110.2%	111.7%	113.3%
29449	105.9%	107.1%	108.3%	109.6%	110.8%
29450	102.5%	103.0%	103.6%	104.1%	104.6%
29451	128.9%	135.6%	142.7%	150.1%	157.9%
29453	101.6%	101.9%	102.2%	102.6%	102.9%
29455	99.0%	98.7%	98.5%	98.3%	98.1%
29456	107.1%	108.6%	110.1%	111.7%	113.2%
29461	108.8%	110.7%	112.5%	114.4%	116.4%
29464	103.4%	104.1%	104.8%	105.5%	106.2%
29465	104.1%	105.0%	105.8%	106.7%	107.6%
29466	107.2%	108.7%	110.2%	111.7%	113.3%
29468	123.7%	129.1%	134.7%	140.5%	146.7%
29469	93.2%	91.9%	90.6%	89.3%	88.1%
29470	95.1%	94.1%	93.2%	92.2%	91.3%
29471	103.8%	104.6%	105.4%	106.2%	107.0%
29472	108.4%	110.1%	111.9%	113.7%	115.6%
29476	106.7%	108.1%	109.5%	110.9%	112.4%
29477	107.2%	108.7%	110.2%	111.7%	113.3%
29479	104.2%	105.0%	105.9%	106.8%	107.6%
29482	89.5%	89.4%	89.3%	89.2%	89.1%
29483	99.3%	99.1%	99.0%	98.8%	98.7%
29484	112.9%	115.7%	118.6%	121.5%	124.5%
29485	107.2%	108.7%	110.2%	111.7%	113.3%
29487	118.2%	122.2%	126.4%	130.7%	135.1%
29492	88.4%	88.0%	87.7%	87.4%	87.1%
	135.3%	147.5%	157.4%	167.9%	179.2%

Subtotal Tri-Counties

Other Utilization

TOTAL

Tri-County Percentage of Total

Incremental AOC

Proposed Increase in Acute Beds

Percent Occupancy of Acute Beds

Notes:

Selected DRGs exclude Specialty and Tertiary utilization. Excluded DRGs are: 103-110, 302, 385-391, 395, 424-437, 449-451, 462, 480-481, 484-487, 495, 504-511, 512-518, 521-523, 526-527, 535-538, 541, 547-552, 555-558.

ZIP Code Level Population from Claritas.
For ZIP Codes that do not have separate
projections, the aggregate annual
growth rate for the tri-County area is used.

000062

Chart 10

Chart 10 applies the compounded growth (or decline) rates from Chart 9 to the historical non-specialty and non-tertiary admissions to the Trident System from each ZIP Code in the Tri-County service area from Chart 7 to develop forecasted non-specialty and non-tertiary admissions for each forecast year.

Total inpatient admissions for this subset of patients are forecast to increase from 20,227 in 2012 to 21,615 in 2016.

Trident System
2007 Utilization and
2012-2016 Projected Utilization
for Selected DRGs

CHART 10

ZIP Code	Projected Trident System Inpatient Admissions : 12 Month Period Ended				
	31-Dec-12	31-Dec-13	31-Dec-14	31-Dec-15	31-Dec-16
29401	11	11	11	11	11
29402	4	4	4	4	5
29403	26	27	27	27	27
29404	103	102	101	100	99
29405	253	253	254	254	255
29406	1,282	1,299	1,317	1,335	1,354
29407	80	79	79	79	79
29409	1	1	1	1	1
29410	102	103	104	105	106
29412	43	43	43	44	44
29413	1	1	1	1	1
29414	105	106	108	110	112
29415	5	5	6	6	6
29416	4	4	4	4	5
29417	1	1	1	1	1
29418	539	545	553	561	568
29419	15	15	15	16	16
29420	595	607	619	632	645
29423	20	21	21	21	22
29425	30	31	31	31	32
29429	14	14	15	15	15
29431	412	418	424	430	435
29434	28	28	28	28	28
29436	351	351	350	349	349
29437	179	182	184	187	190
29439	4	4	4	4	5
29445	2,387	2,396	2,405	2,415	2,424
29447	8	7	7	7	7
29448	194	196	198	201	203
29449	21	21	21	21	21
29450	12	12	13	14	14
29451	3	3	3	3	3
29453	59	58	59	59	59
29455	32	33	33	33	34
29456	1,368	1,391	1,415	1,439	1,463
29461	1,510	1,520	1,530	1,540	1,551
29464	61	62	62	63	63
29465	4	4	4	4	5
29466	35	35	38	39	41
29468	123	121	120	118	116
29469	32	32	32	31	31
29470	26	26	26	27	27
29471	86	87	88	80	81
29472	642	651	658	668	676
29476	6	7	7	7	7
29477	386	390	393	396	399
29479	434	433	433	432	432
29482	2	2	2	2	2
29483	4,441	4,550	4,662	4,777	4,895
29484	74	75	76	77	78
29485	2,732	2,825	2,920	3,020	3,123
29487	3	3	3	3	3
29492	46	52	55	59	63
Subtotal Tri-Counties	19,936	19,249	19,571	19,800	20,238
Other Utilization	980	897	1,013	1,030	1,048
TOTAL	19,916	20,246	20,584	20,930	21,286
Tri-County Percentage of Total	95%	95%	95%	95%	95%

Incremental ADC

Proposed Increase in Acute Beds

Percent Occupancy of Acute Beds

Notes:

Selected DRGs exclude Specialty and Tertiary utilization. Excluded DRGs are: 103-110, 302, 385-391, 395, 424-437, 449-451, 462, 480-481, 484-487, 495, 504-511, 612-618, 621-623, 626-627, 635-636, 641, 647-652, 655-658.

ZIP Code Level Population from Claritas.
For ZIP Codes that do not have separate projections, the aggregate annual growth rate for the tri-County area is used.

000064

Chart 11

On Chart 11, the increase in non-specialty and non-tertiary admissions in each forecast year relative to the corresponding admissions recorded in 2007 is computed. In the calendar year ended December 31, 2012, for example, 1,557 incremental non-specialty, non-tertiary admissions are forecast for the hospitals in the Trident System as a result of service area population growth and growth in utilization from outside of the Tri-County service area. This level of incremental admissions increases to 2,945 for the 12 month period ended December 31, 2016.

Trident System
2007 Utilization and
2012-2016 Projected Utilization
for Selected DRGs

CHART 11

ZIP Code	Increase In Trident System Admissions from Calendar Year 2007				
	31-Dec-12	31-Dec-13	31-Dec-14	31-Dec-15	31-Dec-16
29401	(0)	(0)	(0)	(0)	(0)
29402	0	0	0	0	1
29403	0	1	1	1	1
29404	(5)	(5)	(7)	(8)	(9)
29405	2	2	3	3	4
29406	85	102	120	138	157
29407	(0)	(1)	(1)	(1)	(1)
29409	0	0	0	0	0
29410	6	7	8	9	10
29412	2	2	2	3	3
29413	0	0	0	0	0
29414	9	10	12	14	16
29415	0	0	1	1	1
29416	0	0	0	0	1
29417	0	0	0	0	0
29418	36	43	51	59	66
29419	1	1	1	2	2
29420	57	69	81	94	107
29423	1	2	2	2	3
29426	1	2	2	2	3
29429	1	1	2	2	2
29431	27	33	39	45	50
29434	(1)	(1)	(1)	(1)	(1)
29436	(3)	(3)	(4)	(5)	(5)
29437	13	16	18	21	24
29439	0	0	0	0	1
29445	44	53	62	72	81
29447	0	1	1	1	1
29448	11	13	15	18	20
29449	1	1	1	1	1
29450	3	3	4	5	5
29451	0	0	0	0	0
29453	(1)	(1)	(1)	(1)	(1)
29455	2	3	3	3	4
29456	111	134	158	182	206
29461	50	60	70	80	91
29464	2	3	3	4	4
29465	0	0	0	0	1
29466	7	8	10	11	13
29468	(8)	(11)	(12)	(14)	(16)
29469	(2)	(2)	(2)	(3)	(3)
29470	1	1	1	2	2
29471	7	8	9	11	12
29472	40	49	57	68	74
29476	0	1	1	1	1
29477	15	19	22	25	28
29479	(2)	(3)	(3)	(4)	(4)
29482	(0)	(0)	(0)	(0)	(0)
29483	509	616	730	845	963
29484	5	6	7	8	9
29495	421	514	609	709	812
29497	(0)	(0)	(0)	(0)	(0)
29498	13	17	20	24	28
Subtotal Tri-Counties	1,482	1,775	2,097	2,426	2,754
Other Utilization	76	92	109	126	143
TOTAL	1,537	1,867	2,205	2,551	2,907
Tri-County Percentage of Total	95%	95%	95%	95%	95%
Incremental AOC					
Proposed Increase in Acute Beds					
Percent Occupancy of Acute Beds					

Notes:

Selected DRGs exclude Specialty and Tertiary utilization. Excluded DRGs are: 103-110, 302, 385-391, 395, 424-437, 449-451, 462, 480-481, 484-487, 495, 504-511, 512-518, 621-623, 625-627, 635-636, 641, 647-662, 665-668.

ZIP Code Level Population from Claritas.
For ZIP Codes that do not have separate
projections, the aggregate annual
growth rate for the tri-County area is used.

000066

Chart 12

Chart 12 presents a ZIP Code level projection of non-specialty and non-tertiary patient days to be delivered at Trident System inpatient hospitals for the years 2012 through 2016.

It should be kept in mind that these projections reflect only utilization at Trident System Hospitals. The market shares and relative utilization levels enjoyed by all other providers in 2007 are preserved and each such provider is already allocated its proportionate share of future service area growth.

Trident System
2007 Utilization and
2012-2016 Projected Utilization
for Selected DRGs

CHART 12

ZIP Code	Projected Trident System Inpatient Days : 12 Month Period Ended				
	31-Dec-12	31-Dec-13	31-Dec-14	31-Dec-15	31-Dec-16
29401	103	103	103	103	103
29402	19	20	20	20	20
29403	188	189	189	190	191
29404	251	259	256	254	251
29405	1,304	1,306	1,308	1,310	1,312
29406	6,732	6,825	6,819	7,014	7,110
29407	408	406	405	405	404
29409	4	4	4	4	5
29410	368	372	376	380	385
29412	201	203	204	206	208
29413	8	8	8	8	8
29414	290	295	300	305	310
29415	13	13	13	13	14
29416	11	11	11	11	11
29417	1	1	1	1	1
29418	2,513	2,547	2,583	2,619	2,655
29419	55	55	56	57	58
29420	2,509	2,560	2,612	2,665	2,720
29422	85	99	100	102	103
29426	81	82	83	84	85
29429	50	51	52	52	53
29434	1,779	1,803	1,828	1,853	1,879
29436	111	110	110	109	108
29437	1,597	1,594	1,592	1,589	1,587
29439	840	854	869	883	898
29445	14	14	14	15	15
29447	8,472	8,508	8,544	8,580	8,616
29448	23	23	23	23	24
29449	962	973	985	996	1,007
29450	111	111	112	112	113
29461	48	50	53	56	58
29463	9	9	9	9	9
29465	358	358	358	357	356
29466	85	86	87	88	89
29461	5,711	5,808	5,907	6,007	6,110
29464	6,371	6,414	6,457	6,501	6,544
29465	245	247	249	251	253
29466	13	13	13	13	14
29468	60	94	98	103	107
29469	650	641	632	623	615
29470	185	184	182	180	178
29471	103	104	104	105	106
29472	515	523	532	540	549
29473	3,249	3,291	3,334	3,377	3,422
29476	26	26	26	27	27
29477	1,958	1,974	1,991	2,007	2,023
29479	2,078	2,076	2,074	2,072	2,069
29482	15	16	16	16	16
29483	19,770	20,257	20,756	21,267	21,792
29484	285	289	293	297	301
29485	11,588	11,881	12,388	12,809	13,246
29487	14	14	14	14	14
29482	185	208	222	237	253
Subtotal Tri-Counties	83,797	85,174	86,585	88,030	89,515
Other Utilization	8,327	8,484	8,605	8,748	8,896
TOTAL	92,124	93,659	95,190	96,778	98,410
Tri-County Percentage of Total	91%	91%	91%	91%	91%
Incremental ADG					
Proposed Increase in Acute Beds					
Percent Occupancy of Acute Beds					

Notes:

Selected DRGs exclude Specialty and Tertiary utilization. Excluded DRGs are: 103-110, 302, 385-391, 395, 424-437, 449-451, 462, 480-481, 484-487, 495, 504-511, 512-518, 521-523, 525-527, 535-536, 541, 547-552, 555-558.

ZIP Code Level Population from Claritas.
For ZIP Codes that do not have separate
projections, the aggregate annual
growth rate for the tri-County area is used.

000068

Chart 13

On Chart 13, the increase in non-specialty and non-tertiary patient days in each forecast year relative to the patient days recorded in 2007 is computed. In the calendar year ended December 31, 2012, for example, 7,155 incremental patient days above the 2007 level are forecast for the hospitals in the Trident System. The level of incremental patient days increases to 13,527 for the 12 month period ended December 31, 2016.

These incremental non-tertiary and non-specialty patient days, if directed solely to the proposed Berkeley Medical Center, would be sufficient to occupy a 50-bed facility at 74 percent average annual occupancy by 2016.

000069

Trident System
2007 Utilization and
2012-2015 Projected Utilization
for Selected DRGs

CHART 13

ZIP Code	Increase in Trident System Patient Days from 2007				
	31-Dec-12	31-Dec-13	31-Dec-14	31-Dec-15	31-Dec-16
29401	(1)	(1)	(1)	(1)	(1)
29402	1	2	2	2	2
29403	3	4	4	5	6
29404	(14)	(16)	(15)	(21)	(24)
29405	11	13	15	17	19
29406	444	537	631	726	822
29407	(3)	(3)	(4)	(4)	(5)
29409	0	0	0	0	1
29410	20	24	28	32	37
29412	7	9	10	12	14
29413	1	1	1	1	1
29414	24	29	34	39	44
29415	1	1	1	1	2
29416	1	1	1	1	1
29417	0	0	0	0	0
29418	166	202	238	274	310
29419	4	4	5	6	7
29420	240	291	343	395	451
29423	7	8	9	11	12
29425	4	5	6	7	8
29429	4	5	6	6	7
29431	118	142	167	192	218
29434	(3)	(4)	(4)	(5)	(5)
29436	(13)	(18)	(18)	(21)	(23)
29437	66	82	97	111	126
29439	1	1	1	2	2
29445	176	212	248	284	320
29447	2	2	2	2	3
29448	53	64	76	87	98
29449	3	3	4	4	5
29450	11	13	15	19	21
29451	0	0	0	0	0
29453	(4)	(5)	(5)	(6)	(7)
29455	6	7	8	9	10
29456	462	559	658	758	851
29461	210	253	296	340	383
29464	10	12	14	16	18
29465	1	1	1	1	2
29466	17	21	25	30	34
29468	(48)	(57)	(65)	(75)	(83)
29469	(10)	(11)	(13)	(15)	(17)
29470	4	5	5	6	7
29471	40	48	57	65	74
29472	204	246	289	332	377
29476	2	2	2	3	3
29477	78	94	111	127	143
29478	(11)	(13)	(15)	(17)	(20)
29482	(0)	(0)	(0)	(0)	(0)
29483	2,266	2,753	3,252	3,763	4,288
29484	19	23	27	31	35
29485	1,785	2,178	2,585	3,006	3,443
29487	(0)	(0)	(0)	(0)	(0)
29489	54	67	81	95	112
Subtotal Tri-County	6,423	7,809	9,211	10,658	12,141
Other Utilization	638	775	915	1,059	1,206
TOTAL	7,061	8,575	10,126	11,715	13,347
Tri-County Percentage of Total	91%	91%	91%	91%	91%
Incremental ADC	19.3	23.5	27.7	32.1	36.6
Proposed Increase in Acute Beds	50	50	50	50	50
Percent Occupancy of Acute Beds	39%	47%	55%	61%	67%

Notes:

Selected DRGs exclude Specialty and Tertiary utilization. Excluded DRGs are: 103-110, 302, 385-391, 395, 424-437, 449-461, 462, 480-481, 484-487, 495, 604-611, 612-618, 621-623, 625-627, 635-636, 641, 647-652, 655-658.

ZIP Code Level Population from Claritas.
For ZIP Codes that do not have separate
projections, the aggregate annual
growth rate for the Tri-County area is used.

000070

Chart 14

Charts 14-16 provide a detailed, ZIP Code level market share projection of utilization for the proposed Berkeley Medical Center.

On Chart 14, total Trident System non-specialty and non-tertiary patient day forecasts are presented. These are the same patient day projections developed on Chart 12.

PROJECTION OF INPATIENT UTILIZATION
PHOENIX COMMUNITY HOSPITAL

CHART 14

			Trident System Patient Days for Selected DRGs				
ZIP Code	Location	County	31-Dec-12	31-Dec-13	31-Dec-14	31-Dec-15	31-Dec-16
29401	Charleston	Charleston	103	103	103	103	103
29402	North Charleston	Charleston	19	20	20	20	20
29403	Charleston	Charleston	188	188	189	190	191
29404	Charleston AFB	Charleston	261	259	256	254	251
29405	North Charleston	Charleston	1,304	1,308	1,308	1,310	1,312
29406	Charleston	Charleston	6,732	6,825	6,918	7,014	7,110
29407	Charleston	Charleston	406	406	405	405	404
29409	Charleston	Charleston	4	4	4	4	5
29410	North Charleston	Berkeley	368	372	376	380	385
29412	Charleston	Charleston	201	203	204	206	208
29413	North Charleston	Charleston	8	8	8	8	8
29414	Charleston	Charleston	290	295	300	305	310
29416	Charleston	Charleston	13	13	13	13	14
29417	Charleston	Charleston	11	11	11	11	11
29418	North Charleston	Charleston	1	1	1	1	1
29419	North Charleston	Charleston	2,513	2,547	2,583	2,619	2,655
29420	North Charleston	Dorchester	55	55	56	57	58
29423	North Charleston	Charleston	2,509	2,560	2,612	2,665	2,720
29426	Adams Run	Charleston	98	89	100	102	103
29429	Awendaw	Charleston	91	92	93	94	95
29431	Bonneau	Berkeley	50	51	52	52	53
29434	Cordesville	Berkeley	1,779	1,803	1,828	1,853	1,879
29436	Cross	Berkeley	111	110	110	109	108
29437	Dorchester	Dorchester	1,597	1,694	1,692	1,589	1,587
29439	Folly Beach	Charleston	940	954	969	983	998
29445	Goose Creek	Berkeley	14	14	14	15	15
29447	St. George	Dorchester	9,472	9,508	9,544	9,580	9,616
29448	Harleyville	Dorchester	23	23	23	23	24
29449	Hollywood	Charleston	962	973	985	995	1,007
29450	Huger	Berkeley	111	111	112	112	113
29461	Isle of Palms	Charleston	48	50	53	56	58
29463	Jamestown	Berkeley	9	9	9	9	9
29465	Johns Island	Charleston	359	358	358	357	356
29466	Ladson	Berkeley	85	86	87	88	89
29461	Moncks Corner	Berkeley	5,711	5,808	5,907	6,007	6,110
29464	Mount Pleasant	Charleston	6,371	6,414	6,457	6,501	6,544
29465	Mount Pleasant	Charleston	245	247	248	251	253
29466	Mount Pleasant	Charleston	13	13	13	13	14
29468	Pineville	Berkeley	90	94	98	103	107
29469	Pinopolis	Berkeley	550	541	532	523	515
29470	Ravenel	Charleston	185	184	182	180	178
29471	Reevesville	Dorchester	103	104	104	105	106
29472	Ridgeville	Dorchester	515	523	532	540	549
29476	St. Stephen	Berkeley	3,249	3,291	3,334	3,377	3,422
29477	Saint George	Dorchester	26	26	26	27	27
29479	Saint Stephen	Berkeley	1,958	1,974	1,991	2,007	2,023
29482	Sullivan's Island	Charleston	2,078	2,076	2,074	2,072	2,069
29483	Summerville	Dorchester	16	16	16	16	16
29484	Summerville	Dorchester	19,770	20,257	20,755	21,267	21,792
29485	Summerville	Dorchester	285	289	293	297	301
29487	Wadmalaw Island	Charleston	11,588	11,981	12,388	12,809	13,246
29492	Charleston	Berkeley	14	14	14	14	14
			195	208	222	237	253
Total from Tri-Counties Area			83,797	85,174	86,585	88,030	89,616
Other Utilization				5%			
Total Utilization							
Total ADC							
Projected Bed Complement							
Total Percent Occupancy							

Notes:

Selected DRGs exclude Specialty and Tertiary utilization. Excluded DRGs are: 103-110, 302, 385-391, 396, 424-437, 449-451, 462, 480-481, 484-487, 495, 504-511, 512-518, 521-523, 525-527, 535-536, 641, 647-552, 555-558.

000072

Chart 15

Chart 15 presents projections of the market share that the proposed Berkeley Medical Center will obtain *within the Trident System*. Thus, the 1 percent market share forecast for the Berkeley Medical Center in ZIP Code 29401 does not mean that Berkeley Medical Center will obtain 1 percent of the total non-specialty and non-tertiary inpatient days generated by the residents of ZIP Code 29401. Rather, it means that it will obtain 1 percent of the total non-specialty and non-tertiary inpatient days generated by the residents of ZIP Code 29401 who elect to obtain care from the Trident System. The market share and utilization projections that follow represent re-allocations of patient days within the Trident System. *No declines in market share are forecast for any other providers.*

PROJECTION OF INPATIENT UTILIZATION
PHOENIX COMMUNITY HOSPITAL

CHART 15

ZIP Code	Location	County	Berkeley Med Ctr Trident System Market Share: Years 3-5				
			1.0% Very Low	2.0% Low	20.0% Medium	25.0% High	50.0% Very High
29401	Charleston	Charleston	1				
29402	North Charleston	Charleston		1			
29403	Charleston	Charleston	1				
29404	Charleston AFB	Charleston	1				
29405	North Charleston	Charleston	1				
29406	Charleston	Charleston	1	1			
29407	Charleston	Charleston	1				
29409	Charleston	Charleston	1				
29410	North Charleston	Berkeley	1				
29412	Charleston	Charleston		1			
29413	North Charleston	Charleston	1				
29414	Charleston	Charleston		1			
29415	Charleston	Charleston	1				
29416	Charleston	Charleston	1				
29417	Charleston	Charleston	1				
29418	North Charleston	Charleston	1				
29419	North Charleston	Charleston		1			
29420	North Charleston	Dorchester		1			
29423	North Charleston	Charleston		1			
29426	Adams Run	Charleston	1				
29429	Awendaw	Charleston	1				
29431	Bonneau	Berkeley					1
29434	Cordesville	Berkeley					1
29436	Cross	Berkeley					1
29437	Dorchester	Dorchester					1
29439	Folly Beach	Charleston		1			
29445	Goose Creek	Berkeley	1				
29447	St. George	Dorchester		1			
29448	Harleyville	Dorchester		1			
29449	Hollywood	Charleston		1			
29450	Huger	Berkeley	1				
29451	Isle of Palms	Charleston				1	
29453	Jamestown	Berkeley	1				
29455	Johns Island	Charleston				1	
29456	Ladson	Berkeley	1				
29461	Moncks Corner	Berkeley		1			
29464	Mount Pleasant	Charleston					1
29465	Mount Pleasant	Charleston	1				
29466	Mount Pleasant	Charleston	1				
29468	Pinaville	Berkeley					
29469	Pinopolis	Berkeley					1
29470	Ravenel	Charleston					1
29471	Reevesville	Dorchester	1				
29472	Ridgeville	Dorchester		1			
29475	St. Stephen	Berkeley		1			
29477	Saint George	Dorchester					1
29479	Saint Stephen	Berkeley		1			
29482	Sullivan's Island	Charleston					1
29483	Summerville	Dorchester	1				
29484	Summerville	Dorchester			1		
29485	Summerville	Dorchester		1			
29487	Wadmalaw Island	Charleston		1			
29492	Charleston	Berkeley	1				
				1			

Total from Tri-Counties Area

Other Utilization

5%

Total Utilization

Total ADC

Projected Bed Complement

Total Percent Occupancy

Notes:

Selected DRGs exclude Specialty and Tertiary utilization. Ears: 103-110, 302, 385-391, 395, 424-437, 449-451, 462, 480-495, 504-511, 512-518, 521-523, 525-527, 535-536, 541, 547-5

000074

Chart 16

Chart 16 summarizes the ZIP Code level projection of non-tertiary and non-specialty Trident System market shares for the proposed Berkeley Medical Center for each forecast year.

In years 1 and 2, the market shares are adjusted downward to reflect the ramp-up of services at a new facility.

000075

PROJECTION OF INPATIENT UTILIZATION
PHOENIX COMMUNITY HOSPITAL

CHART 16

Market Share Adjustment Factor

			100%		
ZIP Code	Location	County	Selected Market Share Year 1	Selected Market Share Year 2	Selected Market Share Years 3-5
29401	Charleston	Charleston	1%	1%	1%
29402	North Charleston	Charleston	1%	2%	2%
29403	Charleston	Charleston	1%	1%	1%
29404	Charleston AFB	Charleston	1%	1%	1%
29405	North Charleston	Charleston	2%	2%	3%
29406	Charleston	Charleston	1%	1%	1%
29407	Charleston	Charleston	1%	1%	1%
29409	Charleston	Charleston	1%	1%	1%
29410	North Charleston	Berkeley	1%	2%	2%
29412	Charleston	Charleston	1%	1%	1%
29413	North Charleston	Charleston	1%	2%	2%
29414	Charleston	Charleston	1%	1%	1%
29415	Charleston	Charleston	1%	1%	1%
29416	Charleston	Charleston	1%	1%	1%
29417	Charleston	Charleston	1%	1%	1%
29418	North Charleston	Charleston	2%	2%	3%
29419	North Charleston	Charleston	1%	2%	2%
29420	North Charleston	Dorchester	1%	2%	2%
29423	North Charleston	Charleston	1%	2%	2%
29426	Adams Run	Charleston	1%	1%	1%
29429	Awendaw	Charleston	1%	1%	1%
29431	Bonneau	Berkeley	30%	39%	50%
29434	Cordesville	Berkeley	30%	39%	50%
29436	Cross	Berkeley	30%	39%	50%
29437	Dorchester	Dorchester	1%	2%	2%
29439	Folly Beach	Charleston	1%	1%	1%
29445	Goose Creek	Berkeley	1%	2%	2%
29447	St. George	Dorchester	1%	2%	2%
29448	Harleyville	Dorchester	1%	2%	2%
29449	Hollywood	Charleston	1%	1%	1%
29450	Huger	Berkeley	15%	20%	25%
29451	Isle of Palms	Charleston	1%	1%	1%
29453	Jamestown	Berkeley	15%	20%	25%
29455	Johns Island	Charleston	1%	1%	1%
29456	Ladson	Berkeley	1%	2%	2%
29461	Moncks Corner	Charleston	30%	39%	50%
29464	Mount Pleasant	Charleston	1%	1%	1%
29465	Mount Pleasant	Charleston	1%	1%	1%
29468	Mount Pleasant	Charleston	1%	1%	1%
29468	Pineville	Berkeley	30%	39%	50%
29469	Pinopolis	Berkeley	30%	39%	50%
29470	Ravenel	Charleston	1%	1%	1%
29471	Reeavesville	Dorchester	1%	2%	2%
29472	Ridgeville	Dorchester	1%	2%	2%
29476	St. Stephen	Berkeley	30%	39%	50%
29477	Saint George	Dorchester	1%	2%	2%
29479	Saint Stephen	Berkeley	30%	39%	50%
29482	Sullivan's Island	Charleston	1%	1%	1%
29483	Summerville	Dorchester	12%	16%	20%
29484	Summerville	Dorchester	1%	2%	2%
29485	Summerville	Dorchester	1%	2%	2%
29487	Wadmalaw Island	Charleston	1%	1%	1%
29492	Charleston	Berkeley	1%	2%	2%

Total from Tri-Counties Area

Other Utilization 5%

Total Utilization

Total ADC

Projected Bed Complement

Total Percent Occupancy

Notes:

Selected DRGs exclude Specialty and Tertiary utilization. E are: 103-110, 302, 385-391, 395, 424-437, 449-461, 462, 480-485, 504-511, 512-518, 521-523, 525-527, 535-536, 541, 547-5

000076

Chart 17

Chart 17 projects patient days for the proposed Berkeley Medical Center. As shown in this projection, the proposed Berkeley Medical Center will have the capacity to achieve relatively high levels of utilization.

It should be noted that the utilization levels for the new Medical Center are generally consistent with the incremental patient days forecast for the entire Medical System on Chart 13.

PROJECTION OF INPATIENT UTILIZATION
PHOENIX COMMUNITY HOSPITAL

CHART 17

Berkeley Medical Center Projected Patient Days							
ZIP Code	Location	County	31-Dec-12	31-Dec-13	31-Dec-14	31-Dec-15	31-Dec-16
29401	Charleston	Charleston	1	1	1	1	1
29402	North Charleston	Charleston	0	0	0	0	0
29403	Charleston	Charleston	1	1	2	2	2
29404	Charleston AFB	Charleston	2	2	3	3	3
29405	North Charleston	Charleston	23	31	39	39	38
29406	Charleston	Charleston	40	53	69	70	71
29407	Charleston	Charleston	2	3	4	4	4
29409	Charleston	Charleston	0	0	0	0	0
29410	North Charleston	Berkeley	4	6	8	8	8
29412	Charleston	Charleston	1	2	2	2	2
29413	North Charleston	Charleston	0	0	0	0	0
29414	Charleston	Charleston	2	2	3	3	3
29415	Charleston	Charleston	0	0	0	0	0
29416	Charleston	Charleston	0	0	0	0	0
29417	Charleston	Charleston	0	0	0	0	0
29418	North Charleston	Charleston	45	60	77	79	80
29419	North Charleston	Charleston	1	1	1	1	1
29420	North Charleston	Dorchester	30	40	52	53	54
29423	North Charleston	Charleston	1	2	2	2	2
29426	Adams Run	Charleston	1	1	1	1	1
29429	Awendaw	Charleston	0	0	1	1	1
29431	Bonneau	Berkeley	534	703	914	926	939
29434	Cordesville	Berkeley	33	43	55	55	54
29436	Cross	Berkeley	479	622	796	795	793
29437	Dorchester	Dorchester	11	15	19	20	20
29439	Folly Beach	Charleston	0	0	0	0	0
29445	Goose Creek	Berkeley	114	148	191	192	192
29447	St. George	Dorchester	0	0	0	0	0
29448	Harleyville	Dorchester	12	15	20	20	20
29449	Hollywood	Charleston	1	1	1	1	1
29450	Huger	Berkeley	7	10	13	14	15
29451	Isle of Palms	Charleston	0	0	0	0	0
29453	Jamestown	Berkeley	54	70	89	89	89
29455	Johns Island	Charleston	1	1	1	1	1
29456	Ladson	Berkeley	69	81	118	120	122
29461	Moncks Corner	Berkeley	1,911	2,501	3,229	3,250	3,272
29464	Mount Pleasant	Charleston	1	2	2	3	3
29465	Mount Pleasant	Charleston	0	0	0	0	0
29466	Mount Pleasant	Charleston	1	1	1	1	1
29468	Pineville	Berkeley	195	250	316	312	307
29469	Pinopolis	Berkeley	56	72	91	90	89
29470	Ravenel	Charleston	1	1	1	1	1
29471	Reevesville	Dorchester	6	8	11	11	11
29472	Ridgeville	Dorchester	39	51	67	68	68
29476	St. Stephen	Berkeley	8	10	13	13	14
29477	Saint George	Dorchester	24	31	40	40	40
29479	Saint Stephen	Berkeley	623	810	1,037	1,036	1,035
29482	Sullivan's Island	Charleston	0	0	0	0	0
29483	Summerville	Dorchester	2,372	3,160	4,151	4,253	4,358
29484	Summerville	Dorchester	3	5	6	6	6
29485	Summerville	Dorchester	139	167	248	256	265
29487	Wadmalaw Island	Charleston	0	0	0	0	0
29492	Charleston	Berkeley	2	3	4	5	5
Total from Tri-Counties Area			5,851	9,015	11,701	11,847	11,996
Other Utilization			361	474	616	624	631
Total Utilization			7,212	9,490	12,317	12,470	12,628
Total ADC			19.8	26.0	33.7	34.2	34.6
Projected Bed Complement			50.0	50.0	50.0	50.0	50.0
Total Percent Occupancy							

Notes:

Selected DRGs exclude Specialty and Tertiary utilization. Excludes: 103-110, 302, 385-391, 395, 424-437, 449-451, 462, 480-495, 504-511, 612-618, 621-623, 626-627, 635-636, 641, 647-6

000078

APPENDIX 2

Projection of Outpatient Units of Service

The attached Charts summarize the methodology and computations applied to project outpatient units of service for the proposed Berkeley Medical Center.

Separate projections were developed for:

- Emergency Department Utilization
- Outpatient Visits
- Ambulatory Surgery Procedures

000080

Chart 1

Chart 1 presents the expected primary service area for the proposed new facility. It is anticipated that patients from the ZIP Codes shown will account for approximately 89 percent of the inpatient admissions to the proposed hospital. It is also assumed that patients from these same ZIP codes will also represent 89 percent of the outpatient utilization of the hospital.

000081

CHART 1

BERKELEY MEDICAL CENTER
PROJECTED PRIMARY SERVICE AREA

ZIP CODE	Location	PROJECTED INPATIENT ADMISSIONS CY 2012	PERCENT OF INPATIENT ADMISSIONS	CUMULATIVE PERCENT
29483	Summerville	539	32.7%	32.7%
29461	Moncks Corner	464	28.1%	60.8%
29479	Saint Stephen	133	8.1%	68.8%
29431	Bonneau	124	7.5%	76.4%
29436	Cross	107	6.5%	82.8%
29468	Pineville	40	2.4%	85.3%
29485	Summerville	33	2.0%	87.3%
29445	Goose Creek	29	1.8%	89.0%
Subtotal Primary Service Area		1,469	89.0%	89.0%
All Other		181	11.0%	100.0%
TOTAL		1,650	100.0%	

Chart 2

Chart 2 summarizes ER visits for all Trident System facilities for 2007 from the ZIP Codes in the Berkeley Medical Center Primary Service Area.

Beneath these utilization data appear the Trident System market share that Berkeley Medical Center facility is expected to obtain following its completion. As with the inpatient projections, it is assumed that there will be no change in outpatient market share for any acute hospital outside of the Trident System pursuant to this application.

000083

CHART 2: HISTORICAL TRIDENT SYSTEM ER VISITS BY SELECTED ZIP CODES: 2007

PAYOR	28431	29436	29445	29461	29468	29479	29483	29485	TOTAL
1 MEDICARE PPS	187	180	883	835	84	247	1,794	1,135	5,345
2 MEDICARE DPU							1		1
3 MEDICAID	329	298	1,068	1,745	147	669	2,886	1,147	8,289
4 WORKERS COMP	26	24	169	118	9	22	308	196	872
5 COMMERCIAL	44	29	192	171	12	39	417	359	1,263
6 CHAMPUS	55	82	1,869	296	12	29	1,165	1,166	4,674
7 HMO	91	86	441	416	21	90	797	589	2,531
8 PPO	327	226	1,764	1,405	101	326	3,370	2,517	10,036
9 MANAGED CARE MEDICAID	56	48	334	403	35	133	690	224	1,923
10 FEDERAL	5	3	25	12		8	51	38	142
11 STATE NON MCALD LOCL GOV			4	3			2	3	12
12 MANAGED CARE MEDICARE	24	16	49	88	9	45	116	45	392
13 BLUE CROSS / COST	2	4	11	14	2	5	26	19	83
15 CHARITY	18	11	65	98	4	25	156	77	454
99 SELF-PAY	408	444	2,241	2,234	155	674	5,131	2,349	13,636
TOTAL	1,572	1,451	9,115	7,838	591	2,312	16,910	9,864	49,653

Berkeley Medical Center Market Share	80.0%	80.0%	2.0%	80.0%	80.0%	80.0%	20.0%	2.0%

000084

Chart 3

Chart 3 summarizes the 2007 base ER volume that is attributed to the proposed Berkeley Medical Center. The values in the grid can be replicated by multiplying the market share percentage at the bottom of each column on Chart 2 to each of the values in the column above it.

The figures on this Chart can be construed as the volume of ER visits that Berkeley Medical Center would have obtained from each ZIP code and payor group had it been open and operational in 2007.

CHART 3 : PROJECTION OF 2007 BASE VOLUME FOR Berkeley Medical Center

	29431	29436	29445	29461	29468	29478	29483	29485	TOTAL
1 MEDICARE PPS	150	144	18	568	67	198	359	23	1,626
2 MEDICARE DPU	0	0	0	0	0	0	0	0	0
3 MEDICAID	263	238	21	1,396	118	535	577	23	3,172
4 WORKERS COMP	21	19	3	94	7	18	62	4	228
5 COMMERCIAL	35	23	4	137	10	31	83	7	330
6 CHAMPUS	44	66	37	237	10	23	233	23	673
7 HMO	73	69	9	333	17	72	159	12	743
8 PPO	262	181	35	1,124	81	261	674	50	2,668
9 MANAGED CARE MEDICAID	45	38	7	322	28	106	138	4	689
10 FEDERAL	4	2	1	10	0	6	10	1	34
11 STATE NON MCAID LOCL GOV	0	0	0	2	0	0	0	0	3
12 MANAGED CARE MEDICARE	19	13	1	70	7	36	23	1	171
13 BLUE CROSS / COST	2	3	0	11	2	4	5	0	27
15 CHARITY	14	9	1	78	3	20	31	2	159
99 SELF-PAY	326	355	45	1,787	124	539	1,026	47	4,250
TOTAL	1,258	1,161	182	6,270	473	1,850	3,382	197	14,773

000085

Chart 4

Chart 4 presents the expected increase in population for each Zip Code between 2007 and each of the forecast years 2012 through 2016.

For example, it is projected that the population of ZIP Code 29431 will increase by a factor of 1.07 (or 7 percent) between 2007 and 2012. Alternatively, the population of ZIP Code 29468 is expected to be only 0.93 as large in 2012 as it was in 2007.

All of the population data are from Claritas and are presented in detail elsewhere in the application.

000086

ART 4:
Compound Growth Rate

2012	1.07	0.99	1.02	1.03	0.93	0.99	1.13	1.18
2013	1.09	0.99	1.02	1.04	0.92	0.98	1.16	1.22
2014	1.10	0.99	1.03	1.05	0.91	0.99	1.19	1.26
2015	1.12	0.99	1.03	1.06	0.89	0.99	1.21	1.31
2016	1.13	0.99	1.03	1.06	0.88	0.99	1.24	1.35

Run Date: 06/02/08

Source: DSS CasemixH (BOJ)

S:\THS\IRpts\SWPPhoenix County Archive OP Utilization
ER Data

000087

Charts 5-9

On Charts 5-9, the 2007 base ER volume is adjusted at the ZIP Code and payor level to reflect the projected increase or decrease in population forecast in each ZIP code.

So, for example, the projection of 100 Medicare PPS ER visits in ZIP code 29431 in year 2012 can be replicated by multiplying the compound growth rate value of 1.07 shown for ZIP Code 29431 in 2012 on Chart 4 by the 94 Medicare PPS ER Visits recorded for ZIP Code 29431 in 2007, as shown on Chart 3.

000088

CHART 5 : Projected Berkeley Medical Center ER Visits

2012

	29431	29436	29445	29461	29468	29479	29483	29485	TOTAL
1 MEDICARE PPS	160	143	18	691	63	197	405	27	1,703
2 MEDICARE DPU	0	0	0	0	0	0	0	0	0
3 MEDICAID	282	236	22	1,444	110	532	652	27	3,305
4 WORKERS COMP	22	19	3	98	7	18	70	5	241
5 COMMERCIAL	38	23	4	141	9	31	94	8	349
6 CHAMPUS	47	65	38	245	9	23	263	28	718
7 HMO	78	68	9	344	16	72	180	14	781
8 PPO	280	179	36	1,162	75	259	761	60	2,813
9 MANAGED CARE MEDICAID	48	38	7	333	26	106	156	5	719
10 FEDERAL	4	2	1	10	0	6	12	1	36
11 STATE NON MCAID LOCL GOV	0	0	0	2	0	0	0	0	3
12 MANAGED CARE MEDICARE	21	13	1	73	7	36	26	1	177
13 BLUE CROSS / COST	2	3	0	12	1	4	6	0	28
15 CHARITY	15	9	1	81	3	20	35	2	166
99 SELF-PAY	350	352	46	1,848	116	536	1,159	56	4,462
TOTAL	1,347	1,151	186	6,484	441	1,840	3,820	233	15,502

000089

Run Date: 06/02/08

Source: DSS CasemixH (BOB)

S:\THSRpts\SWP\Phoenix County Archive OP Utilization
ER Data

CHART 6: Projected Berkeley Medical Center ER Visits

2013

	29431	29436	29445	29461	29468	29479	29483	29485	TOTAL
1 MEDICARE PPS	162	143	18	695	62	196	415	28	1,720
2 MEDICARE DPU	0	0	0	0	0	0	0	0	0
3 MEDICAID	286	236	22	1,453	108	532	668	28	3,333
4 WORKERS COMP	23	19	3	98	7	17	71	5	244
5 COMMERCIAL	38	23	4	142	9	31	97	9	353
6 CHAMPUS	48	65	38	247	9	23	270	29	728
7 HMO	79	68	9	346	15	72	184	14	788
8 PPO	284	179	36	1,170	74	259	780	62	2,844
9 MANAGED CARE MEDICAID	49	38	7	336	26	106	160	5	726
10 FEDERAL	4	2	1	10	0	6	12	1	36
11 STATE NON MCAID LOCL GOV	0	0	0	2	0	0	0	0	3
12 MANAGED CARE MEDICARE	21	13	1	73	7	36	27	1	178
13 BLUE CROSS / COST	2	3	0	12	1	4	6	0	29
15 CHARITY	16	9	1	82	3	20	36	2	168
99 SELF-PAY	354	352	46	1,861	114	536	1,188	57	4,507
TOTAL	1,365	1,150	186	6,528	434	1,838	3,914	241	15,658

000090

S:\THSRpts\SW\Phoenix County Archive OP Utilization
ER Data

Source: DSS CasemixH (BOB)

Run Date: 06/02/08

CHART 7: Projected Berkeley Medical Center ER Visits

2014

	29431	29436	29445	29461	29468	29479	29483	29485	TOTAL
1 MEDICARE PPS	165	142	18	700	61	196	425	29	1,736
2 MEDICARE DPU	0	0	0	0	0	0	0	0	0
3 MEDICAID	290	236	22	1,463	107	531	684	29	3,362
4 WORKERS COMP	23	19	3	99	7	17	73	5	246
5 COMMERCIAL	39	23	4	143	8	31	99	9	357
6 CHAMPUS	48	65	38	248	9	23	276	29	737
7 HMO	80	68	9	349	15	71	189	15	797
8 PPO	288	179	36	1,178	73	259	799	64	2,876
9 MANAGED CARE MEDICAID	49	38	7	338	25	106	164	6	732
10 FEDERAL	4	2	1	10	0	6	12	1	37
11 STATE NON MCAID LOCL GOV	0	0	0	3	0	0	0	0	3
12 MANAGED CARE MEDICARE	21	13	1	74	7	36	28	1	179
13 BLUE CROSS / COST	2	3	0	12	1	4	6	0	29
15 CHARITY	16	9	1	82	3	20	37	2	170
99 SELF-PAY	359	351	46	1,873	112	535	1,217	59	4,553
TOTAL	1,384	1,148	187	6,572	428	1,836	4,010	249	15,815

Run Date: 06/02/08

Source: DSS CasemixH (BOBJ)

S:\THS\IRpts\SWAP\Phoenix County Archive OP Utilization
ER Data

000091

CHART 8: Projected Berkeley Medical Center ER Visits

2015

	29431	29436	29445	29461	29468	29479	29483	29485	TOTAL
1 MEDICARE PPS	167	142	18	705	60	196	436	30	1,754
2 MEDICARE DPU	0	0	0	0	0	0	0	0	0
3 MEDICAID	294	235	22	1,473	105	531	701	30	3,391
4 WORKERS COMP	23	19	3	100	6	17	75	5	249
5 COMMERCIAL	39	23	4	144	9	31	101	9	361
6 CHAMPUS	49	65	39	250	9	23	283	30	747
7 HMO	81	68	9	351	15	71	194	15	805
8 PPO	292	178	36	1,186	72	259	819	66	2,908
9 MANAGED CARE MEDICAID	50	38	7	340	25	106	168	6	739
10 FEDERAL	4	2	1	10	0	6	12	1	37
11 STATE NON MCAID LOCL GOV	0	0	0	3	0	0	0	0	3
12 MANAGED CARE MEDICARE	21	13	1	74	6	36	28	1	181
13 BLUE CROSS / COST	2	3	0	12	1	4	6	0	29
15 CHARITY	16	9	1	83	3	20	38	2	171
99 SELF-PAY	364	351	46	1,886	111	535	1,247	61	4,600
TOTAL	1,403	1,146	188	6,616	422	1,834	4,109	258	15,976

000092

CHART 9: Projected Berkeley Medical Center ER Visits

2016

	29431	29436	29445	29451	29488	29479	29483	29485	TOTAL
1 MEDICARE PPS	169	142	18	710	59	196	447	31	1,771
2 MEDICARE DPU	0	0	0	0	0	0	0	0	0
3 MEDICAID	298	235	22	1,483	104	530	719	31	3,421
4 WORKERS COMP	24	19	3	100	6	17	77	5	252
5 COMMERCIAL	40	23	4	145	8	31	104	10	365
6 CHAMPUS	50	65	39	252	8	23	290	32	758
7 HMO	82	68	9	354	15	71	198	16	813
8 PPO	286	178	36	1,194	71	258	839	68	2,941
9 MANAGED CARE MEDICAID	51	38	7	342	25	105	172	6	746
10 FEDERAL	5	2	1	10	0	6	13	1	38
11 STATE NON MICAID LOCL GOV	0	0	0	3	0	0	0	0	3
12 MANAGED CARE MEDICARE	22	13	1	75	6	36	29	1	182
13 BLUE CROSS / COST	2	3	0	12	1	4	6	1	29
15 CHARITY	16	9	1	83	3	20	39	2	173
99 SELF-PAY	369	350	46	1,898	109	534	1,278	63	4,948
TOTAL	1,422	1,144	189	6,661	416	1,832	4,210	267	16,141

000093

Run Date: 06/02/08

Source: DSS CasemixH (BOH)

S:\THSRpts\SWPhoenix County Archive OP Utilization
ER Data

Chart 10

The total volume of Primary Service Area (PSA) ER visits is summarized by forecast year on Chart 10.

000094

ART 10: Total Berkeley Medical Center ER Visits From PSA

	2012	2013	2014	2015	2016
1 MEDICARE PPS	1,703	1,720	1,736	1,754	1,771
2 MEDICARE DPU	0	0	0	0	0
3 MEDICAID	3,305	3,333	3,362	3,391	3,421
4 WORKERS COMP	241	244	246	249	252
5 COMMERCIAL	349	353	357	361	365
6 CHAMPUS	718	728	737	747	758
7 HMO	781	788	797	805	813
8 PPO	2,813	2,844	2,876	2,908	2,941
9 MANAGED CARE MEDICAID	719	726	732	739	746
10 FEDERAL	36	36	37	37	38
11 STATE NON MCAID LOCL GOV	3	3	3	3	3
12 MANAGED CARE MEDICARE	177	178	179	181	182
13 BLUE CROSS / COST	28	29	29	29	29
15 CHARITY	166	168	170	171	173
99 SELF-PAY	4,462	4,507	4,553	4,600	4,648
TOTAL	15,502	15,656	15,815	15,976	16,141

000095

Chart 11

On Chart 11, the values on Chart 10 are increased to reflect non-primary service area utilization. The values on Chart 11 can be replicated by dividing the corresponding values on Chart 10 by 0.89. (or 1.00 minus 0.11, where 0.11 is the percentage of total utilization projected to come from outside of the primary service area.

CHART 11: Total Berkeley Medical Center ER Visits

11%

Non PSA Utilization

Summary

	2012	2013	2014	2015	2016
1 MEDICARE PPS	1,914	1,932	1,951	1,970	1,990
2 MEDICARE DPU	0	0	0	0	0
3 MEDICAID	3,713	3,745	3,777	3,810	3,844
4 WORKERS COMP	271	274	277	280	283
5 COMMERCIAL	392	396	401	405	410
6 CHAMPUS	807	817	828	840	851
7 HMO	877	886	895	904	914
8 PPO	3,161	3,196	3,231	3,267	3,305
9 MANAGED CARE MEDICAID	808	815	823	830	838
10 FEDERAL	40	41	41	42	42
11 STATE NON MCAID LOCL GOV	3	4	4	4	4
12 MANAGED CARE MEDICARE	199	200	202	203	205
13 BLUE CROSS / COST	32	32	33	33	33
15 CHARITY	187	189	191	193	195
99 SELF-PAY	5,014	5,064	5,116	5,169	5,223
TOTAL	17,418	17,592	17,769	17,950	18,136

Chart 12

Chart 12 summarizes Ambulatory Surgery Procedures for all Trident System facilities for 2007 from the ZIP Codes in the Berkeley Medical Center Primary Service Area.

Beneath these utilization data appear the Trident System market share that the Phoenix facility is expected to obtain following its completion. As with the inpatient projections, it is assumed that there will be no change in outpatient market share for any acute hospital outside of the Trident System pursuant to this application.

CHART 12: HISTORICAL TRIDENT SYSTEM ASC PROCEDURES BY SELECTED ZIP CODES: 2007

PAYOR	29431	29436	29445	29461	29468	28479	28483	29485	TOTAL
1 MEDICARE PPS	46	62	310	221	16	81	594	483	1,793
3 MEDICAID	10	17	43	42	6	17	148	52	335
4 WORKERS COMP			6	7		1	17	11	42
5 COMMERCIAL	4	1	14	10	1	1	26	21	78
6 CHAMPUS	10	3	283	53		4	168	169	690
7 HMO	14	1	83	58	4	8	184	109	461
8 PPO	54	40	350	190	8	42	636	528	1,848
9 MANAGED CARE MEDICAID	3		13	10	2		33	6	67
10 FEDERAL				1			1		2
11 STATE NON MICAID LOCL GOV								2	2
12 MANAGED CARE MEDICARE	3	7	24	18	3	13	40	16	124
13 BLUE CROSS / COST	1		3	1		1	3		9
15 CHARITY	1		3	6			8	2	20
99 SELF-PAY	3	1	12	7	1	3	35	22	84
TOTAL	149	132	1,144	624	41	151	1,893	1,421	5,555
Berkeley Medical Center Market Share									
	80.0%	80.0%	2.0%	80.0%	80.0%	80.0%	20.0%	2.0%	

000098

Chart 13

Chart 13 summarizes the 2007 base Ambulatory Surgery volume that is attributed to the Phoenix facility. The values in the grid can be replicated by multiplying the market share percentage at the bottom of each column on Chart 12 to each of the values in the column above it.

The figures on this Chart can be construed as the volume of Ambulatory Surgery Procedures that Berkeley Medical Center would have obtained from each ZIP code and payor group had it been open and operational in 2007.

000099

CHART 13: PROJECTED 2007 BASE VOLUME FOR Berkeley Medical Center

	28431	28435	28445	28451	28468	28478	28483	28485	TOTAL
1 MEDICARE PPS	37	50	6	177	13	49	119	10	459
3 MEDICAID	8	14	1	34	5	14	30	1	105
4 WORKERS COMP	0	0	0	6	0	1	3	0	10
5 COMMERCIAL	3	1	0	8	1	1	5	0	20
6 CHAMPUS	8	2	6	42	0	3	34	3	99
7 HMO	11	1	2	46	3	6	37	2	109
8 PPO	43	32	7	152	6	34	127	11	412
9 MANAGED CARE MEDICAID	2	0	0	8	2	0	7	0	19
10 FEDERAL	0	0	0	1	0	0	0	0	1
11 STATE NON MCAID LOGL GOV	0	0	0	0	0	0	0	0	0
12 MANAGED CARE MEDICARE	2	6	0	14	2	10	8	0	44
13 BLUE CROSS / COST	1	0	0	1	0	1	1	0	3
15 CHARITY	1	0	0	5	0	0	2	0	7
99 SELF-PAY	2	1	0	6	1	2	7	0	20
TOTAL	119	106	23	499	33	121	379	28	1,308

000100

Chart 14

Chart 14 presents the expected increase in population for each Zip Code between 2007 and each of the forecast years 2012 through 2016.

For example, it is projected that the population of ZIP Code 29431 will increase by a factor of 1.07 (or 7 percent) between 2007 and 2012. Alternatively, the population of ZIP Code 29468 is expected to be only 0.93 as large in 2012 as it was in 2007.

All of the population data are from Claritas and are presented in detail elsewhere in the application.

000101

CHART 14:
Compound Growth Rate

	2012	2013	2014	2015	2016
1.07	1.09	1.10	1.12	1.13	
0.99	0.99	0.99	0.99	0.99	
1.02	1.02	1.03	1.03	1.03	
1.03	1.04	1.05	1.06	1.08	
0.93	0.92	0.91	0.89	0.88	
0.99	0.99	0.99	0.99	0.99	
1.13	1.16	1.19	1.21	1.24	
1.18	1.22	1.26	1.31	1.35	

000102

Charts 15-19

On Charts 15-19, the 2007 base Ambulatory Surgery volume is adjusted at the ZIP Code and payor level to reflect the projected increase or decrease in population forecast in each ZIP code.

So, for example, the projection of 25 Medicare PPS Ambulatory Surgery Procedures in ZIP code 29431 in year 2012 can be replicated by multiplying the compound growth rate value of 1.07 shown for ZIP Code 29431 in 2012 on Chart 14 by the 23 Medicare PPS Ambulatory Surgery Procedures recorded for ZIP Code 29431 in 2007, as shown on Chart 13.

000103

CHART 16: Berkeley Medical Center Amb Surg Procedures

2012

	28431	29436	29445	29451	29468	29479	29483	29485	Total
1 MEDICARE PPS	39	49	6	183	12	49	134	11	484
3 MEDICAID	9	13	1	35	4	14	33	1	110
4 WORKERS COMP	0	0	0	6	0	1	4	0	11
5 COMMERCIAL	3	1	0	8	1	1	6	0	21
6 CHAMPUS	9	2	6	44	0	3	38	4	106
7 HMO	12	1	2	48	3	6	42	3	116
8 PPO	48	32	7	157	6	33	144	12	438
9 MANAGED CARE MEDICAID	3	0	0	8	1	0	7	0	20
10 FEDERAL	0	0	0	1	0	0	0	0	1
11 STATE NON MCAID LOCL GOV	0	0	0	0	0	0	0	0	0
12 MANAGED CARE MEDICARE	3	6	0	15	2	10	9	0	48
13 BLUE CROSS / COST	1	0	0	1	0	1	1	0	3
15 CHARITY	1	0	0	5	0	0	2	0	8
99 SELF-PAY	3	1	0	6	1	2	8	1	21
TOTAL	128	105	23	516	31	120	428	34	1,384

000104

CHART 16: Berkeley Medical Center Amb Surg Procedures

2013

	29431	29436	29445	29461	29468	29479	29483	29485	Total
1 MEDICARE PPS	40	49	6	184	12	48	137	12	489
3 MEDICAID	9	13	1	35	4	14	34	1	111
4 WORKERS COMP	0	0	0	0	0	1	4	0	11
5 COMMERCIAL	3	1	0	8	1	1	6	1	21
6 CHAMPUS	9	2	6	44	0	3	39	4	107
7 HMO	12	1	2	48	3	6	43	3	118
8 PPO	47	32	7	158	8	33	147	13	443
9 MANAGED CARE MEDICAID	3	0	0	8	1	0	8	0	20
10 FEDERAL	0	0	0	1	0	0	0	0	1
11 STATE NON MCAID LOCL GOV	0	0	0	0	0	0	0	0	0
12 MANAGED CARE MEDICARE	3	6	0	15	2	10	9	0	46
13 BLUE CROSS / COST	1	0	0	1	0	1	1	0	3
15 CHARITY	1	0	0	5	0	0	2	0	8
89 SELF-PAY	3	1	0	6	1	2	8	1	21
TOTAL	129	105	23	520	30	120	438	35	1,400

CHART 17: Berkeley Medical Center Amb Surg Procedures

2014

	29431	28436	28445	28451	28468	28479	28483	28485	Total
1 MEDICARE PPS	40	49	6	185	12	48	141	12	494
3 MEDICAID	9	13	1	35	4	14	35	1	113
4 WORKERS COMP	0	0	0	6	0	1	4	0	11
5 COMMERCIAL	4	1	0	8	1	1	6	1	21
6 CHAMPUS	9	2	6	44	0	3	40	4	109
7 HMO	12	1	2	49	3	6	44	3	119
8 PPO	48	32	7	159	6	33	151	13	449
9 MANAGED CARE MEDICAID	3	0	0	8	1	0	8	0	21
10 FEDERAL	0	0	0	1	0	0	0	0	1
11 STATE NON MCAID LOCL GOV	0	0	0	0	0	0	0	0	0
12 MANAGED CARE MEDICARE	3	6	0	15	2	10	9	0	46
13 BLUE CROSS / COST	1	0	0	1	0	1	1	0	3
15 CHARITY	1	0	0	5	0	0	2	0	8
99 SELF-PAY	3	1	0	6	1	2	8	1	22
TOTAL	131	104	23	523	30	120	449	36	1,417

000106

CHART 18: Berkeley Medical Center Amb Surg Procedures

2015

	29431	29436	29445	29461	29468	29479	29483	29485	Total
1 MEDICARE PPS	41	49	6	187	11	48	144	13	500
3 MEDICAID	9	13	1	35	4	13	36	1	114
4 WORKERS COMP	0	0	0	6	0	1	4	0	11
5 COMMERCIAL	4	1	0	8	1	1	6	1	21
6 CHAMPUS	9	2	6	45	0	3	41	4	110
7 HMO	12	1	2	48	3	6	45	3	121
8 PPO	48	32	7	160	6	33	155	14	455
9 MANAGED CARE MEDICAID	3	0	0	8	1	0	8	0	21
10 FEDERAL	0	0	0	1	0	0	0	0	1
11 STATE NON MCAID LOCL GOV	0	0	0	0	0	0	0	0	0
12 MANAGED CARE MEDICARE	3	6	0	15	2	10	10	0	46
13 BLUE CROSS / COST	1	0	0	1	0	1	1	0	3
15 CHARITY	1	0	0	5	0	0	2	0	8
99 SELF-PAY	3	1	0	6	1	2	9	1	22
TOTAL	133	104	24	527	29	120	480	37	1,434

000107

CHART 19: Berkeley Medical Center Amb Surg Procedures

2016

	42	49	6	188	11	48	148	13	Total
1 MEDICARE PPS	42	49	6	188	11	48	148	13	505
3 MEDICAID	9	13	1	36	4	13	37	1	115
4 WORKERS COMP	0	0	0	6	0	1	4	0	11
5 COMMERCIAL	4	1	0	8	1	1	6	1	22
6 CHAMPUS	9	2	6	45	0	3	42	5	112
7 HMO	13	1	2	49	3	6	46	3	122
8 PPO	49	32	7	161	6	33	158	14	461
9 MANAGED CARE MEDICAID	3	0	0	8	1	0	8	0	21
10 FEDERAL	0	0	0	1	0	0	0	0	1
11 STATE NON MCAID LOCL GOV	0	0	0	0	0	0	0	0	0
12 MANAGED CARE MEDICARE	3	6	0	15	2	10	10	0	47
13 BLUE CROSS / COST	1	0	0	1	0	1	1	0	3
15 CHARITY	1	0	0	5	0	0	2	0	8
99 SELF-PAY	3	1	0	6	1	2	9	1	22
TOTAL	135	104	24	530	29	120	471	38	1,451

000108

Chart 20

The total volume of Primary Service Area (PSA) Ambulatory Surgery Procedures is summarized by forecast year on Chart 20.

000109

CHART 20: Total Berkeley Medical Center Amb Surg Procedures from PSA

	2012	2013	2014	2015	2016
1 MEDICARE PPS	484	489	494	500	505
3 MEDICAID	110	111	113	114	115
4 WORKERS COMP	11	11	11	11	11
5 COMMERCIAL	21	21	21	21	22
6 CHAMPUS	106	107	109	110	112
7 HMO	116	118	119	121	122
8 PPO	438	443	448	455	461
9 MANAGED CARE MEDICAID	20	20	21	21	21
10 FEDERAL	1	1	1	1	1
11 STATE NON WCAID LOCL GOV	0	0	0	0	0
12 MANAGED CARE MEDICARE	48	46	48	46	47
13 BLUE CROSS / COST	3	3	3	3	3
15 CHARITY	8	8	8	8	8
99 SELF-PAY	21	21	22	22	22
TOTAL	1,384	1,400	1,417	1,434	1,451

000110

Chart 21

On Chart 21, the values on Chart 20 are increased to reflect non-primary service area utilization. The values on Chart 21 can be replicated by dividing the corresponding values on Chart 20 by 0.89. (or 1.00 minus 0.11, where 0.11 is the percentage of total utilization projected to come from outside of the primary service area.

000111

CHART 21: Total Berkeley Medical Center Amb Surg Volume

11%

Non PSA Utilization	2012	2013	2014	2015	2016
Summary					
1 MEDICARE PPS	544	549	555	561	568
3 MEDICAID	124	125	127	128	129
4 WORKERS COMP	12	12	12	13	13
5 COMMERCIAL	23	24	24	24	24
6 CHAMPUS	119	120	122	124	126
7 HMO	130	132	134	136	138
8 PPO	492	498	504	511	518
9 MANAGED CARE MEDICAID	23	23	23	24	24
10 FEDERAL	1	1	1	1	1
11 STATE NON MCALD LOCL GOV	0	0	0	0	0
12 MANAGED CARE MEDICARE	51	51	52	52	53
13 BLUE CROSS / COST	4	4	4	4	4
15 CHARITY	9	9	9	9	9
99 SELF-PAY	24	24	24	24	25
TOTAL	1,555	1,573	1,592	1,611	1,630

000112

Chart 22

Chart 22 summarizes Outpatient visits for all Trident System facilities for 2007 from the ZIP Codes in the Berkeley Medical Center Primary Service Area.

Beneath these utilization data appear the Trident System market share that the proposed Berkeley Medical Center is expected to obtain following its completion. As with the inpatient projections, it is assumed that there will be no change in outpatient market share for any acute hospital outside of the Trident System pursuant to this application.

000113

CHART 22: HISTORICAL TRIDENT SYSTEM OP VISITS BY SELECTED ZIP CODES: 2007

PAYOR	29431	29436	29445	29461	29488	29479	29483	29485	TOTAL
1 MEDICARE PPS	1,040	631	5,275	3,393	256	908	8566	6534	26,803
2 MEDICARE DPU		1					6	1	8
3 MEDICAID	178	185	1,028	909	107	348	2226	990	5,971
4 WORKERS COMP	23	16	114	120	2	16	211	125	627
5 COMMERCIAL	42	21	245	136	16	37	574	516	1,586
6 CHAMPUS	108	37	2,094	430	8	65	1716	1774	6,232
7 HMO	186	116	1,302	1,094	35	203	2171	1400	6,507
8 PPO	743	466	5,190	3,124	174	629	8860	7218	26,394
9 MANAGED CARE MEDICAID	39	16	285	187	18	57	423	148	1,173
10 FEDERAL	2		11	10		2	16	11	52
11 STATE NON MCAID LOCL GOV	15	34	41	71	22	35	99	30	347
12 MANAGED CARE MEDICARE	72	87	283	284	61	141	548	264	1,740
13 BLUE CROSS / COST	5	5	36	20	1	12	57	57	192
15 CHARITY	4	6	17	17	1	2	48	22	117
99 SELF-PAY	73	37	433	278	15	93	729	417	2,075
Berkeley Medical Center Market Share	80.0%	80.0%	2.0%	80.0%	80.0%	80.0%	20.0%	2.0%	

000114

Chart 23

Chart 23 summarizes the 2007 base OP volume that is attributed to the proposed Berkeley Medical Center. The values in the grid can be replicated by multiplying the market share percentage at the bottom of each column to each of the values in the column above it.

The figures on this Chart can be construed as the volume of OP visits that Berkeley Medical Center would have obtained from each ZIP code and payor group had it been open and operational in 2007.

000115

CHART 23: PROJECTION OF 2007 BASE VOLUME FOR Berkeley Medical Center

	29431	29436	29445	29461	29468	29479	29483	29485	TOTAL
1 MEDICARE PPS	832	505	106	2,714	205	726	1,713	131	6,932
2 MEDICARE DPU	0	1	0	0	0	0	1	0	2
3 MEDICAID	142	148	21	727	86	278	445	20	1,867
4 WORKERS COMP	18	13	2	96	2	13	42	3	189
5 COMMERCIAL	34	17	5	109	13	30	115	10	332
6 CHAMPUS	86	30	42	344	6	52	343	35	939
7 HMO	149	93	26	875	28	162	434	28	1,795
8 PPO	594	365	104	2,499	139	503	1,772	144	6,121
9 MANAGED CARE MEDICAID	31	13	6	150	14	46	85	3	347
10 FEDERAL	2	0	0	8	0	2	3	0	15
11 STATE NON MCAID LOGL GOV	12	27	1	57	18	28	20	1	163
12 MANAGED CARE MEDICARE	58	70	6	227	49	113	110	5	637
13 BLUE CROSS / COST	4	4	1	16	1	10	11	1	48
15 CHARITY	3	5	0	14	1	2	10	0	34
99 SELF-PAY	58	30	9	222	12	74	146	8	560
TOTAL	2,024	1,318	327	8,058	573	2,038	5,250	390	19,979

000116

S:\THSRpts\SWP\Phoenix County Archive OP Utilization
OP Data

Source: DSS CasemixH (BObj)

Run Date: 05/02/08

Chart 24

Chart 24 presents the expected increase in population for each Zip Code between 2007 and each of the forecast years 2012 through 2016.

For example, it is projected that the population of ZIP Code 29431 will increase by a factor of 1.07 (or 7 percent) between 2007 and 2012. Alternatively, the population of ZIP Code 29468 is expected to be only 0.93 as large in 2012 as it was in 2007.

All of the population data are from Claritas and are presented in detail elsewhere in the application.

000117

CHART 24:
Compound Growth Rate

	29431	29436	29445	29461	29458	29478	29483	29485
2012	1.07	0.99	1.02	1.03	0.93	0.99	1.13	1.18
2013	1.09	0.99	1.02	1.04	0.92	0.99	1.16	1.22
2014	1.10	0.99	1.03	1.05	0.91	0.98	1.19	1.26
2015	1.12	0.98	1.03	1.06	0.89	0.99	1.21	1.31
2016	1.13	0.99	1.03	1.06	0.88	0.99	1.24	1.36

Run Date: 06/02/08

Source: DSS CasemixH (BOH)

S:\THS\IRp\ISW\Phoenix County Archive OP Utilization
on Data

000118

Charts 25-29

On Charts 25-29, the 2007 base OP volume is adjusted at the ZIP Code and payor level to reflect the projected increase or decrease in population forecast in each ZIP code.

So, for example, the projection of 557 Medicare PPS OP visits in ZIP code 29431 in year 2012 can be replicated by multiplying the compound growth rate value of 1.07 shown for ZIP Code 29431 in 2012 on Chart 24 by the 520 Medicare PPS ER Visits recorded for ZIP Code 29431 in 2007, as shown on Chart 23.

000119

CHART 25: Projected Berkeley Medical Center OP Visits

2012

	28431	28436	28445	28481	28488	28479	28483	28485	TOTAL
1 MEDICARE PPS	891	501	108	2,807	191	723	1,935	154	7,309
2 MEDICARE DPU	0	1	0	0	0	0	1	0	2
3 MEDICAID	152	147	21	752	80	277	503	23	1,955
4 WORKERS COMP	20	13	2	99	1	13	48	3	199
5 COMMERCIAL	36	17	5	113	12	29	130	12	353
6 CHAMPUS	93	29	43	356	6	52	388	42	1,008
7 HMO	159	92	27	905	26	162	490	33	1,894
8 PPO	636	362	106	2,584	130	501	2,001	171	6,491
9 MANAGED CARE MEDICAID	33	13	6	155	13	45	96	3	364
10 FEDERAL	2	0	0	8	0	2	4	0	16
11 STATE NON MCAID LOCL GOV	13	27	1	59	16	28	22	1	167
12 MANAGED CARE MEDICARE	52	69	6	235	45	112	124	6	659
13 BLUE CROSS / COST	4	4	1	17	1	10	13	1	50
15 CHARITY	3	5	0	14	1	2	11	1	36
99 SELF-PAY	63	29	9	230	11	74	165	10	590
TOTAL	2,167	1,308	333	8,333	534	2,028	5,930	461	21,094

000120

CHART 26: Projected Berkeley Medical Center OP Visits

2013

	29431	29436	29445	29461	29468	29479	29483	29485	TOTAL
1 MEDICARE PPS	903	500	108	2,826	188	722	1,983	160	7,389
2 MEDICARE DPU	0	1	0	0	0	0	1	0	2
3 MEDICAID	155	147	21	757	79	277	515	24	1,974
4 WORKERS COMP	20	13	2	100	1	13	49	3	201
5 COMMERCIAL	36	17	5	113	12	29	133	13	358
6 CHAMPUS	94	29	43	358	6	52	397	43	1,022
7 HMO	162	92	27	911	26	181	502	34	1,915
8-PPO	645	361	106	2,602	128	500	2,051	176	6,570
9 MANAGED CARE MEDICAID	34	13	6	156	13	45	98	4	368
10 FEDERAL	2	0	0	8	0	2	4	0	16
11 STATE NON MICAID LOCL GOV	13	27	1	59	16	28	23	1	168
12 MANAGED CARE MEDICARE	63	69	6	237	45	112	127	6	664
13 BLUE CROSS / COST	4	4	1	17	1	10	13	1	51
15 CHARITY	3	5	0	14	1	2	11	1	37
99 SELF-PAY	63	29	9	232	11	74	169	10	597
TOTAL	2,197	1,306	335	8,389	526	2,026	6,076	477	21,331

000121

S:\THSRpts\SW\Phoenix County Archive OP Utilization
OP Data

Source: DSS CasemixH (BObj)

Run Date: 06/02/08

CHART 27: Projected Berkeley Medical Center OP Visits

2014

	29431	29436	29445	29461	29488	29479	29483	29485	TOTAL
1 MEDICARE PPS	916	499	108	2,845	186	721	2,031	165	7,471
2 MEDICARE DPU	0	1	0	0	0	0	1	0	2
3 MEDICAID	157	146	21	762	78	276	528	25	1,993
4 WORKERS COMP	20	13	2	101	1	13	50	3	203
5 COMMERCIAL	37	17	5	114	12	29	136	13	363
6 CHAMPUS	95	29	43	361	6	52	407	45	1,037
7 HMO	164	92	27	917	25	161	515	35	1,936
8 PPO	654	361	107	2,619	126	500	2,101	182	8,650
9 MANAGED CARE MEDICAID	34	13	6	157	13	45	100	4	372
10 FEDERAL	2	0	0	8	0	2	4	0	16
11 STATE NON MCAID LOCL GOV	13	27	1	60	16	28	23	1	168
12 MANAGED CARE MEDICARE	63	69	6	238	44	112	130	7	669
13 BLUE CROSS / COST	4	4	1	17	1	10	14	1	51
15 CHARITY	4	5	0	14	1	2	11	1	37
99 SELF-PAY	64	29	9	233	11	74	173	11	604
TOTAL	2,227	1,304	336	8,446	519	2,024	6,225	493	21,573

000122

CHART 28: Projected Berkeley Medical Center OP Visits

2015

	29431	29436	29445	29451	29458	29479	29483	29485	TOTAL
1 MEDICARE PPS	928	498	109	2,864	183	720	2,081	171	7,555
2 MEDICARE DPU	0	1	0	0	0	0	1	0	2
3 MEDICAID	159	146	21	767	76	276	541	26	2,013
4 WORKERS COMP	21	13	2	101	1	13	51	3	205
5 COMMERCIAL	37	17	5	115	11	29	139	13	368
6 CHAMPUS	96	29	43	363	6	52	417	46	1,052
7 HMO	166	92	27	923	25	161	528	37	1,958
8 PPO	663	360	107	2,637	124	498	2,153	189	6,732
9 MANAGED CARE MEDICAID	35	13	6	158	13	45	103	4	376
10 FEDERAL	2	0	0	8	0	2	4	0	16
11 STATE NON MICAID LOCL GOV	13	27	1	60	16	28	24	1	159
12 MANAGED CARE MEDICARE	84	69	6	240	44	112	133	7	674
13 BLUE CROSS / COST	4	4	1	17	1	10	14	1	52
15 CHARITY	4	5	0	14	1	2	12	1	38
99 SELF-PAY	65	29	9	235	11	74	177	11	610
TOTAL	2,258	1,301	337	8,503	512	2,021	6,379	510	21,820

000123

CHART 29: Projected Berkeley Medical Center OP Visits

2016

	29431	29436	29445	29461	29488	29479	29483	29486	TOTAL
1 MEDICARE PPS	941	497	109	2,883	180	720	2,133	177	7,640
2 MEDICARE DPU	0	1	0	0	0	0	1	0	2
3 MEDICAID	161	146	21	772	75	276	554	27	2,033
4 WORKERS COMP	21	13	2	102	1	13	53	3	208
5 COMMERCIAL	38	17	5	116	11	29	143	14	373
6 CHAMPUS	98	29	43	365	6	52	427	48	1,068
7 HMO	168	91	27	930	25	161	541	38	1,980
8 PPO	672	360	107	2,655	123	498	2,206	195	6,816
9 MANAGED CARE MEDICAID	35	13	6	159	13	45	105	4	380
10 FEDERAL	2	0	0	8	0	2	4	0	16
11 STATE NON MCAID LOCL GOV	14	27	1	60	15	28	25	1	170
12 MANAGED CARE MEDICARE	65	69	8	241	43	112	136	7	679
13 BLUE CROSS / COST	5	4	1	17	1	10	14	2	52
15 CHARITY	4	5	0	14	1	2	12	1	38
99 SELF-PAY	66	29	9	236	11	74	182	11	617
TOTAL	2,289	1,299	338	8,560	504	2,019	6,536	527	22,073

000124

Chart 30

The total volume of Primary Service Area (PSA) OP visits is summarized by forecast year on Chart 30.

000125

RT 30: Projected Berkeley Medical Center OP Visits from PSA

	2012	2013	2014	2015	2016
1 MEDICARE PPS	7,309	7,389	7,471	7,555	7,640
2 MEDICARE DPU	2	2	2	2	2
3 MEDICAID	1,955	1,974	1,993	2,013	2,033
4 WORKERS COMP	199	201	203	205	208
5 COMMERCIAL	353	358	363	368	373
6 CHAMPUS	1,008	1,022	1,037	1,052	1,068
7 HMO	1,894	1,915	1,936	1,958	1,980
8 PPO	6,491	6,570	6,650	6,732	6,816
9 MANAGED CARE MEDICAID	364	368	372	376	380
10 FEDERAL	16	16	16	16	16
11 STATE NON MCAID LOGL GOV	167	168	168	169	170
12 MANAGED CARE MEDICARE	659	664	669	674	679
13 BLUE CROSS / COST	50	51	51	52	52
15 CHARITY	36	37	37	38	38
99 SELF-PAY	590	597	604	610	617
TOTAL	21,094	21,331	21,573	21,820	22,073

000126

Chart 31

On Chart 31, the values on Chart 30 are increased to reflect non-primary service area utilization. The values on Chart 11 can be replicated by dividing the corresponding values on Chart 10 by 0.89. (or 1.00 minus 0.11, where 0.11 is the percentage of total utilization projected to come from outside of the primary service area.

000127

CHART 31: Total Berkeley Medical Center OP Visits

Non PSA Utilization		11%				
Summary		2012	2013	2014	2015	2016
1 MEDICARE PPS		8,212	8,302	8,394	8,488	8,585
2 MEDICARE DPU		2	2	3	3	3
3 MEDICAID		2,197	2,218	2,239	2,261	2,284
4 WORKERS COMP		223	226	228	231	233
5 COMMERCIAL		397	402	408	413	419
6 CHAMPUS		1,132	1,148	1,165	1,182	1,200
7 HMO		2,128	2,152	2,176	2,200	2,225
8 PPO		7,293	7,382	7,472	7,564	7,658
9 MANAGED CARE MEDICAID		409	414	418	422	427
10 FEDERAL		18	18	18	18	18
11 STATE NON MCAID LOCL GOV		187	188	189	190	191
12 MANAGED CARE MEDICARE		741	746	752	757	763
13 BLUE CROSS / COST		56	57	57	58	59
15 CHARITY		41	41	42	42	43
99 SELF-PAY		663	671	678	686	694
TOTAL		23,701	23,957	24,239	24,517	24,802

000128

Construction of a New 50 Bed Hospital/Berkeley Medical Center

- (12) Discuss alternative facilities and/or services considered including the advantages and disadvantages of each alternative. Include a statement as to why this project alternative was adopted.

ALTERNATIVE NO. 1: Do nothing.

DISPOSITION NO. 1: REJECT. The bed need specific to Trident Medical Center clearly exists and is expected to increase significantly over the coming years. As explained below in response to Alternative No. 2, requiring the citizens of its service area to travel increasingly longer distances and times to Trident's already highly utilized campus constitutes poor planning and fails to meet the healthcare needs of the population Trident serves.

ALTERNATIVE NO. 2: Add beds to existing Trident Medical Center campus.

DISPOSITION NO. 2: REJECT. The current resident need and demand for inpatient services in Berkeley and Dorchester Counties will only increase. As shown in the population forecasts provided in response to Question 11, the population of Berkeley County is projected to increase by 20.9 percent between 2005 and 2020. Concurrently, the population of Dorchester County is expected to increase by 24.9 percent. This level of population growth has two important planning implications. First, an increase in the number of persons will result in increased demand for acute medical services. The scale of projected population growth is significant as will be the scale of incremental demand for acute care services.

Population growth will be accompanied by additional stress on the road and transportation systems of all three counties in the Berkeley-Charleston-Dorchester planning area. Thus, another predictable outcome of population growth will be slower drive times between various locations in the area. Not only will drive times be slower, but distances between the population centers of Berkeley and Dorchester Counties and the service area's existing acute care hospitals will increase as development moves north and west of Charleston and North Charleston.

For all of these reasons, the current model of routing residents of upper and central Berkeley County to acute care facilities in North Charleston and Charleston is not sustainable in the long run. Thus, adding beds to Trident

Construction of a New 50 Bed Hospital/Berkeley Medical Center

Medical Center's existing campus would be a poor distribution and allocation of its resources to meet the needs of its service area's population. It is for this reason that the Trident Health System has elected to apply for approval to construct a community hospital in Moncks Corner rather than an expansion of its Trident Medical Center or Summerville Medical Center facilities. Viewed from the perspective of the substantial population growth and increased need for local acute care services in Berkeley County, expansion of either of the existing Trident Health System hospitals is not an appropriate solution for the people of northern and central Berkeley County.

ALTERNATIVE NO. 3: Construct community hospital in Berkeley County.

DISPOSITION NO. 3: ACCEPT

Construction of a free-standing acute care hospital in Berkeley County is the next logical step in Trident Health System's fulfillment of its mission to provide health care services to Berkeley County and is the best solution for the people of its service area.

There is no reasonable generic alternative to inpatient hospital services or beds. While many minor medical and surgical procedures and diagnostic tests can be and routinely are performed in outpatient or physician office settings, there nevertheless remains and will remain need for the structured, comprehensive care that can only be provided in an acute care hospital.

Construction of a New 50 Bed Hospital/Berkeley Medical Center

- (13) Discuss any serious problems, such as costs, availability, or accessibility in obtaining care of the type proposed, experienced by patients in the absence of this project.

In the absence of this project, residents of the service area will experience progressive deterioration in their access to timely medical care. The residents of Berkeley County, and especially of northern and central Berkeley County, are already disadvantaged with respect to their ability to obtain needed medical services. There are no acute care hospitals in Berkeley County. All Berkeley County residents must travel to Charleston, Dorchester, or other areas to obtain needed acute care services. Although Trident Medical Center and the Trident Health System have a long history of service to the residents of Berkeley County, the current model of patient migration will become increasingly unworkable in the future for several reasons.

First, Trident Medical Center will begin to experience capacity constraints in the near future. Both Trident and Summerville Medical Centers currently enjoy high levels of inpatient utilization and, as shown in the narrative to Question B-11, service area population growth is expected to result in substantial increases in demand for acute services by the residents of the Trident Health System service area. This phenomenon is acknowledged and confirmed in the *State Health Plan's* calculation of facility-specific bed need. The option of realizing that expansion at one of the existing Trident facilities rather than in the proposed Berkeley facility has been reviewed in response to Question B-12 and rejected. Now is the time for the residents of Berkeley County to have their own hospital.

Second, as shown in the narrative responses to Question B-11, the population of Berkeley County is expected to increase by over 20 percent between 2005 and 2020. Already there are over 151,000 persons residing in the county and a large number of new housing projects are planned or in progress. These housing developments will result in increased service area population and will place significant strains on the county's transportation resources. Not only do highways in developed areas become more congested, they also typically become subjected to lower speed limits and increased incidence of traffic signals. All of these factors will contribute to significant increases in driving times to hospitals in Charleston and Dorchester counties. Increased driving times will, in turn, decrease access and quality, especially in emergent cases.

Third, issues of geographic access also affect the cost of care. Patients who obtain initial assessments and treatment through free-standing emergency units often have to be transferred by ambulance to acute care hospitals. In addition, the absence of an acute care facility in a community can depress the physician population, especially in certain subspecialties. Thus, not only do patients lack reasonable geographic access to acute care services, they lack reasonable access to many specialized physician services. These access issues may deter timely access to care and result in higher costs of treatment later.

Construction of a New 50 Bed Hospital/Berkeley Medical Center

- (14) Where a project affects an increase or decrease in bed capacity, provide annual occupancy rates for the facility based on licensed beds, for the past three years by category (i.e. general acute, psychiatric, obstetric, nursing home, etc.).

The Tables below provide utilization data for Trident Medical Center and Summerville Medical Center for calendar years 2005 through 2007.

Trident Medical Center		Admissions			Patient Days			Occupancy Rate		
	Licensed Beds	2005	2006	2007	2005	2006	2007	2005	2006	2007
Adult Med/Surg	189	9,569	10,112	9,698	50,914	52,832	50,711	73.8%	76.6%	73.5%
OB	25	2,459	2,693	2,715	5,721	6,331	6,304	62.7%	69.4%	69.1%
Pediatric Med/Surg	6	507	498	423	1,243	1,128	864	56.8%	51.5%	39.5%
COU	7	421	449	453	2,115	2,155	2,138	82.8%	84.3%	83.7%
Pediatric Nursery	0	235	382	545	2,178	2,568	2,880	NA	NA	NA
ICU	28	1,395	1,463	1,410	8,706	8,332	8,683	85.2%	81.5%	85.0%
Oncology	16	588	567	438	4,135	4,131	3,745	70.8%	70.7%	64.1%
Total Acute	271	15,174	16,164	15,682	75,012	77,477	75,325	75.8%	78.3%	76.2%
Skilled Nursing	25	509	550	151	5,945	5,508	1,448	65.2%	60.4%	15.9%

Summerville Medical Center		Admissions			Patient Days			Occupancy Rate		
	Licensed Beds	2005	2006	2007	2005	2006	2007	2005	2006	2007
Adult Med/Surg	74	3,853	4,150	4,081	17,669	18,864	17,860	65.4%	69.8%	66.1%
OB	12	1,056	1,122	991	2,259	2,373	2,120	51.6%	54.2%	48.4%
Pediatric Nursery	0	94	145	137	574	811	873	NA	NA	NA
ICU	8	359	417	431	2,237	2,082	2,095	76.6%	71.3%	71.8%
Total Acute	94	5,362	5,834	5,640	22,739	24,130	22,948	66.3%	70.3%	66.9%

As shown in these Tables, both Trident facilities have consistently operated at utilization levels above the State targets for hospitals of their sizes.

Construction of a New 50 Bed Hospital/Berkeley Medical Center

- (15) Identify the method of financing the cost of the project, including the start-up costs. Provide documentation that the applicant can obtain such financing. Alternative sources and/or methods of financing should be identified and the method chosen demonstrated to be the most feasible option.**

Trident intends to fund the proposed project from capital funds of HCA, which will be derived through internally generated and/or borrowed funds. Documentation of the availability of funds is attached at **Exhibit 10**.

Construction of a New 50 Bed Hospital/Berkeley Medical Center

- (16) For an addition to an existing facility or service, provide a current annual budget and at least a three fiscal year projected budget for both the overall facility and the proposed project on forms provided by the department. The projections must be developed by an accountant. For a new facility or service, provide a projected annual budget for not less than three fiscal years following the completion of the proposed project on forms provided by the department. The projections must be developed by an accountant. These budgets must at a minimum include how proposed charges, proposed cost of service, utilization, depreciation, reimbursement rates and contractual adjustments were calculated. All assumptions must be shown.

See Exhibit 11 attached hereto.

Construction of a New 50 Bed Hospital/Berkeley Medical Center

- (17) Document that the proposed charges for the project are comparable to those established by other facilities for similar services within the health service area or state.

The proposed charges for the proposed 50-bed hospital will be consistent with those of Trident Medical Center and Summerville Medical Center, and are comparable with other healthcare facilities in the region.

Construction of a New 50 Bed Hospital/Berkeley Medical Center

- (18) **Document that the proposed project is economically feasible, both immediately and long-term. In the case of existing facilities, what impact will the proposed project have on patient charges and cost per unit of service?**

The budgets attached hereto at Exhibit 11 demonstrate the economic feasibility, immediate and long term, of the proposed project. The proposed project will not have an impact on Trident Health System's patient charges and cost per unit of service.

Construction of a New 50 Bed Hospital/Berkeley Medical Center

- (19) State how the project will foster cost containment and improve quality of care through the promotion of such services as ambulatory and home health care, preventive health care, promotion of shared services, economies of scale, and design and construction economies.

The proposed project will foster cost containment and improve quality of health care services to the rapidly growing southeastern region of South Carolina, namely the tri-county area of Berkeley, Charleston, and Dorchester Counties. The proposed project will allow Trident Health System to expand its continuum of care by increasing Berkeley County and surrounding area communities' accessibility to general acute health care services. Because substantial development of residential communities are currently taking place in this area, the proposed project will meet the current and future healthcare needs of this community.

In addition, because Berkeley Medical Center will be a part of the Trident Health System and a member of the HCA network of facilities, it will be possible to achieve certain economies of operations and scale. HCA offers a broad resource base of administrative and technical expertise in hospital operations as well as centralized purchasing, distribution, payroll, billing, collections, employee benefits, regulatory compliance, quality resources, and IT support. These shared services and programs result in real and ongoing economies of operations for all of the hospitals in the system. In addition, because of the common bond among hospital personnel from HCA facilities all over the country, they share useful ideas that save costs and improve their quality of care.

Construction of a New 50 Bed Hospital/Berkeley Medical Center

- (20) In the case of projects involving additional long-term care beds, discuss how the plans of other agencies, organizations, or programs responsible for providing and financing long-term care have been considered.

Not applicable.

Construction of a New 50 Bed Hospital/Berkeley Medical Center

- (21) Provide a three-year-projected manpower budget in full-time equivalents (FTE's) detailing the existing and proposed nursing, other professional and non-professional personnel required for the staffing of the new project. Include the name of the Nurse Supervisor or Director, if available.

See Exhibit 12, attached hereto.

Construction of a New 50 Bed Hospital/Berkeley Medical Center

- (22) Provide the number of existing and proposed medical staff by specialty, to include physicians and dentists employed by, or with admission privileges to, the facility. Include the name of the Chief of the Medical Staff, if available.

See Exhibit 13 for Trident Health System's Medical Staff list.

Construction of a New 50 Bed Hospital/Berkeley Medical Center

- (23) **Indicate those physicians who have expressed a willingness to utilize the proposed services or to refer patients to the facility for the provision of services.**

See physician letters of support attached hereto at Exhibit 9. Additional letters will be submitted as received.

Construction of a New 50 Bed Hospital/Berkeley Medical Center

- (24) **Discuss the availability of health manpower resources for the provision of the proposed services, including the contemplated program and plan for recruiting and training personnel.**

Berkeley Medical Center does not anticipate any difficulty in recruiting personnel required to staff this facility. Trident has been very successful in the past in its local recruiting efforts and anticipates continued success in recruiting health care professionals to its staff. Trident recognizes the importance of recruiting and training high quality personnel. Staff recruiting at Berkeley Medical Center will be accomplished through traditional recruitment methods such as newspaper and trade journal advertisement, attendance at local job fairs, through contacts with local colleges, universities, nursing programs, and technical programs.

Berkeley Medical Center will provide general orientation to all employees, as well as department specific orientation. Berkeley Medical Center will provide comprehensive and ongoing programs of training to ensure that all staff members will have and maintain a demonstrated level of skill in providing quality services.

Construction of a New 50 Bed Hospital/Berkeley Medical Center

- (25) **Describe the previous experience of the applicant in the proposed health care field. If the applicant has no prior experience, specify the anticipated sources of technical assistance, either from specific individuals or organizations.**

For over thirty-five years, Trident Health System has continuously strived to meet its original mission to provide quality healthcare services to the citizens of Berkeley, Dorchester and Charleston Counties. With services ranging from open-heart surgery to community education, Trident Health System has expanded through the years to deliver comprehensive medical care to a rapidly growing primary service population, while adapting its services to the changing needs of its patient population.

As previously discussed in B-2, the Trident Health System is a family of hospitals and health care facilities employing nearly 2,500 people with a medical staff of more than 500 physicians. Trident has partnerships with nationally-recognized healthcare programs such as Human Motion Institute and Spirit of Women. As a facility of Trident Health System, Berkeley Medical Center will have a broad resource base of administrative and technical expertise. The administrative and ancillary staff at Trident Health System assists with complex business decisions, managed care negotiations, marketing and development, construction, and clinical set-up and operations at Berkeley Medical Center.

Construction of a New 50 Bed Hospital/Berkeley Medical Center

- (26) **Discuss the impact of the project on the clinical training programs of health professional schools, particularly the extent to which these schools will have access to the services for training.**

Trident Health System maintains reciprocal agreements with several local institutions that provide training in the fields of medicine, nursing, and various allied health professions. Students from local programs at the Medical University of South Carolina, Trident Technical College, and Charleston Southern University enjoy the benefits of working with qualified professionals in an environment where continuing education is both honored and encouraged.

Nurses graduate locally from Charleston Southern University, Trident Technical College and the Medical University of South Carolina. In many cases, the students of these programs complete a portion of their clinical time at one of Trident's local facilities, thus providing additional recruitment opportunities for Berkeley Medical Center. There are also nursing technician programs at Trident Technical College and at local/regional hospitals.

Construction of a New 50 Bed Hospital/Berkeley Medical Center

- (27) Provide any additional information that would assist the department in evaluating this project.

In accordance with the 2004-2005 South Carolina Health Plan, made effective by the South Carolina Board of Health and Environmental Control on October 15, 2005, with the exceptions of the Open Heart Surgery Section, page II-48 Section (5)A items 1 and 2, and the Ambulatory Surgery Facility Section (both of which became effective on January 14, 2005), applicants for Certificate of Need applications must address their policies and procedures to assure the quality of healthcare services. At a minimum all applicants must address the following issues: (B-27)

- a) Accuracy of patient identification;
- b) Effectiveness of communications among caregivers;
- c) The safety of using high-alert medications;
- d) Eliminating wrong-site, wrong-patient, wrong-procedure surgeries;
- e) The safety of using infusion pumps;
- f) The effectiveness of clinical alarm systems;
- g) Any other areas concerning patient safety and/or quality of care issues the applicant wishes to address; and
- h) A discussion of deficiencies related to any of the foregoing, including complaints, cited by the SCDHEC Bureau of Health Facilities Regulation and/or Bureau of Certification within the past year. The applicant may provide additional information and discuss additional time spans if desired.

Berkeley Medical Center assures the Department that it will adopt and implement procedures which specifically address the above requirements regarding quality of healthcare services. Policies and procedures addressing the above issues will be implemented at Berkeley Medical Center as follows:

Patient Safety

Education about the nationally recognized goals (created by the JCAHO regulatory agency) will be provided to employees and employees will be expected to know the safety goals applicable to the care they provide to patients.

Patient Identification

Berkeley Medical Center will improve the accuracy of patient identification by using at least two patient identifiers when providing care, treatment, or services. Staff will be expected to ask every patient prior to rendering service/treatment to state their name and date of birth or other unique identifier to reliably identify the patient by comparison with the patient's armband, chart, or physician order.

Construction of a New 50 Bed Hospital/Berkeley Medical Center

Improving Communication

Berkeley Medical Center will measure, assess and if appropriate, take action to improve the timeliness of reporting and timeliness of receipt of critical tests/results. The notification process for critical results should not exceed 60 minutes.

Infection Control and Prevention Program

The purpose of the Infection Control Program at Berkeley Medical Center will be to provide a consistent, coordinated, and continuous approach to reducing the risk of health care associated infections and to comply with current Centers for Disease Control (CDC) hand hygiene guidelines.

Construction of a New 50 Bed Hospital/Berkeley Medical Center**PART C - PROGRAMMATIC DOCUMENTS**

Provide adequate programmatic documents in support of the various elements of the proposed project. These documents will include as appropriate:

- (1) An Indigent Care Plan as required by the Board of Health and Environmental Control. It shall address at a minimum, the following:
 - (a) The existing and proposed admission and treatment policies of the facility or agency with regard to race, sex, national origin and ability to pay.
 - (b) The proposed admission and treatment policies of the facility or agency with respect to admission and care of indigent patients including those patients unable to pay at the time of admission and those whose benefits expire while in the care of the facility or agency.
 - (c) In existing facilities or agencies, provide the amount, in dollars and percent of gross revenue, that the facility or agency provided in indigent care during the past three fiscal years. NOTE: Indigent care does not include bad debt; contractual adjustments; or care which is reimbursed by a governmental program (Medicare, Medicaid, county indigent program), church, or philanthropic organization.
 - (d) Provide the proposed amount of indigent care the facility or agency projects to provide during the fiscal year and next fiscal year. This projection should be expressed in both dollars and a percent of gross revenues.
 - (e) A discussion of why the above figures are adequate or inadequate for the needs of the community; the need of indigent care within the proposed service area; and any solutions, remedial plans or proposals by the facility or agency to better address the indigent care problem in the service area. Include any initiatives or undertakings the facility or agency has begun to address the indigent care problem in the proposed service area.
 - (f) Describe any Board or Advisory Board established to implement or control the indigent problem at the facility or agency. Include the Board's functions, responsibilities and limitations.

See the proposed Indigent Care Policy of Berkeley Medical Center, attached hereto at Exhibit 8.

Construction of a New 50 Bed Hospital/Berkeley Medical Center

- (2) A map of sufficiently large scale to be meaningful, indicating the location of the project site and its geographical area.

See Exhibit 6-A attached hereto.

Construction of a New 50 Bed Hospital/Berkeley Medical Center

- (3) A plot plan of the project site showing existing buildings, roads, parking areas, walks, service and entrance courts, existing utilities (electricity, telephone, water, railroads, sewer, gas, etc.) and other natural land features necessary for adequate analysis of site conditions.

See Exhibit 6-A attached hereto.

Construction of a New 50 Bed Hospital/Berkeley Medical Center

- (4) A legal description of the project site indicating its physical characteristics and existing easements.

See Exhibit A to Right of First Refusal and Option Agreement attached hereto at Exhibit
2.

Construction of a New 50 Bed Hospital/Berkeley Medical Center

- (5) A square foot program of spaces and/or equipment elements, and scale drawings describing the existing space and proposed alterations and additions.

See Exhibit 6-C attached hereto.

Construction of a New 50 Bed Hospital/Berkeley Medical Center

- (6) **Evidence that the site will be properly zoned for the proposed project.**

See zoning letter attached hereto at Exhibit 14.

Construction of a New 50 Bed Hospital/Berkeley Medical Center

- (7) Documentation from appropriate sources that utilities supplied to the site is adequate for the project to include electricity, gas, water, and sewerage.

See utility letters attached hereto at Exhibit 14.

Construction of a New 50 Bed Hospital/Berkeley Medical Center

- (8) **Endorsement from the community that the project is desirable. This may include but is not limited to members of the medical community, citizen's groups, and other health and social services disciplines in the community.**

See letters of support attached hereto at Exhibit 9. Additional letters will be submitted as received.

Construction of a New 50 Bed Hospital/Berkeley Medical Center

- (9) Documentation that the proposed project has been approved by the health facility's planning committee and governing body.

See Exhibit 15 attached hereto.

Construction of a New 50 Bed Hospital/Berkeley Medical Center

- (10) For the facilities or services not licensed by the Department of Health and Environmental Control, provide documentation of coordination and support from the appropriate licensing agency.

Not applicable.

Construction of a New 50 Bed Hospital/Berkeley Medical Center

PART D - ASSURANCES

- (1) That the applicant has or will have fee simple title or such other estate or interest in the site including necessary easements and rights-of-way, sufficient to assure use and possession for the purpose of the construction and operation of facility.
- (2) That approval by the department of the final drawings and specifications, which will be prepared by an architect and/or engineer legally registered under the laws of the State of South Carolina, will be obtained.
- (3) That the applicant will submit to the Department for prior approval, changes that substantially alter the scope of work, function, utilities, major items of equipment, safety or cost of the facility during construction.
- (4) That the applicant will cause the project to be completed in accordance with the Certificate of Need Application.
- (5) That the applicant will cause the project to be completed in accordance with approved plans and specifications by maintaining competent and adequate architectural and engineering services throughout the construction administration phase of the project. That, at the completion of the project, the architect of record shall be required to issue a statement that to the best of his knowledge and belief, based upon available records, supplemental documents and periodic observation of the work, the project was constructed according to those documents approved by the Department.
- (6) That the facility will be operated and maintained in accordance with the standards prescribed by law and regulations for the maintenance and operation of such facilities.
- (7) That the applicant understands that the Certificate of Need shall become void at the end of the specified time period from the date of issuance unless otherwise extended under Chapter 6 of these regulations.
- (8) That the Department or its authorized representatives may at any time during the course of construction and upon the completion of the project make an on-site inspection of the construction and equipment to check for compliance of the construction in accordance with the application for which the Certificate of Need was issued.
- (9) That the controlling interest in any health care facility shall not be sold or leased or otherwise disposed of without a Certificate of Need or exemption by the Department being received by the appropriate individual.

Construction of a New 50 Bed Hospital/Berkeley Medical Center

- (10) That the applicant will notify the Department in writing that the contractual agreement has been completed. For a construction project, the letter shall indicate that a construction contract specifying the beginning and completion dates of the project, has been signed by both parties. For services projects, the letter should indicate that equipment purchase orders with estimated delivery dates have been properly negotiated.
- (11) That the applicant will notify the Department in writing of the date that a new or expanded service has been implemented, completed or terminated.
- (12) That the applicant will provide monthly progress reports and a final completion report which contain the information required by Section 607 of these regulations.

Trident Medical Center, LLC assures the Department that, to the extent applicable, it will act in accordance with the above requirements.

**AFFIDAVIT
OF
PUBLICATION**

The Post and Courier

State of South Carolina

County of Charleston

Personally appeared before me
the undersigned advertising Clerk of the
above indicated newspaper published
in the City of Charleston, County and
State aforesaid, who, being duly sworn,
says that the advertisement of

TRIDENT MEDICAL
CENTER, LLC, Please
Certification of Need
application with the
Department of Health and
Environmental Control
within twenty days for that
construction of a new
acute care hospital in
Berkeley County, for an
estimated total project cost
of \$115 million.

(copy attached)

appeared in the issues of said newspaper

on the following day(s):

August 10, 11, 12, 2008

Subscribed and sworn to
before me this 12th day

of August

A.D. 20 08

Heisha Edging
(Advertising clerk)

Shelly Duberry
NOTARY PUBLIC, S. CAROLINA
My Commission expires October 10, 2013

000159

STATE OF SOUTH CAROLINA)
COUNTY OF BERKELEY)

**RIGHT OF FIRST REFUSAL AND
OPTION AGREEMENT**

This Agreement (this "Agreement") executed this 8th day of August, 2008 (the "Effective Date"), by and between Cooper Investments Limited Partnership ("Cooper") and Trident Medical Center, LLC ("Trident").

WHEREAS, Cooper is the owner of approximately twenty one (21) acres located at the intersection of Martin Luther King Drive and Highway 17A, Moncks Corner, South Carolina (the "Property"), which is more particularly described on the attached Exhibit A which is incorporated herein by reference and made a part hereof; and

WHEREAS, Trident has entered into a lease (the "Lease") with TMP, LLC, whereby Trident leases from TMP, LLC approximately three (3) acres which is adjacent to the Property; and

WHEREAS, Cooper is a member of TMP, LLC; and

WHEREAS, Trident has requested, and Cooper has agreed, that Cooper grant to Trident a right of first refusal ("Right of First Refusal") and an Option ("Option") to purchase the Property as hereinafter provided.

NOW THEREFORE, in consideration of Five (\$5.00) Dollars and other good and valuable consideration, Cooper and Trident do hereby agree as follows:

1. **GRANT OF RIGHT OF FIRST REFUSAL.** In the event Cooper desires to sell the Property, or any portion thereof, then the Property, or portion thereof, shall be offered for sale to Trident by written notice (the "Offering Notice") at the same price and on the same or substantially similar terms as set forth in the offer which Cooper has elected to accept or desires to accept, and Trident shall have thirty (30) days from delivery of the Offering Notice in which to exercise its Right of First Refusal to purchase the Property referred to in the Offering Notice.

2. **FAILURE TO EXERCISE RIGHT OF FIRST REFUSAL.** In the event Trident does not exercise its Right of First Refusal, Cooper shall be free to sell the Property referenced in the Offering Notice at the same price as set forth in the Offering Notice. Any such conveyance by Cooper to a third party shall be free and clear of any further rights by Trident as to the Property or portion thereof so conveyed. No refund of any Option Money previously paid will be due upon any such conveyance.

3. **TERM OF RIGHT OF FIRST REFUSAL.** The term (the "Term") of the Right of First Refusal shall commence on the Effective Date and shall terminate on the earlier of the termination of the Lease or the termination of the "Option Period" (as defined in Section 5 below), as extended.

4. **PAYMENT OF TAXES, INSURANCE, MAINTENANCE, ETC.** During the Term of the Right of First Refusal and the Option Period (as hereinafter defined), Trident shall pay to Cooper the sum of \$4,000.00 per year toward payment of the taxes and insurance on the

2113277.21

PPAB 1437370v4

000160

Property; provided that, if the actual costs of such taxes and insurance exceeds \$4,000.00, Cooper may increase such annual payment amount by delivering to Trident reasonably satisfactory evidence of such increased cost, including tax invoices as applicable. The parties agree to cooperate in the event either party desires to contest an increase in the real property taxes assessed against the property. In addition, Trident shall have the Property mowed at least two (2) times per year. The above payments during the Option Period shall be in addition to payment of the Option Money due pursuant to paragraph 6 hereof.

5. **GRANT OF OPTION, OPTION PERIOD.** In consideration of the payment of the Option Money hereinafter referred to, Cooper does hereby grant Trident the absolute right or option (the "Option") to purchase the Property on the terms and conditions described in this Agreement. The Option shall commence on the Effective Date of this Agreement and shall expire at 11:59 p.m. one (1) year from the date hereof, unless sooner terminated or extended, as hereinafter provided (the "Option Period"). Trident shall have the option to extend the Option Period for eight (8) additional six (6) month periods upon payment to Cooper of the additional Option Money as hereinafter provided.

6. **PAYMENT OF OPTION MONEY.** In consideration of the Option granted to Trident, Trident shall pay to Cooper the sums hereafter provided (the "Option Money"). The Option Money shall not be credited to the Purchase Price:

<u>Period</u>	<u>Option Money</u>
Effective Date through first anniversary of the Effective Date	\$60,000 to be paid on the Effective Date
first six month extension period	\$30,900.00
second six month extension period	\$30,900.00
third six month extension period	\$31,827.00
fourth six month extension period	\$31,827.00
fifth six month extension period	\$32,782.00
sixth six month extension period	\$32,782.00
seventh six month extension period	\$33,765.00
eighth six month extension period	\$33,765.00

The Option Money for the initial one (1) year of the term of this Agreement shall be paid to Cooper on the Effective Date. In the event Trident elects to extend the Option Period, the applicable Option Money set forth above shall be due and payable not later than ten (10) days following the commencement of any extension period. If the Option Money is not paid when due, or if the Lease is terminated for any reason other than the Landlord's default thereunder, then this Agreement shall terminate and be null and void.

7. **EXERCISE OF OPTION, RIGHT OF FIRST REFUSAL.** During the Option Period, Trident shall have the absolute right to exercise its option to purchase the Property in accordance with the terms of this Agreement by giving Cooper written notice of its intention to do so in the manner prescribed in paragraph 22 herein. If the Option granted by this Agreement is properly exercised by Trident during the Option Period or the Right of First Refusal is exercised by Trident during the Term of the Right of First Refusal, then this Agreement shall automatically be a bilateral Contract of Sale under which Cooper shall be obligated to sell and

convey the Property to Trident, and Trident shall be obligated to purchase the Property, in accordance with the terms hereof.

8. **FAILURE TO EXERCISE OPTION.** If Trident fails to properly exercise the Option to purchase the Property granted herein prior to expiration of the Option Period, then the Option shall be null and void and of no further force and effect and the Option Money shall be forfeited to Cooper.

9. **PURCHASE PRICE.** During the initial one year Option Period, the purchase price (hereinafter referred to as the "Purchase Price") for the Property shall be Three Million and No/100ths (\$3,000,000.00) Dollars. Thereafter, the Purchase Price shall be determined by a qualified appraiser mutually acceptable to Trident and Cooper, the cost of which appraisal shall be paid by Trident. If a portion of the Property is conveyed to a third party during the Term of the Right of First Refusal, then the Purchase Price for the remainder of the Property shall be reduced by a prorated amount based on the acreage of the remaining portion of the Property.

10. **INSPECTION.** At all times during the Option Period and any extension thereof, Trident shall have the right to make all inspections Trident may deem necessary to determine if the Property is satisfactory for its needs, including without limitation any and all environmental assessments, and soil tests of the Property.

During the Option Period and any extension thereof, Trident and/or Trident's agents or employees shall have the right to enter upon the Property during regular business hours to conduct such inspections, tests and studies as Trident may deem necessary, provided:

- (a) such inspections, tests and studies shall not unreasonably interfere with or damage the Property or interfere with any tenant's rights to use the Property; and
- (b) Trident shall leave the Property in substantially the same condition as it was prior to the entry onto the Property by Trident or its agents or employees or, in the event of any damage to the Property by Trident or its agents or employees, Trident shall repair and restore the Property to substantially its prior condition. Trident agrees to indemnify and hold harmless Cooper from any loss or damage, including reasonable attorneys' fees, arising out of the inspections, tests or studies that Trident, its agents or employees may conduct pursuant to this Paragraph. This indemnity shall survive termination of this Agreement and the Closing of the transaction contemplated hereunder.

11. **COOPER'S REPRESENTATIONS AND WARRANTIES.** To induce Trident to enter into this Agreement, Cooper makes the following representations and warranties, all of which Cooper represents and warrants are true as of the date hereof and shall be true as of the Closing Date:

- (a) The Property is owned, beneficially and of record, by Cooper in fee simple;
- (b) To Cooper's actual knowledge, there are no special assessments or condemnation or eminent domain proceedings pending or threatened which would affect the Property or any part thereof;

- (c) Cooper has all necessary power to execute and deliver this Agreement and to perform all of the obligations of Cooper hereunder;
- (d) Cooper has full capacity, power and authority to convey the Property to Trident in accordance with the terms and conditions of this Agreement;
- (e) Neither the execution and delivery of this Agreement, the consummation of the transactions herein contemplated, nor the compliance with the terms, conditions and provisions hereof will conflict with, or result in a breach of, any of the terms, conditions or provisions of any agreement, order or other instrument or document to which Cooper is a party or by which it is bound;
- (f) Cooper has not received written notice of any pending or threatened change to the zoning classification of the Property;
- (g) Cooper has not received written notice of any actions, suits or proceedings pending or threatened before any court, agency, governmental authority or arbitrator related to the Property;
- (h) Between the date hereof and the Closing Date, Cooper will not further encumber the Property or cut any timber on the Property. Cooper also agrees not to grant any easements or other rights regarding the Property or any portion thereof or interest therein without the written consent of Trident.
- (i) Cooper has not received written notice of any violations of law, ordinances or orders of any governmental authority having jurisdiction over the Property;
- (j) That the Property has not previously been used as a landfill or as a dump for garbage or refuse, or as a site where Hazardous Materials have been generated, stored, disposed of or treated. For purposes hereof, "Hazardous Materials" includes, without limitation, any flammable explosives, radio-active materials, hazardous wastes, hazardous or toxic substances, or related materials defined in the Comprehensive Environmental Response, Compensation and Liability Act of 1980, as amended, the Resource Conservation and Recovery Act of 1976, as amended, and in any regulations adopted and publications promulgated pursuant thereto or any other federal, state or local environmental laws, ordinances, rules or regulations. Furthermore, Cooper has not received written notice from DHEC or EPA that the Property has been identified by any federal, state or local agency as a site requiring environmental investigation or clean up or that neighboring property has been used in the generation, storage or disposal of Hazardous Materials;
- (k) To Cooper's actual knowledge, that no underground storage tanks are located on the Property; and
- (l) None of the representations or warranties of Cooper contained in this Agreement contain, or at the Closing will contain, any untrue statement of a material fact.

References to "Cooper's actual knowledge" means matters of which John Ward is presently aware, without undertaking any further investigation or inquiry whatsoever. The representations and warranties of Cooper expressly set forth in this Agreement shall survive Closing for a period of twelve (12) months. No claim by Trident for a breach of any such representation or warranty of Cooper shall be actionable or payable: (a) if the breach in question results from or is based on a condition, state of facts or other matter which was known to Trident prior to the Closing, and (b) unless a written claim for a breach of representation or warranty of Cooper shall have been given by Trident to Cooper prior to the expiration of said twelve (12) month period. Trident hereby agrees that in the event of a breach of these representations and warranties by Cooper, Trident shall be entitled to actual damages only. Without limiting the immediately preceding sentence, in no event will Trident be entitled to recover consequential damages, punitive damages, or other similar damages from Cooper. In no event shall Cooper's total liability under this paragraph 11 exceed \$500,000.00 in the aggregate.

12. **CONVEYANCE.** At the Closing, Cooper shall cause to be conveyed to Trident, by a limited warranty deed, fee simple title in the Property free and clear of all defects, claims, liens and encumbrances except the Permitted Exceptions contained in Paragraph 16 hereof. At Closing, Cooper shall also execute and deliver to Trident the following:

- (a) A no lien affidavit reasonably satisfactory to the title insurance company issuing the title insurance on the Property for the benefit of Trident and/or its lender (the "Title Company"), in order to delete from the policies of title to be issued the standard printed exceptions relating to mechanics' liens and parties in possession;
- (b) An affidavit reflecting whether Cooper is a foreign or non-foreign person or entity in accordance with the provisions of the Internal Revenue Code and Internal Revenue Service Regulations;
- (c) Proof of cancellation of all agreements affecting the Property which would extend beyond the Closing Date which are not expressly assumed by Trident;
- (d) An affidavit reflecting whether Cooper is a resident of South Carolina for purposes of the South Carolina real estate sales withholding laws;
- (e) An original or true copies of such documents of Cooper which authorize the sale of the Property to Trident reasonably satisfactory to the Title Company and the execution of all closing documents by Cooper as are reasonably required by the Title Company;
- (f) Closing Statement;
- (g) Such other instruments as are necessary and reasonable to consummate this transaction in accordance with the terms of this Agreement.

13. **CLOSING AND DELIVERY OF POSSESSION.** The closing of the transaction contemplated by this Agreement (hereinafter referred to as the "Closing") shall take place on or before the thirtieth (30th) day following the date on which Trident exercises its Option or Right of First Refusal at the offices of Trident's closing attorney. At Closing, upon

exercise by Trident of the Option or First Right of Refusal, Trident shall pay to Cooper the Purchase Price as set forth in this Agreement by wire transfer or other immediately available good funds and, simultaneously therewith, Cooper shall convey the Property to Trident in the manner provided in this Agreement by limited warranty deed, free and clear of all liens, encumbrances and other title matters except for the Permitted Exceptions. Upon the consummation of the Closing, Trident shall be entitled to exclusive possession of the Property.

14. **EXPENSES.** In addition to other provisions for the payment of the expenses contained in this Agreement, Cooper shall pay for Cooper's attorneys' fees and the cost of delivering good and marketable fee simple title to the Property to Trident in accordance with the terms of this Agreement. Trident shall pay for the transfer fees on the deed, the cost of the title examination and title insurance, the cost for a boundary survey, the cost of recordation of the deed, Trident's attorneys' fees and other fees and expenses incurred by Trident in connection with acquiring the Property.

15. **PRORATIONS.** Ad valorem taxes and all others items of income and expense in connection with the operation of the Property shall be prorated between Cooper and Trident as of the Closing Date. Ad valorem taxes on the Property shall be prorated as of the Closing Date based upon the tax due and payable for the calendar year in which the transaction is closed. If Closing occurs at a date when the current year's millage is not fixed and the current year's assessment is available, taxes will be prorated based upon such assessment and the millage for the prior year. If the current year's assessment is not available, then taxes will be prorated on the prior year's tax. Any tax proration based upon any estimate shall be subsequently readjusted (at the demand of either party) upon receipt of the actual tax bill. Any special assessments or improvement liens which have been certified or which constitute a lien against the Property as of the Closing Date shall be prorated between Cooper and Trident as of the Closing Date. Any roll back taxes due on the Property will be paid by Trident (which shall be a credit against the Purchase Price with adjustments to be made when the actual amount of such taxes are determined).

16. **MATTERS TO WHICH THE DEED MAY BE SUBJECT.** The Property is being sold subject to the following "Permitted Exceptions" and, appropriate provisions shall be contained in the deed and other closing documents from Cooper to Trident making the same subject to the following matters provided they do not materially interfere with Trident's intended commercial use of the Property:

- (a) Ad valorem real property taxes for the year in which the transaction closes which are not yet due and payable and all subsequent years;
- (b) Any valid and legally enforceable roads and road right-of-ways, streets and recorded easements for utilities;
- (c) Zoning and building ordinances, and rules and regulations of any governmental unit now or hereafter in effect;
- (d) Easements, reservations, restrictions and other matters of record as of the date of this Agreement affecting all or a part of the Property; and

- (e) Any matters which would be disclosed by a current survey or inspection of the Property.

17. **CONDEMNATION.** In the event any portion of the Property shall be taken in an eminent domain proceedings prior to the Closing, Cooper shall promptly notify Trident in writing and Trident, by written notice to Cooper within thirty (30) days following Cooper's notice, may elect to either: (a) terminate this Agreement in which event this Agreement shall thereafter be null, void and of no further effect and the Option Money for the then current Option Period shall be refunded to Trident; or (b) continue this Agreement in full force and effect. In the event Trident elects to continue this Agreement in full force and effect and exercises the Right of First Refusal for a portion of the Property that includes the condemned property or the Option, Cooper shall assign to Trident all of its rights in and to any such condemnation awards or proceedings at the Closing.

18. **BROKERS.** Cooper and Trident represent and warrant each to the other that neither Cooper nor Trident has dealt or consulted with any real estate broker in connection with the transaction contemplated by this Agreement. Without limiting the effect of the foregoing, Cooper hereby agrees to indemnify and hold Trident harmless from any claim or demand made by any real estate broker or agent claiming to have dealt or consulted with Cooper contrary to the foregoing representation of this Agreement, and the closing of the transaction contemplated hereunder and similarly, Trident hereby agrees to indemnify and hold Cooper harmless against any claims or demands made by any real estate broker or agent other than those previously described herein claiming to have dealt or consulted with Trident contrary to the foregoing representation of this Agreement and the closing of the transaction contemplated hereunder.

19. **DEFAULT BY COOPER.** In the event Cooper shall fail to perform or comply with any covenant, agreement or condition contained in this Agreement that is required to be performed or complied with by Cooper on or prior to the Closing Date or should fail to consummate the sale contemplated herein for any reason other than Trident's default, then Trident, at the option of Trident, may:

- (a) elect to receive a full refund of the Option Money and all other sums paid to Cooper by Trident hereunder; or
- (b) proceed at law or in equity to enforce Trident's rights under this Agreement, including, but not limited to the right to seek specific performance.

In no event will Trident be entitled to recover consequential damages, punitive damages, or other similar damages from Cooper.

20. **DEFAULT BY TRIDENT.** In the event Trident shall fail to perform or comply with any covenant, agreement or condition contained in this Agreement that is required to be performed or complied with by Trident on or prior to the Closing Date or should fail to consummate the sale contemplated herein for any reason other than Cooper's default, then Cooper, at the option of Cooper, may:

- (a) retain the Option Money as liquidated damages (the parties have made the foregoing provision for liquidated damages because it would be difficult to

calculate, on the date hereof, the amount of actual damages for such default, and that these sums represent reasonable compensation to Cooper for such default); or

- (b) proceed at law or in equity to enforce Cooper's rights under this Agreement.

In no event will Cooper be entitled to recover consequential damages, punitive damages, or other similar damages from Cooper.

21. **TIME.** Time is of the essence with respect to each and every provision of this Agreement. Any reference herein to time periods of less than six (6) days shall in the computation thereof include Saturdays, Sundays and legal holidays, and any time period provided for herein which shall end on a Saturday, Sunday or legal holiday, shall extend to 5:00 P.M. of the next full business day.

22. **NOTICES.** All notices or other communications provided for herein shall be in writing and shall be delivered in person or mailed by Registered or Certified Mail, Return Receipt Requested, and postage prepaid, or by Federal Express or other overnight courier, to the parties at the following addresses:

If to Cooper:

Cooper Investments Limited Partnership
P.O. Box 98
Moncks Corner, South Carolina 29461
Attn: John Ward

with a copy to:

2245 Technical Parkway
North Charleston, South Carolina 29406
Attn: Charles H. Wendell

If to Trident:

Trident Medical Center, LLC
9330 Medical Plaza Drive
Charleston, South Carolina 29406

Notices delivered in person shall be effective when delivered. Notices by Registered or Certified Mail shall be deemed effective as of the earlier of the date when received or three (3) days after deposit in the United States mail, properly addressed, with postage prepaid. Any party wishing to change its address or the name of the person to whom notices should be delivered from that set forth above may do so in accordance with the notice provisions set forth in this paragraph.

23. **MISCELLANEOUS PROVISIONS.**

- (a) Counterparts. Any number of counterparts of this Agreement may be signed and delivered, each of which shall be considered an original and all of which, together, shall constitute one and the same instrument.
- (b) Choice of Law. This Agreement is to be governed by, enforced and construed in accordance with the laws of the State of South Carolina.
- (c) Modification. The parties acknowledge that no change, modification, termination or attempted waiver of any of the provisions of this Agreement shall be binding upon any party hereto unless reduced to writing and signed by the party or parties against whom enforcement is sought.
- (d) Assignment. This Agreement shall inure to the benefit of and shall be binding upon the successors and assigns of the parties hereto except as otherwise stated herein. Trident may assign its right and obligations pursuant to this Agreement to a partnership of which it is a partner or a corporation of which it is a shareholder, a limited liability Company of which it is a member or to its principal stockholder or owner, without Cooper's consent; provided further, however, no such assignment shall relieve Trident of its obligations hereunder. Trident may not otherwise assign its rights and obligations pursuant to this Agreement to another party without Cooper's prior written consent, which shall not be unreasonably withheld.
- (e) Entire Agreement. This Agreement contains the entire agreement between Cooper and Trident and cannot be varied or modified except by written instrument signed by both parties hereto. The parties further agree that there are no other written or oral agreements, understandings, representations, or warranties which have not been expressly set forth herein.
- (f) Attorneys' Fees. If any litigation shall be instituted for the purpose of enforcing or interpreting any of the provisions of this Agreement, the prevailing party or parties, as determined by the Court having jurisdiction thereof, shall be entitled to recover, in addition to all other relief, an amount equal to all reasonable costs and expenses incurred in connection therewith, including, without limitation, reasonable legal expenses (including but not necessarily limited to fees for services of attorneys, paralegals and legal assistants) at the trial level and in connection with all appellate proceedings.
- (g) Waiver. No waiver hereunder of any condition or breach shall be deemed to be a continuing waiver or a waiver of a subsequent breach.
- (h) Headings. Headings used hereunder are for convenience only and do not constitute a substantive part of this Agreement.
- (i) Survival of Agreement. The warranties and representations made herein shall survive the Closing hereof and shall merge with the delivery of all related documents.

- (j) Interpretation Presumption. The parties represent and warrant to one another that each, has, by counsel or otherwise contributed substantially and materially to the provisions of this Agreement, actively participated in the finalization of this Agreement, and in the event of a dispute concerning the interpretation of this Agreement, each party hereby waives the doctrine that an ambiguity should be interpreted against the party which has drafted the document.
- (k) Recording. The parties agree to execute a Memorandum of Option to be recorded in the Berkeley County RMC Office.
- (l) Authority. Cooper and Trident each represent and warrant to the other that (i) it has full corporate power and authority to enter into this Agreement and to carry out the transactions contemplated herein, (ii) this Agreement is a legal, valid and binding agreement of it enforceable in accordance with its terms, and (iii) the execution by the undersigned on its behalf has been duly and validly authorized by all necessary action.
- (m) Section 1031 Exchange. Cooper and Trident each agree to cooperate with the other party to facilitate Cooper's transfer of the Property and/or Trident's purchase of the Property as part of a tax-deferred exchange under Section 1031, Internal Revenue Code, provided that in so cooperating neither party is obligated to incur any additional liability or expense or to agree to any extension of any time limit provided in this Contract. Any provision of this Contract to the contrary notwithstanding, either Cooper or Trident may assign its respective interest in this Contract to a qualified intermediary, trustee, or other similar person (collectively, an "Intermediary") as reasonably required to facilitate such exchange. Cooper and Trident each agree that no Intermediary shall have any liability or obligation pursuant to this Contract notwithstanding the assignment to such Intermediary of any interest herein, and Cooper and Trident each agree to look exclusively to the other party for performance of the other party's duties and obligations under this Contract.

[SIGNATURES ON FOLLOWING PAGE]

IN WITNESS WHEREOF, the parties have hereunto set their hands and seals the day and year first above written.

Witnesses:

JB Russell
Carleen J. Lettier

Trident Medical Center, LLC

By: _____
Name: _____
Title: _____

By: Terry J. Gunn
Name: Terry J. Gunn
Title: CEO, Trident Health Systems

Witnesses:

Robert A. Mullins
Lynethia J. Mullins

Cooper Investment Limited Partnership

By: Robert E. [Signature]
Name: Robert E. [Signature]
Title: Managing Partner

STATE OF SOUTH CAROLINA)
COUNTY OF CHARLESTON)

Before me, the undersigned Notary Public, personally appeared, **Trident Medical Center, LLC**, by TERRY GUNN its, CEO, who executed the foregoing instrument this 12 day of August, 2008, and acknowledged that it executed the same.

[Signature] (L.S.)
Notary Public for South Carolina
My Commission Expires: 4/13/2010

STATE OF SOUTH CAROLINA)
COUNTY OF CHARLESTON)

Before me, the undersigned Notary Public, personally appeared, **Cooper Investment Limited Partnership**, by Johnny E. Ward its, Managing Partner who executed the foregoing instrument this 8th day of August, 2008, and acknowledged that it executed the same.

[Signature] (L.S.)
Notary Public for South Carolina
My Commission Expires: 11-06-2010


EXHIBIT A

Description of the Property

ALL that certain piece, parcel or tract of land situate, lying and being in the Town of Moncks Corner, Berkeley County, South Carolina, being shown and designated as "21.73 ACRES TMS 142-00-01-025 ZONED F-1" on the attached plat made by Mason Professional Land Surveyor, LLC, dated April 19, 2007, and entitled, PLAT OF 21.73 ACRES SURVEYED AT THE REQUEST OF COOPER INVESTORS, A LIMITED PARTNERSHIP, TOWN OF MONCKS CORNER, BERKELEY COUNTY, SOUTH CAROLINA."

BEING a portion of the same property conveyed to Cooper Investors, a Limited Partnership, by deed of Susan Wagner Trenham, as Trustee for the Estate of Frank Read, Deceased, dated August 7, 1997, and recorded August 11, 1997, in the ROD Office for Berkeley County, South Carolina in Book 1129 at Page 182.

TMS#: 142-00-01-025



000173

The Trident Health System

Location	Facility	Services
North Charleston and Goose Creek	Trident Medical Center	296 bed acute care hospital
	Trident Surgery Center	Same-day surgery
	Trident Eye Surgery Center	Same-day ophthalmology surgery
	Trident Speech Center	Speech Evaluations & therapy for Adult and Pediatric Patients
	Trident Breast Care Center	Comprehensive Women's Imaging
	Trident Medical Arts MRI	Outpatient MRI
	Trident Diagnostic Services	Outpatient Services Routine & STAT Clinical Laboratory Collections EKG Radiology Ultrasound
	Trident Cancer Center	Radiation Therapy Medical Oncology Surgery
	Trident Senior Health Center	Primary Care for patients 65 and older
	Trident HealthFinders	Community Outreach
	Trident Sports Medicine & Rehab	Human Motion Institute Physical & Occupational Therapy
CONs	Trident Medical Center	Linear Accelerator/ PETCT
Summerville	Summerville Medical Center	94 bed acute care hospital
	Archdale Medical Center	Physical Therapy Radiology, Mammography Routine Clinical Laboratory Collections
Moncks Corner	Moncks Corner Medical Center	24 hour Emergency Care Physical therapy CT, Radiology, Mammography Ultrasound, Laboratory Family Practice Specialty Care

000174

HCA

One Park Plaza
Nashville, TN
37203

August 12, 2008


Facility: Berkeley Medical Center
Location: Moncks Corner, South Carolina
Project: New Facility

This is to certify that I have reviewed the construction costs for the referenced project. Based on my review and comparison of this project with similar projects, I believe that the costs are a reasonable estimate of the drawings dated August 11, 2008. The anticipated costs are as follows:

Construction Cost: \$57,256,075.00
(145,150 S.F. at approximately \$394.46/SF including contingency)

Architectural/Engineering Services Cost: \$4,009,477.50

Sincerely,



Clinton Russell
Director, HCA Design & Construction
One Park Plaza, Bldg II, 3E
Nashville, TN 37203

000175

EQUIPMENT COST ESTIMATE BY DEPARTMENT

FACILITY: Berkeley Med Ctr - Moncks Corner EQ. MGR: R Bird
 LOCATION: Moncks Corner, SC CONSTR. MGR.: C Russell
 COID+PROJECT: N/A GROUP: Eastern
 EQ. PLANNING #: a03190
 PROJECT: Based on Spring Hill CON Program per B Clark 8-7-2008

BASED ON:

DEPARTMENT	DEPARTMENT TOTAL		DEPARTMENT TOTAL + Engineered Systems		DEPARTMENT TOTALS + ENGINEERED SYSTEMS WITH INFLATION/
	\$\$	%%	\$\$	%%	
ADMINISTRATION	\$249,949.38	1.28%	\$267,267	1.28%	\$291,169
ADMITTING	\$6,654.00	0.04%	\$7,329	0.04%	\$7,984
BUSINESS OFFICE	\$103,191.24	0.53%	\$110,341	0.53%	\$120,209
CENTRAL STERILE SUPPLY	\$473,449.78	2.43%	\$506,253	2.43%	\$551,527
ICU/CCU	\$933,153.21	4.79%	\$997,806	4.79%	\$1,087,041
FOOD SERVICE	\$743,589.98	3.82%	\$795,088	3.82%	\$866,193
EEG/EKG/EMG	\$181,792.79	0.83%	\$173,003	0.83%	\$188,474
EMERGENCY	\$693,991.10	3.56%	\$742,074	3.56%	\$808,438
ENDOSCOPY	\$206,015.04	1.06%	\$220,289	1.06%	\$239,989
HOUSEKEEPING	\$164,354.03	0.84%	\$175,741	0.84%	\$191,458
LABORATORY	\$442,415.98	2.27%	\$473,069	2.27%	\$515,376
LOBBIES	\$27,481.38	0.14%	\$29,385	0.14%	\$32,013
MAINTENANCE	\$77,348.30	0.40%	\$82,707	0.40%	\$90,104
MATERIALS MANAGEMENT	\$55,493.66	0.28%	\$59,339	0.28%	\$64,645
MEDICAL RECORDS	\$95,620.76	0.49%	\$102,246	0.49%	\$111,390
NUCLEAR MEDICINE	\$501,926.85	2.58%	\$536,703	2.58%	\$584,701
NURSING SERVICE	\$1,142,877.98	5.87%	\$1,222,062	5.87%	\$1,331,352
NURSERY	\$208,583.68	1.07%	\$223,035	1.07%	\$242,982
OBSTETRICS	\$1,842,167.73	8.43%	\$1,765,945	8.43%	\$1,912,981
PHARMACY	\$64,232.86	0.33%	\$68,683	0.33%	\$74,826
PHYSICAL THERAPY	\$21,630.84	0.11%	\$23,130	0.11%	\$25,198
RECOVERY AREA	\$639,861.51	3.28%	\$684,194	3.28%	\$746,382
RESPIRATORY CARE	\$312,193.25	1.60%	\$333,823	1.60%	\$363,678
SURGERY	\$3,573,029.43	18.34%	\$3,820,586	18.34%	\$4,162,264
IMAGING	\$6,945,109.35	35.64%	\$7,426,299	35.64%	\$8,090,440
		100.00%		100.00%	
DEPARTMENT SUB-TOTAL	\$19,486,284				\$22,699,815
ADD: ENGINEERED SYSTEMS	\$1,350,101				
SUB-TOTAL w/ Eng. Svcs.	\$20,836,395				
Inflation & Technology Update 3.00%	\$625,092				
NEW SUB TOTAL	\$21,461,487				
TAX 4.77%	\$1,023,713				
FREIGHT 1.00%	\$214,615				
GRAND TOTAL	\$22,699,815				

PREPARED BY: _____	APPROVED BY: _____
Equipment Manager	Assistant Vice President
Equipment Planning	
If All New: \$21,228,973	Total Reduction: \$-1,470,842 Percentage: -6.93%
EQUIPMENT RECOMMENDATION: \$22,699,815	
Major New Equipment: See attached list	NOTE: Equipment relocation cost-to be paid by the facility as an expense cost: N/A

000176

Date: 8/7/2008

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB

Page: 1
04:13 PM

DEPT: 010-ADMINISTRATION
 SPACE: 0011-ADMINISTRATOR (TRADITIONAL)

Item	Description	Class	Vendor	Qty	Price	Extd Price
000030	#8000; WILDWOOD LAMP CRYSTAL VASE 28"H; 24% LEAD CRYSTAL; SHADE: BEIGE PLEATED LINEN	M0	INTERIOR DESIGN Model #: 8000	1	\$XXX.XX	\$XXX.XX
718528	#5M744; WASTE-CAN 28 QT RECTANGULAR FIRE RESISTANT (UNDERWRITES LABORATORY) 14.5" X 10.5" X 15.38"; COLOR GRAY; 1 EACH W/O LID(RUBBERMAID 2543) *PRODUCT SET UP TO ORDER IN INCREMENTS OF 1/EA PER KEVIN KOLFF, NAT. REP. ON 10/4/04	M0	GRAINGER Model #: 5M744	1	\$XXX.XX	\$XXX.XX
721111	#PH2472CO; CREDENZA, CENTER KNEESPACE, STD. WOOD FINISH: _____ PAOLI CHAMBERS SERIES	M0	INTERIOR DESIGN Model #: PH2472CO	2	\$XXX.XX	\$XXX.XX
721112	, PH3672DP/P-C038CD-DESK, DOUBLE PEDESTALS, STD. WOOD FINISH: _____ 72 7/8"W X 38 1/4"D, W/CENTER DRAWER #C038CD, PAOLI CHAMBERS SERIES	M0	INTERIOR DESIGN Model #: PH3672DP/P-C038	1	\$XXX.XX	\$XXX.XX
860077	#AC-1414PB; ARCH. SUP. PLANTER STATIONARY CYLINDRICAL METAL PLANTER W/RECESSED BOTTOM W/RIM CONSTRUCTION 14"DIA X 14"H, FINISH: POLISHED BRASS	M4	INTERIOR DESIGN Model #: AC-141PB	1	\$XXX.XX	\$XXX.XX
860346	#P-511; MIDTOWN CHAIR, GUEST, WITH CLOSED ARMS, WOOD TRIM, 25 1/2"W X 25"D 30 1/2"H, UPHOLSTERY: GRADE H, FINISH: ANY STD.	M0	INTERIOR DESIGN Model #: P-511	2	\$XXX.XX	\$XXX.XX
860351	#6833, AGI, LIDO LOVESEAT 64"W X 31"D X 29"H GRADE J FABRIC, STANDARD WOOD FINISH	M0	INTERIOR DESIGN Model #: 6833	1	\$XXX.XX	\$XXX.XX
860372	#P-PM2424TL; PAOLI END TABLE WITH SHELF. 24"W X 24"D X 20"H	M0	INTERIOR DESIGN Model #: P-PM2424TL	1	\$XXX.XX	\$XXX.XX
860392	#5923; AGI, LALA LOUNGE CHAIR W/UPHOLSTERED ARMS GRADE M FABRIC STANDARD WOOD FINISH	M0	INTERIOR DESIGN Model #: 5923	2	\$XXX.XX	\$XXX.XX
862710	2042, COAT HOOK, SINGLE -1"WX7 1/2" X4 1/2" FINISH: GLOSS BLACK ***PETER PEPPER***	M4	INTERIOR DESIGN Model #: 2042	1	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space: \$XXX.XX
 1 Occurances Of This Type Space Included In The Budget Totaling: \$XXX.XX

000177

Date: 8/7/2008

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB

Page: 2
04:13 PM

DEPT: 010-ADMINISTRATION
SPACE: 0020-ASSOCIATE ADMIN. (TRADITIONAL)

Item	Description	Class	Vendor	Qty	Price	Extd Price
718528	#5M744; WASTE-CAN 28 QT RECTANGULAR FIRE RESISTANT (UNDERWRITES LABORATORY) 14.5" X 10.5" X 15.38"; COLOR GRAY; 1 EACH W/O LID(RUBBERMAID 2543) *PRODUCT SET UP TO ORDER IN INCREMENTS OF 1/EA PER KEVIN KOLFF, NAT. REP. ON 10/4/04	M0	GRAINGER Model #: 5M744	1	\$XXX.XX	\$XXX.XX
721113	, #PH2590UB- SERVICE MODULE W/FIVE HINGED DOORS, STD. FINISH: _____, PAOLI CHAMBERS SERIES	M0	INTERIOR DESIGN Model #: PH2590UB	1	\$XXX.XX	\$XXX.XX
721114	CREDENZA: TOP #P-X1900PD/P-X2435LL/P-TWO LATERAL FILES #XL2435MF, PEDESTAL #XL1900PD, PAOLI CHAMBERS SERIES	M0	INTERIOR DESIGN Model #: P-X1900PD/P-X24	1	\$XXX.XX	\$XXX.XX
721115	#P-H3066DP/P-C031CD-DESK, DOUBLE PEDESTAL, STD. WOOD FINISH: _____ W/CENTER DRAWER	M0	INTERIOR DESIGN Model #: P-H3066DP/P-C03	1	\$XXX.XX	\$XXX.XX
860346	#P-511; MIDTOWN CHAIR, GUEST, WITH CLOSED ARMS, WOOD TRIM, 25 1/2"W X 25"D 30 1/2"H, UPHOLSTERY: GRADE H, FINISH: ANY STD.	M0	INTERIOR DESIGN Model #: P-511	2	\$XXX.XX	\$XXX.XX
860360	#502, BERNHARDT CHAIR SWIVEL WITH PNEU. LIFT, ALUMINUM BASE, BLACK CASTERS, 27"W X 27"D X 41-44 1/2"H, UPHOLSTERY: GRADE 6	M0	INTERIOR DESIGN Model #: 502	1	\$XXX.XX	\$XXX.XX
860372	#P-PM2424TL; PAOLI END TABLE WITH SHELF. 24"W X 24"D X 20"H	M0	INTERIOR DESIGN Model #: P-PM2424TL	1	\$XXX.XX	\$XXX.XX
862710	2042, COAT HOOK, SINGLE -1"W X 7 1/2" X 4 1/2" FINISH: GLOSS BLACK ***PETER PEPPER***	M4	INTERIOR DESIGN Model #: 2042	1	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space: \$XXX.XX
5 Occurances Of This Type Space Included In The Budget Totalling: \$XXX.XX

000178

Date: 8/7/2008

HCA - The Healthcare Company

Page: 3

DCEE PROJECTS

04:13 PM

GENERAL EQUIPMENT LIST FOR PROJECT A03150 - Berkeley Med Ctr-Moncks Corner, SC
10000RB

DEPT: 010-ADMINISTRATION

SPACE: 0041-ADM. SEC/WAITING-TRADITIONAL

Item	Description	Class	Vendor	Qty	Price	Extd Price
718528	#5M744; WASTE-CAN 28 QT RECTANGULAR FIRE RESISTANT (UNDERWRITES LABORATORY) 14.5" X 10.5" X 15.38"; COLOR GRAY; 1 EACH W/O LID(RUBBERMAID 2543) *PRODUCT SET UP TO ORDER IN INCREMENTS OF 1/EA PER KEVIN KOLFF, NAT. REP. ON 10/4/04	M0	GRAINGER Model #: 5M744	1	\$XXX.XX	\$XXX.XX
721114	CREDENZA: TOP #P-X1900PD/P-X2435LL/P- TWO LATERAL FILES #XL2435MF, PEDESTAL #XL1900PD, PAOLI CHAMBERS SERIES	M0	INTERIOR DESIGN Model #: P-X1900PD/P-X24	1	\$XXX.XX	\$XXX.XX
721115	#P-H3066DP, DESK, FULL LETTER WIDTH PEDESTALS WITH LOCKS, DIMENSIONS: 66"W X 30"D X 29"H, KNEESPACE: 33.5", WOOD FINISH: _____ PAOLI CHAMBERS SERIES	M0	INTERIOR DESIGN Model #: P-H3066DP	1	\$XXX.XX	\$XXX.XX
721139	#46111; DESK CHAIR, SWIVEL TILT W/OPEN LOOP ARMS, UPHOL. ARMREST W/STD. HARD CASTER, FINISH: BASE SHELL/ARM: FABRIC: SKITTLES (STEELCASE)	M0	INTERIOR DESIGN Model #: 46111	1	\$XXX.XX	\$XXX.XX
860078	#AC-1818PB ARCH. SUP. PLANTER - STATIONARY CYLINDRICAL METAL PLANTER W/RECESSED BOTTOM W/RIM CONSTRUCTION 18"DIA X 18"H, FINISH: POLISHED BRASS	M4	INTERIOR DESIGN Model #: AC-181PB	1	\$XXX.XX	\$XXX.XX
860372	#P-PM2424TL; PAOLI END TABLE WITH SHELF. 24"W X 24"D X 20"H	M0	INTERIOR DESIGN Model #: P-PM2424TL	1	\$XXX.XX	\$XXX.XX
860392	#5923; AGI, LALA LOUNGE CHAIR W/UPHOLSTERED ARMS GRADE M FABRIC STANDARD WOOD FINISH	M0	INTERIOR DESIGN Model #: 5923	2	\$XXX.XX	\$XXX.XX
865190	A/MCC/WE/2429 - NEVERS, MOBILE CART COMPUTER CART W/KEYPAD DRAWER 24"W X 19"D X 29"H EDGE "WE" ETCHED STANDARD PULLS	M0	INTERIOR DESIGN Model #: A/MCC/WE/2429	1	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space:

\$XXX.XX

1 Occurances Of This Type Space Included In The Budget Totalling:

\$XXX.XX

000179

RECORD 004641

Date: 8/7/2008

HCA - The Healthcare Company**DCEE PROJECTS****GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB**DEPT: 010-ADMINISTRATION
SPACE: 0050-AUDIOVISUALPage: 4
04:13 PM

Item	Description	Class	Vendor	Qty	Price	Extd Price
447501	#SF3010; OVERHEAD PROJECTOR, 3K LUMENS	M0	TECHNICAL INNOVATION Model #: SF3010	1	\$XXX.XX	\$XXX.XX
447523	#SDP900DX; SAMSUNG DIGITAL CAMERA	M0	TECHNICAL INNOVATION Model #: SDP900DX	1	\$XXX.XX	\$XXX.XX
506822	SCREEN - DALITE VERSATOL TRIPOD SCRE 60" X 60"	M0	TECHNICAL INNOVATION Model #: VERSATOL	1	\$XXX.XX	\$XXX.XX
660924	#RFK-634; VIDEOCASSETTE PKG, SONY VHF CHANNEL 3 AND 4 RFMODULATOR	M0	TECHNICAL INNOVATION Model #: RFK-634	1	\$XXX.XX	\$XXX.XX
660925	#CT-2088YD; VIDEOCASSETTE 20"COLOR TV RECEIVER W/OPERATOR MANUAL	M0	TECHNICAL INNOVATION Model #: CT-2088YD	2	\$XXX.XX	\$XXX.XX
660929	#AV654; VIDEOCASSETTE PKG, ADVANCE VTR CART W/ELECTRICAL UNIT AND AV-552 STRAP	M0	TECHNICAL INNOVATION Model #: AV654	2	\$XXX.XX	\$XXX.XX
718528	#5M744; WASTE-CAN 28 QT RECTANGULAR FIRE RESISTANT (UNDERWRITES LABORATORY) 14.5" X 10.5" X 15.38"; COLOR GRAY; 1 EACH W/O LID(RUBBERMAID 2543) *PRODUCT SET UP TO ORDER IN INCREMENTS OF 1/EA PER KEVIN KOLFF, NAT. REP. ON 10/4/04	M0	GRAINGER Model #: 5M744	1	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space:

\$XXX.XX

1 Occurances Of This Type Space Included In The Budget Totaling:

\$XXX.XX

000180

RECORD 004642

Date: 8/7/2008

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB

Page: 5
04:13 PM

DEPT: 010-ADMINISTRATION
 SPACE: 0061-BOARD ROOM (TRADITIONAL)

Item	Description	Class	Vendor	Qty	Price	Extd Price
000029	#D1490, HALLMARK LAMP- CERAMIC GINGER JAR STYLE, 28"H, SHADE: MUSHROOM PLEAT - 6 X 18 X 10, COLOR: EGG SHELL, CERAMIC COLOR: ANY STD SOLID OR CRACKLE	M0	INTERIOR DESIGN Model #: D1490	1	\$XXX.XX	\$XXX.XX
718528	#5M744; WASTE-CAN 28 QT RECTANGULAR FIRE RESISTANT (UNDERWRITES LABORATORY) 14.5" X 10.5" X 15.38"; COLOR GRAY; 1 EACH W/O LID(RUBBERMAID 2543) *PRODUCT SET UP TO ORDER IN INCREMENTS OF 1/EA PER KEVIN KOLFF, NAT. REP. ON 10/4/04	M0	GRAINGER Model #: 5M744	1	\$XXX.XX	\$XXX.XX
721111	#PH2472CO, CREDENZA, CENTER KNEESPACE, STD. WOOD FINISH: _____ PAOLI CHAMBERS SERIES	M0	INTERIOR DESIGN Model #: PH2472CO	2	\$XXX.XX	\$XXX.XX
860078	#AC-1818PB ARCH. SUP. PLANTER - STATIONARY CYLINDRICAL METAL PLANTER W/RECESSED BOTTOM W/RIM CONSTRUCTION 18"DIA X 18"H, FINISH: POLISHED BRASS	M4	INTERIOR DESIGN Model #: AC-181PB	1	\$XXX.XX	\$XXX.XX
860360	#502, BERNHARDT CHAIR SWIVEL WITH PNEU. LIFT, ALUMINUM BASE, BLACK CASTERS, 27"W X 27"D X 41-44 1/2"H, UPHOLSTERY: GRADE 6	M0	INTERIOR DESIGN Model #: 502	20	\$XXX.XX	\$XXX.XX
861374	A/TRC/WE/12048 TABLE TOP ONLY; NEVERS TABLE, 3A/PXD/12048 CONFERENCE; 120"X 48"D, EDGE (WE) ETCHED (DIAMOND BASE; DISCONTINUED) PXD STANDARD WOOD FINISH	M0	INTERIOR DESIGN Model #: A/TRC/WE/12048	1	\$XXX.XX	\$XXX.XX
861394	AVIS/WD/4848 - NEVERS VISUAL BOARD CABINET AW/AS4 ID48"W X 48"H, WITH PROJECTION SCREEN, PORCELAIN WRITING SURFACES, FABRIC TACKBOARDS BEHIND DOORS, STANDARD ACCESSORIES, STANDARD WOOD FINISHES	M0	INTERIOR DESIGN Model #: AVIS/WD/4848	1	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space: \$XXX.XX
 1 Occurances Of This Type Space Included In The Budget Totaling: \$XXX.XX

000181

RECORD 004643

Date: 8/7/2008

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB
 DEPT: 010-ADMINISTRATION
 SPACE: 0065-CHAPEL

Page: 6
04:13 PM

Item	Description	Class	Vendor	Qty	Price	Extd Price
718528	#5M744; WASTE-CAN 28 QT RECTANGULAR FIRE RESISTANT (UNDERWRITES LABORATORY) 14.5" X 10.5" X 15.38"; COLOR GRAY; 1 EACH W/O LID(RUBBERMAID 2543) *PRODUCT SET UP TO ORDER IN INCREMENTS OF 1/EA PER KEVIN KOLFF, NAT. REP. ON 10/4/04	M0	GRAINGER Model #: 5M744	1	\$XXX.XX	\$XXX.XX
860351	#6833, AGI, LIDO LOVESEAT 54"W X 31"D X 29"H GRADE J FABRIC, STANDARD WOOD FINISH	M0	INTERIOR DESIGN Model #: 6833	2	\$XXX.XX	\$XXX.XX
860353	#6823, AGI- LIDO LOUNGE CHAIR 32"W X 31"D X 29"H GRADE J FABRIC STANDARD WOOD FINISH	M0	INTERIOR DESIGN Model #: 6823	2	\$XXX.XX	\$XXX.XX
862716	LT2420-TABLE - FIBERGLASS, PETER PEPPER, CYLINDRICAL DRUM, TABLE - 24" X 21"H - COLOR: STD, INCL. FIRE RETARDANT POLYESTER RESIN CALSS I	M0	INTERIOR DESIGN Model #: LT2420	1	\$XXX.XX	\$XXX.XX
868002	PAOLI TABLE #TR1660ST, WALNUT VENEER TOP; SOFA TABLE; 60"W X 16D X 29H	M0	INTERIOR DESIGN Model #: TR1660ST	1	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space: \$XXX.XX
 1 Occurances Of This Type Space Included In The Budget Totaling: \$XXX.XX

000182

RECORD 004644

Date: 8/7/2008

HCA - The Healthcare Company

Page: 7

DCEE PROJECTS

04:13 PM

**GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB**DEPT: 010-ADMINISTRATION
SPACE: 0070-CLASSROOM

Item	Description	Class	Vendor	Qty	Price	Extd Price
718490	#S2LF-BL-B; LECTERN, (MFG. EGAN VISUAL) 24" W X 48" H X 21" D, WITH LAMP, ETEX FINISH: BLACK, PRESENTATION SHELF: 21.75" W X 12" D, UPPER STORAGE: 20" W X 8.5" H X 17" D, LOWER CABINET: 22" W X 22" H X 17" D	M0	INTERIOR DESIGN Model #: S2LF-BL-B	1	\$XXX.XX	\$XXX.XX
718528	#5M744; WASTE-CAN 28 QT RECTANGULAR FIRE RESISTANT (UNDERWRITES LABORATORY) 14.5" X 10.5" X 15.38"; COLOR GRAY; 1 EACH W/O LID(RUBBERMAID 2543) *PRODUCT SET UP TO ORDER IN INCREMENTS OF 1/EA PER KEVIN KOLFF, NAT. REP. ON 10/4/04	M0	GRAINGER Model #: 5M744	1	\$XXX.XX	\$XXX.XX
721139	#46111; DESK CHAIR, SWIVEL TILT W/OPEN LOOP ARMS, UPHOL. ARMREST W/STD. HARD CASTER, FINISH: BASE SHELL/ARM: FABRIC: SKITTLES (STEELCASE)	M0	INTERIOR DESIGN Model #: 46111	8	\$XXX.XX	\$XXX.XX
861400	CARW-48 EGAN VISUAL AID CTR WHITE . . . WONDER BOARD DISPLAY BD, FLIPCHART, 48X48X3 CLOSED WITH PROJECTION SCREEN STD ACCESS, FINISH: WALNUT, LIGHT OAK, MED OAK, DARK OAK **3-1-86 CORK SURFACE WILL BE REPLACED W/BEGE FABRI& PORCELAIN AVAILABLE IN WHITE ONLY ***STANDARD FINISHES ONLY, EXCLUDES ANY UPCHARGES	M0..	INTERIOR DESIGN. Model #: CARW-48	1	\$XXX.XX . . .	\$XXX.XX
861738	TM3T-24T36, HOWE TABLE, TEMPEST SERIES, DIMENSIONS: 36X90 NON-FOLDING 1 3/4" VINYL EDGE, BLACK OR BROWN BASE 1 3/4" ROUND STL TUBING, POLISHED CHROME, SELF-LEVELING GLIDES W/BLACK PLASTIC CAP TOP; NON STD FORMICA SOLID COLOR:	M0	INTERIOR DESIGN Model #: TM3T-24T36	1	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space: \$XXX.XX
 4 Occurances Of This Type Space Included In The Budget Totalling: \$XXX.XX

000183

RECORD 004645

Date: 8/7/2008

HCA - The Healthcare Company
DCEE PROJECTS

Page: 8
04:13 PM

GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB

DEPT: 010-ADMINISTRATION
SPACE: 0090-COFFEE BAR

Item	Description	Class	Vendor	Qty	Price	Extd Price
430279	#JEM25DM; MICROWAVE OVEN DIMENSIONS: 11 3/16"H X 23 25/32"W X 12 9/32"D. 120V AMP 11.5/120V WATTS 1300/MHZ 2450. CONTRACTOR TO SHELF MOUNT SELECT COLOR: BLACK (BB) OR WHITE (WW).	M0	GENERAL ELECTRIC CO. Model #: JEM25DM	1	\$XXX.XX	\$XXX.XX
476500	#1175R; UNDERCOUNTER REFRIG. W/O LOCK, U-LINE 34 1/8"H X 23 15/16" W X 23 3/16"D, 120V/60/1, COLOR: WHITE OR BLACK SELECT HINGE: RIGHT OR LEFT (REPLACES MODEL #75R)	M0	BARING INDUSTRIES, INC. Model #: 1175RW/OLOCK	1	\$XXX.XX	\$XXX.XX
713796	#5M877; WASTE-CAN; 18 GAL; STEP-ON, 19 3/4"X16 1/8"X 26 1/6"H, COLOR: BEIGE (#5M877; \$57.47) AND RIGID LINER; 18"L X 22" H X 12 1/4" W; COLOR: GRAY; FOR OILY WASTE CONTAINERS (#5M891; \$18.72) FM- CALIFORNIA STATE FIRE MARSHALL APPROVED FOR FIRE SAFETY:..... (MANF. RUBBERMAID; #8145 & #8245)	M0	GRAINGER Model #: 5M877/5M891	1	\$XXX.XX	\$XXX.XX
715053	#8573; COFFEE MAKER, LO-PROFILE 3-STATION, AUTOMATIC COFFEE BREWER, FROM SUPERIOR COFFEE FOR REFERENCE ONLY, HOSPITAL TO LEASE (MFG. - BLOOMFIELD) PLUMBING REQUIREMENT: 1/4" OR 3/8" WATER CONNECTION	M0	SARA LEE COFFEE & TEA Model #: 8573	1		

Total Budget For Each Occurance Of This Type Space: \$XXX.XX
3 Occurances Of This Type Space Included In The Budget Totalling: \$XXX.XX

000184

Date: 8/7/2008

HCA - The Healthcare Company

DCEE PROJECTS

GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RBDEPT: 010-ADMINISTRATION
SPACE: 0094-DOCTOR'S LIBRARYPage: 9
04:13 PM

Item	Description	Class	Vendor	Qty	Price	Extd Price
718528	#5M744; WASTE-CAN 28 QT RECTANGULAR FIRE RESISTANT (UNDERWRITES LABORATORY) 14.5" X 10.5" X 15.38"; COLOR GRAY; 1 EACH W/O LID(RUBBERMAID 2543) *PRODUCT SET UP TO ORDER IN INCREMENTS OF 1/EA PER KEVIN KOLFF, NAT. REP. ON 10/4/04	M0	GRAINGER Model #: 5M744	1	\$XXX.XX	\$XXX.XX
721110	#P-H 1477BO, BOOKCASE, FIVE SHELVES, FOUR OF THE SHELVES ARE ADJUSTABLE, OVERALL DIMENSIONS: 36"W X 14"D X 77"H, WOOD FINISH: _____ PAOLI CHAMBERS SERIES	M0	INTERIOR DESIGN Model #: PH- 1477BO	6	\$XXX.XX	\$XXX.XX
721189	#P-X4242ST; CHAMBERS TABLE - SQUARE, VENEER, WITH X BASE, 42" X 42" WITH WOOD EDGE (PAOLI)	M0	INTERIOR DESIGN Model #: P-X4242ST	1	\$XXX.XX	\$XXX.XX
721218	#474419M; GUEST CHAIR, SNODDGRASS, OPEN LOOP ARMS WITH OPEN BACK BASE; POLISHED CHROME, FABRIC: REGIS, SOIL RETARDANT (STEELCASE)	M0	INTERIOR DESIGN Model #: 474419M	4	\$XXX.XX	\$XXX.XX
860353	#6823, AGI- LIDO LOUNGE CHAIR 32"W X 31"D X 29"H GRADE J FABRIC STANDARD WOOD FINISH	M0	INTERIOR DESIGN Model #: 6823	4	\$XXX.XX	\$XXX.XX
862716	LT2420-TABLE - FIBERGLASS, PETER PEPPER, CYLINDRICAL DRUM, TABLE - 24" X 21"H - COLOR: STD. INCL. FIRE RETARDANT POLYESTER RESIN CALSS I	M0	INTERIOR DESIGN Model #: LT2420	1	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space:

\$XXX.XX

1 Occurances Of This Type Space Included In The Budget Totaling:

\$XXX.XX

000185

RECORD 004647

Date: 8/7/2008

HCA - The Healthcare Company**DCEE PROJECTS****GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB**

DEPT: 010-ADMINISTRATION

SPACE: 0095-DOCTOR'S LOUNGE

Page: 10
04:13 PM

Item	Description	Class	Vendor	Qty	Price	Extd Price
000030	#8000; WILDWOOD LAMP CRYSTAL VASE 28"H; 24% LEAD CRYSTAL; SHADE: BEIGE PLEATED LINEN	M0	INTERIOR DESIGN Model #: 8000	1	\$XXX.XX	\$XXX.XX
430279	#JEM25DM; MICROWAVE OVEN DIMENSIONS: 11 3/16"H X 23 25/32"W X 12 9/32"D. 120V AMP 11.5/120V WATTS 1300/MHZ 2450. CONTRACTOR TO SHELF MOUNT SELECT COLOR: BLACK (BB) OR WHITE (WW).	M0	GENERAL ELECTRIC CO Model #: JEM25DM	1	\$XXX.XX	\$XXX.XX
475603	***DISC. USE #717545***#GTS18WCP; REFRIGERATOR, 17.9 CU. FT. NO FROST, W/FACTORY INSTALLED ICEMAKER; 66 5/8" H X 32 1/8"D X 29 1/2"W. 120V/60 HZ/15AMPS. SELECT COLOR: WHITE OR BISQUE; HINGE: RIGHT; ****DOOR SWING CAN BE FIELD MODIFIED IF REQUIRED*****	M0	GENERAL ELECTRIC CO Model #: GTS18WCP	1	\$XXX.XX	\$XXX.XX
715053	#8573; COFFEE MAKER, LO-PROFILE 3-STATION, AUTOMATIC COFFEE BREWER, FROM SUPERIOR COFFEE FOR REFERENCE ONLY, HOSPITAL TO LEASE (MFG. - BLOOMFIELD) PLUMBING REQUIREMENT: 1/4" OR 3/8" WATER CONNECTION	M0	SARA LEE COFFEE & TEA Model #: 8573	1		
718528	#5M744; WASTE-CAN 28 QT RECTANGULAR FIRE RESISTANT (UNDERWRITES LABORATORY) 14.5" X 10.5" X 15.38"; COLOR GRAY; 1 EACH W/O LID (RUBBERMAID 2543) *PRODUCT SET UP TO ORDER IN INCREMENTS OF 1/EA PER KEVIN KOLFF, NAT. REP. ON 10/4/04	M0	GRAINGER Model #: 5M744	1	\$XXX.XX	\$XXX.XX
721189	#P-X4242ST; CHAMBERS TABLE - SQUARE, VENEER, WITH X BASE, 42" X 42" WITH WOOD EDGE (PAOLI)	M0	INTERIOR DESIGN Model #: P-X4242ST	1	\$XXX.XX	\$XXX.XX
721218	#474419M; GUEST CHAIR, SNODDGRASS, OPEN LOOP ARMS WITH OPEN BACK BASE; POLISHED CHROME, FABRIC: REGIS, SOIL RETARDANT (STEELCASE)	M0	INTERIOR DESIGN Model #: 474419M	4	\$XXX.XX	\$XXX.XX
860082	#AC-1414PA; ARCH. SUP. PLANTER - STATIONARY CYLINDRICAL METAL PLANTER W/RECESSED BOTTOM W/RIM CONSTRUCTION 14"DIA X 14"H, FINISH: POLISHED CHROME	M4	INTERIOR DESIGN Model #: AC-1414PA	1	\$XXX.XX	\$XXX.XX
860351	#6833, AGI, LIDO LOVESEAT 54"W X 31"D X 29"H GRADE J FABRIC, STANDARD WOOD FINISH	M0	INTERIOR DESIGN Model #: 6833	1	\$XXX.XX	\$XXX.XX
860353	#6823, AGI, LIDO LOUNGE CHAIR 32"W X 31"D X 29"H GRADE J FABRIC STANDARD WOOD FINISH	M0	INTERIOR DESIGN Model #: 6823	2	\$XXX.XX	\$XXX.XX

000186

RECORD 004648

Date: 8/7/2008

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB
DEPT: 010-ADMINISTRATION
SPACE: 0095-DOCTOR'S LOUNGE

Page: 11
04:13 PM

Item	Description	Class	Vendor	Qty	Price	Extd Price
862716	LT2420-TABLE - FIBERGLASS, PETER PEPPER, CYLINDRICAL DRUM, TABLE - 24" X 21"H - COLOR: STD. INCL. FIRE RETARDANT POLYESTER RESIN CALSS I	M0	INTERIOR DESIGN Model #: LT2420	1	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space: \$XXX.XX
1 Occurances Of This Type Space Included In The Budget Totaling: \$XXX.XX

000187

RECORD 004649

Date: 8/7/2008

HCA - The Healthcare CompanyPage: 12
04:13 PM**DCEE PROJECTS****GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB****DEPT: 010-ADMINISTRATION
SPACE: 0110-GIFT SHOP**

Item	Description	Class	Vendor	Qty	Price	Extd Price
718528	#5M744; WASTE-CAN 28 QT RECTANGULAR FIRE RESISTANT (UNDERWRITES LABORATORY) 14.5" X 10.5" X 15.38"; COLOR GRAY; 1 EACH W/O LID(RUBBERMAID 2543) *PRODUCT SET UP TO ORDER IN INCREMENTS OF 1/EA PER KEVIN KOLFF, NAT. REP. ON 10/4/04	M0	GRAINGER Model #: 5M744	1	\$XXX.XX	\$XXX.XX
721196	#4537300DV, STOOL, MIDBACK PNEUMATIC, VINYL UPH. STD. GRADE 3: (STEELCASE), HEIGHT: 12" - 14.5"	M0	INTERIOR DESIGN Model #: 4537300DV	1	\$XXX.XX	\$XXX.XX
864100	PMS-B PEPPERMINT SHOWCASE GLASS WITH PANEL BASE HINGED DOORS 24"W X 36"H X 15"D PETER PEPPER	M0	INTERIOR DESIGN Model #: PMS-B	8	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space:

\$XXX.XX

1 Occurances Of This Type Space Included In The Budget Totaling:

\$XXX.XX

000188

RECORD 004650

Date: 8/7/2008

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
1000RB
DEPT: 010-ADMINISTRATION
SPACE: 0120-INFORMATION

Page: 13
04:13 PM

Item	Description	Class	Vendor	Qty	Price	Extd Price
718528	#5M744; WASTE-CAN 28 QT RECTANGULAR FIRE RESISTANT (UNDERWRITES LABORATORY) 14.5" X 10.5" X 15.38"; COLOR GRAY; 1 EACH W/O LID(RUBBERMAID 2543) *PRODUCT SET UP TO ORDER IN INCREMENTS OF 1/EA PER KEVIN KOLFF, NAT. REP. ON 10/4/04	M0	GRAINGER Model #: 5M744	1	\$XXX.XX	\$XXX.XX
721128	#4535331DW, CHAIR CRITERION HIGH BACK, PNEUMATIC HEIGHT ADJUSTABLE SEAT DEPTH, SOFT CASTERS, FABRIC: REGIS, STANDARD FINISH, SOIL RETARDANT (STEELCASE)	M0	INTERIOR DESIGN Model #: 4535331DW	2	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space: \$XXX.XX
1 Occurances Of This Type Space Included In The Budget Totalling: \$XXX.XX

000189

RECORD 004651

Date: 8/7/2008

HCA - The Healthcare Company

DCEE PROJECTS

GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB

DEPT: 010-ADMINISTRATION

SPACE: 0165-MULTIPURPOSE ROOM

Page: 14
04:13 PM

Item	Description	Class	Vendor	Qty	Price	Extd Price
718528	#5M744; WASTE-CAN 28 QT RECTANGULAR FIRE RESISTANT (UNDERWRITES LABORATORY) 14.5" X 10.5" X 15.38"; COLOR GRAY; 1 EACH W/O LID(RUBBERMAID 2543) *PRODUCT SET UP TO ORDER IN INCREMENTS OF 1/EA PER KEVIN KOLFF, NAT. REP. ON 10/4/04	M0	GRAINGER Model #: 5M744	1	\$XXX.XX	\$XXX.XX
721126	#8LF18365F, FILE - LATERAL, 5 DRAWER, 36" WIDE, ONE 12" HIGH LETTER SIZE ROLLOUT SHELF W/DOOR, TOP POSITION, FOUR 12" HIGH LETTER SIZE DRAWERS BELOW, PAINT: _____ (STEELCASE)	M0	INTERIOR DESIGN Model #: 8LF18365F	1	\$XXX.XX	\$XXX.XX
721139	#46111; DESK-CHAIR, SWIVEL TILT W/OPEN LOOP ARMS, UPHOL. ARMREST W/STD. HARD CASTER, FINISH: BASE SHELL/ARM: FABRIC: SKITTLES (STEELCASE)	M0	INTERIOR DESIGN Model #: 46111	6	\$XXX.XX	\$XXX.XX
861739	HOWE TABLE, TM3T-24T30, TEMPEST SERIES, DIMENSIONS: 30X60 NON-FOLDING, 1 3/4" VINYL EDGE BLACK OR BROWN, BASE 1 3/4" ROUND STL TUBING, POLISHED CHROME, SELF LEVELING GLIDES W/BLACK PLASTIC CAP, TOP: NON STD FORMICA COLOR:	M0	INTERIOR DESIGN Model #: TM3T-24T30	1	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space:

\$XXX.XX

1 Occurances Of This Type Space Included In The Budget Totaling:

\$XXX.XX

000189 -

Date: 8/7/2008

HCA - The Healthcare CompanyPage: 15
04:13 PM

DCEE PROJECTS

**GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB**DEPT: 010-ADMINISTRATION
SPACE: 0170-PBX

Item	Description	Class	Vendor	Qty	Price	Extd Price
718528	#5M744; WASTE-CAN 28 QT RECTANGULAR FIRE RESISTANT (UNDERWRITES LABORATORY) 14.5" X 10.5" X 15.38"; COLOR GRAY; 1 EACH W/O LID(RUBBERMAID 2543) *PRODUCT SET UP TO ORDER IN INCREMENTS OF 1/EA PER KEVIN KOLFF, NAT. REP. ON 10/4/04	M0	GRAINGER Model #: 5M744	1	\$XXX.XX	\$XXX.XX
721128	#4535331DW, CHAIR CRITERION HIGH BACK, PNEUMATIC HEIGHT ADJUSTABLE SEAT DEPTH, SOFT CASTERS, FABRIC: REGIS, STANDARD FINISH, SOIL RETARDANT (STEELCASE)	M0	INTERIOR DESIGN Model #: 4535331DW	1	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space:

\$XXX.XX

1 Occurances Of This Type Space Included In The Budget Totaling:

\$XXX.XX

000190

RECORD 004653

Date: 8/7/2008

HCA - The Healthcare Company

Page: 16
04:13 PMDCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RBDEPT: 010-ADMINISTRATION
SPACE: 0180-PERSONNEL DIRECTOR.

Item	Description	Class	Vendor	Qty	Price	Extd Price
718528	#5M744; WASTE-CAN 28 QT RECTANGULAR FIRE RESISTANT (UNDERWRITES LABORATORY) 14.5" X 10.5" X 15.38"; COLOR GRAY; 1 EACH W/O LID(RUBBERMAID 2543) *PRODUCT SET UP TO ORDER IN INCREMENTS OF 1/EA PER KEVIN KOLFF, NAT. REP. ON 10/4/04	M0	GRAINGER Model #: 5M744	1	\$XXX.XX	\$XXX.XX
721110	#P-H 1477BO, BOOKCASE, FIVE SHELVES, FOUR OF THE SHELVES ARE ADJUSTABLE, OVERALL DIMENSIONS: 36"W X 14"D X 77"H, WOOD FINISH: PAOLI CHAMBERS SERIES	M0	INTERIOR DESIGN Model #: PH- 1477BO	1	\$XXX.XX	\$XXX.XX
721116	#P-H3066DP, DESK, FULL LETTER WIDTH PEDESTALS WITH LOCKS, DIMENSIONS: 66"W X 30"D X 29"H, KNEESPACE: 33.5", WOOD FINISH: PAOLI CHAMBERS SERIES	M0	INTERIOR DESIGN Model #: P-H3066DP	1	\$XXX.XX	\$XXX.XX
721139	#46111; DESK CHAIR, SWIVEL TILT W/OPEN LOOP ARMS, UPHOL. ARMREST W/STD. HARD CASTER, FINISH: BASE SHELL/ARM: FABRIC: SKITTLES (STEELCASE)	M0	INTERIOR DESIGN Model #: 46111	3	\$XXX.XX	\$XXX.XX
721171	#P-H2466CO, CREDENZA, OVERALL DIMENSIONS: 66"W X 24"D X 29"H, KNEESPACE: 33.5", TRADITIONAL EDGE WITH BRASS PULL (PAOLI CHAMBERS SERIES)	M0	INTERIOR DESIGN Model #: P-H2466CO	1	\$XXX.XX	\$XXX.XX
862710	2042, COAT HOOK, SINGLE -1"WX7 1/2" X4 1/2" FINISH: GLOSS BLACK ***PETER PEPPER***	M4	INTERIOR DESIGN Model #: 2042	1	\$XXX.XX	\$XXX.XX
862716	LT2420-TABLE - FIBERGLASS, PETER PEPPER, CYLINDRICAL DRUM, TABLE - 24" X 21"H - COLOR: STD. INCL. FIRE RETARDANT POLYESTER RESIN,CALSS I	M0	INTERIOR DESIGN Model #: LT2420	1	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space: \$XXX.XX
2 Occurances Of This Type Space Included In The Budget Totaling: \$XXX.XX

000191

Date: 8/7/2008

HCA - The Healthcare Company
DCEE PROJECTS
Page: 17
04:13 PM
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB
DEPT: 010-ADMINISTRATION
SPACE: 0180-PERSONNEL DIRECTOR

Item	Description	Class	Vendor	Qty	Price	Extd Price
718528	#5M744; WASTE-CAN 28 QT RECTANGULAR FIRE RESISTANT (UNDERWRITES LABORATORY) 14.5" X 10.5" X 15.38"; COLOR GRAY; 1 EACH W/O LID(RUBBERMAID 2543) *PRODUCT SET UP TO ORDER IN INCREMENTS OF 1/EA PER KEVIN KOLFF, NAT. REP. ON 10/4/04	M0	GRAINGER Model #: 5M744	1	\$XXX.XX	\$XXX.XX
721110	#P-H 1477BO, BOOKCASE, FIVE SHELVES, FOUR OF THE SHELVES ARE ADJUSTABLE, OVERALL DIMENSIONS: 36"W X 14"D X 77"H, WOOD FINISH: _____ PAOLI CHAMBERS SERIES	M0	INTERIOR DESIGN Model #: PH-1477BO	1	\$XXX.XX	\$XXX.XX
721116	#P-H3066DP, DESK, FULL LETTER WIDTH PEDESTALS WITH LOCKS, DIMENSIONS: 66"W X 30"D X 29"H, KNEESPACE: 33.5", WOOD FINISH: _____ PAOLI CHAMBERS SERIES	M0	INTERIOR DESIGN Model #: P-H3066DP	1	\$XXX.XX	\$XXX.XX
721139	#46111; DESK CHAIR, SWIVEL TILT W/OPEN LOOP ARMS, UPHOL. ARMREST W/STD. HARD CASTER, FINISH: BASE SHELL/ARM: FABRIC: SKITTLES (STEELCASE)	M0	INTERIOR DESIGN Model #: 46111	3	\$XXX.XX	\$XXX.XX
721171	#P-H2466CO, CREDENZA, OVERALL DIMENSIONS: 66"W X 24"D X 29"H, KNEESPACE: 33.5", TRADITIONAL EDGE WITH BRASS PULL (PAOLI CHAMBERS SERIES)	M0	INTERIOR DESIGN Model #: P-H2466CO	1	\$XXX.XX	\$XXX.XX
862710	2042, COAT HOOK, SINGLE -1"WX7 1/2" X4 1/2" FINISH: GLOSS BLACK ***PETER PEPPER***	M4	INTERIOR DESIGN Model #: 2042	1	\$XXX.XX	\$XXX.XX
862716	LT2420-TABLE - FIBERGLASS, PETER PEPPER, CYLINDRICAL DRUM, TABLE - 24" X 21"H - COLOR: STD. INCL. FIRE RETARDANT POLYESTER RESIN CALSS I	M0	INTERIOR DESIGN Model #: LT2420	1	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space: \$XXX.XX

1 Occurances Of This Type Space Included In The Budget Totaling: \$XXX.XX

000192

Date: 8/7/2008

HCA - The Healthcare Company**DCEE PROJECTS****GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB**Page: 18
04:13 PMDEPT: 010-ADMINISTRATION
SPACE: 0190-PERSONNEL DIRECTOR ASSISTANT

Item	Description	Class	Vendor	Qty	Price	Extd Price
718528	#5M744; WASTE-CAN 28 QT RECTANGULAR FIRE RESISTANT (UNDERWRITES LABORATORY) 14.5" X 10.5" X 15.38"; COLOR GRAY; 1 EACH W/O LID(RUBBERMAID 2543) *PRODUCT SET UP TO ORDER IN INCREMENTS OF 1/EA PER KEVIN KOLFF, NAT. REP. ON 10/4/04	M0	GRAINGER Model #: 5M744	1	\$XXX.XX	\$XXX.XX
721110	#P-H 1477BO, BOOKCASE, FIVE SHELVES, FOUR OF THE SHELVES ARE ADJUSTABLE, OVERALL DIMENSIONS: 36"W X 14"D X 77"H, WOOD FINISH: _____ PAOLI CHAMBERS SERIES	M0	INTERIOR DESIGN Model #: PH-1477BO	1	\$XXX.XX	\$XXX.XX
721116	#P-H3066DP, DESK, FULL LETTER WIDTH PEDESTALS WITH LOCKS, DIMENSIONS: 66"W X 30"D X 29"H, KNEESPACE: 33.5", WOOD FINISH: _____ PAOLI CHAMBERS SERIES	M0	INTERIOR DESIGN Model #: P-H3066DP	1	\$XXX.XX	\$XXX.XX
721139	#46111; DESK CHAIR, SWIVEL TILT W/OPEN LOOP ARMS, UPHOL. ARMREST W/STD. HARD CASTER, FINISH: BASE SHELL/ARM: FABRIC: SKITTLES (STEELCASE)	M0	INTERIOR DESIGN Model #: 46111	1	\$XXX.XX	\$XXX.XX
721171	#P-H2466CO, CREDENZA, OVERALL DIMENSIONS: 66"W X 24"D X 29"H, KNEESPACE: 33.5", TRADITIONAL EDGE WITH BRASS PULL (PAOLI CHAMBERS SERIES)	M0	INTERIOR DESIGN Model #: P-H2466CO	1	\$XXX.XX	\$XXX.XX
721194	#P-LT1442BO, BOOKCASE WITH THREE SHELVES/TWO ADJUSTABLE, OPEN, DIMENSIONS: 36 X 15 X 42 (PAOLI)	M0	INTERIOR DESIGN Model #: P-LT1442BO	1	\$XXX.XX	\$XXX.XX
862710	2042, COAT HOOK, SINGLE -1"WX7 1/2" X4 1/2" FINISH: GLOSS BLACK ***PETER PEPPER***	M4	INTERIOR DESIGN Model #: 2042	1	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space:

\$XXX.XX

1 Occurances Of This Type Space Included In The Budget Totaling:

\$XXX.XX

000193

Date: 8/7/2008

HCA - The Healthcare CompanyPage: 19
04:13 PM**DCEE PROJECTS****GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB**DEPT: 010-ADMINISTRATION
SPACE: 0270-STORAGE

Item	Description	Class	Vendor	Qty	Price	Extd Price
510303	#SSUKIT0207; SHELVING, STORAGE STARTER, 36 X 18 X 75 WITH 6 SHELVES INCLUDING FOOT PLATES **MUST SELECT COLOR: GRAY OR TAN **	M0	STORAGE SYSTEMS, INC. Model #: SSUKIT0207	4	\$XXX.XX	\$XXX.XX
510304	#SSUKIT0206; SHELVING, STORAGE STARTER 36 X 18 X 75 WITH 6 SHELVES, INCLUDING FOOT PLATES	M0	STORAGE SYSTEMS, INC. Model #: SSUKIT0206	6	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space:	\$XXX.XX
1 Occurances Of This Type Space Included In The Budget Totalling:	\$XXX.XX

000194

RECORD 004657

Date: 8/7/2008

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB
DEPT: 010-ADMINISTRATION
SPACE: 0280-TOILET

Page: 20
04:13 PM

Item	Description	Class	Vendor	Qty	Price	Extd Price
718528	#5M744; WASTE-CAN 28 QT RECTANGULAR FIRE RESISTANT (UNDERWRITES LABORATORY) 14.5" X 10.5" X 15.38"; COLOR GRAY; 1 EACH W/O LID(RUBBERMAID 2543) *PRODUCT SET UP TO ORDER IN INCREMENTS OF 1/EA PER KEVIN KOLFF, NAT. REP. ON 10/4/04	M0	GRAINGER Model #: 5M744	1	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space: \$XXX.XX
2 Occurances Of This Type Space Included In The Budget Totaling: \$XXX.XX

000195

Date: 8/7/2008

HCA - The Healthcare Company
DCEE PROJECTS
Page: 21
04:13 PM
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB

 DEPT: 010-ADMINISTRATION
 SPACE: 0290-VOLUNTEERS OFFICE

Item	Description	Class	Vendor	Qty	Price	Extd Price
718528	#5M744; WASTE-CAN 28 QT RECTANGULAR FIRE RESISTANT (UNDERWRITES LABORATORY) 14.5" X 10.5" X 15.38"; COLOR GRAY; 1 EACH W/O LID(RUBBERMAID 2543) *PRODUCT SET UP TO ORDER IN INCREMENTS OF 1/EA PER KEVIN KOLFF, NAT. REP. ON 10/4/04	M0	GRAINGER Model #: 5M744	1	\$XXX.XX	\$XXX.XX
721123	#P-LF 2436LF- FILE - 2 DRAWER WITH LOCK, LATERAL, 36W X 24D X 29H (PAOLI REVIVAL)	M0	INTERIOR DESIGN Model #: P-LF 2436LF	2	\$XXX.XX	\$XXX.XX
721128	#4535331DW, CHAIR CRITERION HIGH BACK, PNEUMATIC HEIGHT ADJUSTABLE SEAT DEPTH, SOFT CASTERS, FABRIC; REGIS, STANDARD FINISH, SOIL RETARDANT (STEELCASE)	M0	INTERIOR DESIGN Model #: 4535331DW	1	\$XXX.XX	\$XXX.XX
721194	#P- LT1442BO, BOOKCASE WITH THREE SHELVES/TWO ADJUSTABLE, OPEN, DIMENSIONS: 36 X 15 X 42 (PAOLI)	M0	INTERIOR DESIGN Model #: P-LT1442BO	1	\$XXX.XX	\$XXX.XX
721195	#MD6030LCRP-AVEN42; DESK W/ SINGLE PEDESTAL IN LAMINATE W/ CENTER DRAWER #CWFL W/ CABLEWAY (STEELCASE)	M0-	INTERIOR DESIGN Model #: MD6030LCRP-AVEN	1	\$XXX.XX	\$XXX.XX
721218	#474419M; GUEST CHAIR, SNODDGRASS, OPEN LOOP ARMS WITH OPEN BACK BASE; POLISHED CHROME, FABRIC; REGIS, SOIL RETARDANT (STEELCASE)	M0	INTERIOR DESIGN Model #: 474419M	1	\$XXX.XX	\$XXX.XX
862710	2042, COAT HOOK, SINGLE -1"WX7 1/2" X4 1/2" FINISH: GLOSS BLACK ***PETER PEPPER***	M4	INTERIOR DESIGN Model #: 2042	1	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space: \$XXX.XX

1 Occurances Of This Type Space Included In The Budget Totalling: \$XXX.XX

000196

Date: 8/7/2008

HCA - The Healthcare Company
DCEE PROJECTS
Page: 22
04:13 PM
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB

 DEPT: 010-ADMINISTRATION
 SPACE: 0300-VOLUNTEERS STORAGE

Item	Description	Class	Vendor	Qty	Price	Extd Price
510303	#SSUKIT0207; SHELVING, STORAGE STARTER, 36 X 18 X 75 WITH 6 SHELVES INCLUDING FOOT PLATES **MUST SELECT COLOR: GRAY OR TAN **	M0	STORAGE SYSTEMS, INC. Model #: SSUKIT0207	1	\$XXX.XX	\$XXX.XX
510304	#SSUKIT0206; SHELVING, STORAGE STARTER 36 X 18 X 75 WITH 6 SHELVES, INCLUDING FOOT PLATES	M0	STORAGE SYSTEMS, INC. Model #: SSUKIT0206	5	\$XXX.XX	\$XXX.XX
718528	#5M744; WASTE-CAN 28 QT RECTANGULAR FIRE RESISTANT (UNDERWRITES LABORATORY) 14.5" X 10.5" X 15.38"; COLOR GRAY; 1 EACH W/O LID(RUBBERMAID 2543) *PRODUCT SET UP TO ORDER IN INCREMENTS OF 1/EA PER KEVIN KOLFF, NAT. REP. ON 10/4/04	M0	GRAINGER Model #: 5M744	1	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space:	\$XXX.XX
1 Occurances Of This Type Space Included In The Budget Totalling:	\$XXX.XX

000197

Date: 8/7/2008

HCA - The Healthcare Company

DCEE PROJECTS

GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB

DEPT: 010-ADMINISTRATION

SPACE: 9047-DIRECTOR

Page: 23
04:13 PM

Item	Description	Class	Vendor	Qty	Price	Extd Price
718528	#5M744; WASTE-CAN 28 QT RECTANGULAR FIRE RESISTANT (UNDERWRITES LABORATORY) 14.5" X 10.5" X 15.38"; COLOR GRAY; 1 EACH W/O LID(RUBBERMAID 2543) *PRODUCT SET UP TO ORDER IN INCREMENTS OF 1/EA PER KEVIN KOLFF, NAT. REP. ON 10/4/04	M0	GRAINGER Model #: 5M744	1	\$XXX.XX	\$XXX.XX
721110	#P-H 1477BO, BOOKCASE, FIVE SHELVES, FOUR OF THE SHELVES ARE ADJUSTABLE, OVERALL DIMENSIONS: 36"W X 14"D X 77"H, WOOD FINISH: _____ PAOLI CHAMBERS SERIES	M0	INTERIOR DESIGN Model #: PH- 1477BO	1	\$XXX.XX	\$XXX.XX
721116	#P-H3066DP, DESK, FULL LETTER WIDTH PEDESTALS WITH LOCKS, DIMENSIONS: 66"W X 30"D X 29"H, KNEESPACE: 33.5", WOOD FINISH: _____ PAOLI CHAMBERS SERIES	M0	INTERIOR DESIGN Model #: P-H3066DP	1	\$XXX.XX	\$XXX.XX
721139	#46111; DESK CHAIR, SWIVEL TILT W/OPEN LOOP ARMS, UPHOL. ARMREST WSTD. HARD CASTER, FINISH: BASE SHELL/ARM: FABRIC: SKITTLES (STEELCASE)	M0	INTERIOR DESIGN Model #: 46111	3	\$XXX.XX	\$XXX.XX
721171	#P-H2466CO, CREDENZA, OVERALL DIMENSIONS: 66"W X 24"D X 29"H, KNEESPACE: 33.5", TRADITIONAL EDGE WITH BRASS PULL (PAOLI CHAMBERS SERIES)	M0	INTERIOR DESIGN Model #: P-H2466CO	1	\$XXX.XX	\$XXX.XX
862710	2042, COAT HOOK, SINGLE-1"W X 7 1/2" X 4 1/2" FINISH: GLOSS BLACK ***PETER PEPPER***	M4	INTERIOR DESIGN Model #: 2042	1	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space: \$XXX.XX

4 Occurances Of This Type Space Included In The Budget Totaling: \$XXX.XX

000198

RECORD 004661

Date: 8/7/2008

HCA - The Healthcare Company
DCEE PROJECTS
Page: 24
04:13 PM
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB

 DEPT: 010-ADMINISTRATION
 SPACE: 9048-COMPUTER ROOM

Item	Description	Class	Vendor	Qty	Price	Extd Price
713813	#3U653; WASTE-CAN; 23 GAL STEP-ON W/ WHEELS, 19 3/4" L X 32 1/2" H X 16 1/8" W. COLOR: RED (#3U653; \$80.55) AND RIGID LINER (#4KT51; \$23.33) FM-CALIFORNIA STATE FIRE MARSHALL APPROVED FOR FIRE SAFETY (MANF. RUBBERMAID #6146 & #624600GRAY)	M0	GRAINGER Model #: 3U653/4KT51	1	\$XXX.XX	\$XXX.XX
713845	#472-410N CHAIR, MAX STACKER, **SELECT COATED FRAME COLOR: *SELECT POLYPROPYLENE COLOR FOR SEAT & BACK: (STEELCASE)	M0	INTERIOR DESIGN Model #: 472-410N	4	\$XXX.XX	\$XXX.XX
861405	EGAN VISUAL AID - MDMB7248, WALL MOUNT WHITE WONDER BOARD, WHITE PORCELAIN WRITING SURFACE WITH CLEAR ANODIZED ALUM. TRIM. STD ACCESS. 72"W X 48"H	M0	INTERIOR DESIGN Model #: MDMB7248	1	\$XXX.XX	\$XXX.XX
861735	#24FT; FALCON TABLE - FOLDING TABLE 1300 SERIES 18" X 60", LEG FINISH: BLACK, TOP: NON-STD. PLASTIC, LAMINATE-ANY WILSON ART SOLID COLOR, FLAT PVC EDGE DESIGN	M0	INTERIOR DESIGN Model #: 24FT	2	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space:

\$XXX.XX

5 Occurances Of This Type Space Included In The Budget Totaling:

\$XXX.XX

000199

Date: 8/7/2008

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB
 DEPT: 010-ADMINISTRATION
 SPACE: 9048-COMPUTER ROOM

Page: 25
 04:13 PM

Item	Description	Class	Vendor	Qty	Price	Extd Price

000200

Date: 8/7/2008

HCA - The Healthcare Company
DCEE PROJECTS
Page: 26
04:13 PM
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Comer, SC
10000RB

 DEPT: 012-ADMITTING
 SPACE: 0421-ADMITTING - PER CLERK

Item	Description	Class	Vendor	Qty	Price	Extd Price
073499	#4535331DW, CRITERION HIGH BACK CHAIR PNEUMATIC HEIGHT ADJUSTABLE SEAT DEPTH, SOFT CASTERS, FABRIC: CANZONE STANDARD FINISH SOIL RETARDANT	M0	INTERIOR DESIGN Model #: 4535331DW	1	\$XXX.XX	\$XXX.XX
121900	8LF18302F- FILE - 2 DRAWER, LATERAL, HANGING FRAME, W/LOCK, 30"W, PAINT:	M0	INTERIOR DESIGN Model #: 8LF18302F	2	\$XXX.XX	\$XXX.XX
121977	RATCL1860F-FILE-TOP FOR TWO 30"LATERAL FILES 60" X 18-1/8", PLASTIC LAMINATE;	M0	INTERIOR DESIGN Model #: RATCL1860F	1	\$XXX.XX	\$XXX.XX
705297	474-419, CHAIR: SIDE CHAIR, 22-3/4"W 20-1/2"D X 31"H; AH 25", SH 18-3/4", SLED BASE, ARM CHAIR W/OPEN BACK, SNODGRASS COLL. FINISH: POLISHED CHROME #9201 FABRIC: REGIS	M0	INTERIOR DESIGN Model #: 474-419	2	\$XXX.XX	\$XXX.XX
705884	DESK - TSAFSP3060F, TSAFRP2436M (RETURN) SINGLE PEDESTAL RIGHT, 60" X 30" X 29-3/8", RETURN LEFT, 37-1/2" X 19-3/4" X 26-7/32"H; PLASTIC LAMINATE: PAINT:	M0	INTERIOR DESIGN Model #: TSAFSP3060F(R)	1	\$XXX.XX	\$XXX.XX
718528	#5M744; WASTE-CAN 28 QT RECTANGULAR FIRE RESISTANT (UNDERWRITES LABORATORY) 14.5" X 10.5" X 15.38"; COLOR GRAY; 1 EACH W/O LID(RUBBERMAID 2543) *PRODUCT SET UP TO ORDER IN INCREMENTS OF 1/EA PER KEVIN KOLFF, NAT. REP. ON 10/4/04	M0	GRAINGER Model #: 5M744	1	\$XXX.XX	\$XXX.XX
862710	2042, COAT HOOK, SINGLE -1"WX7 1/2" X4 1/2" FINISH: GLOSS BLACK ***PETER PEPPER***	M4	INTERIOR DESIGN Model #: 2042	1	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space: \$XXX.XX
 1 Occurances Of This Type Space Included In The Budget Totaling: \$XXX.XX

000201

Date: 8/7/2008

HCA - The Healthcare Company
DCEE PROJECTS
Page: 27
04:13 PM
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB

 DEPT: 012-ADMITTING
 SPACE: 0430-ADMITTING SUPERVISOR

Item	Description	Class	Vendor	Qty	Price	Extd Price
043891	#RBC15364A; BOOKCASE- 36" X 53" FINISH ANY STEELCASE PAINT:	M0	INTERIOR DESIGN Model #: RBC15364A	1	\$XXX.XX	\$XXX.XX
073498	#4535331DW, CRITERION HIGH BACK CHAIR PNEUMATIC HEIGHT ADJUSTABLE SEAT DEPTH, SOFT CASTERS, FABRIC: CANZONE STANDARD FINISH SOIL RETARDANT	M0	INTERIOR DESIGN Model #: 4535331DW	1	\$XXX.XX	\$XXX.XX
121900	8LF18302F- FILE - 2 DRAWER, LATERAL, HANGING FRAME, W/LOCK, 30"W, PAINT:	M0	INTERIOR DESIGN Model #: 8LF18302F	2	\$XXX.XX	\$XXX.XX
121977	RATCL1860F-FILE-TOP FOR TWO 30"LATERA FILES 60" X 18-1/8", PLASTIC LAMINATE;	M0	INTERIOR DESIGN Model #: RATCL1860F	1	\$XXX.XX	\$XXX.XX
705326	#474419M - GUEST CHAIR SNODDGRASS, OPEN LOOP ARMS WITH OPEN BACK BASE: POLISHED CHROME, FABRIC: REGIS, SOIL RETARDANT	M0	INTERIOR DESIGN Model #: 474419M	2	\$XXX.XX	\$XXX.XX
705884	DESK - TSAFSP3060F, TSAFRP2436M (RETURN) SINGLE PEDESTAL RIGHT, 60" X 30" X 29-3/8", RETURN LEFT, 37-1/2" X 19-3/4" X 26-7/32"H; PLASTIC LAMINATE: PAINT:	M0	INTERIOR DESIGN Model #: TSAFSP3060F(R)	1	\$XXX.XX	\$XXX.XX
718528	#5M744; WASTE-CAN 28 QT RECTANGULAR FIRE RESISTANT (UNDERWRITES LABORATORY) 14.5" X 10.5" X 15.38"; COLOR GRAY; 1 EACH W/O LID(RUBBERMAID 2543) *PRODUCT SET UP TO ORDER IN INCREMENTS OF 1/EA PER KEVIN KOLFF, NAT. REP. ON 10/4/04	M0	GRAINGER Model #: 5M744	1	\$XXX.XX	\$XXX.XX
862710	2042, COAT HOOK, SINGLE -1"WX7 1/2" X4 1/2" FINISH: GLOSS BLACK ***PETER PEPPER***	M4	INTERIOR DESIGN Model #: 2042	1	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space: \$XXX.XX
 1 Occurances Of This Type Space Included In The Budget Totaling: \$XXX.XX

000202

RECORD 004665

Date: 8/7/2008

HCA - The Healthcare Company

Page: 28

DCEE PROJECTS

04:13 PM

**GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB**

DEPT: 012-ADMITTING

SPACE: 0436-ADMITTING SUPPORT EQUIPMENT

Item	Description	Class	Vendor	Qty	Price	Extd Price
147450	FRAMES SUPER VISIBLE 715-3-SV-TAB	M4	OFFICE SYSTEMS & Model #: 715-3-SV-TAB	4	\$XXX.XX	\$XXX.XX
707319	#MDS806200; WHEELCHAIR, WITH FULL LENGTH ARMS, SWING AWAY DETACHABLE ELEVATING LEGRESTS, MAG WHEELS, CHART POCKET. ***SELECT COLOR: BLACK-D, RUBY - RBY, NAVY -NVY OR SILVER GRAY - SLG***	M0	MEDLINE INDUSTRIES, INC. Model #: MDS806200D	2	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space:

\$XXX.XX

1 Occurances Of This Type Space Included In The Budget Totaling:

\$XXX.XX

000203

RECORD 004666

Date: 8/7/2008

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB
 DEPT: 012-ADMITTING
 SPACE: 0436-ADMITTING SUPPORT EQUIPMENT

Page: 29
 04:13 PM

Item	Description	Class	Vendor	Qty	Price	Extd Price

000204

Date: 8/7/2008

HCA - The Healthcare Company

Page: 30

DCEE PROJECTS

04:13 PM

**GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB**DEPT: 020-BUSINESS OFFICE
SPACE: 0450-BUSINESS MANAGER

Item	Description	Class	Vendor	Qty	Price	Extd Price
043891	#RBC15364A; BOOKCASE- 36" X 53" FINISH ANY STEELCASE PAINT:	M0	INTERIOR DESIGN Model #: RBC15364A	1	\$XXX.XX	\$XXX.XX
073499	#4535331DW, CRITERION HIGH BACK CHAIR PNEUMATIC HEIGHT ADJUSTABLE SEAT DEPTH, SOFT CASTERS, FABRIC: CANZONE STANDARD FINISH SOIL RETARDANT	M0	INTERIOR DESIGN Model #: 4535331DW	1	\$XXX.XX	\$XXX.XX
121900	8LF18302F- FILE - 2 DRAWER, LATERAL, HANGING FRAME, W/LOCK, 30"W, PAINT:	M0	INTERIOR DESIGN Model #: 8LF18302F	2	\$XXX.XX	\$XXX.XX
121977	RATCL1860F-FILE-TOP FOR TWO 30"LATERA FILES 60" X 18-1/8", PLASTIC LAMINATE;	M0	INTERIOR DESIGN Model #: RATCL1860F	1	\$XXX.XX	\$XXX.XX
705326	#474419M - GUEST CHAIR SNODDGRASS, OPEN LOOP ARMS WITH OPEN BACK BASE: POLISHED CHROME, FABRIC: REGIS, SOIL RETARDANT	M0	INTERIOR DESIGN Model #: 474419M	2	\$XXX.XX	\$XXX.XX
705895	DESK-TSAFDP3060F, DOUBLE PEDESTAL, 60X30X2 3/8 W/CENTER DRAWER LOCK, FLUSH END PANELS W/REF SHELF PAINT: LAMINATE:	M0	INTERIOR DESIGN Model #: TSAFDP3060F	1	\$XXX.XX	\$XXX.XX
718528	#5M744; WASTE-CAN 28 QT RECTANGULAR FIRE RESISTANT (UNDERWRITES LABORATORY) 14.5" X 10.5" X 15.38"; COLOR GRAY; 1 EACH W/O LID(RUBBERMAID 2543) *PRODUCT SET UP TO ORDER IN INCREMENTS OF 1/EA PER KEVIN KOLFF, NAT. REP. ON 10/4/04	M0	GRAINGER Model #: 5M744	1	\$XXX.XX	\$XXX.XX
862710	2042, COAT HOOK, SINGLE -1"WX7 1/2" X4 1/2" FINISH: GLOSS BLACK ***PETER PEPPER***	M4	INTERIOR DESIGN Model #: 2042	1	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space: \$XXX.XX
6 Occurances Of This Type Space Included In The Budget Totalling: \$XXX.XX

000205

RECORD 004668

Date: 8/7/2008

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB

Page: 31
04:13 PM

DEPT: 020-BUSINESS OFFICE
SPACE: 0470-CASHIER

Item	Description	Class	Vendor	Qty	Price	Extd Price
073476	#4537300S, CRITERION MIDBACK STOOL PNEUMATIC HEIGHT VINYL UPHOLSTRY STANDARD FINISH	M0	INTERIOR DESIGN Model #: 4537300S	1	\$XXX.XX	\$XXX.XX
717286	#SSUKIT0599; RECORD SAFE, 2-HOUR FIRE WITH IMPACT AND BURGLARY-RATED EXTERIOR DIMENSIONS: 41 1/8"H X 25 1/2"W X 28 7/8"D	M0	STORAGE SYSTEMS, INC. Model #: SSUKIT0599	1	\$XXX.XX	\$XXX.XX
718528	#5M744; WASTE-CAN 28 QT RECTANGULAR FIRE RESISTANT (UNDERWRITES LABORATORY) 14.5" X 10.5" X 15.38"; COLOR GRAY; 1 EACH W/O LID(RUBBERMAID 2543) *PRODUCT SET UP TO ORDER IN INCREMENTS OF 1/EA PER KEVIN KOLFF, NAT. REP. ON 10/4/04	M0	GRAINGER Model #: 5M744	1	\$XXX.XX	\$XXX.XX
862710	2042, COAT HOOK, SINGLE -1"WX7 1/2" X4 1/2" FINISH: GLOSS BLACK ***PETER PEPPER***	M4	INTERIOR DESIGN Model #: 2042	1	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space: \$XXX.XX
1 Occurances Of This Type Space Included In The Budget Totaling: \$XXX.XX

000206

Date: 8/7/2008

HCA - The Healthcare Company
DCEE PROJECTS
Page: 32
04:13 PM
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB

 DEPT: 020-BUSINESS OFFICE
 SPACE: 0500-CREDIT AND INSURANCE

Item	Description	Class	Vendor	Qty	Price	Extd Price
073499	#4535331DW, CRITERION HIGH BACK CHAIR PNEUMATIC HEIGHT ADJUSTABLE SEAT DEPTH, SOFT CASTERS, FABRIC: CANZONE STANDARD FINISH SOIL RETARDANT	M0	INTERIOR DESIGN Model #: 4535331DW	4	\$XXX.XX	\$XXX.XX
435762	#98213-P3 - PANEL TACKABLE ACOUSTICAL 30" W X 65"H PAINT; HINGE COLOR: _____ FABRIC; GROUP 3	M0	INTERIOR DESIGN Model #: 98213-P3	12	\$XXX.XX	\$XXX.XX
435764	#98218-P3-PANEL TACKABLE ACOUSTICAL PANEL 36"W X 65"H, HINGE PAINT: _____ FABRIC; GROUP 3	M0	INTERIOR DESIGN Model #: 98218-P3	4	\$XXX.XX	\$XXX.XX
435767	98218-P3-PANEL TACKABLE ACOUSTICAL PANEL 60"W X 65"H, HINGE PAINT: _____ FABRIC; GROUP 3	M0	INTERIOR DESIGN Model #: 98218-P3	4	\$XXX.XX	\$XXX.XX
705009	9059-B, UNIT ASSEMBLIES, 9000 SERIES SINGLE B PED RIGHT, KNEESPACE 42 3/4", 30"X60"W PAINT: 18" BACK PANEL	M0	INTERIOR DESIGN Model #: 9059B	2	\$XXX.XX	\$XXX.XX
705012	9059B UNIT ASSEMBLY SGL "B" PEDESTAL LEFT KNEESPACE 42 3/4 30D X 60W PAINT: _____ LAMINATE; 18" BACK PANEL HT	M0	INTERIOR DESIGN Model #: 9059B	2	\$XXX.XX	\$XXX.XX
705022	UNIT ASSEMBLY 9013REFL RIGHT HAND MACHINE RETURN UNIT-KNEESPACE 33 7/8" X20"D X 35"W X 26 1/4"H PAINT; LAMINATE; 18" BACK PANEL HT	M0	INTERIOR DESIGN Model #: 9013REFL (RT.)	2	\$XXX.XX	\$XXX.XX
705023	9013DEFL, UNIT ASSEMBLY LEFT HAND MACHINE RETURN UNIT KNEESPACE 33 7/8"-35"W X 26 1/4"H PAINT; LAMINATE; 18" BACK PANEL HT	M0	INTERIOR DESIGN Model #: 9013DEFL	2	\$XXX.XX	\$XXX.XX
705297	474-419, CHAIR: SIDE CHAIR, 22-3/4"W 20-1/2"D X 31"H; AH 25", SH 18-3/4", SLED BASE, ARM CHAIR W/OPEN BACK, SNODGRASS COLL. FINISH: POLISHED CHROME #9201 FABRIC: REGIS	M0	INTERIOR DESIGN Model #: 474-419	4	\$XXX.XX	\$XXX.XX
705660	98814B - COAT HOOK -COAT HOOK FOR STRUCTURAL PANELS- CLEAR PLASTIC ONLY	M4	INTERIOR DESIGN Model #: 98814B	4	\$XXX.XX	\$XXX.XX
705747	986831DA15S -ELECTRICAL DUPLEX RECEPTAC L-1, FINISH:	M0	INTERIOR DESIGN Model #: 986831DA15S	4	\$XXX.XX	\$XXX.XX
705748	#986832DA15S/L-2 -8/CTN ELECTRICAL DUPLEX RECEPTAC L-2, FINISH:	M0	INTERIOR DESIGN Model #: 986832DA15S/L-2	4	\$XXX.XX	\$XXX.XX
705873	#98669, 6/CTN ELECTRICAL RIGHT ANGLE BASE POWER IN ASSEMBLY	M4	INTERIOR DESIGN Model #: 98669	2	\$XXX.XX	\$XXX.XX
705874	ELECTRICAL, 986831DA15S/L-3 TRIPLEX RECEPTACLE L-3 FINISH; 6/CTN	M4	INTERIOR DESIGN Model #: 986831DA15S/L-3	4	\$XXX.XX	\$XXX.XX

000207

RECORD 004670

Date: 8/7/2008

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB

Page: 33
04:13 PM

DEPT: 020-BUSINESS OFFICE
SPACE: 0500-CREDIT AND INSURANCE

Item	Description	Class	Vendor	Qty	Price	Extd Price
705945	99409-COMPONENT CENTER DRAWER -SC9 FOR US W/25"D WORK SURFACE 19 1/4"W PAINT FINISH:	M0	INTERIOR DESIGN Model #: 99409	4	\$XXX.XX	\$XXX.XX
706013	LSH-48K, LIGHTING , 9000 SERIES TASK FIXTURE, 32 WATT LIGHT W/CONVENIENCE OUTLET 9' CORD AND ENERGY CONSERVING BALLAST 49"W, SC9PAINT:_____	M4	INTERIOR DESIGN Model #: LSH-48K	4	\$XXX.XX	\$XXX.XX
706014	9BBL6015, COMPONENTS - 9000 SERIES WA MOUNTED STORAGE BIN W/LOCK 60"W X 14-5/8"D X 16-7/8"H PAINT:_____ SC9	M0	INTERIOR DESIGN Model #: 9BBL6015	4	\$XXX.XX	\$XXX.XX
718528	#5M744; WASTE-CAN 28 QT RECTANGULAR FIRE RESISTANT (UNDERWRITES LABORATORY) 14.5" X 10.5" X 15.38"; COLOR GRAY; 1 EACH W/O LID(RUBBERMAID 2543) *PRODUCT SET UP TO ORDER IN INCREMENTS OF 1/EA PER KEVIN KOLFF, NAT. REP. ON 10/4/04	M0	GRAINGER Model #: 5M744	4	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space: \$XXX.XX

2 Occurances Of This Type Space Included In The Budget Totaling: \$XXX.XX

000208

RECORD 004671

Date: 8/7/2008

HCA - The Healthcare Company
DCEE PROJECTSPage: 34
04:13 PMGENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RBDEPT: 020-BUSINESS OFFICE
SPACE: 0580-MAIL ROOM

Item	Description	Class	Vendor	Qty	Price	Extd Price
073476	#4537300S, CRITERION MIDBACK STOOL PNEUMATIC HEIGHT VINYL UPHOLSTRY STANDARD FINISH	M0	INTERIOR DESIGN Model #: 4537300S	1	\$XXX.XX	\$XXX.XX
301300	#1225; LETTER OPENER	M0	PITNEY BOWES Model #: 1225	1	\$XXX.XX	\$XXX.XX
344600	#FSYS01; MAIL UNIT MODULE CONSISTING OF 68" STORAGE TABLE WITH DOORS AND #FT88EL (38 SORT PKTS. 3" X 11" EA.), ELEVATED LEGAL DEPTH (15") SINGLE SORTERS.	M0	PITNEY BOWES Model #: FSYS01	1	\$XXX.XX	\$XXX.XX
344661	#DM1000; ELECTRONIC MAILING MACHINE SYSTEM - WOW, INTELLILINK INTERFACE/PSD, 15 LB INTERFACED WEIGHING, SCALE STAND, BVS POSTAGE PASS, BASIC ACCOUNTING 25 DEPT. SOFTWARE, 15/30 LB. SCALE PLATFORM, POWER STACKER, INTELLILINK SUBSCRIPTION, WIDTH: 24", HEIGHT: 19", LENGTH W/POWER STACKER: 87", WEIGHT: 137 LBS. (62.5 KG), ELECTRICAL: OPERATES ON 100-240 VAC, 50/60 HZ, 6.5 AMPS MAX. PLUS 3.0 AMPS MAX. ACCESSORY OUTLET, UL LISTED, ENEGRY STAR	M0	PITNEY BOWES Model #: DM1000	1	\$XXX.XX	\$XXX.XX
504801	#EMS 10A; SCALE, N600,15# ELECTRONIC MAILING W/ZIP TO ZONE FEATURES- #2491 & EXPRESS MAIL- #A582	M0	PITNEY BOWES Model #: EMS 10A	1	\$XXX.XX	\$XXX.XX
510303	#SSUKIT0207; SHELVING, STORAGE STARTER, 36 X 18 X 75 WITH 6 SHELVES INCLUDING FOOT PLATES **MUST SELECT COLOR: GRAY OR TAN **	M0	STORAGE SYSTEMS, INC. Model #: SSUKIT0207	2	\$XXX.XX	\$XXX.XX
713813	#3U653; WASTE-CAN; 23 GAL STEP-ON W/ WHEELS, 19 3/4" L X 32 1/2" H X 16 1/8" W. COLOR: RED (#3U653; \$80.55) AND RIGID LINER (#4KT51; \$23.33) FM-CALIFORNIA STATE FIRE MARSHALL APPROVED FOR FIRE SAFETY (MANF. RUBBERMAID #6146 & #624600GRAY)	M0	GRAINGER Model #: 3U653/4KT51	1	\$XXX.XX	\$XXX.XX
862710	2042, COAT HOOK, SINGLE -1"WX7 1/2" X4 1/2" FINISH: GLOSS BLACK ***PETER PEPPER***	M4	INTERIOR DESIGN Model #: 2042	1	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space: \$XXX.XX
 1 Occurances Of This Type Space Included In The Budget Totaling: \$XXX.XX

000209

Date: 8/7/2008

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB

Page: 35
04:13 PM

DEPT: 020-BUSINESS OFFICE
SPACE: 0605-PATIENT COUNSEL

Item	Description	Class	Vendor	Qty	Price	Extd Price
043891	#RBC15364A; BOOKCASE- 36" X 63" FINISH ANY STEELCASE PAINT:	M0	INTERIOR DESIGN Model #: RBC15364A	1	\$XXX.XX	\$XXX.XX
073499	#4535331DW, CRITERION HIGH BACK CHAIR PNEUMATIC HEIGHT ADJUSTABLE SEAT DEPTH, SOFT CASTERS, FABRIC: CANZONE STANDARD FINISH SOIL RETARDANT	M0	INTERIOR DESIGN Model #: 4535331DW	1	\$XXX.XX	\$XXX.XX
121900	8LF18302F- FILE - 2 DRAWER, LATERAL, HANGING FRAME, W/LOCK, 30"W, PAINT:	M0	INTERIOR DESIGN Model #: 8LF18302F	2	\$XXX.XX	\$XXX.XX
121977	RATCL1860F-FILE-TOP FOR TWO 30"LATERA FILES 60" X 18-1/8", PLASTIC LAMINATE;	M0	INTERIOR DESIGN Model #: RATCL1860F	1	\$XXX.XX	\$XXX.XX
705326	#474419M - GUEST CHAIR SNODDGRASS, OPEN LOOP ARMS WITH OPEN BACK BASE: POLISHED CHROME, FABRIC: REGIS, SOIL RETARDANT	M0	INTERIOR DESIGN Model #: 474419M	2	\$XXX.XX	\$XXX.XX
705895	DESK-TSAFDP3060F, DOUBLE PEDESTAL, 60X30X2 3/8 W/CENTER DRAWER LOCK, FLUSH END PANELS W/REF SHELF PAINT: LAMINATE:	M0	INTERIOR DESIGN Model #: TSAFDP3060F	1	\$XXX.XX	\$XXX.XX
718528	#5M744; WASTE-CAN 28 QT RECTANGULAR FIRE RESISTANT (UNDERWRITES LABORATORY) 14.5" X 10.5" X 15.38"; COLOR GRAY; 1 EACH W/O LID(RUBBERMAID 2543) *PRODUCT SET UP TO ORDER IN INCREMENTS OF 1/EA PER KEVIN KOLFF, NAT. REP. ON 10/4/04	M0	GRAINGER Model #: 5M744	1	\$XXX.XX	\$XXX.XX
862710	2042, COAT HOOK, SINGLE -1"WX7 1/2" X4 1/2" FINISH: GLOSS BLACK ***PETER PEPPER***	M4	INTERIOR DESIGN Model #: 2042	1	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space: \$XXX.XX
1 Occurances Of This Type Space Included In The Budget Totalling: \$XXX.XX

000210

Date: 8/7/2008

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB
DEPT: 020-BUSINESS OFFICE
SPACE: 0640-TOILET

Page: 36
04:13 PM

Item	Description	Class	Vendor	Qty	Price	Extd Price
718528	#5M744; WASTE-CAN 28 QT RECTANGULAR FIRE RESISTANT (UNDERWRITES LABORATORY) 14.5" X 10.5" X 15.38"; COLOR GRAY; 1 EACH W/O LID(RUBBERMAID 2543) *PRODUCT SET UP TO ORDER IN INCREMENTS OF 1/EA PER KEVIN KOLFF, NAT. REP. ON 10/4/04	M0	GRAINGER Model #: 5M744	1	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space: \$XXX.XX
1 Occurances Of This Type Space Included In The Budget Totalling: \$XXX.XX

000211

Date: 8/7/2008

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB
 DEPT: 020-BUSINESS OFFICE
 SPACE: 0640-TOILET

Page: 37
 04:13 PM

Item	Description	Class	Vendor	Qty	Price	Extd Price

000212

Date: 8/7/2008

HCA - The Healthcare Company
DCEE PROJECTSPage: 38
04:13 PM**GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC**
10000RB**DEPT: 040-CENTRAL STERILE SUPPLY**
SPACE: 0882-CASE CART

Item	Description	Class	Vendor	Qty	Price	Extd Price
707871	#SSUKIT0023; CASE CART L36 CLOSED CART, 48W X 28D X 39H WITH TWO WIRE SHELVES	M0	STORAGE SYSTEMS, INC. Model #: SSUKIT0023	9	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space:	\$XXX.XX
1 Occurances Of This Type Space Included In The Budget Totaling:	\$XXX.XX

000213

Date: 8/7/2008

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB

Page: 39
04:13 PM

DEPT: 040-CENTRAL STERILE SUPPLY
 SPACE: 0887-CSR SUPERVISOR

Item	Description	Class	Vendor	Qty	Price	Extd Price
043891	#RBC15364A; BOOKCASE- 36" X 53" FINISH ANY STEELCASE PAINT:	M0	INTERIOR DESIGN Model #: RBC15364A	1	\$XXX.XX	\$XXX.XX
073499	#4535331DW, CRITERION HIGH BACK CHAIR PNEUMATIC HEIGHT ADJUSTABLE SEAT DEPTH, SOFT CASTERS, FABRIC: CANZONE STANDARD FINISH SOIL RETARDANT	M0	INTERIOR DESIGN Model #: 4535331DW	1	\$XXX.XX	\$XXX.XX
121900	8LF18302F- FILE - 2 DRAWER, LATERAL, HANGING FRAME, W/LOCK, 30"W, PAINT:	M0	INTERIOR DESIGN Model #: 8LF18302F	2	\$XXX.XX	\$XXX.XX
121977	RATCL1860F-FILE-TOP FOR TWO 30"LATERA FILES 60" X 18-1/8", PLASTIC LAMINATE;	M0	INTERIOR DESIGN Model #: RATCL1860F	1	\$XXX.XX	\$XXX.XX
705326	#474419M - GUEST CHAIR SNODDGRASS, OPEN LOOP ARMS WITH OPEN BACK BASE: POLISHED CHROME, FABRIC: REGIS, SOIL RETARDANT	M0	INTERIOR DESIGN Model #: 474419M	2	\$XXX.XX	\$XXX.XX
705895	DESK-TSAFDP3060F, DOUBLE PEDESTAL, 60X30X2 3/8 W/CENTER DRAWER LOCK, FLUSH END PANELS W/REF SHELF PAINT: LAMINATE:	M0	INTERIOR DESIGN Model #: TSAFDP3060F	1	\$XXX.XX	\$XXX.XX
718528	#5M744; WASTE-CAN 28 QT RECTANGULAR FIRE RESISTANT (UNDERWRITES LABORATORY) 14.5" X 10.5" X 15.38"; COLOR GRAY; 1 EACH W/O LID(RUBBERMAID 2543) *PRODUCT SET UP TO ORDER IN INCREMENTS OF 1/EA PER KEVIN KOLFF, NAT. REP. ON 10/4/04	M0	GRAINGER Model #: 5M744	1	\$XXX.XX	\$XXX.XX
862710	2042, COAT HOOK, SINGLE -1"WX7 1/2" X4 1/2" FINISH: GLOSS BLACK ***PETER PEPPER***	M4	INTERIOR DESIGN Model #: 2042	1	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space: \$XXX.XX

1 Occurances Of This Type Space Included In The Budget Totaling: \$XXX.XX

000214

RECORD 004677

Date: 8/7/2008

HCA - The Healthcare Company

DCEE PROJECTS

GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RBDEPT: 040-CENTRAL STERILE SUPPLY
SPACE: 0895-PROCESSING/PACKING/CSRPage: 40
04:13 PM

Item	Description	Class	Vendor	Qty	Price	Extd Price
073476	#4537300S, CRITERION MIDBACK STOOL, PNEUMATIC HEIGHT VINYL UPHOLSTRY STANDARD FINISH	M0	INTERIOR DESIGN Model #: 4537300S	2	\$XXX.XX	\$XXX.XX
175545	#MDS80529; HAMPER STAND CHROME, SQUARE WITH FOOT PEDAL OPERATED METAL LID (LID COLOR-WHITE), 18 5/8"W X 19 1/2"D X 37 3/4"H, 4 LID LABELS (BIOHAZARD, SOILED LINEN, INFECTIOUS LINEN, & TRASH)	M4	MEDLINE INDUSTRIES, INC. Model #: MDS80529	1	\$XXX.XX	\$XXX.XX
510234	#SSUKIT0097; SHELVING, WRAP RACK, 24 X 60 X 68	M0	STORAGE SYSTEMS, INC. Model #: SSUKIT0097	1	\$XXX.XX	\$XXX.XX
510437	#SSUKIT0090; SUTURE CART, DC55EC, 18 X 48 X 60 WITH 4 SLANTED SHELVES	M0	STORAGE SYSTEMS, INC. Model #: SSUKIT0090	1	\$XXX.XX	\$XXX.XX
625211	#SSUKIT0135; TABLE, SS MAKE-UP TABLE 72 X 30 X 34, WITH TWO OVERHEAD SHELVES & PLASTIC BINS	M0	STORAGE SYSTEMS, INC. Model #: SSUKIT0135	2	\$XXX.XX	\$XXX.XX
625212	#SSUKIT0142; WORK TABLE WITH "I" FRAME 72 X 30 X 34	M0	STORAGE SYSTEMS, INC. Model #: SSUKIT0142	1	\$XXX.XX	\$XXX.XX
718528	#5M744; WASTE-CAN 28 QT RECTANGULAR FIRE RESISTANT (UNDERWRITES LABORATORY) 14.5" X 10.5" X 15.38"; COLOR GRAY; 1 EACH W/O LID(RUBBERMAID 2543) *PRODUCT SET UP TO ORDER IN INCREMENTS OF 1/EA PER KEVIN KOLFF, NAT. REP. ON 10/4/04	M0	GRAINGER Model #: 5M744	1	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space: \$XXX.XX
 1 Occurances Of This Type Space Included In The Budget Totalling: \$XXX.XX

000215

RECORD 004678

Date: 8/7/2008

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB

Page: 41
04:13 PM

DEPT: 040-CENTRAL STERILE SUPPLY
SPACE: 0896-SOILED UTILITY

Item	Description	Class	Vendor	Qty	Price	Extd Price
175545	#MDS80529; HAMPER STAND CHROME, SQUARE WITH FOOT PEDAL OPERATED METAL LID (LID COLOR-WHITE), 18 5/8"W X 19 1/2"D X 37 3/4"H, 4 LID LABELS (BIOHAZARD, SOILED LINEN, INFECTIOUS LINEN, & TRASH)	M4	MEDLINE INDUSTRIES, INC. Model #: MDS80529	1	\$XXX.XX	\$XXX.XX
715985	#73055-2PR; BULK TRUCK, REGRIND, 48 CU.FT. CAPACITY, 48"L X 28 1/2"W X 65 1/2"H	M0	TINGUE BROWN & CO. Model #: 3055-72PR	3	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space: \$XXX.XX
1 Occurances Of This Type Space Included In The Budget Totaling: \$XXX.XX

000216

RECORD 004679

Date: 8/7/2008

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB
 DEPT: 040-CENTRAL STERILE SUPPLY
 SPACE: 0898-STERILIZER ROOM (100 BEDS)

Page: 42
04:13 PM

Item	Description	Class	Vendor	Qty	Price	Extd Price
000213	#10101; STERILIZER, GAS PLASMA, STERRAD 100S W/#20230 INSTALLATION/VALIDATION KIT (NC), 30"W X 65.5"H X 40"D, 208V/60/3 PHASE/20 AMP DEDICATED LINE, FREESTANDING CABINET MODEL	M0	ADVANCED STERILIZATION Model #: 10101	1	\$XXX.XX	\$XXX.XX
551250	#AX014023081; ATLAS LOAD CAR 24" X 36" X 48" STERILIZER	M0	STERIS/AMSCO PRODUCTS Model #: AX014023081	4	\$XXX.XX	\$XXX.XX
551350	#AX014023083; ATLAS CARRIAGE, 24" X 36" X 48" STERILIZER.	M0	STERIS/AMSCO PRODUCTS Model #: AX014023083	4	\$XXX.XX	\$XXX.XX
721257	#SG051032001; STERILIZER: AMSCO CENTURY MEDIUM STEAM STERILIZER 26" X 37.5" X 48". PREVACUUM. 480 VAC, 60 HZ, 3-PHASE, 3A PER PHASE. DOUBLE HINGED DOOR R/L DOOR SWING AND RECESSED THROUGH TWO WALLS.	M0	STERIS/AMSCO PRODUCTS Model #: SG0510320001	2	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space: ... \$XXX.XX
 1 Occurances Of This Type Space Included In The Budget Totalling: \$XXX.XX

000217

Date: 8/7/2008

HCA - The Healthcare Company

Page: 43

DCEE PROJECTS

04:13 PM

GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RBDEPT: 040-CENTRAL STERILE SUPPLY
SPACE: 0903-STERILE STORAGE-100 BEDS

Item	Description	Class	Vendor	Qty	Price	Extd Price
175545	#MDS80529; HAMPER STAND CHROME, SQUARE WITH FOOT PEDAL OPERATED METAL LID (LID COLOR-WHITE), 18 5/8"W X 19 1/2"D X 37 3/4"H, 4 LID LABELS (BIOHAZARD, SOILED LINEN, INFECTIOUS LINEN, & TRASH)	M4	MEDLINE INDUSTRIES, INC. Model #: MDS80529	2	\$XXX.XX	\$XXX.XX
510347	#SSUKIT0080; SHELVING, EPOXY WIRE, STARTER, 36 X 18 X 74, 5 SHELVES, INCLUDING FOOT GLIDES	M0	STORAGE SYSTEMS, INC. Model #: SSUKIT0080	2	\$XXX.XX	\$XXX.XX
510348	#SSUKIT0074; SHELVING, EPOXY WIRE, ADDER, 36 X 18 X 74, 5 SHELVES, INCLUDING FOOT GLIDES	M0	STORAGE SYSTEMS, INC. Model #: SSUKIT0074	5	\$XXX.XX	\$XXX.XX
510366	#SSUKIT0075; SHELVING, EPOXY WIRE, ADDER, 42 X 18 X 74, 5 SHELVES, INCLUDING FOOT GLIDES	M0	STORAGE SYSTEMS, INC. Model #: SSUKIT0075	1	\$XXX.XX	\$XXX.XX
510384	#SSUKIT0076; SHELVING, EPOXY WIRE, ADDER, 48 X 18 X 74, 5 SHELV INCLUDING FOOT GLIDES	M0	STORAGE SYSTEMS, INC. Model #: SSUKIT0076	1	\$XXX.XX	\$XXX.XX
510402	#SSUKIT0077; SHELVING, EPOXY WIRE, ADDER, 60 X 18 X 74, 5 SHELVES INCLUDING FOOT GLIDES	M0	STORAGE SYSTEMS, INC. Model #: SSUKIT0077	16	\$XXX.XX	\$XXX.XX
510419	#SSUKIT0085; SHELVING, EPOXY WIRE, STARTER, 72 X 18 X 74, 5 SHELVES INCLUDING FOOT GLIDES	M0	STORAGE SYSTEMS, INC. Model #: SSUKIT0085	22	\$XXX.XX	\$XXX.XX
510420	#SSUKIT0072; SHELVING, EPOXY WIRE, ADDER 72 X 18 X 74, 5 SHELVES INCLUDING FOOT GLIDES	M0	STORAGE SYSTEMS, INC. Model #: SSUKIT0072	20	\$XXX.XX	\$XXX.XX
625212	#SSUKIT0142; WORK TABLE WITH "I" FRAME 72 X 30 X 34	M0	STORAGE SYSTEMS, INC. Model #: SSUKIT0142	1	\$XXX.XX	\$XXX.XX
713813	#3U653; WASTE-CAN; 23 GAL STEP-ON W/ WHEELS, 19 3/4"L X 32 1/2"H X 16 1/8"W. COLOR: RED (#3U653; \$80.55) AND RIGID LINER (#4KT51; \$23.33) FM-CALIFORNIA STATE FIRE MARSHALL APPROVED FOR FIRE SAFETY (MANF. RUBBERMAID #6146 & #624600GRAY)	M0	GRAINGER Model #: 3U653/4KT51	1	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space: \$XXX.XX

1 Occurances Of This Type Space Included In The Budget Totalling: \$XXX.XX

000218

RECORD 004681

Date: 8/7/2008

Page: 44
04:13 PM

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB

DEPT: 040-CENTRAL STERILE SUPPLY
 SPACE: 0907-WASHER/DISINFECTOR 444

Item	Description	Class	Vendor	Qty	Price	Extd Price
707579	#FD24100; RACK RETURN FOR 444 WASHER.	M0	STERIS/AMSCO PRODUCTS Model #: FD24100	1	\$XXX.XX	\$XXX.XX
708006	#SCS1L; SCS SINGLE LOAD MODULE FOR USE W/RELIANCE SYNERGY & 444 SINGLE CHAMBER WASHER/DISINFECTOR. CONNECTS W/TRANSFER CARTS FD24300, FD21800 & FD61800	M0	STERIS/AMSCO PRODUCTS Model #: SCS1L	1	\$XXX.XX	\$XXX.XX
708803	#FD706; RACK, 3-LEVEL MANIFOLD FOR RELIANCE 444 AND RELIANCE SYNERGY WASHER	M0	STERIS/AMSCO PRODUCTS Model #: FD706	3	\$XXX.XX	\$XXX.XX
708994	#SCS1U; SINGLE RACK UNLOAD MODULE FOR USE W/RELIANCE SYNERGY & 444 SINGLE CHAMBER WASHER/DISINFECTOR. CONNECTS W/TRANSFER CARTS FD24300, FD21800 & FD61800 (AUTOMATED)	M0	STERIS/AMSCO PRODUCTS Model #: SCS1U	1	\$XXX.XX	\$XXX.XX
718427	#FH03082; RELIANCE SYNERGY WASHER/DISINFECTOR. STEAM HEAT, POWER DOUBLE DOORS, ELECTRIC: 480 V, 60 HZ, 3 PHASE, 3-WIRE. (#FH03082; \$42,705) NON-VENTED FOR SYNERGY WASHER (#FD000021; \$778.05) CONDENSATE RETURN COOL-DOWN (#FD67400; \$566.46) DRAIN DISCHARGE COOL DOWN (#FD67300; \$361.80) TRANSFER CART (#FD218; \$1,071.36 EA. QTY 2) 3 LEVEL MANIFOLD (#FD70600; \$1,862.46 EA QTY 3)	M0	STERIS/AMSCO PRODUCTS Model #: FH03082	1	\$XXX.XX	\$XXX.XX
718729	#MB000065; INSTRUMENT MESH TRAY (10"X21"X2"), PKG OF 10	M0	STERIS/AMSCO PRODUCTS Model #: MB000065	1	\$XXX.XX	\$XXX.XX
720115	#866484; RENNCO LIFT SEALER, NEW UNIT, 120VOLT	M0	STERIS/AMSCO PRODUCTS Model #: 866484	1	\$XXX.XX	\$XXX.XX
722086	#FD243; TRANSFER CART W/HINGE LATCH	M0	STERIS/AMSCO PRODUCTS Model #: FD243	2	\$XXX.XX	\$XXX.XX
722165	#FD02300; FAST CYCLES FOR INSTRUMENTS & UTENSILS (FD02300; \$1025.50) (WITH FIELD INSTALLATION: SE0000002; \$250)	M0	STERIS/AMSCO PRODUCTS Model #: FD02300	1	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space: \$XXX.XX
 1 Occurances Of This Type Space Included In The Budget Totalling: \$XXX.XX

000219

Date: 8/7/2008

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB
DEPT: 040-CENTRAL STERILE SUPPLY
SPACE: 0907-WASHER/DISINFECTOR 444

Page: 45
04:13 PM

Item	Description	Class	Vendor	Qty	Price	Extd Price

000220

Date: 8/7/2008

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB
 DEPT: 060-ICU/CCU
 SPACE: 1120-ANTEROOM (ISOLATION ICU RM)

Page: 46
04:13 PM

Item	Description	Class	Vendor	Qty	Price	Extd Price
175545	#MDS80529; HAMPER STAND CHROME, SQUARE WITH FOOT PEDAL OPERATED METAL LID (LID COLOR-WHITE), 18 5/8"W X 19 1/2"D X 37 3/4"H, 4 LID LABELS (BIOHAZARD, SOILED LINEN, INFECTIOUS LINEN, & TRASH)	M4	MEDLINE INDUSTRIES, INC. Model #: MDS80529	1	\$XXX.XX	\$XXX.XX
718528	#5M744; WASTE-CAN 28 QT RECTANGULAR FIRE RESISTANT (UNDERWRITES LABORATORY) 14.5" X 10.5" X 15.38"; COLOR GRAY; 1 EACH W/O LID(RUBBERMAID 2543) *PRODUCT SET UP TO ORDER IN INCREMENTS OF 1/EA PER KEVIN KOLFF, NAT. REP. ON 10/4/04	M0	GRAINGER Model #: 5M744	1	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space: \$XXX.XX
 1 Occurances Of This Type Space Included In The Budget Totaling: \$XXX.XX

000221

Date: 8/7/2008

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB

Page: 47
04:13 PM

DEPT: 060-ICU/CCU
 SPACE: 1131-8 CHANNEL CENTRAL STATION

Item	Description	Class	Vendor	Qty	Price	Extd Price
706830	#M3155A, A08; CARDIAC CNT. STATION , 8 PATIENT- M3155B, A 08 INFORMATION CENTER, DUAL DISPLAY OPERATION, W/FULL DISCLOSURE VIA NETWORKED DATABASE, FLAT PANEL DISPLAY, RECORDER, LASERJET PRINTER, & ESTIMATED INSTALLATION @ 10%	M0	PHILIPS MED SYS INC Model #: M3155A, A08	1	\$XXX.XX	\$XXX.XX
715744	#M3154BA-A08; DATA BASE SERVER M3154B, A08,C22, 862084 (4), 862100 - NETWORKS UP TO 8 PATIENT INFORMATION CENTERS (\$57,021) & ESTIMATED INSTALLATION @ 10% (\$8,146)	M0	PHILIPS MED SYS INC Model #: M3154BA-A08	1	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space: \$XXX.XX
 1 Occurances Of This Type Space Included In The Budget Totaling: \$XXX.XX

000222

RECORD 004685

Date: 8/7/2008

HCA - The Healthcare Company**DCEE PROJECTS****GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB**

DEPT: 060-ICU/CCU

SPACE: 1160-CONSULTATION

Page: 48
04:13 PM

Item	Description	Class	Vendor	Qty	Price	Extd Price
020089	ARTWORK	M0	AMERICAN ART RESOURCES	1	\$XXX.XX	\$XXX.XX
			Model #: 220			
718528	#5M744; WASTE-CAN 28 QT RECTANGULAR FIRE RESISTANT (UNDERWRITES LABORATORY) 14.5" X 10.5" X 15.38"; COLOR GRAY; 1 EACH W/O LID(RUBBERMAID 2543) *PRODUCT SET UP TO ORDER IN INCREMENTS OF 1/EA PER KEVIN KOLFF, NAT. REP. ON 10/4/04	M0	GRAINGER	1	\$XXX.XX	\$XXX.XX
			Model #: 5M744			
860351	#6833, AGI, LIDO LOVESEAT 54"W X 31"D X 29"H GRADE J FABRIC, STANDARD WOOD FINISH	M0	INTERIOR DESIGN	1	\$XXX.XX	\$XXX.XX
			Model #: 6833			
860353	#6823, AGI- LIDO LOUNGE CHAIR 32"W X 31"D X 29"H GRADE J FABRIC STANDARD WOOD FINISH	M0	INTERIOR DESIGN	1	\$XXX.XX	\$XXX.XX
			Model #: 6823			
862716	LT2420-TABLE - FIBERGLASS, PETER PEPPER, CYLINDRICAL DRUM, TABLE - 24" X 21"H - COLOR: STD. INCL. FIRE RETARDANT POLYESTER RESIN CALSS I	M0	INTERIOR DESIGN	1	\$XXX.XX	\$XXX.XX
			Model #: LT2420			

Total Budget For Each Occurance Of This Type Space:

\$XXX.XX

1 Occurances Of This Type Space Included In The Budget Totaling:

\$XXX.XX

000223

Date: 8/7/2008

HCA - The Healthcare Company

Page: 49
04:13 PM

DCEE PROJECTS

GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RBDEPT: 060-ICU/CCU
SPACE: 1170-DICTATION

Item	Description	Class	Vendor	Qty	Price	Extd Price
704408	#4571223, CHAIR, SWIVEL-TILT DESK CHAIR, W/O ARMS, STD HARD CASTER FINISH; SHELL: FABRIC: REGIS	M0	INTERIOR DESIGN Model #: 4571223	2	\$XXX.XX	\$XXX.XX
718528	#5M744; WASTE-CAN 28 QT RECTANGULAR FIRE RESISTANT (UNDERWRITES LABORATORY) 14.5" X 10.5" X 15.38"; COLOR GRAY; 1 EACH W/O LID(RUBBERMAID 2543) *PRODUCT SET UP TO ORDER IN INCREMENTS OF 1/EA PER KEVIN KOLFF, NAT. REP. ON 10/4/04	M0	GRAINGER Model #: 5M744	2	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space: \$XXX.XX
4 Occurances Of This Type Space Included In The Budget Totaling: \$XXX.XX

000224

Date: 8/7/2008

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB
 DEPT: 060-ICU/CCU
 SPACE: 1200-JANITOR CLOSET

Page: 50
04:13 PM

Item	Description	Class	Vendor	Qty	Price	Extd Price
061824	#1C-215H; MOPPING UNIT, DOUBLE-TANK STAINLESS STEEL, COMPLETE WITH TWO 7 1/2 GALLON STAINLESS STEEL MOP BUCKETS, 16-24 OZ. STAINLESS STEEL MOP WRINGER, STAINLESS CARRIER WITH HANDLE AND 7" X 14" WIRE BASKET.	M7	ROYCE ROLLS RINGER CO. Model #: #1C-215H	1	\$XXX.XX	\$XXX.XX
062021	#F36-08R; FOLDING CABINET STAINLESS STEEL; COMPLETE WITH 2 FOUR GALLON STAINLESS STEEL HALF OVAL PAILS, 12-16 OZ; STAINLESS STEEL MOP WRINGER, STAINLESS STEEL LOCKABLE DOOR; ANTIBACTERIAL ZIPPER BAG AND STAINLESS STEEL TRASH LID	M0	ROYCE ROLLS RINGER CO. Model #: F36-08R	1	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space: \$XXX.XX
 1 Occurances Of This Type Space Included In The Budget Totalling: \$XXX.XX

000225

Date: 8/7/2008

HCA - The Healthcare Company

Page: 51
04:13 PM

DCEE PROJECTS

GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RBDEPT: 060-ICU/CCU
SPACE: 1220-LOUNGE

Item	Description	Class	Vendor	Qty	Price	Extd Price
073468	#472-410N; CHAIR- MAX STACKER, WITHOUT ARMS, HARD GLIDES, SELECT COATED FRAME COLOR: _____ SELECT POLYPROPYLENE COLOR FOR SEAT & BACK: _____	M0	INTERIOR DESIGN Model #: 472-410N	4	\$XXX.XX	\$XXX.XX
430279	#JEM25DM; MICROWAVE OVEN DIMENSIONS: 11 3/16"H X 23 25/32"W X 12 9/32"D. 120V AMP 11.5/120V WATTS 1300/MHZ 2450. CONTRACTOR TO SHELF MOUNT SELECT COLOR: BLACK (BB) OR WHITE (WW).	M0	GENERAL ELECTRIC CO Model #: JEM25DM	1	\$XXX.XX	\$XXX.XX
475603	***DISC. USE #717545***#GTS18WCP; REFRIGERATOR, 17.9 CU. FT. NO FROST, W/FACTORY INSTALLED ICEMAKER; 66 5/8" H X 32 1/8"D X 29 1/2" W. 120V/60 HZ/15AMPS. SELECT COLOR: WHITE OR BISQUE; HINGE: RIGHT; ****DOOR SWING CAN BE FIELD MODIFIED IF REQUIRED****	M0	GENERAL ELECTRIC CO Model #: GTS18WCP	1	\$XXX.XX	\$XXX.XX
713796	#5M877; WASTE-CAN; 18 GAL; STEP-ON, 19 3/4"X16 1/8"X 26 1/6"H, COLOR: BEIGE (#5M877; \$57.47) AND RIGID LINER; 18"L X 22" H X 12 1/4" W; COLOR: GRAY; FOR OILY WASTE CONTAINERS (#5M891; \$18.72) FM-CALIFORNIA STATE FIRE MARSHALL APPROVED FOR FIRE SAFETY. (MANF. RUBBERMAID; #6145 & #8245)	M0	GRAINGER Model #: 5M877/5M891	1	\$XXX.XX	\$XXX.XX
715053	#8573; COFFEE MAKER, LO-PROFILE 3-STATION, AUTOMATIC COFFEE BREWER, FROM SUPERIOR COFFEE FOR REFERENCE ONLY, HOSPITAL TO LEASE (MFG. - BLOOMFIELD) PLUMBING REQUIREMENT: 1/4" OR 3/8" WATER CONNECTION	M0	SARA LEE COFFEE & TEA Model #: 8573	1		
861500	#2424SQ/PLUSE SPEC FOUR POINTS TABLE STD LAM. 16" WOODEDGE	M0	INTERIOR DESIGN Model #: 2424SQ/PLUSE	2	\$XXX.XX	\$XXX.XX
861510	#4101M, COMPANION SINGLE SEAT, SPEC COMPANION CHAIR, ARMLESS, 1.75" FRAME, MID BACK, 4 POINTS TO THE FLOOR, GRADE 4 FABRIC	M0	INTERIOR DESIGN Model #: 4101M	4	\$XXX.XX	\$XXX.XX
861534	#4102M, SPEC TWO SEATER, COMPANION ARMLESS, 1.75" FRAME, GRADE 4 FABRIC	M0	INTERIOR DESIGN Model #: 4102M	1	\$XXX.XX	\$XXX.XX
869262	J30-28/90BVN, JOHNSON IND TABLE, BASE, SERIES - 90VBS 36"X38"SQUARE W/BAKED ENAMEL BASE. TABLE INCLUDES SUPER-LEVEL GLIDES AND INSTA-TABLE TOPPLATE FINISH: BASE-31 1/2"H OVERALL BASE HGT TOP-WILSONART-ANY SOLID COLOR ****ROUND TABLE USE ITEM #716059*****	M0	INTERIOR DESIGN Model #: J30-28/90BVN	1	\$XXX.XX	\$XXX.XX

000226

Date: 8/7/2008

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB
 DEPT: 060-ICU/CCU
 SPACE: 1220-LOUNGE

Page: 52
 04:13 PM

Item	Description	Class	Vendor	Qty	Price	Extd Price
Total Budget For Each Occurance Of This Type Space:						\$XXX.XX
1 Occurances Of This Type Space Included In The Budget Totalling:						\$XXX.XX

000227

Date: 8/7/2008

HCA - The Healthcare Company

Page: 53
04:13 PM

DCEE PROJECTS

GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RBDEPT: 060-ICU/CCU
SPACE: 1240-MEDICATION ROOM

Item	Description	Class	Vendor	Qty	Price	Extd Price
062000	***NO LONGER CARRIED***#311E04; CART CASSETTE MEDICATION W/CARDEX 6" NARCO/ SUPPLY DRAWER OVER (2) 4-TIER CASS BIN CAP (24) 6"BINS OR (32) 4 1/2" BINS OR (48)3"BINS 311E04 *ORDER BINS SEPARATE* (IF EXTERNAL LOCK REQUIRED - USE LOCK #062196) NOTE: SPECIFY COLOR: ALMOND, BLUE, WALNUT, FEDERAL BLUE OR PEARL FOR SIDE PANELS.	M0	UNITED HOSPITAL SUPPLY Model #: 311E04	1	\$XXX.XX	\$XXX.XX
062154	#BN4032BGE; CART ACCESSORY BIN 4 1/2W FOR USE WMED CART (4ACROSS)	M0	UNITED HOSPITAL SUPPLY Model #: BN4032BGE	32	\$XXX.XX	\$XXX.XX
062161	***NO LONGER CARRIED***#XM4041; DIVIDERS (SLOT) FOR 1/2"BIN CART ACCESSORY	M4	UNITED HOSPITAL SUPPLY Model #: XM4041	50	\$XXX.XX	\$XXX.XX
062175	***NO LONGER CARRIED***#DRI000; 3" DRAWER SUPPLY FOR MED-CART ACCESSORY	M0	UNITED HOSPITAL SUPPLY Model #: DRI000	1	\$XXX.XX	\$XXX.XX
062196	***NO LONGER CARRIED***#LA1000; EXTERNAL WALL LOCK (DPC OR MED CART) CART ACCESSORY	M0	UNITED HOSPITAL SUPPLY Model #: LA1000	1	\$XXX.XX	\$XXX.XX
062209	#MM4038; LABELS FOR 4 1/2" MEDICATION BIN (PKG1000) CART ACCESSORY	M0	UNITED HOSPITAL SUPPLY Model #: MM4038	1	\$XXX.XX	\$XXX.XX
718171	#REF5; REFRIGERATOR, UNDERCOUNTER, WITH LOCK AND KEY, SS INTERIOR/EXTERIOR, 4.8 CU. FT., 115 V, 60HZ, 1PH, 8.0 AMPS, MAX.FUSE 15 AMPS, HOSPITAL GRADE CORD & PLUG - NEMA 5- 15, 33 DEGREES F - 40 DEGREES F (1 DEGREE C - 5 DEGREES C) REVERSIBLE DOOR SWING/HANDLE, 34HX23.75WX25.5D, NSF, UL & CUL LISTED.	M0	FOLLETT CORPORATION Model #: REF5	1	\$XXX.XX	\$XXX.XX
718528	#5M744; WASTE-CAN 28 QT RECTANGULAR FIRE RESISTANT (UNDERWRITES LABORATORY) 14.5" X 10.5" X 15.38"; COLOR GRAY; 1 EACH W/O LID(RUBBERMAID 2543) *PRODUCT SET UP TO ORDER IN INCREMENTS OF 1/EA PER KEVIN KOLFF, NAT. REP. ON 10/4/04	M0	GRAINGER Model #: 5M744	1	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space:

\$XXX.XX

1 Occurances Of This Type Space Included In The Budget Totalling:

\$XXX.XX

000228

Date: 8/7/2008

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB
 DEPT: 060-ICU/CCU
 SPACE: 1250-NOURISHMENT ROOM

Page: 54
04:13 PM

Item	Description	Class	Vendor	Qty	Price	Extd Price
203210	#25C1400A; ICEMAKER DISPENSER, (\$2,892.00) 21"W X 47.125"H X 23"D- COUNTERTOP, AIR COOLED, 25LB STORAGE CAPACITY, 400LB PER 24HR ICE PROD. TO INCL WATER STATION, SENSORSafe DISPENSING (#SENSORSafe; \$98.00)	M0	FOLLETT CORPORATION Model #: 25C1400A	1	XXXX.XX	XXXX.XX
430279	#JEM25DM; MICROWAVE OVEN DIMENSIONS: 11 3/16"H X 23 25/32"W X 12 9/32"D. 120V AMP 11.5/120V WATTS 1300/MHZ 2450. CONTRACTOR TO SHELF MOUNT SELECT COLOR: BLACK (BB) OR WHITE (WW).	M0	GENERAL ELECTRIC CO Model #: JEM25DM	1	XXXX.XX	XXXX.XX
713796	#5M877; WASTE-CAN; 18 GAL; STEP-ON, 19 3/4"X16 1/8"X 28 1/6"H, COLOR: BEIGE (#5M877; \$57.47) AND RIGID LINER; 18"L X 22" H X12 1/4" W; COLOR: GRAY; FOR OILY WASTE CONTAINERS (#5M891; \$18.72) FM-CALIFORNIA STATE FIRE MARSHALL APPROVED FOR FIRE SAFETY: (MANF. RUBBERMAID; #6145 & #6245)	M0	GRAINGER Model #: 5M877/5M891	1	XXXX.XX	XXXX.XX
714519	#00130229; WATER FILTER SYSTEM (ACCESSORY FOR ICEMAKER DISPENSERS). PREFILTER PRIMARY FILTER PRESSURE GAUGE AND WALL MOUNT	M0	FOLLETT CORPORATION Model #: 00130229	1	XXXX.XX	XXXX.XX
715053	#8573; COFFEE MAKER, LO-PROFILE 3-STATION, AUTOMATIC COFFEE BREWER, FROM SUPERIOR COFFEE FOR REFERENCE ONLY, HOSPITAL TO LEASE (MFG. - BLOOMFIELD) PLUMBING REQUIREMENT: 1/4" OR 3/8" WATER CONNECTION	M0	SARA LEE COFFEE & TEA Model #: 8573	1		

Total Budget For Each Occurance Of This Type Space: XXXX.XX
 1 Occurances Of This Type Space Included In The Budget Totaling: XXXX.XX

000229

RECORD 004692

Date: 8/7/2008

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB
 DEPT: 060-ICU/CCU
 SPACE: 1260-NURSES STATION

Page: 55
04:13 PM

Item	Description	Class	Vendor	Qty	Price	Extd Price
073499	#4535331DW, CRITERION HIGH BACK CHAIR PNEUMATIC HEIGHT ADJUSTABLE SEAT DEPTH, SOFT CASTERS, FABRIC: CANZONE STANDARD FINISH SOIL RETARDANT	M0	INTERIOR DESIGN Model #: 4535331DW	16	\$XXX.XX	\$XXX.XX
073655	#620-02; CHART CADDYS CUSTOMLINE ROTO CHART CADDY FLOOR MODEL W/4 LOCKING CARPET CASTERS, 20 CAPACITY, FOR TOP OPENING CHARTS	M0	CARSTENS Model #: 620-02	1	\$XXX.XX	\$XXX.XX
320682	#11133-000001; PEDIATRIC PADDLES (PAIR) FOR LIFEPAK DEFIBRILLATORS, (2 @/\$55.44 EA.)	M4	MEDTRONIC EMERGENCY Model #: 11133-000001	2	\$XXX.XX	\$XXX.XX
361040	#M3046A; MONITOR, TRANSPORT M4 MODEL 3046A, A03(\$3,273.20) W/ M3001A, C06, H08 MULTI- MEASUREMENT MODULE (EKG, NIBP, SPO2, 1- PRESSURE, TEMP, ACCESSORY PKG) (\$4,046.70)	M0	PHILIPS MED SYS INC Model #: M3046A	2	\$XXX.XX	\$XXX.XX
363264	#M1002, K10; MONITOR, COMPONENT SYSTEM 3-LEAD ECG RESPIRATION MODULE M1002A, K10	M0	PHILIPS MED SYS INC Model #: M1002, K10	2	\$XXX.XX	\$XXX.XX
431283	#5388; PACEMAKER, DUAL CHAMBER (DDD), DIAL DRIVEN PULSE GENERATOR WITH RAPID ATRIAL PACING AND AUTOMATIC ADJUSTMENT OF AV INTERVAL, UPPER TRACKING RATE, AND PVARP. INCLUDES ATRIAL & VENTRICAL CABLE (MUST CONFIRM PRICING W/VENDOR BEFORE ORDERING)	M0	MEDTRONIC USA, INC. Model #: 5388	2	\$XXX.XX	\$XXX.XX
450036	#0998-11-3023-53; BALLOON PUMP INTRA-AORTIC, CS300 IABP W/ INTELLISENSE W/ 5-LEAD SHIELDED ECG PATIENT CABLE, SHIELDED PT LEADWIRES, EXTERNAL SIGNAL BABLE, COMBO OPERATING/SERVICE MANUAL, HELIUM (3 REFILLABLE TANKS), SAFETY DISC, CONDENSATED REMOVAL MODULE, 10 ROLLS CHART PAPER, SALINE POLE KIT, DOPPLER, EXTERNAL LOW-LEVEL BP OUTPUT CABLES, FIBER OPTIC CLEANING SWABS & SOLUTION, STORAGE POUCH, AND HANDHELD DOPPLER.	M0	DATASCOPE Model #: 0998-11-3023-53	1	\$XXX.XX	\$XXX.XX

000230

Date: 8/7/2008

HCA - The Healthcare Company

Page: 58
04:13 PM

DCEE PROJECTS

GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RBDEPT: 060-ICU/CCU
SPACE: 1260-NURSES STATION

Item	Description	Class	Vendor	Qty	Price	Extd Price
634221	#2180CX01EE; THERMOMETER, FAST ELECTRONIC TURBOTEMP PACKAGE INCLUDES THERMOMETER UNIT, THREE AA BATTERIES, ELECTRONIC SECURITY BASE, ORAL AND RECTAL PROBES AND PROBE COVER WALL BRACKET DISPENSER. DUAL PROBE UNIT. ONE YEAR WARRANTY	M0	CARDINAL HEALTH ALARIS Model #: 2180CX01EE	2	\$XXX.XX	\$XXX.XX
708113	#5433A; PACEMAKER CABLE FOR MODEL 5388 PACEMAKER	M0	MEDTRONIC USA, INC. Model #: 5433A	2	\$XXX.XX	\$XXX.XX
708114	#5433V; PACEMAKER CABLE FOR MODEL 5388 PACEMAKER	M0	MEDTRONIC USA, INC. Model #: 5433V	2	\$XXX.XX	\$XXX.XX
709151	#M1235A; MODULE, DATA TRANSFER -TRANSFERS STORED VITAL SIGN DATA FROM ONE MONITOR TO ANOTHER	M0	PHILIPS MED SYS INC Model #: M1235A	1	\$XXX.XX	\$XXX.XX
713700	#MAC55-AAAAAX-AXXXX; MAC 5500 EKG SYSTEM, CLR STD ENG NA AHA (\$9,875) WITH TROLLEY MAC SYSTEM CART (#2017210-001; \$832); KIT MEMORY CARD READER ENG (#2027792-001; \$79) AND KIT MUSE SECURE DIGITAL UPGRADE ENG (#2027777-001; N/C)	M0	GE HEALTHCARE IT Model #: MAC55 SYSTEM	1	\$XXX.XX	\$XXX.XX
713787	#PAR 30; ER CART ALUMINUM RED (\$1395.00); INCLUDES #ACB-1 CARDIAC BACK BOARD & #AOB-1 O2 TANK BRACKET. IV POLES (#PIV-1; \$105.00); TUBULAR RAILING (#PSR-1; \$130.00). DIMENSIONS: 45 1/2"H X 25"D X 32 3/4"W	M0	ARMSTRONG MEDICAL IND. Model #: PAR 30	2	\$XXX.XX	\$XXX.XX
714107	#11130-000001; STANDARD HARD PADDLES, 1 PAIR, FOR USE W/LIFEPAK 12	M0	MEDTRONIC EMERGENCY Model #: 11130-000001	2	\$XXX.XX	\$XXX.XX
714111	**DISCONTINUED**LP12PACING; EXTERNAL PACING OPTION FOR LIFEPAK 12 (NOT USED ALONE)	M0	MEDTRONIC EMERGENCY Model #: LP12PACING	2	\$XXX.XX	\$XXX.XX
714707	#LIFEPAK 12; BIPHASIC DEFIB/MONITOR, (#99400-000372; \$9,158.83) INCLUDES PACING, AED, EL SCREEN, PRINTER, ECG CABLE, QUIK-COMBO CABLE, 2 SETS QUIK-COMBO ELECTRODES, OPERATING INSTRUCTIONS. INCLUDES OPTIONS: AC POWER ADAPTER (#11400-000038; \$675.02), TWO LIFEPAK SLA BATTERIES (#11141-000028; QTY. 2 \$154.29 EA.=\$308.58), LP12 HOSPITAL CONFIG	M0	MEDTRONIC EMERGENCY Model #: 99400-000372-	2	\$XXX.XX	\$XXX.XX
715153	#101462; ILLUMINATOR, 2 PANEL RECESSED MT 4 BULB W/AUTO SWITCH CHAMELEON SERIES	M7	RADIOLOGY SPECIALTY Model #: 101462	1	\$XXX.XX	\$XXX.XX

000231

RECORD 004694

Date: 8/7/2008

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB
 DEPT: 060-ICU/CCU
 SPACE: 1260-NURSES STATION

Page: 57
04:13 PM

Item	Description	Class	Vendor	Qty	Price	Extd Price
718528	#5M744; WASTE-CAN 28 QT RECTANGULAR FIRE RESISTANT (UNDERWRITES LABORATORY) 14.5" X 10.5" X 15.38"; COLOR GRAY; 1 EACH W/O LID(RUBBERMAID 2543) *PRODUCT SET UP TO ORDER IN INCREMENTS OF 1/EA PER KEVIN KOLFF, NAT. REP. ON 10/4/04	M0	GRAINGER Model #: 5M744	3	\$XXX.XX	\$XXX.XX
721095	INTUBATION EQUIPMENT**NEED FORMAL QUOTE - BUDGET ONLY!!** INCLUDES: LARYNGOSCOPE HANDLES, BLADES & MCGILL FORCEPS. *** FOR BUDGETING ONLY - MUST GET QUOTE *** (RAUSCH OR WELCH ALLYN)	M0	KERMA MEDICAL Model #: INTUBATION	1	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space: \$XXX.XX
 1 Occurances Of This Type Space Included In The Budget Totalling: \$XXX.XX

000232

Date: 8/7/2008

HCA - The Healthcare Company

DCEE PROJECTS

GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB

DEPT: 060-ICU/CCU

SPACE: 1280-PATIENT ROOM (ICU)

Page: 58
04:13 PM

Item	Description	Class	Vendor	Qty	Price	Extd Price
020089	ARTWORK	M0	AMERICAN ART RESOURCES	1	\$XXX.XX	\$XXX.XX
		Model #:	220			
055050	#P5103/BSC300; CABINET BEDSIDE "ELITE" W/DU WHEEL CASTERS, 3-DRAWER W/PULL-OUT SHELF, GALLERY RAIL & WOOD BORDER AROUND HPL TOP CHOOSE HLP FOR TOP: ROK-LIGHT OAK, MOK-MEDIUM OAK, 734-NATURAL MAPLE, WN9-HONEY MAPLE, 705-WILD CHERRY, 935-SHAKER CHERRY, 084-DARK CHERRY, 70T-MONTANA WALNUT, 293-ALMOND LEATHER, 655-NATURAL LEGACY, 157- ANTIQUE WHITE, 462-WHITE NEBULA, OR M07-LIGHT NEUTRAL CHOOSE WOOD FINISH: LIGHT OAK, MED. OAK, WILD CHERRY, MONTANA WALNUT, NATURAL MAPLE, HONEY MAPLE, COLONIAL CHERRY OR DARK CHERRY.	M0	HILL ROM COMPANY, INC	1	\$XXX.XX	\$XXX.XX
		Model #:	P5103/BSC300			
081555	CUBICLE CURTAIN ***BUDGET COST***	M4	STANDARD TEXTILE	1	\$XXX.XX	\$XXX.XX
		Model #:	CURTAIN			
363249	#M8007A, A06; MONITOR, INTELLIVUE MP70, 6-WAVE COLOR, FLAT TOUCH SCREEN - INCLUDES: EKG, ST, R, SPO2, NIBP, PRESSX2, ETCO2, DRUG CAL, , ALL CABLES (\$23,448) & ESTIMATED INSTALLATION @ 10% (\$3,350)	M0	PHILIPS MED SYS INC	1	\$XXX.XX	\$XXX.XX
		Model #:	M8007A, A06			
613021	*****DUPLICATE USE 035622*****P600OBT- TABLE, OVERBED PMJR W/VANITY,MIRR TOP TRAY, FOOD TRAY. SELECT HPL COLOR: LIGHT OAK, MEDIUM OAK, NATURAL MAPLE, WILD CHERRY OR DARK CHERRY	M0	HILL ROM COMPANY, INC	1	\$XXX.XX	\$XXX.XX
		Model #:	P600OBT-220			

000233

Date: 8/7/2008

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB

Page: 69
04:13 PM

DEPT: 080-ICU/CCU
 SPACE: 1280-PATIENT ROOM (ICU)

Item	Description	Class	Vendor	Qty	Price	Extd Price
713796	#5M877; WASTE-CAN; 18 GAL; STEP-ON, 19 3/4"X16 1/8"X 26 1/6"H, COLOR: BEIGE (#5M877; \$57.47) AND RIGID LINER; 18"L X 22" H X12 1/4" W; COLOR: GRAY; FOR OILY WASTE CONTAINERS (#5M891; \$18.72) FM-CALIFORNIA STATE FIRE MARSHALL APPROVED FOR FIRE SAFETY. (MANF. RUBBERMAID; #6145 & #6245)	M0	GRAINGER Model #: 5M877/5M891	2	\$XXX.XX	\$XXX.XX
716043	#SPO2RT-TC-665NEL; TOTALCARE SPO2RT SYSTEM (#SPO2RT-TC-665NEL; \$19,927.68) INCLUDES: AIR, PRESSURE, RELIEF, HEEL SUSPENSION; PULMONARY- READY, TURN ASSIST, OPTIREST, THERAPY STATISTICS; PATIENT CONTROLS (SIDERAIL EMBEDDED); NIGHT LIGHT; IN-BED SCALE/GCI/BED EXIT; HYDRAULIC CONTROLS; RADIO LUCENT SURFACE; TRANSPORT SHELF (P1923B; \$140.00) NURSECALL, ENTERTAINMENT & LIGHTING CONTROLS, (\$381.21) TWO PERMANENT IV POLES (P1924; \$187.21)****FACILITY COMMITTED PRICING*****	M0	HILL ROM COMPANY, INC Model #: SPO2RT-TC665NEL	1	\$XXX.XX	\$XXX.XX
716084	#P1938B100; ROTATION MODULE WITH HANDLES FOR TOTALCARE SPO2RT BED	M0	HILL ROM COMPANY, INC Model #: P1938B100	1	\$XXX.XX	\$XXX.XX
716085	#P1939B100; PERCUSSION MODULE WHANDLES FOR TOTALCARE SPO2RT BED	M0	HILL ROM COMPANY, INC Model #: P1939B100	1	\$XXX.XX	\$XXX.XX
717173	#4956P15766; IV STAND 6 HOOKS, FOOT OPERATED. ADJUSTED 68"-108", HEAVY, TIP RESISTANT, SS, 5 CASTERS (PEDIGO)	M0	KERMA MEDICAL Model #: 4956P15766	1	\$XXX.XX	\$XXX.XX
717181	#8302/ SOFT C; STOOL W/ADJ. BACK SOFT CASTERS, FOOTRING, 20" W SEAT, HT. ADJ. 23"-33", FLAT TOP ALUMINUM BASE W/BLACK TOE CAPS. **SELECT VINYL COLOR: PEARL; PUTTY, TAUPE, GRAY, WARM GRAY, BLACK, TERRA ROSE, MONET, ROYAL RUBY, PORT, GRAPE, LAVENDER, BLUE, WEDGE WOOD, JADE, GROTTTO, EMERALD, OR PURPLE	M7	HASSOC MEDICAL Model #: 8302/SOFT C	1	\$XXX.XX	\$XXX.XX
717546	** PUMP IS ON FDA HOLD *** COLEAGUE CX3 (COLOR) TRIPLE PUMP MODEL 2M8163 W/GUARDIAN TECHNOLOGY OF RATE AND DOSE LIMITS; W/OCCCLUSION ALARMS	M0	BAXTER - I.V. SYSTEMS DIV. Model #: 2M8163	2	\$XXX.XX	\$XXX.XX
720214	#115#205; HEX-BASE IV STAND (\$370.40), INCLUDES AS STD: 4 HOOK TOP, 6 LEGS W/3" PREIUM RUBBER CASTERS, 22" DIAMETER - WEIGHTED BASE, #217 PATIENT SUPPORT WHEEL, #218 SNAP-IN TRAY; #205 4-OUTLET ELECTRICAL STRIP (\$155.23). ****PRICE LISTED IS FOR 1-10 UNITS - ADDITIONAL DISCOUNTS GIVEN FOR 10-30, 30-50 & 50-100 UNITS. *****	M0	PRYOR Model #: 115/205	2	\$XXX.XX	\$XXX.XX

000234

Date: 8/7/2008

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB

Page: 60
04:13 PMDEPT: 060-ICU/CCU
SPACE: 1280-PATIENT ROOM (ICU)

Item	Description	Class	Vendor	Qty	Price	Extd Price
720561	#733-66MP; RECLINER, NEMSCHOFF WALLSAVER, REMOVABLE SEAT/BACK COVERS, PUSH BAR, RETRACTABLE FOOTREST, HEAVY DUTY CASTERS, FULLY UPHL., SELECT FROM SERIES 4 UPH.: _____	M0	INTERIOR DESIGN Model #: 733-66MP	1	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space: \$XXX.XX

8 Occurances Of This Type Space Included In The Budget Totaling: \$XXX.XX

000235

RECORD 004698

Date: 8/7/2008

HCA - The Healthcare Company

DCEE PROJECTS

GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB

DEPT: 060-ICU/CCU

SPACE: 1330-SOILED UTILITY

Page: 61
04:13 PM

Item	Description	Class	Vendor	Qty	Price	Extd Price
175545	#MDS80529; HAMPER STAND CHROME, SQUARE WITH FOOT PEDAL OPERATED METAL LID (LID COLOR-WHITE), 18 5/8"W X 19 1/2"D X 37 3/4"H, 4 LID LABELS (BIOHAZARD, SOILED LINEN, INFECTIOUS LINEN, & TRASH)	M4	MEDLINE INDUSTRIES, INC. Model #: MDS80529	4	\$XXX.XX	\$XXX.XX
713813	#3U653; WASTE-CAN; 23 GAL STEP-ON W/ WHEELS, 19 3/4"L X 32 1/2"H X 18 1/8"W. COLOR: RED (#3U653; \$80.55) AND RIGID LINER (#4KT51; \$23.33) FM-CALIFORNIA STATE FIRE MARSHALL APPROVED FOR FIRE SAFETY (MANF. RUBBERMAID #6146 & #624600GRAY)	M0	GRAINGER Model #: 3U653/4KT51	1	\$XXX.XX	\$XXX.XX
715985	#73055-2PR; BULK TRUCK, REGRIND, 48 CU.FT. CAPACITY, 48"L X 28 1/2"W X 66 1/2"H	M0	TINGUE BROWN & CO. Model #: 3055-72PR	2	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space:

\$XXX.XX

1 Occurances Of This Type Space Included In The Budget Totaling:

\$XXX.XX

000236

Date: 8/7/2008

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB

Page: 62
04:13 PM

DEPT: 060-ICU/CCU
 SPACE: 1340-STORAGE

Item	Description	Class	Vendor	Qty	Price	Extd Price
510250	#SSUKIT0208; SHELVING, STORAGE, 36 X 18 X 75 WITH 6 SHELVES, INCLUDING FOOT PLATES	M7	STORAGE SYSTEMS, INC. Model #: SSUKIT0208	4	\$XXX.XX	\$XXX.XX
709712	#MDS806800; WHEELCHAIR, EXTRA-WIDE, 22" WIDE, 350 LB CAPACITY W/REMOVABLE DESK LENGTH ARMS, SWINGAWAY DETACHABLE FOOTRESTS. COLOR: NAVY	M0	MEDLINE INDUSTRIES, INC. Model #: MDS806800	2	\$XXX.XX	\$XXX.XX
715765	#MDS85190; IV/O2 TANK HOLDER FOR WHEELCHAIR	M0	MEDLINE INDUSTRIES, INC. Model #: MDS85190	3	\$XXX.XX	\$XXX.XX
715888	***USE ITEM # 723561***#MDS809575, WHEELCHAIR, Bariatric, THE SHUTTLE, 28" WIDE, 700LB CAPACITY, REMOVABLE DESK LENGTH ARMS, SWING-AWAY DETACHABLE ELEVATING LEGRESTS. COLOR: BLACK	M0	MEDLINE INDUSTRIES, INC. Model #: MDS809575	1	\$XXX.XX	\$XXX.XX
716742	**DISCONTINUED NO SUB**#88200; HOYER LIFT	M0	MEDLINE INDUSTRIES, INC. Model #: MDS88200	1	\$XXX.XX	\$XXX.XX
717108	#222; BLANKETROL II UNIT HYPER-HYPHERMIA UNIT ***NO PROBES OR BLANKETS. YOU NEED COMPLETE UNIT ORDER #198000****	M0	CINCINNATI SUB-ZERO Model #: 222R	1	\$XXX.XX	\$XXX.XX
717109	#286; HOSE; 9' REUSABLE CONNECTING HOSE	M0	CINCINNATI SUB-ZERO Model #: 286	2	\$XXX.XX	\$XXX.XX
717110	#4900B; REUSABLE PROBE CONNECTING HOSE	M0	CINCINNATI SUB-ZERO Model #: 4900B	2	\$XXX.XX	\$XXX.XX
719230	TRIA DOPPLER #T344-D, W/ACCU-RATE DISPLAY & INTERCHANGEABLE 2 & 6; DOUBLE BEAT SYSTEM, TWO PROBES FOR FETAL & VASCULAR, SPEAKER, AQUASONIC CLEAR GEL & BATTERIES	M0	COOPER SURGICAL Model #: T344-D	2	\$XXX.XX	\$XXX.XX
721094	#ABL-Y-6; ICU PROCEDURE CART INCLUDES: ABL-Y-6, 24" SIX DRAWER CART, YELLOW. 4-3", 1-6", AND 1-12" DRAWERS. *** MUST GET A QUOTE ****	M0	ARMSTRONG MEDICAL IND. Model #: ABL-Y-6	4	\$XXX.XX	\$XXX.XX
721258	#1FD39; CART UTILITY; 500 LB LOAD, 2 TIER, 39"L X 18"W X 33"H, (RUBBERMAID 4500-88) COLOR: BEIGE	M0	GRAINGER Model #: 1FD39	2	\$XXX.XX	\$XXX.XX
721547	#52294621001801; CPM MACHINE KNEE PERFORMA (SAMMONS PRESTON)	M0	KERMA MEDICAL Model #: 52294621001801	4	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space: \$XXX.XX
 1 Occurances Of This Type Space Included In The Budget Totaling: \$XXX.XX

000237

Date: 8/7/2008

HCA - The Healthcare Company

DCEE PROJECTS

GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB

DEPT: 060-ICU/CCU

SPACE: 1360-TOILET

Page: 63
04:13 PM

Item	Description	Class	Vendor	Qty	Price	Extd Price
718528	#5M744; WASTE-CAN 28 QT RECTANGULAR FIRE RESISTANT (UNDERWRITES LABORATORY) 14.5" X 10.5" X 15.38"; COLOR GRAY; 1 EACH W/O LID(RUBBERMAID 2543) *PRODUCT SET UP TO ORDER IN INCREMENTS OF 1/EA PER KEVIN KOLFF, NAT. REP. ON 10/4/04	M0	GRAINGER Model #: 5M744	1	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space:

\$XXX.XX

3 Occurances Of This Type Space Included In The Budget Totalling:

\$XXX.XX

000238

Date: 8/7/2008

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB

Page: 64
04:13 PM

DEPT: 060-ICU/CCU
SPACE: 1370-WAITING

Item	Description	Class	Vendor	Qty	Price	Extd Price
020089	ARTWORK	M0	AMERICAN ART RESOURCES	4	\$XXX.XX	\$XXX.XX
		Model #:	220			
718528	#5M744; WASTE-CAN 28 QT RECTANGULAR FIRE RESISTANT (UNDERWRITES LABORATORY) 14.5" X 10.5" X 15.38"; COLOR GRAY; 1 EACH W/O LID(RUBBERMAID 2543) *PRODUCT SET UP TO ORDER IN INCREMENTS OF 1/EA PER KEVIN KOLFF, NAT. REP. ON 10/4/04	M0	GRAINGER	1	\$XXX.XX	\$XXX.XX
		Model #:	5M744			
860082	#AC-1414PA; ARCH. SUP. PLANTER - STATIONARY CYLINDRICAL METAL PLANTER W/RECESSED BOTTOM W/IRM CONSTRUCTION 14"DIA X 14"H, FINISH: POLISHED CHROME	M4	INTERIOR DESIGN	3	\$XXX.XX	\$XXX.XX
		Model #:	AC-1414PA			
861500	#2424SQ/PL/SE SPEC FOUR POINTS TABLE STD LAM. 16" WOODEDGE	M0	INTERIOR DESIGN	4	\$XXX.XX	\$XXX.XX
		Model #:	2424SQ/PL/SE			
861535	#2301SCS, SPEC FULL RING LOUNGE CHAIR 1 1/2" FRAME, 16" SEAT HEIGHT, GRADE 4	M0	INTERIOR DESIGN	8	\$XXX.XX	\$XXX.XX
		Model #:	2301CS			
861537	#2302CS SPEC FULL RING 2 SEATER, ARMS AT END ONLY, 16" SEAT HEIGHT, GRADE 4 FABRIC, SPECTONE FRAME	M0	INTERIOR DESIGN	2	\$XXX.XX	\$XXX.XX
		Model #:	2302CS			
862701	482, MAGAZINE RACK - FOUR SLOT MAGAZINE RACK, 14" X 34" X 5" SIDE PANEL FINISH: K-NAT. OAK, KS-MED OAK, MM-MED. MAHOG, W-WALNUT, FRONT: ANY P.P. COLOR ***PETER PEPPER***	M0	INTERIOR DESIGN	1	\$XXX.XX	\$XXX.XX
		Model #:	482			

Total Budget For Each Occurance Of This Type Space: \$XXX.XX
1 Occurances Of This Type Space Included In The Budget Totalling: \$XXX.XX

000239

Date: 8/7/2008

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB
DEPT: 060-ICU/CCU
SPACE: 9071-POINT OF USE SERVICE

Page: 65
04:13 PM

Item	Description	Class	Vendor	Qty	Price	Extd Price
707956	#SSUKIT0273; LOUVERED PANEL; 36"W X 19"H WITH BINS (METRO)	M7	STORAGE SYSTEMS, INC. Model #: SSUKIT0273	40	\$XXX.XX	\$XXX.XX
715332	#SSUKIT0276; DOUBLE SIDED LOUVERED RACK W/CASTERS 36"W X 30" D X 66"H; W/ASSORTMENT OF PLASTIC BINS	M0	STORAGE SYSTEMS, INC. Model #: SSUKIT0276	3	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space: \$XXX.XX
.1 Occurances Of This Type Space Included In The Budget Totaling: \$XXX.XX

000240

Date: 8/7/2008

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB
DEPT: 060-JCU/CCU
SPACE: 9071-POINT OF USE SERVICE

Page: 66
04:13 PM

Item	Description	Class	Vendor	Qty	Price	Extd Price

000241

RECORD 004704

Date: 8/7/2008

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB
DEPT: 070-FOOD SERVICE
SPACE: 1420-CART STORAGE

Page: 67
04:13 PM

Item	Description	Class	Vendor	Qty	Price	Extd Price
065130	#ETC-16; DELIVERY CART, ENCLOSED TRAY, S/S CONTRUCTION, NON-HEATED, ACCOMODATED 14X18, 15X20 OR 16X22 TRAY SIZES. (FWE)	M0 Model #: ETC-16	BARING INDUSTRIES, INC.	4	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space: \$XXX.XX
1 Occurances Of This Type Space Included In The Budget Totating: \$XXX.XX

000242

Date: 8/7/2008

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB

Page: 68
04:13 PMDEPT: 070-FOOD SERVICE
SPACE: 1430-CART WASH

Item	Description	Class	Vendor	Qty	Price	Extd Price
194210	#B-7232-01; HOSE REEL T&S W/ RK-4 VACUUM BREAKER W/ MIXING VALVE Model #: (#B-1050)	MD	BARING INDUSTRIES, INC.	1	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space: \$XXX.XX
1 Occurances Of This Type Space Included In The Budget Totaling: \$XXX.XX

000243

Date: 8/7/2008

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB

Page: 69
04:13 PMDEPT: 070-FOOD SERVICE
SPACE: 1450-DIETITIAN

Item	Description	Class	Vendor	Qty	Price	Extd Price
043891	#RBC15364A; BOOKCASE- 36" X 53" FINISH ANY STEELCASE PAINT:	M0	INTERIOR DESIGN Model #: RBC15364A	1	\$XXX.XX	\$XXX.XX
073499	#4535331DW, CRITERION HIGH BACK CHAIR PNEUMATIC HEIGHT ADJUSTABLE SEAT DEPTH, SOFT CASTERS, FABRIC: CANZONE STANDARD FINISH SOIL RETARDANT	M0	INTERIOR DESIGN Model #: 4535331DW	1	\$XXX.XX	\$XXX.XX
121900	8LF18302F- FILE - 2 DRAWER, LATERAL, HANGING FRAME, W/LOCK, 30"W, PAINT:	M0	INTERIOR DESIGN Model #: 8LF18302F	2	\$XXX.XX	\$XXX.XX
121977	RATCL1860F-FILE-TOP FOR TWO 30"LATERA FILES 60" X 18-1/8", PLASTIC LAMINATE;	M0	INTERIOR DESIGN Model #: RATCL1860F	1	\$XXX.XX	\$XXX.XX
705326	#474419M - GUEST CHAIR SNODDGRASS, OPEN LOOP ARMS WITH OPEN BACK BASE: POLISHED CHROME, FABRIC: REGIS, SOIL RETARDANT	M0	INTERIOR DESIGN Model #: 474419M	2	\$XXX.XX	\$XXX.XX
705895	DESK-TSAFDP3060F, DOUBLE PEDESTAL, 60X30X2 3/8 W/CENTER DRAWER LOCK, FLUSH END PANELS W/REF SHELF PAINT: LAMINATE:	M0	INTERIOR DESIGN Model #: TSAFDP3060F	1	\$XXX.XX	\$XXX.XX
718528	#5M744; WASTE-CAN 28 QT RECTANGULAR FIRE RESISTANT (UNDERWRITES LABORATORY) 14.5" X 10.5" X 15.38"; COLOR GRAY; 1 EACH W/O LID(RUBBERMAID 2543) *PRODUCT SET UP TO ORDER IN INCREMENTS OF 1/EA PER KEVIN KOLFF, NAT. REP. ON 10/4/04	M0	GRAINGER Model #: 5M744	1	\$XXX.XX	\$XXX.XX
862710	2042, COAT HOOK, SINGLE -1"WX7 1/2" X4 1/2" FINISH: GLOSS BLACK ***PETER PEPPER***	M4	INTERIOR DESIGN Model #: 2042	1	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space: \$XXX.XX
 1 Occurances Of This Type Space Included In The Budget Totalling: \$XXX.XX

000244

Date: 8/7/2008

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB

Page: 70
04:13 PM

DEPT: 070-FOOD SERVICE
 SPACE: 1471-DINING - PRIVATE - 100 BEDS

Item	Description	Class	Vendor	Qty	Price	Extd Price
203209	#25CT400W; ICEMAKER/DISPENSER COUNTER-T 25LBS STG, 400 LBS/DAY PROD. WATER COOLED, 21"W X 23.0"D X 47.125"H, 115V60/1, 13 AMP, SENORSAFE DISPENSING (\$98.00)	M0	FOLLETT CORPORATION Model #: 25CT400W	1	\$XXX.XX	\$XXX.XX
430616	#NE-1757; MICROWAVE, 1700 WATT COOKING/HEATING POWER, 10 PROGRAM PAD, 208/60/1 11.2 AMPS, OUTSIDE DIM: 16 5/8"W X 20"D X 13 3/16"H INSIDE DIM: 13"W X 12"D X 6 7/8"H. MANF: PANASONIC	M0	BARING INDUSTRIES, INC. Model #: NE-1757	1	\$XXX.XX	\$XXX.XX
704534	#SINE H198 CHAIR, BRAYTON OCCASIONAL, BRAYTON SINE CHAIR; GRADE 9 FABRIC	M0	INTERIOR DESIGN Model #: H198	16	\$XXX.XX	\$XXX.XX
715053	#8573; COFFEE MAKER, LO-PROFILE 3-STATION, AUTOMATIC COFFEE BREWER, FROM SUPERIOR COFFEE FOR REFERENCE ONLY, HOSPITAL TO LEASE (MFG. - BLOOMFIELD) PLUMBING REQUIREMENT: 1/4" OR 3/8" WATER CONNECTION	M0	SARA LEE COFFEE & TEA Model #: 8573	1		
860082	#AC-1414PA; ARCH. SUP. PLANTER - STATIONARY CYLINDRICAL METAL PLANTER W/RECESSED BOTTOM WRIM CONSTRUCTION 14"DIA X 14"H, FINISH: POLISHED CHROME	M4	INTERIOR DESIGN Model #: AC-1414PA	2	\$XXX.XX	\$XXX.XX
869262	J30-28/90BVN, JOHNSON IND TABLE, BASE, SERIES - 90VBS 36"X36"SQUARE W/BAKED ENAMEL BASE. TABLE INCLUDES SUPER-LEVEL GLIDES AND INSTA-TABLE TOPPLATE FINISH: BASE-31 1/2"H OVERALL BASE HGT TOP-WILSONART-ANY SOLID COLOR ****ROUND TABLE USE ITEM #716059*****	M0	INTERIOR DESIGN Model #: J30-28/90BVN	4	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space: \$XXX.XX
 1 Occurances Of This Type Space Included In The Budget Totalling: \$XXX.XX

000245

RECORD 004708

Date: 8/7/2008

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB
DEPT: 070-FOOD SERVICE
SPACE: 1481-DINING - PUBLIC - 100 BEDS

Page: 71
04:13 PM

Item	Description	Class	Vendor	Qty	Price	Extd Price
704534	#SINE H198 CHAIR, BRAYTON OCCASIONAL, BRAYTON SINE CHAIR; GRADE 9 FABRIC	M0	INTERIOR DESIGN Model #: H198	84	\$XXX.XX	\$XXX.XX
860082	#AC-1414PA; ARCH. SUP. PLANTER - STATIONARY CYLINDRICAL METAL PLANTER W/RECESSED BOTTOM W/RIM CONSTRUCTION 14"DIA X 14"H, FINISH: POLISHED CHROME	M4	INTERIOR DESIGN Model #: AC-1414PA	5	\$XXX.XX	\$XXX.XX
869262	J30-28/90BVN, JOHNSON IND TABLE, BASE, SERIES - 90VBS 36"X36" SQUARE W/BAKED ENAMEL BASE. TABLE INCLUDES SUPER-LEVEL GLIDES AND INSTA-TABLE TOPPLATE FINISH: BASE-31 1/2"H OVERALL BASE HGT TOP-WILSONART-ANY SOLID COLOR ****ROUND TABLE USE ITEM #716059*****	M0	INTERIOR DESIGN Model #: J30-28/90BVN	19	\$XXX.XX	\$XXX.XX
869263	J30-22BVN, JOHNSON IND. TABLE, BASE SERIES 90VBS TOP 30"X 30" SQUARE W/BAKED ENAMEL BASE TABLE INCLUDES SUPER-LEVEL SLIDES AND INSTA-TABLE TOP PLATE FINISH: BASE 31 1/2"H OVERALLBASE HGT TOP: SOLID COLOR WILSON ART ****FOR ROUND TABLE USE ITEM #716060***	M0	INTERIOR DESIGN Model #: J30-22/90BVN	4	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space: \$XXX.XX
 1 Occurances Of This Type Space Included In The Budget Totalling: \$XXX.XX

000246

Date: 8/7/2008

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB

Page: 72
04:13 PM

DEPT: 070-FOOD SERVICE
 SPACE: 1530-JAN.CLOSET W/HK EQUIPMENT

Item	Description	Class	Vendor	Qty	Price	Extd Price
061824	#1C-215H; MOPPING UNIT, DOUBLE-TANK STAINLESS STEEL, COMPLETE WITH TWO 7 1/2 GALLON STAINLESS STEEL MOP BUCKETS, 18-24 OZ. STAINLESS STEEL MOP WRINGER, STAINLESS CARRIER WITH HANDLE AND 7" X 14" WIRE BASKET.	M7	ROYCE ROLLS RINGER CO. Model #: #1C-215H	1	\$XXX.XX	\$XXX.XX
658050	#02089A; WET DRY VAC, CTV-15, WITH TOOL KIT	M0	CLARKE Model #: 02089A	1	\$XXX.XX	\$XXX.XX
658614	***DISC. USE #724279***#03104A; VACUUM 614 COMBIVAC UPRIGHT	M0	CLARKE Model #: 03104A	1	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space: \$XXX.XX
 1 Occurances Of This Type Space Included In The Budget Totalling: \$XXX.XX

000247

RECORD 004710

Date: 8/7/2008

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB

Page: 73
04:13 PMDEPT: 070-FOOD SERVICE
SPACE: 1541-KITCHEN - 100 BEDS-TOTAL

Item	Description	Class	Vendor	Qty	Price	Extd Price
715960	100 BED TOTAL KITCHEN ***MUST GET QUOTE	M0	EDWARD DON & COMPANY Model #: 100 BED	1	\$XXX.XX	\$XXX.XX
SC8008	FOOD SERVICE EQUIPMENT; CUSTOM COUNTERS, INSTALLATION	M0	BARING INDUSTRIES, INC. Model #: EQUIP	1	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space: \$XXX.XX
2 Occurances Of This Type Space Included In The Budget Totalling: \$XXX.XX

000248

RECORD 004711

Date: 8/7/2008

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB
 DEPT: 070-FOOD SERVICE
 SPACE: 1590-SNACK BAR

Page: 74
04:13 PM

Item	Description	Class	Vendor	Qty	Price	Extd Price
430616	#NE-1757; MICROWAVE, 1700 WATT COOKING/HEATING POWER, 10 PROGRAM PAD, 208/60/1 11.2 AMPS, OUTSIDE DIM: 16 5/8"W X 20"D X 13 3/16"H INSIDE DIM: 13"W X 12"D X 8 7/8"H. MANF: PANASONIC	M0	BARING INDUSTRIES, INC. Model #: NE-1757	1	\$XXX.XX	\$XXX.XX
704534	#SINE H198 CHAIR, BRAYTON OCCASIONAL, BRAYTON SINE CHAIR; GRADE 9 FABRIC	M0	INTERIOR DESIGN Model #: H198	20	\$XXX.XX	\$XXX.XX
713813	#3U653; WASTE-CAN; 23 GAL STEP-ON W/ WHEELS, 19 3/4"L X 32 1/2"H X 16 1/8"W. COLOR: RED (#3U653; \$80.55) AND RIGID LINER (#4KT51; \$23.33) FM-CALIFORNIA STATE FIRE MARSHALL APPROVED FOR FIRE SAFETY (MANF. RUBBERMAID #6146 & #624600GRAY)	M0	GRAINGER Model #: 3U653/4KT51	1	\$XXX.XX	\$XXX.XX
869262	J30-28/90BVN, JOHNSON IND TABLE, BASE, SERIES - 90VBS 36"X36"SQUARE W/BAKED ENAMEL BASE. TABLE INCLUDES SUPER-LEVEL GLIDES AND INSTA-TABLE TOPPLATE FINISH: BASE-31 1/2"H OVERALL BASE HGT TOP-WILSONART-ANY SOLID COLOR ****ROUND TABLE USE ITEM #716059*****	M0	INTERIOR DESIGN Model #: J30-28/90BVN	4	\$XXX.XX	\$XXX.XX
869263	J30-22BVN, JOHNSON IND. TABLE, BASE SERIES 90VBS TOP 30"X30" SQUARE W/BAKED ENAMEL BASE TABLE INCLUDES SUPER-LEVEL SLIDES AND INSTA-TABLE TOP PLATE FINISH: BASE 31 1/2"H OVERALLBASE HGT TOP: SOLID COLOR WILSON ART ****FOR ROUND TABLE USE ITEM #716060***	M0	INTERIOR DESIGN Model #: J30-22/90BVN	2	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space: \$XXX.XX
 1 Occurances Of This Type Space Included In The Budget Totaling: \$XXX.XX

000249

Date: 8/7/2008

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB
DEPT: 070-FOOD SERVICE
SPACE: 1590-SNACK BAR

Page: 75
04:13 PM

Item	Description	Class	Vendor	Qty	Price	Extd Price

000250

Date: 8/7/2008

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC.
1000DRB

Page: 76
04:13 PM

DEPT: 080-EEG/EKG/EMG
SPACE: 1710-CHIEF TECHNOLOGIST

Item	Description	Class	Vendor	Qty	Price	Extd Price
043891	#RBC15364A; BOOKCASE- 36" X 53" FINISH ANY STEELCASE PAINT:	M0	INTERIOR DESIGN Model #: RBC15364A	1	\$XXX.XX	\$XXX.XX
073499	#4535331DW, CRITERION HIGH BACK CHAIR PNEUMATIC HEIGHT ADJUSTABLE SEAT DEPTH, SOFT CASTERS, FABRIC: CANZONE STANDARD FINISH SOIL RETARDANT	M0	INTERIOR DESIGN Model #: 4535331DW	1	\$XXX.XX	\$XXX.XX
121900	8LF18302F- FILE - 2 DRAWER, LATERAL, HANGING FRAME, W/LOCK, 30"W, PAINT:	M0	INTERIOR DESIGN Model #: 8LF18302F	2	\$XXX.XX	\$XXX.XX
121977	RATCL1860F-FILE-TOP FOR TWO 30"LATERA FILES 60" X 18-1/8", PLASTIC LAMINATE;	M0	INTERIOR DESIGN Model #: RATCL1860F	1	\$XXX.XX	\$XXX.XX
705326	#474419M - GUEST CHAIR SNODDGRASS, OPEN LOOP ARMS WITH OPEN BACK BASE; POLISHED CHROME, FABRIC: REGIS, SOIL RETARDANT	M0	INTERIOR DESIGN Model #: 474419M	2	\$XXX.XX	\$XXX.XX
705895	DESK-TSAFDP3060F, DOUBLE PEDESTAL, 60X30X2 3/8 W/CENTER DRAWER LOCK, FLUSH END PANELS W/REF SHELF PAINT; LAMINATE:	M0	INTERIOR DESIGN Model #: TSAFDP3060F	1	\$XXX.XX	\$XXX.XX
718528	#5M744; WASTE-CAN 28 QT RECTANGULAR FIRE RESISTANT (UNDERWRITES LABORATORY) 14.5" X 10.5" X 15.38"; COLOR GRAY; 1 EACH W/O LID(RUBBERMAID 2543) *PRODUCT SET UP TO ORDER IN INCREMENTS OF 1/EA PER KEVIN KOLFF, NAT. REP. ON 10/4/04	M0	GRAINGER Model #: 5M744	1	\$XXX.XX	\$XXX.XX
862710	2042, COAT HOOK, SINGLE -1"WX7 1/2" X4 1/2" FINISH: GLOSS BLACK ***PETER PEPPER***	M4	INTERIOR DESIGN Model #: 2042	1	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space: \$XXX.XX
2 Occurances Of This Type Space Included In The Budget Totalling: \$XXX.XX

000251

Date: 8/7/2008

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB

Page: 77
04:13 PMDEPT: 080-EEG/EKG/EMG
SPACE: 1720-CLEAN UTILITY

Item	Description	Class	Vendor	Qty	Price	Extd Price
510303	#SSUKIT0207; SHELVING, STORAGE STARTER, 36 X 18 X 75 WITH 6 SHELVES INCLUDING FOOT PLATES **MUST SELECT COLOR: GRAY OR TAN **	M0	STORAGE SYSTEMS, INC. Model #: SSUKIT0207	1	\$XXX.XX	\$XXX.XX
510304	#SSUKIT0206; SHELVING, STORAGE STARTER 36 X 18 X 75 WITH 6 SHELVES, INCLUDING FOOT PLATES	M0	STORAGE SYSTEMS, INC. Model #: SSUKIT0206	1	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space: \$XXX.XX
 1 Occurances Of This Type Space Included In The Budget Totaling: \$XXX.XX

000252

Date: 8/7/2008

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB
DEPT: 080-EEG/EKG/EMG
SPACE: 1730-CONTROL ROOM

Page: 78
04:13 PM

Item	Description	Class	Vendor	Qty	Price	Extd Price
073499	#4535331DW, CRITERION HIGH BACK CHAIR PNEUMATIC HEIGHT ADJUSTABLE SEAT DEPTH, SOFT CASTERS, FABRIC: CANZONE STANDARD FINISH SOIL RETARDANT	M0	INTERIOR DESIGN Model #: 4535331DW	3	\$XXX.XX	\$XXX.XX
718528	#5M744; WASTE-CAN 28 QT RECTANGULAR FIRE RESISTANT (UNDERWRITES LABORATORY) 14.5" X 10.5" X 15.38"; COLOR GRAY; 1 EACH W/O LID(RUBBERMAID 2543) *PRODUCT SET UP TO ORDER IN INCREMENTS OF 1/EA PER KEVIN KOLFF, NAT. REP. ON 10/4/04	M0	GRAINGER Model #: 5M744	2	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space: \$XXX.XX
1 Occurances Of This Type Space Included In The Budget Totalling: \$XXX.XX

000253

Date: 8/7/2008

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB

Page: 79
04:13 PM

DEPT: 080-EEG/EKG/EMG
 SPACE: 1750-ELECTROCARDIOGRAM

Item	Description	Class	Vendor	Qty	Price	Extd Price
618801	***USE ITEM #724673***#303002; RITTER TABLE, EXAM W/ HIDDEN PAPER ROLL HOLDER 21", HOLD-DOWN STRAPS AT HEAD & FOOT END TO KEEP PAPER IN PLACE, DRAWERS, TOP DIMENSIONS: 26.5"W X 74"L, HEIGHT: 31" ** SPECIFY COLOR: IRIS BLUE, NILE GREEN, TERRA ROSA, ROYAL LAVENDER, SLATE GREY OR SAND GREY - BY MIDMARK #3030022//	M0	CARDINAL HEALTH, & Model #: 303002//	1	\$XXX.XX	\$XXX.XX
705352	#4611110/THERMO, CHAIR, DESK CHAIR, SWIVEL TILT W/OPEN LOOP ARMS, THERMOPLASTIC ARMREST W/STD HARD CASTERS, FINISH BASE:9201 CHROME ARM: FABRIC: GRADE 5 SPECIFY SHELL	M0	INTERIOR DESIGN Model #: 4611110/THERMO	1	\$XXX.XX	\$XXX.XX
705823	9055B - UNIT ASSEMBLIES SGL B PEDESTAL RIGHT - KNEESPACE-27-3/4"; 30"D X 45"W X 26 1/4"H, FINISH: LAM: PAINT:	M0	INTERIOR DESIGN Model #: 9055B	1	\$XXX.XX	\$XXX.XX
713700	#MAC55-AAAAXX-AXXXXX; MAC 5500 EKG SYSTEM, CLR STD ENG NA AHA (\$9,875) WITH TROLLEY MAC SYSTEM CART (#2017210-001; \$632); KIT: MEMORY CARD READER ENG (#2027792-001; \$79) AND KIT MUSE SECURE DIGITAL UPGRADE ENG (# 2027777-001; N/C)	M0	GE HEALTHCARE IT Model #: MAC55 SYSTEM	1	\$XXX.XX	\$XXX.XX
718528	#5M744; WASTE-CAN 28 QT RECTANGULAR FIRE RESISTANT (UNDERWRITES LABORATORY) 14.5" X 10.5" X 15.38"; COLOR GRAY; 1 EACH W/O LID(RUBBERMAID 2543) *PRODUCT SET UP TO ORDER IN INCREMENTS OF 1/EA PER KEVIN KOLFF, NAT. REP. ON 10/4/04	M0	GRAINGER Model #: 5M744	1	\$XXX.XX	\$XXX.XX
862710	2042, COAT HOOK, SINGLE -1"W X 7 1/2" X 4 1/2" FINISH: GLOSS BLACK ***PETER PEPPER***	M4	INTERIOR DESIGN Model #: 2042	1	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space: \$XXX.XX
 3 Occurances Of This Type Space Included In The Budget Totalling: \$XXX.XX

000254

Date: 8/7/2008

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB

Page: 80
04:13 PM

DEPT: 080-EEG/EKG/EMG
SPACE: 1760-ELECTROENCEPHALOGRAPH

Item	Description	Class	Vendor	Qty	Price	Extd Price
000214	EMG/EVOKED POTENTIAL 4 CHANNEL, STANDARD FEATURES OF MED-5504A: CART, NERVE CONDUCTION STUDY, AUDITORY EVOKED POTENTIAL, SOMATOSENSORY ED, VISUAL EP- LAPTOP COMPUTER VERSION	M0	NIHON KOHDEN Model #: MEB-9104	1	\$XXX.XX	\$XXX.XX
108398	EEG, 40 CHANNEL, DIGITAL NEUROFAX EEG-1100A; CART NK-KD-009A; 17" DISPLAY; SOFTWARE PKG (REVIEW, SPIKE DETECTION, REPORT GENERATION); LASER PRINTER; REMOTE REVIEW PC **** MUST OBTAIN QUOTE ***	M0	NIHON KOHDEN Model #: EEG 1100A	1	\$XXX.XX	\$XXX.XX
616801	***USE ITEM #724873***#303002; RITTER TABLE, EXAM W/ HIDDEN PAPER ROLL HOLDER 21", HOLD-DOWN STRAPS AT HEAD & FOOT END TO KEEP PAPER IN PLACE, DRAWERS, TOP DIMENSIONS: 28.5"W X 74"L, HEIGHT: 31" ** SPECIFY COLOR: IRIS BLUE, NILE GREEN, TERRA ROSA, ROYAL LAVENDER, SLATE GREY OR SAND GREY - BY MIDMARK #303002//	M0	CARDINAL HEALTH, & Model #: 303002//	1	\$XXX.XX	\$XXX.XX
705352	#4611110/THERMO, CHAIR, DESK CHAIR, SWIVEL.TILT W/OPEN LOOP ARMS, THERMOPLASTIC ARMREST W/STD HARD CASTERS, FINISH BASE:9201 CHROME ARM: FABRIC: GRADE 5 SPECIFY SHELL	M0	INTERIOR DESIGN Model #: 4611110/THERMO	1	\$XXX.XX	\$XXX.XX
705923	9055B - UNIT ASSEMBLIES SGL B PEDESTAL RIGHT - KNEESPACE-27-3/4"; 30"D X 45"W X 26 1/4"H, FINISH: LAM: PAINT:	M0	INTERIOR DESIGN Model #: 9055B	1	\$XXX.XX	\$XXX.XX
707348	#MDS808450; WHEELCHAIR, RECLINING; ADULT; 250# CAPACITY; DIMENSIONS: 20" X 22" X 24", WITH DESK LENGTH ARMS; ELEVATING LEG RESTS; BREEZY 100 RECLINING FRAME: CHROME FRAME COLOR: BLACK	M0	MEDLINE INDUSTRIES, INC. Model #: MDS808450	1	\$XXX.XX	\$XXX.XX
718528	#5M744; WASTE-CAN 28 QT RECTANGULAR FIRE RESISTANT (UNDERWRITES LABORATORY) 14.5" X 10.5" X 15.38"; COLOR GRAY; 1 EACH W/O LID(RUBBERMAID 2543) *PRODUCT SET UP TO ORDER IN INCREMENTS OF 1/EA PER KEVIN KOLFF, NAT. REP. ON 10/4/04	M0	GRAINGER Model #: 5M744	1	\$XXX.XX	\$XXX.XX
861921	#97806, LA Z BOY RECLINER, REGAL ROCKER /RECLINER W/MOBILE BASE 33"H X 37"D X 40"H STD FINISH: WALNUT FABRIC: 6	M0	INTERIOR DESIGN Model #: 97806,	1	\$XXX.XX	\$XXX.XX
862710	2042, COAT HOOK, SINGLE -1"W X 7 1/2" X 4 1/2" FINISH: GLOSS BLACK ***PETER PEPPER***	M4	INTERIOR DESIGN Model #: 2042	1	\$XXX.XX	\$XXX.XX

000255

Date: 8/7/2008

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB
DEPT: 080-EEG/EKG/EMG
SPACE: 1760-ELECTROENCEPHALOGRAPH

Page: 81
 04:13 PM

Item	Description	Class	Vendor	Qty	Price	Extd Price

Total Budget For Each Occurance Of This Type Space:						\$XXX.XX
1 Occurances Of This Type Space Included In The Budget Totaling:						\$XXX.XX

000256

Date: 8/7/2008

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Comer, SC
10000RB
 DEPT: 080-EEG/EKG/EMG
 SPACE: 1820-SECRETARY/RECEPTION

Page: 82
04:13 PM

Item	Description	Class	Vendor	Qty	Price	Extd Price
073499	#4535331DW, CRITERION HIGH BACK CHAIR PNEUMATIC HEIGHT ADJUSTABLE SEAT DEPTH, SOFT CASTERS, FABRIC: CANZONE STANDARD FINISH SOIL RETARDANT	M0	INTERIOR DESIGN Model #: 4535331DW	1	\$XXX.XX	\$XXX.XX
121915	8LP18365F- FILE, LATERAL FILE 5 DWR, 36"W ONE 12"H LETTER SIZE ROLLOUTSHELF W/DOOR, TOP POSITION, FOUR 12"H LETTER SIZE DRAWERS BELOW, PAINT: _____	M0	INTERIOR DESIGN Model #: 8LP18365F	2	\$XXX.XX	\$XXX.XX
705296	474-419M, CHAIR: SIDE CHAIR, 22-3/4" 20-1/2"D X 31"H; AH 25", SH 18-3/4", SLED BASE, ARM CHAIR W/OPEN BACK, SNODGRASS COLL., MONOCHROMATIC; PAINT FINISH: EPOXY COATED FABRIC: REGIS	M0	INTERIOR DESIGN Model #: 474-419M.	2	\$XXX.XX	\$XXX.XX
705884	DESK - TSAFSP3060F, TSAFRP2436M (RETURN) SINGLE PEDESTAL RIGHT, 60" X 30" X 29-3/8", RETURN LEFT, 37-1/2" X 19-3/4" X 26-7/32"H; PLASTIC LAMINATE: PAINT: _____	M0	INTERIOR DESIGN Model #: TSAFSP3060F(R)	1	\$XXX.XX	\$XXX.XX
718528	#5M744; WASTE-CAN 28 QT RECTANGULAR FIRE RESISTANT (UNDERWRITES LABORATORY) 14.5" X 10.5" X 15.38"; COLOR GRAY; 1 EACH W/O LID(RUBBERMAID 2543) *PRODUCT SET UP TO ORDER IN INCREMENTS OF 1/EA PER KEVIN KOLFF, NAT. REP. ON 10/4/04	M0	GRAINGER Model #: 5M744	1	\$XXX.XX	\$XXX.XX
862710	2042, COAT HOOK, SINGLE -1"WX7 1/2" X4 1/2" FINISH: GLOSS BLACK ***PETER PEPPER***	M4	INTERIOR DESIGN Model #: 2042	1	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space: \$XXX.XX
 1 Occurances Of This Type Space Included In The Budget Totalling: \$XXX.XX

000257

Date: 8/7/2008

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
100D0RB

Page: 83
04:13 PMDEPT: 080-EEG/EKG/EMG
SPACE: 1830-SOILED UTILITY

Item	Description	Class	Vendor	Qty	Price	Extd Price
175545	#MDS80529; HAMPER STAND CHROME, SQUARE WITH FOOT PEDAL OPERATED METAL LID (LID COLOR-WHITE), 18 5/8"W X 19 1/2"D X 37 3/4"H, 4 LID LABELS (BIOHAZARD, SOILED LINEN, INFECTIOUS LINEN, & TRASH)	M4	MEDLINE INDUSTRIES, INC. Model #: MDS80529	1	\$XXX.XX	\$XXX.XX
713813	#3U653; WASTE-CAN; 23 GAL STEP-ON W/ WHEELS, 19 3/4"L X 32 1/2"H X 16 1/8"W. COLOR: RED (#3U653; \$80.55) AND RIGID LINER (#4KT51; \$23.33) FM-CALIFORNIA STATE FIRE MARSHALL APPROVED FOR FIRE SAFETY (MANF. RUBBERMAID #6146 & #624600GRAY)	M0	GRAINGER Model #: 3U653/4KT51	1	\$XXX.XX	\$XXX.XX
715985	#73055-2PR; BULK TRUCK, REGRIND, 48 CU.FT. CAPACITY, 48"L X 28 1/2"W X 66 1/2"H	M0	TINGUE BROWN & CO. Model #: 3055-72PR	2	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space: \$XXX.XX
 1 Occurances Of This Type Space Included In The Budget Totalling: \$XXX.XX

000258

Date: 8/7/2008

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB
DEPT: 080-EEG/EKG/EMG
SPACE: 1840-STORAGE

Page: 84
04:13 PM

Item	Description	Class	Vendor	Qty	Price	Extd Price
510303	#SSUKIT0207; SHELVING, STORAGE STARTER, 36 X 18 X 75 WITH 6 SHELVES INCLUDING FOOT PLATES **MUST SELECT COLOR: GRAY OR TAN **	M0	STORAGE SYSTEMS, INC. Model #: SSUKIT0207	1	\$XXX.XX	\$XXX.XX
510304	#SSUKIT0208; SHELVING, STORAGE STARTER 36 X 18 X 75 WITH 6 SHELVES, INCLUDING FOOT PLATES	M0	STORAGE SYSTEMS, INC. Model #: SSUKIT0208	1	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space: \$XXX.XX
1 Occurances Of This Type Space Included In The Budget Totaling: \$XXX.XX

000259

Date: 8/7/2008

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB

Page: 86
04:13 PMDEPT: 080-EEG/EKG/EMG
SPACE: 1850-STRESS TESTING

Item	Description	Class	Vendor	Qty	Price	Extd Price
705352	#4611110/THERMO, CHAIR, DESK CHAIR, SWIVEL TILT W/OPEN LOOP ARMS, THERMOPLASTIC ARMREST W/STD HARD CASTERS, FINISH BASE:9201 CHROME ARM: FABRIC: GRADE 5 SPECIFY SHELL	M0	INTERIOR DESIGN Model #: 4611110/THERMO	1	\$XXX.XX	\$XXX.XX
705923	9055B - UNIT ASSEMBLIES SGL B PEDESTAL RIGHT - KNEESPACE-27-3/4"; 30"D X 45"W X 26 1/4"H, FINISH: LAM: PAINT:	M0	INTERIOR DESIGN Model #: 9055B	1	\$XXX.XX	\$XXX.XX
706324	***DISCONTINUED*** RENAISSANCE 29" STRETCHER, # 1731 (\$3,265) W/ OPTIONS: PNEUMATIC/CRANK KNEE GATCH #1711-135-000 (\$249); FOUR SIDED BRAKE/STEER CONTRQLS #1210-400-000 (\$209); 3 STAGE PERM FOLD IV, HEAD LEFT #1711-111-000 (\$249). LABEL: COLOR:	M0	STRYKER MEDICAL CORP Model #: MODEL 1731	1	\$XXX.XX	\$XXX.XX
706404	TREADMILL, SERIES 2000 W/FULL HANDRAIL SET #T2000-AAA-XXXX; 3HP MOTOR, 220V/60HZ; 18X60" WALKING SFC, 0-25% ELEV, 450LB CAP, 0-13.5 MPH	M0	GE HEALTHCARE IT Model #: T2000-AAA-XXXX	1	\$XXX.XX	\$XXX.XX
709481	#99400-002492; LIFEPAK 12; BIPHASIC DEFIBRILLATOR PKG: INCLUDES MONITOR/DEFIBRILLATOR, AED, EXTERNAL PACING, EL DISPLAY, SPO2 PULSE OXIMETRY, 50MM PRINTER, 3-LEAD ECG CABLE QUICK-COMBO (#99400-002492; \$10,241.73) AUX-POWER SUPPLY (#11400-000038; \$675.02), STANDARD HARD-PADDLES (#11130-000001; \$420.28), TWO SEALED-LEAD ACID BATTERIES (#11141-000028; \$154.29 EA X QTY: 2 = \$308.58)	M0	MEDTRONIC EMERGENCY Model #: 99400-002492-	1	\$XXX.XX	\$XXX.XX
711242	***USE ITEM #724687***#ARDEN-G01; SPHYGMOMANOMETER POCKET ANEROID, ADULT CUFF, GRAY, 2 TUBE	M0	CARDINAL HEALTH, & Model #: ARDEN-G01	1	\$XXX.XX	\$XXX.XX
713787	#PAR 30; ER CART ALUMINUM RED (\$1395.00); INCLUDES #ACB-1 CARDIAC BACK BOARD & #AOB-1 O2 TANK BRACKET. IV POLES (#PIV-1; \$105.00); TUBULAR RAILING (#PSR-1; \$130.00). DIMENSIONS: 45 1/2"H X 25"D X 32 3/4"W	M0	ARMSTRONG MEDICAL IND. Model #: PAR 30	1	\$XXX.XX	\$XXX.XX
715274	#CSE-DAAAAA-BAHXAX, CASE PREMIUM STD 12SL STRESS TEST. INCLUDES: NORTH AMERICAN, US LETTERM, AHA, STORE TO MUSE/LAN, 19" FALT PANEL DISPLAY, 12SL, CD ARCHIVE, WORD/PDF/AUTOEXPORT, TEMPORARY RISK FACTORS; INSTALLATION	M0	GE HEALTHCARE IT Model #: CSE-DAAAAA-BAHX	1	\$XXX.XX	\$XXX.XX
715617	#AE6975; SUCTION S-CORT PORTABLE (DUET), INCLUDES BOTH BATTERY AND PLUG-IN OPERATION	M0	ARMSTRONG MEDICAL IND. Model #: AE6975	1	\$XXX.XX	\$XXX.XX

000260

Date: 8/7/2008

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB

Page: 86
04:13 PM

DEPT: 080-EEG/EKG/EMG
SPACE: 1850-STRESS TESTING

Item	Description	Class	Vendor	Qty	Price	Extd Price
718528	#5M744; WASTE-CAN 28 QT RECTANGULAR FIRE RESISTANT (UNDERWRITES LABORATORY) 14.5" X 10.5" X 15.38"; COLOR GRAY; 1 EACH W/O LID(RUBBERMAID 2543) *PRODUCT SET UP TO ORDER IN INCREMENTS OF 1/EA PER KEVIN KOLFF, NAT. REP. ON 10/4/04	M0	GRAINGER Model #: 5M744	1	\$XXX.XX	\$XXX.XX
719778	#98-0043-00; SUNTECH TANGO PLUS SYSTEM FOR G.E. CASE STRESS TEST. INCLUDES: 15' PATIENT CABLE; ADULT ORBIT-K CUFF W/ MICROPHONE, ADULT PLUS ORBIT-K CUFF W/ MICROPHONE, LG ADULT ORBIT-K W/ MICROPHONE, WRIST STRAP (2); BNC EXTERNAL CABLE; RS-232 CABLE; POLE/RAIL CLAMP W/ SCREWS; QUICK START GUIDE, REFERENCE CARD, USER'S MANUAL, POWER SUPPLY AND CORD.	M0	SUNTECH MEDICAL Model #: 99-0043-00	1	\$XXX.XX	\$XXX.XX
720672	#98-0061-03; ORBIT-K LARGE ADULT CUFF	M0	SUNTECH MEDICAL Model #: 98-0061-03	1	\$XXX.XX	\$XXX.XX
720673	#98-0061-05; ORBIT-K ADULT PLUS CUFF	M0	SUNTECH MEDICAL Model #: 98-0061-05	1	\$XXX.XX	\$XXX.XX
720674	#98-0061-01; ORBIT-K ADULT SMALL CUFF	M0	SUNTECH MEDICAL Model #: 98-0061-01	1	\$XXX.XX	\$XXX.XX
720675	#97-0021-00; CUFF PLUGS (FOR USE WHEN WASHING THE CUFF)	M0	SUNTECH MEDICAL Model #: 97-0021-00	1	\$XXX.XX	\$XXX.XX
721095	INTUBATION EQUIPMENT**NEED FORMAL QUOTE - BUDGET ONLY!** INCLUDES: LARYNGOSCOPE HANDLES, BLADES & MCGILL FORCEPTS. *** FOR BUDGETING ONLY - MUST GET QUOTE *** (RAUSCH OR WELCH ALLYN)	M0	KERMA MEDICAL Model #: INTUBATION	1	\$XXX.XX	\$XXX.XX
862710	2042, COAT HOOK, SINGLE -1"WX7 1/2" X4 1/2" FINISH: GLOSS BLACK ***PETER PEPPER***	M4	INTERIOR DESIGN Model #: 2042	1	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space: \$XXX.XX
1 Occurances Of This Type Space Included In The Budget Totaling: \$XXX.XX

000261

Date: 8/7/2008

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB

Page: 87
04:13 PMDEPT: 080-EEG/EKG/EMG
SPACE: 1860-TOILET

Item	Description	Class	Vendor	Qty	Price	Extd Price
718528	#5M744; WASTE-CAN 28 QT RECTANGULAR FIRE RESISTANT (UNDERWRITES LABORATORY) 14.5" X 10.5" X 15.38"; COLOR GRAY; 1 EACH W/O LID(RUBBERMAID 2543) *PRODUCT SET UP TO ORDER IN INCREMENTS OF 1/EA PER KEVIN KOLFF, NAT. REP. ON 10/4/04	M0	GRAINGER Model #: 5M744	1	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space: \$XXX.XX
1 Occurances Of This Type Space Included In The Budget Totaling: \$XXX.XX

000262

Date: 8/7/2008

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB
DEPT: 080-EEG/EKG/EMG
SPACE: 1860-TOILET

Page: 88
04:13 PM

Item	Description	Class	Vendor	Qty	Price	Extd Price

000263

Date: 8/7/2008

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB

Page: 89
04:13 PM

DEPT: 090-EMERGENCY
 SPACE: 1902-ER ADMITTING PER CLERK

Item	Description	Class	Vendor	Qty	Price	Extd Price
073499	#4535331DW, CRITERION HIGH BACK CHAIR PNEUMATIC HEIGHT ADJUSTABLE SEAT DEPTH, SOFT CASTERS, FABRIC: CANZONE STANDARD FINISH SOIL RETARDANT	M0	INTERIOR DESIGN Model #: 4535331DW	1	\$XXX.XX	\$XXX.XX
121900	8LF18302F- FILE - 2 DRAWER, LATERAL, HANGING FRAME, W/LOCK, 30"W, PAINT:	M0	INTERIOR DESIGN Model #: 8LF18302F	2	\$XXX.XX	\$XXX.XX
121977	RATCL1860F-FILE-TOP FOR TWO 30"LATERA FILES 60" X 18-1/8", PLASTIC LAMINATE;	M0	INTERIOR DESIGN Model #: RATCL1860F	1	\$XXX.XX	\$XXX.XX
705326	#474419M - GUEST CHAIR SNODDGRASS, OPEN LOOP ARMS WITH OPEN BACK BASE: POLISHED CHROME, FABRIC: REGIS, SOIL RETARDANT	M0	INTERIOR DESIGN Model #: 474419M	2	\$XXX.XX	\$XXX.XX
705884	DESK - TSAFSP3060F, TSAFRP2436M (RETURN) SINGLE PEDESTAL RIGHT, 60" X 30" X 29-3/8", RETURN LEFT, 37-1/2" X 19-3/4" X 26-7/32"H; PLASTIC LAMINATE: PAINT:	M0	INTERIOR DESIGN Model #: TSAFSP3060F(R)	1	\$XXX.XX	\$XXX.XX
718528	#5M744; WASTE-CAN 28 QT RECTANGULAR FIRE RESISTANT (UNDERWRITES LABORATORY) 14.5" X 10.5" X 15.38"; COLOR GRAY; 1 EACH W/O LID(RUBBERMAID 2543) *PRODUCT SET UP TO ORDER IN INCREMENTS OF 1/EA PER KEVIN KOLFF, NAT. REP. ON 10/4/04	M0	GRAINGER Model #: 5M744	1	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space: \$XXX.XX
 1 Occurances Of This Type Space Included In The Budget Totaling: \$XXX.XX

000264

Date: 8/7/2008

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB

Page: 90
04:13 PMDEPT: 090-EMERGENCY
SPACE: 1910-ALCOVE

Item	Description	Class	Vendor	Qty	Price	Extd Price
558496	#1007-000-000; SM104 STRETCHER, 5TH WHEEL MOBILITY SOLUTION(1007-000- 000; \$3,063.60) 30"W PT SURFACE(0785-010- 307; \$152.44)PNEUMATIC BACKREST/HYDRAULIC KNEE CATCH COMPOSITE/STEEL (0785-010-303; \$343.36) DUAL END BRAKE/STEER CONTROLS(0853- 003-205; STD) POP-UP STEERING HANDLES HEAD END(0785-048-020; \$190.92) 30" TRANSFER BOARD(0785-045-310; NC) 2 STAGE IV POLE HEAD LEFT(0785-035- 338;\$228.66) 5"ULTRA COMFORT MATTRESS (0785-034-333; \$166.50) CHOOSE ACCENT COLOR: RED, PURPLE, GREEN, YELLOW, GRAY, TEAL, LT BLUE OR NAVY CHOOSE DEPARTMENT	M0	STRYKER MEDICAL CORP Model #: 1007 - SM104	1	\$XXX.XX	\$XXX.XX
709712	#MDS806800; WHEELCHAIR, EXTRA-WIDE, 22" WIDE, 350 LB CAPACITY W/REMOVABLE DESK LENGTH ARMS, SWINGAWAY DETACHABLE FOOTRESTS. COLOR: NAVY	M0	MEDLINE INDUSTRIES, INC. Model #: MDS806800	5	\$XXX.XX	\$XXX.XX
715765	#MDS85190; IV/O2 TANK HOLDER FOR WHEELCHAIR	M0	MEDLINE INDUSTRIES, INC. Model #: MDS85190	6	\$XXX.XX	\$XXX.XX
715888	***USE ITEM # 723561***#MDS809575, WHEELCHAIR, Bariatric, THE SHUTTLE, 26" WIDE,700LB CAPACITY, REMOVABLE DESK LENGTH ARMS, SWING-AWAY DETACHABLE ELEVATING LEGRESTS. COLOR: BLACK	M0	MEDLINE INDUSTRIES, INC. Model #: MDS809575	1	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space: \$XXX.XX
 1 Occurances Of This Type Space Included In The Budget Totaling: \$XXX.XX

000265

Date: 8/7/2008

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB

Page: 91
04:13 PMDEPT: 090-EMERGENCY
SPACE: 1920-CAST ROOM

Item	Description	Class	Vendor	Qty	Price	Extd Price
061630	***USE ITEM #724586***#61300-010; CART, CAST #4183-150	M0	CARDINAL HEALTH, & Model #: 61300-010	1	\$XXX.XX	\$XXX.XX
073468	#472-410N; CHAIR- MAX STACKER, WITHOUT ARMS, HARD GLIDES, SELECT COATED FRAME COLOR: SELECT POLYPROPYLENE COLOR FOR SEAT & BACK:	M0	INTERIOR DESIGN Model #: 472-410N	1	\$XXX.XX	\$XXX.XX
081555	CUBICLE CURTAIN ***BUDGET COST***	M4	STANDARD TEXTILE Model #: CURTAIN	1	\$XXX.XX	\$XXX.XX
081760	#940/#986; CAST CUTTER (#940; \$713.07) AND CAST VACUUM (#986; \$913.65)	M7	STRYKER INSTRUMENTS Model #: #940 & #986	1	\$XXX.XX	\$XXX.XX
125000	**USE ITEM #722635**#6701-1267-921; AIR FLOWMETER, DISS W/ NUT & GLAND, DIA ADAPTER FM, A (A DS)	M4	GE HEALTHCARE DATEX Model #: 6701-1267-921	1	\$XXX.XX	\$XXX.XX
125100	**USE ITEM #722651**#6701-1260-921; OXYGEN FLOWMETER, W/DISS OUTLET, NUT & GLAND, DIA ADAPTER	M4	GE HEALTHCARE DATEX Model #: 6701-1260-921	1	\$XXX.XX	\$XXX.XX
175545	#MDS80529; HAMPER STAND CHROME; SQUARE WITH FOOT PEDAL OPERATED METAL LID (LID COLOR-WHITE), 18 5/8"W X 19 1/2"D X 37 3/4"H, 4 LID LABELS (BIOHAZARD, SOILED LINEN, INFECTIOUS LINEN, & TRASH)	M4	MEDLINE INDUSTRIES, INC. Model #: MDS80529	1	\$XXX.XX	\$XXX.XX
558496	#1007-000-000; SM104 STRETCHER, 5TH WHEEL MOBILITY SOLUTION(1007-000- 000; \$3,063.60) 30"W PT SURFACE(0785-010- 307; \$152.44)PNEUMATIC BACKREST/HYDRAULIC KNEE CATCH COMPOSITE/STEEL (0785-010-303; \$343.36) DUAL END BRAKE/STEER CONTROLS(0853- 003-205; STD) POP-UP STEERING HANDLES HEAD END(0785-048-020; \$190.92) 30" TRANSFER BOARD(0785-045-310; NC) 2 STAGE IV POLE HEAD LEFT(0785-035- 336;\$228.66) 5"ULTRA COMFORT MATTRESS (0785-034-333; \$166.50) CHOOSE ACCENT COLOR: RED, PURPLE, GREEN, YELLOW, GRAY, TEAL, LT BLUE OR NAVY CHOOSE DEPARTMENT	M0	STRYKER MEDICAL CORP Model #: 1007 - SM104	1	\$XXX.XX	\$XXX.XX
560030	**USE ITEM #722684** #6701-1251-908 - SUCTION INTERMITTENT/CONT. DIAM ADAPTER SAFETY TRAP SUCTION UNIT; ISU, DIA, DS TR WG	M0	GE HEALTHCARE DATEX Model #: 6701-1251-908	1	\$XXX.XX	\$XXX.XX
706115	#E5021LD; FILM ILLUMINATOR, 4 PANEL, TRUVISION 4000, SURFACE MOUNT, 118V, 60HZ, 4 BULBS PER PANEL WITH FILM ACTIVATED SWITCH.	M0	GE HEALTHCARE (DIA) Model #: E5021LD	1	\$XXX.XX	\$XXX.XX

000266

Date: 8/7/2008

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB
 DEPT: 090-EMERGENCY
 SPACE: 1920-CAST ROOM

Page: 92
04:13 PM

Item	Description	Class	Vendor	Qty	Price	Extd Price
706291	***DISCONTINUED PER VENDOR-USE ITEM #662550*** #E5083ED; BRIGHT SPOT ILLUMINATOR, 110V, 60 HZ, 6" W X 8" H X 8" D, 7 LBS.	M0	GE HEALTHCARE (DIA) Model #: E5083ED.	1	\$XXX.XX	\$XXX.XX
706833	#M8004A, A04; MONITOR, INTELLIVUE MP50 W/4 WAVE COLOR TOUCH FLAT DISPLAY. INCLUDES: ECG, RESP, TEMP, NBP, SP02, PRESS X2, ETCO2, DRUG CAL, ALL CABLES (\$15,057) & ESTIMATED INSTALLATION @ 10% (\$2,151)	M0	PHILIPS MED SYS INC Model #: M8004A, A04	1	\$XXX.XX	\$XXX.XX
710389	#678376791MX; 767 INTEGRATED SYSTEM WITH 767 WALL TRANSFORMER, STANDARD OPHTHALMOSCOPE, MACROVIEW, OTOSCOPE, THERMOMETER, 767 WALL ANEROID, AND KLEENSPEC PLUS DIAGNOSTIC OTOSCOPE SPECULA DISPENSER; 3.5V***PART#76791 CHANGED TO 76791-M*** (WELCH ALLYN)	M0	KERMA MEDICAL Model #: 678376791MX	1	\$XXX.XX	\$XXX.XX
710985	#4956P15764; IV STAND W/ FOUR HOOKS FOOT OPERATED, 5 CASTERS HEIGHT ADJUSTABLE 68"-108", HEAVY TIP RESISTANT BASE (PEDIGO)	M0	KERMA MEDICAL Model #: 4956P15764	1	\$XXX.XX	\$XXX.XX
714119	***USE ITEM # 722036***#5563614500LB; WASTE CONTAINER, STEP-ON, 18 GAL. W/ LINER. 19 3/4" X 16 1/8" X 26 1/8" H, FM- CALIFORNIA STATE FIRE MARSHALL APPROVED FOR FIRE SAFETY, COLOR: BEIGE (RUBBERMAID)	M0	KERMA MEDICAL Model #: 5563614500LB	1	\$XXX.XX	\$XXX.XX
715643	#8702 SOFTC; LAB STOOL, W/FOOTRING AND BACK; FLAT TOP ALUMINUM BASE W/BLACK TOE CAPS; "D" RING HEIGHT ADJUSTMENT 23" - 33" FROM FLOOR, **SELECT VINYL COLOR: PEARL; PUTTY, TAUPE, GRAY, WARM GRAY, BLACK, TERRA ROSE, MONET, ROYAL RUBY, PORT, GRAPE, LAVENDER, BLUE, WEDGE WOOD, JADE, GROTTO, EMERALD, OR PURPLE	M7	HASSOC MEDICAL Model #: 8702/SOFT C	1	\$XXX.XX	\$XXX.XX
716165	#4956P1020SS; KICK BUCKET, 12QT. W/CASTERS & BUMPER, 13 1/2" DIA X 14" H (PEDIGO)	M0	KERMA MEDICAL Model #: 4956P1020SS	1	\$XXX.XX	\$XXX.XX
716157	#4956P1066SS; MAYO STAND TRAY 16 1/4" X 21 1/4", FOOT PEDAL OPERATED (PEDIGO)	M0	KERMA MEDICAL Model #: 4956P1066SS	1	\$XXX.XX	\$XXX.XX
721040	#LA30; HARMONY LA 300 CEILING MOUNT PACKAGE. INCLUDES: CEILING PACKAGE, SPRING ARM W/ HORIZONTAL EXTENSION ARM, H300 LIGHTHEAD; ALSO INCLUDED ARE OPERATOR MANUAL AND INSTALLATION INSTRUCTIONS.	M0	STERIS/AMSCO PRODUCTS Model #: LA30	1	\$XXX.XX	\$XXX.XX

000267

RECORD 004730

Date: 8/7/2008

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
1000RB
DEPT: 090-EMERGENCY
SPACE: 1920-CAST ROOM

Page: 93
04:13 PM

Item	Description	Class	Vendor	Qty	Price	Extd Price
Total Budget For Each Occurance Of This Type Space:						\$XXX.XX
1 Occurances Of This Type Space Included In The Budget Totaling:						\$XXX.XX

000268

Date: 8/7/2008

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB
 DEPT: 090-EMERGENCY
 SPACE: 1930-CLEAN UTILITY

Page: 94
04:13 PM

Item	Description	Class	Vendor	Qty	Price	Extd Price
510434	#SSUKIT0008; LINEN CART, LARGE; 60 X 24 X 66, 5 SHELVES W/ COVER, DOLLY ON WHEELS, & SHELF GUARD	M0	STORAGE SYSTEMS, INC. Model #: SSUKIT0008	1	\$XXX.XX	\$XXX.XX
510532	#SSUKIT0011; CART, SUPPLY/EXCHANGE, 60 X 66 X 24; KBS2460	M0	STORAGE SYSTEMS, INC. Model #: SSUKIT0011	1	\$XXX.XX	\$XXX.XX
714072	***USE ITEM # 713782***#5563452088BG; UTILITY CART, 24"X36"X32.25"H, 400 LB MAX CAPACITY, NO MIDDLE SHELF COLOR: BEIGE (RUBBERMAID)	M0	KERMA MEDICAL Model #: 5563452088BG	1	\$XXX.XX	\$XXX.XX
714119	***USE ITEM # 722036***#5563614500LB; WASTE CONTAINER, STEP-ON, 18 GAL. W/ LINER, 19 3/4" X 16 1/8"X28 1/8"H, FM- CALIFORNIA STATE FIRE MARSHALL APPROVED FOR FIRE SAFETY, COLOR: BEIGE (RUBBERMAID)	M0	KERMA MEDICAL Model #: 5563614500LB	1	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space: \$XXX.XX
 1 Occurances Of This Type Space Included In The Budget Totaling: \$XXX.XX

000289

Date: 8/7/2008

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB

Page: 95
04:13 PMDEPT: 090-EMERGENCY
SPACE: 1950-CONSULTATION

Item	Description	Class	Vendor	Qty	Price	Extd Price
000029	#D1490, HALLMARK LAMP- CERAMIC GINGER JAR STYLE, 28"H, SHADE: MUSHROOM PLEAT - 6 X 18 X 10, COLOR: EGGSHELL, CERAMIC COLOR: ANY STD SOLID OR CRACKLE	M0	INTERIOR DESIGN Model #: D1490	1	\$XXX.XX	\$XXX.XX
020093	ARTWORK	M0	AMERICAN ART RESOURCES Model #: ARTWORK	1	\$XXX.XX	\$XXX.XX
705124	WT3030-20-4-TABLE, , END TABLE 30"X30"X20"H WOOD FINISH:	M0	INTERIOR DESIGN Model #: WT3030-20-4..	1	\$XXX.XX	\$XXX.XX
718528	#5M744; WASTE-CAN 28 QT RECTANGULAR FIRE RESISTANT (UNDERWRITES LABORATORY) 14.5" X 10.5" X 15.38"; COLOR GRAY; 1 EACH W/O LID(RUBBERMAID 2543) *PRODUCT SET UP TO ORDER IN INCREMENTS OF 1/EA PER KEVIN KOLFF, NAT. REP. ON 10/4/04	M0	GRAINGER Model #: 5M744	1	\$XXX.XX	\$XXX.XX
860351	#6833, AGI, LIDO LOVESEAT 54"W X 31"D X 29"H GRADE J FABRIC, STANDARD WOOD FINISH	M0	INTERIOR DESIGN Model #: 6833	1	\$XXX.XX	\$XXX.XX
860353	#6823, AGI- LIDO LOUNGE CHAIR 32"W X 31"D X 29"H GRADE J FABRIC STANDARD WOOD FINISH	M0	INTERIOR DESIGN Model #: 6823	1	\$XXX.XX	\$XXX.XX
862716	LT2420-TABLE - FIBERGLASS, PETER PEPPER, CYLINDRICAL DRUM, TABLE - 24" X 21"H - COLOR: STD. INCL. FIRE RETARDANT POLYESTER RESIN CALSS I	M0	INTERIOR DESIGN Model #: LT2420	1	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space: \$XXX.XX
 2 Occurances Of This Type Space Included In The Budget Totalling: \$XXX.XX

000270

RECORD 004733

Date: 8/7/2008

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB
DEPT: 090-EMERGENCY
SPACE: 1960-DICTATION

Page: 96
04:13 PM

Item	Description	Class	Vendor	Qty	Price	Extd Price
073499	#4535331DW, CRITERION HIGH BACK CHAIR PNEUMATIC HEIGHT ADJUSTABLE SEAT DEPTH, SOFT-CASTERS; FABRIC: CANZONE STANDARD FINISH SOIL RETARDANT	M0	INTERIOR DESIGN Model #: 4535331DW	2	\$XXX.XX	\$XXX.XX
718528	#5M744; WASTE-CAN 28 QT RECTANGULAR FIRE RESISTANT (UNDERWRITES LABORATORY) 14.5" X 10.5" X 15.38"; COLOR GRAY; 1 EACH W/O LID(RUBBERMAID 2543) *PRODUCT SET UP TO ORDER IN INCREMENTS OF 1/EA PER KEVIN KOLFF, NAT. REP. ON 10/4/04	M0	GRAINGER Model #: 5M744	2	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space: \$XXX.XX
2 Occurances Of This Type Space Included In The Budget Totaling: \$XXX.XX

000271

Date: 8/7/2008

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB

Page: 97
04:13 PMDEPT: 090-EMERGENCY
SPACE: 2005-ENT

Item	Description	Class	Vendor	Qty	Price	Extd Price
073468	#472-410N; CHAIR- MAX STACKER, WITHOUT ARMS, HARD GLIDES, SELECT COATED FRAME COLOR: SELECT POLYPROPYLENE COLOR FOR SEAT & BACK;	M0	INTERIOR DESIGN Model #: 472-410N	1	\$XXX.XX	\$XXX.XX
081555	CUBICLE CURTAIN ***BUDGET COST***	M4	STANDARD TEXTILE Model #: CURTAIN	1	\$XXX.XX	\$XXX.XX
125000	**USE ITEM #722635**#6701-1267-921; AIR FLOWMETER, DISS W/ NUT & GLAND, DIA ADAPTER FM, A (A DS)	M4	GE HEALTHCARE DATEX Model #: 6701-1267-921	1	\$XXX.XX	\$XXX.XX
125100	**USE ITEM #722651**#6701-1260-921; OXYGEN FLOWMETER, W/DISS OUTLET, NUT & GLAND, DIA ADAPTER	M4	GE HEALTHCARE DATEX Model #: 6701-1260-921	1	\$XXX.XX	\$XXX.XX
323500	***USE ITEM #724642***#31010-010; LIGHT HALOGEN HEADLIGHT COMPLETE UNI WA 49003	M0	CARDINAL HEALTH, & Model #: 31010-010	1	\$XXX.XX	\$XXX.XX
347440	#S160001D; MAXI CABINET, STAINLESS STEEL CABINET COMPLETE W/HEAVY DUTY SUCTION PRESSURE PUMPS & FIBER OPTIC OTOSCOPE HEAD, 110V ***CHOOSE OTOSCOPE HEAD TYPE: OPERATION, PNEUMATIC, DIAGNOSTIC*** (2) TWO HEADS COME WITH THIS UNIT	M0	GLOBAL SURGICAL Model #: S160001D	1	\$XXX.XX	\$XXX.XX
347450	#S280000; MAXI 28 CHAIR, EXAM, ELECTRO-HYDRAULIC LIFT & RECLINE SYSTEM, LIFT CAP. 400 LB. (TESTED TO 1600 LBS). TRENDLENBURG 10 DEGREES, 16" TRAVEL RANGE, ELCTRO-HYDRAULIC BRAKE, ARTICULATING ARMREST, MULTI-POSITION ARTICUALTING HEADREST. ***CHOOSE VINYL COLOR: BLACK, SAND, BURGUNDY, CLARET (RED), TUSCANY TILE (BROWN PINK), BLUE MIST (BLUE GREY), GROTTO (TEAL), IMPERIAL (DK) BLUE, WEDGEWOOD (LT BLUE), TEA ROSE, GRAPHITE (DK GREY), DOVE (LT GREY), FOREST, GUNMETAL, SLATE BLUE, TAUPE, OR PURPLE GREY***	M0	GLOBAL SURGICAL Model #: S280000	1	\$XXX.XX	\$XXX.XX
560030	**USE ITEM #722684** #6701-1251-908 - SUCTION INTERMITTENT/CONT. DIAM ADAPTER SAFETY TRAP SUCTION UNIT; ISU, DIA, DS TR WG	M0	GE HEALTHCARE DATEX Model #: 6701-1251-908	1	\$XXX.XX	\$XXX.XX
706115	#E5021LD; FILM ILLUMINATOR, 4 PANEL, TRUVISION 4000, SURFACE MOUNT, 118V, 60HZ, 4 BULBS PER PANEL WITH FILM ACTIVATED SWITCH.	M0	GE HEALTHCARE (DIA) Model #: E5021LD	1	\$XXX.XX	\$XXX.XX
706833	#M8004A, A04; MONITOR, INTELLIVUE MP50 W/4 WAVE COLOR TOUCH FLAT DISPLAY. INCLUDES: ECG, RESP, TEMP, NBP, SP02, PRESS X2, ETCO2, DRUG CAL, ALL CABLES (\$15.057) & ESTIMATED INSTALLATION @ 10% (\$2,151)	M0	PHILIPS MED SYS INC Model #: M8004A, A04	1	\$XXX.XX	\$XXX.XX

000272

Date: 8/7/2008

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB
DEPT: 090-EMERGENCY
SPACE: 2005-ENT

Page: 98
04:13 PM

Item	Description	Class	Vendor	Qty	Price	Extd Price
710389	#678376791MX; 767 INTEGRATED SYSTEM WITH 767 WALL TRANSFORMER, STANDARD OPHTHALMOSCOPE, MACROVIEW, OTOSCOPE, THERMOMETER, 767 WALL ANEROID, AND KLENSPEC PLUS DIAGNOSTIC OTOSCOPE SPECULA DISPENSER; 3.5V***PART#76791 CHANGED TO 76791-M*** (WELCH ALLYN)	M0	KERMA MEDICAL Model #: 678376791MX	1	\$XXX.XX	\$XXX.XX
713796	#5M877; WASTE-CAN; 18 GAL; STEP-ON, 19 3/4"X16 1/8"X 26 1/8"H, COLOR: BEIGE (#5M877; \$57.47) AND RIGID LINER; 18"L X 22" H X 12 1/4" W; COLOR: GRAY; FOR OILY WASTE CONTAINERS (#5M891; \$18.72) FM-CALIFORNIA STATE FIRE MARSHALL APPROVED FOR FIRE SAFETY. (MANF. RUBBERMAID; #6145 & #6245)	M0	GRAINGER Model #: 5M877/5M891	1	\$XXX.XX	\$XXX.XX
715643	#8702 SOFTC; LAB STOOL, W/FOOTRING AND BACK; FLAT TOP ALUMINUM BASE W/BLACK TOE CAPS; "D" RING HEIGHT ADJUSTMENT 23" - 33" FROM FLOOR, **SELECT VINYL COLOR: PEARL; PUTTY, TAUPE, GRAY, WARM GRAY, BLACK, TERRA ROSE, MONET, ROYAL RUBY, PORT, GRAPE, LAVENDER, BLUE, WEDGE WOOD, JADE, GROTTO, EMERALD, OR PURPLE	M7	HASSOC MEDICAL Model #: 8702/SOFT C	1	\$XXX.XX	\$XXX.XX
716155	#4956P1020SS; KICK BUCKET, 12QT. W/CASTERS & BUMPER, 13 1/2" DIA X 14"H (PEDIGO)	M0	KERMA MEDICAL Model #: 4956P1020SS	1	\$XXX.XX	\$XXX.XX
716157	#4956P1066SS; MAYO STAND TRAY 16 1/4" X 21 1/4", FOOT PEDAL OPERATED (PEDIGO)	M0	KERMA MEDICAL Model #: 4956P1066SS	1	\$XXX.XX	\$XXX.XX
721040	#LA30; HARMONY LA 300 CEILING MOUNT PACKAGE. INCLUDES: CEILING PACKAGE, SPRING ARM W/ HORIZONTAL EXTENSION ARM, H300 LIGHTHEAD; ALSO INCLUDED ARE OPERATOR MANUAL AND INSTALLATION INSTRUCTIONS.	M0	STERIS/AMSCO PRODUCTS Model #: LA30	1	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space: \$XXX.XX
 1 Occurances Of This Type Space Included In The Budget Totaling: \$XXX.XX

000273

Date: 8/7/2008

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB

Page: 99
04:13 PM

DEPT: 090-EMERGENCY
 SPACE: 2010-EXAM/TREATMENT - W/MONITOR

Item	Description	Class	Vendor	Qty	Price	Extd Price
073468	#472-410N; CHAIR- MAX STACKER, WITHOUT ARMS, HARD GLIDES, SELECT COATED FRAME COLOR; SELECT POLYPROPYLENE COLOR FOR SEAT & BACK;	M0	INTERIOR DESIGN Model #: 472-410N	1	\$XXX.XX	\$XXX.XX
081655	CUBICLE CURTAIN ***BUDGET COST***	M4	STANDARD TEXTILE Model #: CURTAIN	1	\$XXX.XX	\$XXX.XX
125000	**USE ITEM #722635**#6701-1267-921; AIR FLOWMETER, DISS W/ NUT & GLAND, DIA ADAPTER FM, A (A DS)	M4	GE HEALTHCARE DATEX Model #: 6701-1267-921	1	\$XXX.XX	\$XXX.XX
125100	**USE ITEM #722651**#6701-1260-921; OXYGEN FLOWMETER, W/DISS OUTLET, NUT & GLAND, DIA ADAPTER	M4	GE HEALTHCARE DATEX Model #: 6701-1260-921	1	\$XXX.XX	\$XXX.XX
175545	#MDS80529; HAMPER STAND CHROME, SQUARE WITH FOOT PEDAL OPERATED METAL LID (LID COLOR-WHITE), 18 5/8"W X 19 1/2"D X 37 3/4"H, 4 LID LABELS (BIOHAZARD, SOILED LINEN, INFECTIOUS LINEN, & TRASH)	M4	MEDLINE INDUSTRIES, INC. Model #: MDS80529	1	\$XXX.XX	\$XXX.XX
558496	#1007-000-000; SM104 STRETCHER, 5TH WHEEL MOBILITY SOLUTION(1007-000-000; \$3,063.60) 30"W PT SURFACE(0785-010-307; \$152.44)PNEUMATIC BACKREST/HYDRAULIC KNEE CATCH COMPOSITE/STEEL (0785-010-303; \$343.36) DUAL END BRAKE/STEER CONTROLS(0853-003-205; STD) POP-UP STEERING HANDLES HEAD END(0785-048-020; \$190.92) 30" TRANSFER BOARD(0785-045-310; NC) 2 STAGE IV POLE HEAD LEFT(0785-035-338;\$228.66) 5"ULTRA COMFORT MATTRESS (0785-034-333; \$166.50) CHOOSE ACCENT COLOR: RED, PURPLE, GREEN, YELLOW, GRAY, TEAL, LT BLUE OR NAVY CHOOSE DEPARTMENT	M0	STRYKER MEDICAL CORP Model #: 1007 - SM104	1	\$XXX.XX	\$XXX.XX
560030	**USE ITEM #722684** #6701-1251-908 - SUCTION INTERMITTENT/CONT. DIAM ADAPTER SAFETY TRAP SUCTION UNIT; ISU, DIA, DS TR WG	M0	GE HEALTHCARE DATEX Model #: 6701-1251-908	1	\$XXX.XX	\$XXX.XX
706115	#E5021LD; FILM ILLUMINATOR, 4 PANEL, TRUVISION 4000, SURFACE MOUNT, 118V, 60HZ, 4 BULBS PER PANEL WITH FILM ACTIVATED SWITCH.	M0	GE HEALTHCARE (DIA) Model #: E5021LD	1	\$XXX.XX	\$XXX.XX
706833	#M8004A, A04; MONITOR, INTELLIMUE MP50 W/4 WAVE COLOR TOUCH FLAT DISPLAY. INCLUDES: ECG, RESP, TEMP, NBP, SP02, PRESS X2, ETCO2, DRUG CAL, ALL CABLES (\$15,057) & ESTIMATED INSTALLATION @ 10% (\$2,151)	M0	PHILIPS MED SYS INC Model #: M8004A, A04	1	\$XXX.XX	\$XXX.XX

000274

Date: 8/7/2008

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB

Page: 100
04:13 PM

DEPT: 090-EMERGENCY
 SPACE: 2010-EXAM/TREATMENT - W/MONITOR

Item	Description	Class	Vendor	Qty	Price	Extd Price
710389	#678376791MX; 767 INTEGRATED SYSTEM WITH 767 WALL TRANSFORMER, STANDARD OPHTHALMOSCOPE, MACROVIEW, OTOSCOPE, THERMOMETER, 767 WALL ANEROID, AND KLEENSPEC PLUS DIAGNOSTIC OTOSCOPE SPECULA DISPENSER; 3.5V***PART#76791 CHANGED TO 76791-M*** (WELCH ALLYN)	M0	KERMA MEDICAL Model #: 678376791MX	1	\$XXX.XX	\$XXX.XX
710985	#4956P15764; IV STAND W/ FOUR HOOKS FOOT OPERATED, 5 CASTERS HEIGHT ADJUSTABLE 68"-108", HEAVY TIP RESISTANT BASE (PEDIGO)	M0	KERMA MEDICAL Model #: 4956P15764	1	\$XXX.XX	\$XXX.XX
713796	#5M877; WASTE-CAN; 18 GAL; STEP-ON, 19 3/4"X16 1/8"X26 1/6"H, COLOR: BEIGE (#5M877; \$57.47) AND RIGID LINER; 18"L X 22" H X12 1/4" W; COLOR: GRAY; FOR OILY WASTE CONTAINERS (#5M891; \$18.72) FM-CALIFORNIA STATE FIRE MARSHALL APPROVED FOR FIRE SAFETY. (MANF. RUBBERMAID; #6145 & #6245)	M0	GRAINGER Model #: 5M877/5M891	1	\$XXX.XX	\$XXX.XX
715643	#8702 SOFTC; LAB STOOL, W/FOOTRING AND BACK; FLAT TOP ALUMINUM BASE W/BLACK TOE CAPS; "D" RING HEIGHT ADJUSTMENT 23" - 33" FROM FLOOR, **SELECT VINYL COLOR: PEARL; PUTTY, TAUPE, GRAY, WARM GRAY, BLACK, TERRA ROSE, MONET, ROYAL RUBY, PORT, GRAPE, LAVENDER, BLUE, WEDGE WOOD, JADE, GROTTTO, EMERALD, OR PURPLE	M7	HASSOC MEDICAL Model #: 8702/SOFT C	1	\$XXX.XX	\$XXX.XX
716155	#4956P1020SS; KICK BUCKET, 12QT. W/CASTERS & BUMPER, 13 1/2" DIA X 14"H (PEDIGO)	M0	KERMA MEDICAL Model #: 4956P1020SS	1	\$XXX.XX	\$XXX.XX
716157	#4956P1066SS; MAYO STAND TRAY 16 1/4" X 21 1/4", FOOT PEDAL OPERATED (PEDIGO)	M0	KERMA MEDICAL Model #: 4956P1066SS	1	\$XXX.XX	\$XXX.XX
721040	#LA30; HARMONY LA 300 CEILING MOUNT PACKAGE. INCLUDES: CEILING PACKAGE, SPRING ARM W/ HORIZONTAL EXTENSION ARM, H300 LIGHTHEAD; ALSO INCLUDED ARE OPERATOR MANUAL AND INSTALLATION INSTRUCTIONS.	M0	STERIS/AMSCO PRODUCTS Model #: LA30	1	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space: \$XXX.XX
 8 Occurances Of This Type Space Included In The Budget Totaling: \$XXX.XX

000275

Date: 8/7/2008

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB

Page: 101
04:13 PMDEPT: 090-EMERGENCY
SPACE: 2015-GYN EXAM ROOM

Item	Description	Class	Vendor	Qty	Price	Extd Price
073468	#472-410N; CHAIR- MAX STACKER, WITHOUT ARMS, HARD GLIDES, SELECT COATED FRAME COLOR; SELECT POLYPROPYLENE COLOR FOR SEAT & BACK;	M0	INTERIOR DESIGN Model #: 472-410N	1	\$XXX.XX	\$XXX.XX
081555	CUBICLE CURTAIN ***BUDGET COST***	M4	STANDARD TEXTILE Model #: CURTAIN	1	\$XXX.XX	\$XXX.XX
125000	**USE ITEM #722635**#6701-1267-921; AIR FLOWMETER, DISS W/ NUT & GLAND, DIA ADAPTER FM, A (A DS)	M4	GE HEALTHCARE DATEX Model #: 6701-1267-921	1	\$XXX.XX	\$XXX.XX
125100	**USE ITEM #722551**#6701-1260-921; OXYGEN FLOWMETER, W/DISS OUTLET, NUT & GLAND, DIA ADAPTER	M4	GE HEALTHCARE DATEX Model #: 6701-1260-921	1	\$XXX.XX	\$XXX.XX
175545	#MDS80529; HAMPER STAND CHROME, SQUARE WITH FOOT PEDAL OPERATED METAL LID (LID COLOR-WHITE), 18 5/8"W X 19 1/2"D X 37 3/4"H, 4 LID LABELS (BIOHAZARD, SOILED LINEN, INFECTIOUS LINEN, & TRASH)	M4	MEDLINE INDUSTRIES, INC. Model #: MDS80529	1	\$XXX.XX	\$XXX.XX
560030	**USE ITEM #722684** #6701-1251-908 - SUCTION INTERMITTENT/CONT. DIAM ADAPTER SAFETY TRAP SUCTION UNIT; ISU, DIA, DS TR WG	M0	GE HEALTHCARE DATEX Model #: 6701-1251-908	1	\$XXX.XX	\$XXX.XX
706115	#E5021LD; FILM ILLUMINATOR, 4 PANEL, TRUVISION 4000, SURFACE MOUNT, 118V, 60HZ, 4 BULBS PER PANEL WITH FILM ACTIVATED SWITCH.	M0	GE HEALTHCARE (DIA) Model #: E5021LD	1	\$XXX.XX	\$XXX.XX
706833	#M8004A, A04; MONITOR, INTELLIVUE MP50 W/4 WAVE COLOR TOUCH FLAT DISPLAY. INCLUDES: ECG, RESP, TEMP, NBP, SP02, PRESS X2, ETCO2, DRUG CAL, ALL CABLES (\$15,057) & ESTIMATED INSTALLATION @ 10% (\$2,151)	M0	PHILIPS MED SYS INC Model #: M8004A, A04	1	\$XXX.XX	\$XXX.XX
710389	#678376791MX; 767 INTEGRATED SYSTEM WITH 767 WALL TRANSFORMER, STANDARD OPTHALMOSCOPE,MACROVIEW, OTOSCOPE, THERMOMETER, 767 WALL ANEROID, AND KLENSPEC PLUS DIAGNOSTIC OTOSCOPE SPECULA DISPENSER; 3.5V***PART#76791 CHANGED TO 76791-M*** (WELCH ALLYN)	M0	KERMA MEDICAL Model #: 678376791MX	1	\$XXX.XX	\$XXX.XX
710985	#4956P15764; IV STAND W/ FOUR HOOKS FOOT OPERATED, 5 CASTERS HEIGHT ADJUSTABLE 68"-108", HEAVY TIP RESISTANT BASE (PEDIGO)	M0	KERMA MEDICAL Model #: 4956P15764	1	\$XXX.XX	\$XXX.XX

000276

Date: 8/7/2008

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB

Page: 102
04:13 PM

DEPT: 090-EMERGENCY
SPACE: 2015-GYN EXAM ROOM

Item	Description	Class	Vendor	Qty	Price	Extd Price
713796	#5M877; WASTE-CAN; 18 GAL; STEP-ON, 19 3/4"X16 1/8"X 26 1/6"H, COLOR: BEIGE (#5M877; \$57.47) AND RIGID LINER; 18"L X 22" H X12 1/4" W; COLOR: GRAY; FOR OILY WASTE CONTAINERS (#5M891; \$18.72) FM-CALIFORNIA STATE FIRE MARSHALL APPROVED FOR FIRE SAFETY. (MANF. RUBBERMAID; #6145 & #6245)	M0	GRAINGER Model #: 5M877/5M891	1	\$XXX.XX	\$XXX.XX
714072	***USE ITEM # 713782***#5563452088BG; UTILITY CART, 24"X36"X32.25"H, 400 LB MAX CAPACITY, NO MIDDLE SHELF COLOR: BEIGE (RUBBERMAID)	M0	KERMA MEDICAL Model #: 5563452088BG	1	\$XXX.XX	\$XXX.XX
714930	#1061-000-000; GYNNIE-STRETCHER STD UNIT (#1061-000-000; \$4,874.38), RETRACTABLE 5TH WHEEL (#1010-260-010; STD) 2 STAGE PERMANENT FOLD HEAD END LEFT (#1061-110-000; \$228.66) 4"X26" ULTRA COMFORT SEALED MATTRESS (#1061-426-200; STD)	M0	STRYKER MEDICAL CORP Model #: 1061-000-000	1	\$XXX.XX	\$XXX.XX
715643	#8702 SOFTC; LAB STOOL, W/FOOTRING AND BACK; FLAT TOP ALUMINUM BASE W/BLACK TOE CAPS; "D" RING HEIGHT ADJUSTMENT 23" - 33" FROM FLOOR, **SELECT VINYL COLOR: PEARL; PUTTY, TAUPE, GRAY, WARM GRAY, BLACK, TERRA ROSE, MONET, ROYAL RUBY, PORT, GRAPE, LAVENDER, BLUE, WEDGE WOOD, JADE, GROTTO, EMERALD, OR PURPLE	M7	HASSOC MEDICAL Model #: 8702/SOFT C	1	\$XXX.XX	\$XXX.XX
716155	#4956P1020SS; KICK BUCKET, 12QT. W/CASTERS & BUMPER, 13 1/2' DIA X 14"H (PEDIGO)	M0	KERMA MEDICAL Model #: 4956P1020SS	1	\$XXX.XX	\$XXX.XX
716157	#4956P1066SS; MAYO STAND TRAY 16 1/4" X 21 1/4", FOOT PEDAL OPERATED (PEDIGO)	M0	KERMA MEDICAL Model #: 4956P1066SS	1	\$XXX.XX	\$XXX.XX
721040	#LA30; HARMONY LA 300 CEILING MOUNT PACKAGE. INCLUDES: CEILING PACKAGE, SPRING ARM W/ HORIZONTAL EXTENSION ARM, H300 LIGHTHEAD; ALSO INCLUDED ARE OPERATOR MANUAL AND INSTALLATION INSTRUCTIONS.	M0	STERIS/AMSCO PRODUCTS Model #: LA30	1	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space: \$XXX.XX
2 Occurances Of This Type Space Included In The Budget Totalling: \$XXX.XX

000277

Date: 8/7/2008

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB

DEPT: 090-EMERGENCY
 SPACE: 2035-LOUNGE

Page: 103
 04:13 PM

Item	Description	Class	Vendor	Qty	Price	Extd Price
073468	#472-410N; CHAIR- MAX STACKER, WITHOUT ARMS, HARD GLIDES, SELECT COATED FRAME COLOR; SELECT POLYPROPYLENE COLOR FOR SEAT & BACK;	M0	INTERIOR DESIGN Model #: 472-410N	4	\$XXX.XX	\$XXX.XX
430279	#JEM25DM; MICROWAVE OVEN DIMENSIONS: 11 3/16"H X 23 25/32"W X 12 9/32"D. 120V AMP 11.5/120V WATTS 1300/MHZ 2450. CONTRACTOR TO SHELF MOUNT SELECT COLOR: BLACK (BB) OR WHITE (WW).	M0	GENERAL ELECTRIC CO Model #: JEM25DM	1	\$XXX.XX	\$XXX.XX
713796	#5M877; WASTE-CAN; 18 GAL; STEP-ON, 19 3/4"X16 1/8"X 26 1/6"H, COLOR: BEIGE (#5M877; \$57.47) AND RIGID LINER; 18"L X 22" H X12 1/4" W; COLOR: GRAY; FOR OILY WASTE CONTAINERS (#5M891; \$18.72) FM-CALIFORNIA STATE FIRE MARSHALL APPROVED FOR FIRE SAFETY. (MANF. RUBBERMAID; #6145 & #6245)	M0	GRAINGER Model #: 5M877/5M891	1	\$XXX.XX	\$XXX.XX
715053	#8573; COFFEE MAKER, LO-PROFILE 3-STATION, AUTOMATIC COFFEE BREWER, FROM SUPERIOR COFFEE FOR REFERENCE ONLY, HOSPITAL TO LEASE (MFG. - BLOOMFIELD) PLUMBING REQUIREMENT: 1/4" OR 3/8" WATER CONNECTION	M0	SARA LEE COFFEE & TEA Model #: 8573	1		
715344	**DISC. USE ITEM # 720028**#GTS17KBS, REFRIGERATOR: TOP MOUNT. NO FROST, 4 SPILT SPILL PROOF ADJ. GLASS SHELVES. 18.6 CU. FT. CAP. 64 3/4"H X 31"D X 28"W. 120V/ 60HZ/ 15AMP. SELECT COLOR: WHITE OR BISQUE. HINGE: RIGHT (CAN BE FIELD MODIFIED TO LEFT)	M0	GENERAL ELECTRIC CO Model #: GTS17KBS DUPL	1	\$XXX.XX	\$XXX.XX
861500	#2424SQ/PL/SE SPEC FOUR POINTS TABLE STD LAM. 16" WOODEDGE	M0	INTERIOR DESIGN Model #: 2424SQ/PL/SE	1	\$XXX.XX	\$XXX.XX
861510	#4101M, COMPANION SINGLE SEAT, SPEC COMPANION CHAIR, ARMLESS, 1.75" FRAME, MID BACK, 4 POINTS TO THE FLOOR, GRADE 4 FABRIC	M0	INTERIOR DESIGN Model #: 4101M	2	\$XXX.XX	\$XXX.XX
861534	#4102M, SPEC TWO SEATER, COMPANION ARMLESS, 1.75" FRAME, GRADE 4 FABRIC	M0	INTERIOR DESIGN Model #: 4102M	1	\$XXX.XX	\$XXX.XX
869262	J30-28/90BVN, JOHNSON IND TABLE, BASE, SERIES - 90VBS 36"X36" SQUARE W/BAKED ENAMEL BASE. TABLE INCLUDES SUPER-LEVEL GLIDES AND INSTA-TABLE TOPPLATE FINISH: BASE-31 1/2"H OVERALL BASE HGT TOP-WILSONART-ANY SOLID COLOR ****ROUND TABLE USE ITEM #716059*****	M0	INTERIOR DESIGN Model #: J30-28/90BVN	1	\$XXX.XX	\$XXX.XX

000278

Date: 8/7/2008

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB
DEPT: 090-EMERGENCY
SPACE: 2035-LOUNGE

Page: 104
04:13 PM

Item	Description	Class	Vendor	Qty	Price	Extd Price
Total Budget For Each Occurance Of This Type Space:						\$XXX.XX
1 Occurances Of This Type Space Included In The Budget Totaling:						\$XXX.XX

000279

Date: 8/7/2008

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB
 DEPT: 090-EMERGENCY
 SPACE: 2040-MEDICATION ROOM

Page: 105
04:13 PM

Item	Description	Class	Vendor	Qty	Price	Extd Price
713796	#5M877; WASTE-CAN; 18 GAL; STEP-ON, 19 3/4"X16 1/8"X 26 1/6"H, COLOR: BEIGE (#5M877; \$57.47) AND RIGID LINER; 18"L X 22" H X12 1/4" W; COLOR: GRAY; FOR OILY WASTE CONTAINERS (#5M891; \$18.72) FM-CALIFORNIA STATE FIRE MARSHALL APPROVED FOR FIRE SAFETY. (MANF. RUBBERMAID; #6145 & #6245)	M0	GRAINGER Model #: 5M877/5M891	1	\$XXX.XX	\$XXX.XX
718171	#REF5; REFRIGERATOR, UNDERCOUNTER, WITH LOCK AND KEY, SS INTERIOR/EXTERIOR, 4.8 CU. FT., 115 V, 60HZ, 1PH, 8.0 AMPS, MAX.FUSE 15 AMPS, HOSPITAL GRADE CORD & PLUG - NEMA 5-15, 33 DEGREES F - 40 DEGREES F (1 DEGREE C - 5 DEGREES C) REVERSIBLE DOOR SWING/HANDLE, 34HX23.75WX25.5D, NSF, UL & CUL LISTED.	M0	FOLLETT CORPORATION Model #: REF5	1	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space: \$XXX.XX
 1 Occurances Of This Type Space Included In The Budget Totaling: \$XXX.XX

000280

Date: 8/7/2008

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB
 DEPT: 090-EMERGENCY
 SPACE: 2050-NOURISHMENT

Page: 106
04:13 PM

Item	Description	Class	Vendor	Qty	Price	Extd Price
203210	#25CI400A; ICEMAKER DISPENSER, (\$2,892.00) 21"W X 47.125"H X 23"D- COUNTERTOP, AIR COOLED, 25LB STORAGE CAPACITY, 400LB PER 24HR ICE PROD. TO INCL WATER STATION, SENSORSafe DISPENSING (#SENSORSafe; \$98.00)	M0	FOLLETT CORPORATION Model #: 25CI400A	1	\$XXX.XX	\$XXX.XX
430279	#JEM25DM; MICROWAVE OVEN DIMENSIONS: 11 3/16"H X 23 25/32"W X 12 9/32"D. 120V AMP 11.5/120V WATTS 1300/MHZ 2450. CONTRACTOR TO SHELF MOUNT SELECT COLOR: BLACK (BB) OR WHITE (WW).	M0	GENERAL ELECTRIC CO Model #: JEM25DM	1	\$XXX.XX	\$XXX.XX
714119	***USE ITEM # 722036***#5563614500LB; WASTE CONTAINER, STEP-ON, 18 GAL. W/ LINER. 19 3/4" X 18 1/8"X26 1/8"H, FM- CALIFORNIA STATE FIRE MARSHALL APPROVED FOR FIRE SAFETY, COLOR: BEIGE (RUBBERMAID)	M0	KERMA MEDICAL Model #: 5563614500LB	1	\$XXX.XX	\$XXX.XX
715053	#8573; COFFEE MAKER, LO-PROFILE 3-STATION, AUTOMATIC COFFEE BREWER, FROM SUPERIOR COFFEE FOR REFERENCE ONLY, HOSPITAL TO LEASE (MFG. - BLOOMFIELD) PLUMBING REQUIREMENT: 1/4" OR 3/8" WATER CONNECTION	M0	SARA LEE COFFEE & TEA Model #: 8573	1		
715344	**DISC. USE ITEM # 720028**#GTS17KBS, REFRIGERATOR: TOP MOUNT. NO FROST, 4 SPILT SPILL PROOF ADJ. GLASS SHELVES. 18.6 CU. FT. CAP. 64 3/4"H X 31"D X 28"W. 120V/ 60HZ/ 15AMP. SELECT COLOR: WHITE OR BISQUE. HINGE: RIGHT (CAN BE FIELD MODIFIED TO LEFT)	M0	GENERAL ELECTRIC CO Model #: GTS17KBS DUPL	1	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type-Space: \$XXX.XX
 1 Occurances Of This Type Space Included In The Budget Totalling: \$XXX.XX

000281

Date: 8/7/2008

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB

DEPT: 090-EMERGENCY
 SPACE: 2060-NURSES STATION

Page: 107
 04:13 PM

Item	Description	Class	Vendor	Qty	Price	Extd Price
022150	***USE ITEM #724578***#01-22-0300, ASPIRATOR PUMP GOMCO PORTABLE DIAPHRAGM PUMP, LIGHTWEIGHT, GENERAL SUCTION USE, 1/8 HORSEPOWER MOTOR, VACUUM RANGE 0 - 22 IN. HG., 12 X 9 X 13 IN., 23 LBS., UL LISTED & CSA CERTIFIED, INCL. GAUGE & SUCTION REGULATING VALVE, HOSPITAL GRADE PLUG, GRADUATED 600ML GLASS COLLECTION BOTTLE & FILTER "LUMITONE" ENAMEL FINISH W/ATTRACTIVE HIGH-IMPACT, FIRE RETARDANT ORANGE BASE. (MODEL 300/GOMCO)	M0	CARDINAL HEALTH, & Model #: 01-22-0300	1	\$XXX.XX	\$XXX.XX
042301	***USE ITEM #724583***#5090-06 BLOOD PRESSURE UNIT, POCKET STYLE, TYCOS POCKET ANEROIDS W/CHILD VELCRO CUFF	M0	CARDINAL HEALTH, & Model #: 5090-06	1	\$XXX.XX	\$XXX.XX
094189	***USE ITEM #724600***#WA97150-M; DIAGNOSTIC SET OTOSCOPE, OPHTHALMASCOPE WITH CARRYING CASE	M0	CARDINAL HEALTH, & Model #: WA97150-M	1	\$XXX.XX	\$XXX.XX
361040	#M3046A; MONITOR, TRANSPORT M4 MODEL 3046A, A03(\$3,273.20) W/ M3001A,C06,H08 MULTI- MEASUREMENT MODULE (EKG,NIBP,SPO2,1- PRESSURE,TEMP, ACCESSORY PKG) (\$4,046.70)	M0	PHILIPS MED SYS INC Model #: M3046A	2	\$XXX.XX	\$XXX.XX
363264	#M1002, K10; MONITOR, COMPONENT SYSTEM 3-LEAD ECG RESPIRATION MODULE M1002A, K10	M0	PHILIPS MED SYS INC Model #: M1002, K10	2	\$XXX.XX	\$XXX.XX
634221	#2180CX01EE; THERMOMETER, FAST ELECTRONIC TURBOTEMP PACKAGE INCLUDES THERMOMETER UNIT, THREE AA BATTERIES, ELECTRONIC SECURITY BASE, ORAL AND RECTAL PROBES AND PROBE COVER WALL BRACKET DISPENSER. DUAL PROBE UNIT. ONE YEAR WARRANTY	M0	CARDINAL HEALTH ALARIS Model #: 2180CX01EE	4	\$XXX.XX	\$XXX.XX
704408	#4571223, CHAIR, SWIVEL-TILT DESK CHAIR, W/O ARMS, STD HARD CASTER FINISH; SHELL: FABRIC: REGIS	M0	INTERIOR DESIGN Model #: 4571223	10	\$XXX.XX	\$XXX.XX
713700	#MAC55-AAAAXX-AXXXXX; MAC 5500 EKG SYSTEM, CLR STD ENG NA AHA (\$9,875) WITH TROLLEY MAC SYSTEM CART (#2017210-001; \$632); KIT MEMORY CARD READER ENG (#2027792-001; \$79) AND KIT MUSE SECURE DIGITAL UPGRADE ENG (# 2027777-001; N/C)	M0	GE HEALTHCARE IT Model #: MAC55 SYSTEM	1	\$XXX.XX	\$XXX.XX
713787	#PAR 30; ER CART ALUMINUM RED (\$1395.00); INCLUDES #ACB-1 CARDIAC BACK BOARD & #AOB-1 O2 TANK BRACKET. IV POLES (#PIV-1; \$105.00); TUBULAR RAILING (#PSR-1; \$130.00). DIMENSIONS: 45 1/2"H X 25"D X 32 3/4"W	M0	ARMSTRONG MEDICAL IND. Model #: PAR 30	2	\$XXX.XX	\$XXX.XX

000282

Date: 8/7/2008

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB
 DEPT: 090-EMERGENCY
 SPACE: 2060-NURSES STATION

Page: 108
04:13 PM

Item	Description	Class	Vendor	Qty	Price	Extd Price
714107	#11130-000001; STANDARD HARD PADDLES, 1 PAIR, FOR USE W/LIFEPAK 12	M0	MEDTRONIC EMERGENCY Model #: 11130-000001	2	\$XXX.XX	\$XXX.XX
714707	#LIFEPAK 12; BIPHASIC DEFIB/MONITOR, (#99400-000372; \$9,158.83) INCLUDES PACING, AED, EL SCREEN, PRINTER, ECG CABLE, QUIK-COMBO CABLE, 2 SETS QUIK-COMBO ELECTRODES, OPERATING INSTRUCTIONS. INCLUDES OPTIONS: AC POWER ADAPTER (#11400-000038; \$675.02), TWO LIFEPAK SLA BATTERIES (#11141-000028; QTY. 2 \$154.29 EA.=\$308.58), LP12 HOSPITAL CONFIG	M0	MEDTRONIC EMERGENCY Model #: 99400-000372-	2	\$XXX.XX	\$XXX.XX
718528	#5M744; WASTE-CAN 28 QT RECTANGULAR FIRE RESISTANT (UNDERWRITES LABORATORY) 14.5" X 10.5" X 15.38"; COLOR GRAY; 1 EACH W/O LID(RUBBERMAID 2543) *PRODUCT SET UP TO ORDER IN INCREMENTS OF 1/EA PER KEVIN KOLFF, NAT. REP. ON 10/4/04	M0	GRAINGER Model #: 5M744	6	\$XXX.XX	\$XXX.XX
719230	TRIA DOPPLER #T344-D, W/ACCU-RATE DISPLAY & INTERCHANGEABLE 2 & 5: DOUBLE BEAT SYSTEM, TWO PROBES FOR FETAL & VASCULAR, SPEAKER, AQUASONIC CLEAR GEL & BATTERIES	M0	COOPER SURGICAL Model #: T344-D	1	\$XXX.XX	\$XXX.XX
721095	INTUBATION EQUIPMENT**NEED FORMAL QUOTE - BUDGET ONLY!!** INCLUDES: LARYNGOSCOPE HANDLES, BLADES & MCGILL FORCEPTS. *** FOR BUDGETING ONLY - MUST GET QUOTE *** (RAUSCH OR WELCH ALLYN)	M0	KERMA MEDICAL Model #: INTUBATION	1	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space: \$XXX.XX
 1 Occurances Of This Type Space Included In The Budget Totaling: \$XXX.XX

000283

Date: 8/7/2008

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB
 DEPT: 090-EMERGENCY
 SPACE: 2085-PLAY ROOM

Page: 109
04:13 PM

Item	Description	Class	Vendor	Qty	Price	Extd Price
862000	#231103, MCDONALD WASTEBASKET 13 3/4"H X 8 1/2"W X 15L, UL LISTED CHAR BROWN	M4	INTERIOR DESIGN Model #: 231103	1	\$XXX.XX	\$XXX.XX
862351	#36"SQ W/8S-21; TABLE - SQUARE TABLE WITH SQUARE CORNERS, NEMSCHOFF, W/B" WOOD EDGE AND 8S BASE - 36"W X 36"D X 21"H, FIN: ANY STD LAMINATE - BASE AND WOOD EDGE: MAPLE WOOD "B" EDGE	M0	INTERIOR DESIGN Model #: 36"SQ W/8S-21	2	\$XXX.XX	\$XXX.XX
862352	#702-0714 SAUDER, KIDZ CHAIR 14" SEAT HEIGHT STACKING 25 1/2"H X 12 3/4"D X 14 1/2"W WOOD SPECIES: N HARDWOOD	M0	INTERIOR DESIGN Model #: 702-0714	8	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space: \$XXX.XX
 1 Occurances Of This Type Space Included In The Budget Totalling: \$XXX.XX

000284

RECORD 004747

Date: 8/7/2008

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB
DEPT: 090-EMERGENCY
SPACE: 2100-SECRETARY/RECEPTION

Page: 110
04:13 PM

Item	Description	Class	Vendor	Qty	Price	Extd Price
073499	#4535331DW, CRITERION HIGH BACK CHAIR PNEUMATIC HEIGHT ADJUSTABLE SEAT DEPTH, SOFT CASTERS, FABRIC: CANZONE STANDARD FINISH SOIL RETARDANT	M0	INTERIOR DESIGN Model #: 4535331DW	1	\$XXX.XX	\$XXX.XX
121915	8LP18365F- FILE, LATERAL FILE 5 DWR, 36"W ONE 12"H LETTER SIZE ROLLOUTSHELF W/DOOR, TOP POSITION, FOUR 12"H LETTER SIZE DRAWERS BELOW, PAINT:_____	M0	INTERIOR DESIGN Model #: 8LP18365F	2	\$XXX.XX	\$XXX.XX
705884	DESK - TSAFSP3060F, TSAFRP2436M (RETURN) SINGLE PEDESTAL RIGHT, 60" X 30" X 29-3/8", RETURN LEFT, 37-1/2" X 19-3/4" X 26-7/32"H; PLASTIC LAMINATE: PAINT:	M0	INTERIOR DESIGN Model #: TSAFSP3060F(R)	1	\$XXX.XX	\$XXX.XX
718528	#5M744; WASTE-CAN 28 QT RECTANGULAR FIRE RESISTANT (UNDERWRITES LABORATORY) 14.5" X 10.5" X 15.38"; COLOR GRAY; 1 EACH W/O LID(RUBBERMAID 2543) *PRODUCT SET UP TO ORDER IN INCREMENTS OF 1/EA PER KEVIN KOLFF, NAT. REP. ON 10/4/04	M0	GRAINGER Model #: 5M744	1	\$XXX.XX	\$XXX.XX
862710	2042, COAT HOOK, SINGLE -1"WX7 1/2" X4 1/2" FINISH: GLOSS BLACK ***PETER PEPPER***	M4	INTERIOR DESIGN Model #: 2042	1	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space: \$XXX.XX
1 Occurances Of This Type Space Included In The Budget Totalling: \$XXX.XX

000285

Date: 8/7/2008

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB

Page: 111
04:13 PMDEPT: 090-EMERGENCY
SPACE: 2110-SECURITY

Item	Description	Class	Vendor	Qty	Price	Extd Price
121900	8LF18302F- FILE - 2 DRAWER, LATERAL, HANGING FRAME, W/LOCK, 30"W, PAINT:	M0	INTERIOR DESIGN Model #: 8LF18302F	2	\$XXX.XX	\$XXX.XX
121977	RATCL1860F-FILE-TOP FOR TWO 30"LATERAL FILES 60" X 18-1/8", PLASTIC LAMINATE;	M0	INTERIOR DESIGN Model #: RATCL1860F	1	\$XXX.XX	\$XXX.XX
705326	#474419M - GUEST CHAIR SNODDGRASS, OPEN LOOP ARMS WITH OPEN BACK BASE: POLISHED CHROME, FABRIC: REGIS, SOIL RETARDANT	M0	INTERIOR DESIGN Model #: 474419M	2	\$XXX.XX	\$XXX.XX
705352	#4611110/THERMO, CHAIR, DESK CHAIR, SWIVEL TILT W/OPEN LOOP ARMS, THERMOPLASTIC ARMREST W/STD HARD CASTERS, FINISH BASE:9201 CHROME ARM: FABRIC: GRADE 5 SPECIFY SHELL	M0	INTERIOR DESIGN Model #: 4611110/THERMO	1	\$XXX.XX	\$XXX.XX
705895	DESK-TSAFDP3060F, DOUBLE PEDESTAL, 60X30X2 3/8 W/CENTER DRAWER LOCK, FLUSH END PANELS W/REF SHELF PAINT: LAMINATE:	M0	INTERIOR DESIGN Model #: TSAFDP3060F	1	\$XXX.XX	\$XXX.XX
718528	#5M744; WASTE-CAN 28 QT RECTANGULAR FIRE RESISTANT (UNDERWRITES LABORATORY) 14.5" X 10.5" X 15.38"; COLOR GRAY; 1 EACH W/O LID(RUBBERMAID 2543) *PRODUCT SET UP TO ORDER IN INCREMENTS OF 1/EA PER KEVIN KOLFF, NAT. REP. ON 10/4/04	M0	GRAINGER Model #: 5M744	1	\$XXX.XX	\$XXX.XX
862710	2042, COAT HOOK, SINGLE -1"WX7 1/2" X4 1/2" FINISH: GLOSS BLACK ***PETER PEPPER***	M4	INTERIOR DESIGN Model #: 2042	1	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space: \$XXX.XX
 2 Occurances Of This Type Space Included In The Budget Totaling: \$XXX.XX

000286

Date: 8/7/2008

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB

Page: 112
04:13 PM

DEPT: 090-EMERGENCY
SPACE: 2120-SOILED UTILITY

Item	Description	Class	Vendor	Qty	Price	Extd Price
175545	#MDS80529; HAMPER STAND CHROME, SQUARE WITH FOOT PEDAL OPERATED METAL LID (LID COLOR--WHITE), 18 5/8"W X 19 1/2"D X 37 3/4"H, 4 LID LABELS (BIOHAZARD, SOILED LINEN, INFECTIOUS LINEN, & TRASH)	M4	MEDLINE INDUSTRIES, INC. Model #: MDS80529	1	\$XXX.XX	\$XXX.XX
713813	#3U653; WASTE-CAN; 23 GAL STEP-ON W/ WHEELS, 19 3/4"L X 32 1/2"H X 16 1/8"W. COLOR: RED (#3U653; \$80.55) AND RIGID LINER (#4KT51; \$23.33) FM-CALIFORNIA STATE FIRE MARSHALL APPROVED FOR FIRE SAFETY (MANF. RUBBERMAID #8146 & #624600GRAY)	M0	GRAINGER Model #: 3U653/4KT51	1	\$XXX.XX	\$XXX.XX
715985	#73055-2PR; BULK TRUCK, REGRIND, 48 CU.FT. CAPACITY, 48"L X 28 1/2"W X 66 1/2"H	M0	TINGUE BROWN & CO. Model #: 3055-72PR	2	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space: \$XXX.XX
1 Occurances Of This Type Space Included In The Budget Totaling: \$XXX.XX

000287

Date: 8/7/2008

HCA - The Healthcare Company
DCEE PROJECTSPage: 113
04:13 PM.**GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC**
10000RB**DEPT: 090-EMERGENCY**
SPACE: 2130-STORAGE ROOM

Item	Description	Class	Vendor	Qty	Price	Extd Price
510250	#SSUKIT0208; SHELVING, STORAGE, 36 X 18 X 75 WITH 6 SHELVES, INCLUDING FOOT PLATES	M7	STORAGE SYSTEMS, INC. Model #: SSUKIT0208	4	\$XXX.XX	\$XXX.XX
710446	***USE ITEM #724685***#P10; CHROME - PLATED FOOTSTOOL W/ A CORRUGATED RUBBER SURFACE & RUBBER FLOOR TIPS. 12 X 16 X 8.25.	M0	CARDINAL HEALTH, & Model #: P10	2	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space: \$XXX.XX
1 Occurances Of This Type Space Included In The Budget Totaling: \$XXX.XX

000288

Date: 8/7/2008

Page: 114
04:13 PM

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB
 DEPT: 090-EMERGENCY
 SPACE: 2140-SUPERVISOR

Item	Description	Class	Vendor	Qty	Price	Extd Price
043891	#RBC15364A; BOOKCASE- 36" X 53" FINISH ANY STEELCASE PAINT:	M0	INTERIOR DESIGN Model #: RBC15364A	1	\$XXX.XX	\$XXX.XX
073499	#4535331DW, CRITERION HIGH BACK CHAIR PNEUMATIC HEIGHT ADJUSTABLE SEAT DEPTH, SOFT CASTERS, FABRIC: CANZONE STANDARD FINISH SOIL RETARDANT	M0	INTERIOR DESIGN Model #: 4535331DW	1	\$XXX.XX	\$XXX.XX
121900	8LF18302F- FILE - 2 DRAWER, LATERAL, HANGING FRAME, W/LOCK, 30"W, PAINT:	M0	INTERIOR DESIGN Model #: 8LF18302F	2	\$XXX.XX	\$XXX.XX
121977	RATCL1860F-FILE-TOP FOR TWO 30"LATERA FILES 60" X 18-1/8", PLASTIC LAMINATE;	M0	INTERIOR DESIGN Model #: RATCL1860F	1	\$XXX.XX	\$XXX.XX
705326	#474419M - GUEST CHAIR SNODDGRASS, OPEN LOOP ARMS WITH OPEN BACK BASE: POLISHED CHROME, FABRIC: REGIS, SOIL RETARDANT	M0	INTERIOR DESIGN Model #: 474419M	2	\$XXX.XX	\$XXX.XX
705895	DESK-TSAFDP3060F, DOUBLE PEDESTAL, 60X30X2 3/8 W/CENTER DRAWER LOCK, FLUSH END PANELS W/REF SHELF PAINT: LAMINATE:	M0	INTERIOR DESIGN Model #: TSAFDP3060F	1	\$XXX.XX	\$XXX.XX
718528	#5M744; WASTE-CAN 28 QT RECTANGULAR FIRE RESISTANT (UNDERWRITES LABORATORY) 14.5" X 10.5" X 15.38"; COLOR GRAY; 1 EACH W/O LID(RUBBERMAID 2543) *PRODUCT SET UP TO ORDER IN INCREMENTS OF 1/EA PER KEVIN KOLFF,	M0	GRAINGER Model #: 5M744	1	\$XXX.XX	\$XXX.XX
862710	2042, COAT HOOK, SINGLE -1"WX7 1/2" X4 1/2" FINISH: GLOSS BLACK ***PETER PEPPER***	M4	INTERIOR DESIGN Model #: 2042	1	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space: \$XXX.XX
 2 Occurances Of This Type Space.Included In The Budget Totaling: \$XXX.XX

000289

Date: 8/7/2008

HCA - The Healthcare Company

DCEE PROJECTS

GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB

DEPT: 090-EMERGENCY

SPACE: 2160-TOILET

Page: 115
04:13 PM

Item	Description	Class	Vendor	Qty	Price	Extd Price
718528	#5M744; WASTE-CAN 28 QT RECTANGULAR FIRE RESISTANT (UNDERWRITES LABORATORY) 14.5" X 10.5" X 15.38"; COLOR GRAY; 1 EACH W/O LID(RUBBERMAID 2543) *PRODUCT SET UP TO ORDER IN INCREMENTS OF 1/EA PER KEVIN KOLFF, NAT. REP. ON 10/4/04	M0	GRAINGER Model #: 5M744	1	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space:

\$XXX.XX

7 Occurances Of This Type Space Included In The Budget Totalling:

\$XXX.XX

000290

Page: 116
04:13 PM

Date: 8/7/2008

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB

DEPT: 080-EMERGENCY
 SPACE: 2180-TRAUMA

Item	Description	Class	Vendor	Qty	Price	Extd Price
					\$XXX.XX	\$XXX.XX
022150	***USE ITEM #724578***#01-22-0300, ASPIRATOR PUMP GOMCO PORTABLE DIAPHRAGM PUMP, LIGHTWEIGHT, GENERAL SUCTION USE, 1/8 HORSEPOWER MOTOR, VACUUM RANGE 0 - 22 IN. HG., 12 X 9 X 13 IN., 23 LBS., UL LISTED & CSA CERTIFIED, INCL. GAUGE & SUCTION REGULATING VALVE, HOSPITAL GRADE PLUG, GRADUATED 600ML GLASS COLLECTION BOTTLE & FILTER "LUMITONE" ENAMEL FINISH W/ATTRACTIVE HIGH-IMPACT, FIRE RETARDANT ORANGE BASE. (MODEL 300/GOMCO)	M0	CARDINAL HEALTH, & Model #: 01-22-0300	1	\$XXX.XX	\$XXX.XX
073468	#472-410N; CHAIR- MAX STACKER, WITHOUT ARMS, HARD GLIDES, SELECT COATED FRAME COLOR: SELECT POLYPROPYLENE COLOR FOR SEAT & BACK;	M0	INTERIOR DESIGN Model #: 472-410N	1	\$XXX.XX	\$XXX.XX
081555	CUBICLE CURTAIN ***BUDGET COST***	M4	STANDARD TEXTILE Model #: CURTAIN	1	\$XXX.XX	\$XXX.XX
125000	**USE ITEM #722635**#6701-1267-921; AIR FLOWMETER, DISS W/ NUT & GLAND, DIA ADAPTER FM, A (A DS)	M4	GE HEALTHCARE DATEX Model #: 6701-1267-921	3	\$XXX.XX	\$XXX.XX
125100	**USE ITEM #722651**#6701-1260-921; OXYGEN FLOWMETER, W/DISS OUTLET, NUT & GLAND, DIA ADAPTER	M4	GE HEALTHCARE DATEX Model #: 6701-1260-921	2	\$XXX.XX	\$XXX.XX
175545	#MDS80529; HAMPER STAND CHROME, SQUARE WITH FOOT PEDAL OPERATED METAL LID (LID COLOR-WHITE), 18 5/8"W X 19 1/2"D X 37 3/4"H, 4 LID LABELS (BIOHAZARD, SOILED LINEN, INFECTIOUS LINEN, & TRASH)	M4	MEDLINE INDUSTRIES, INC. Model #: MDS80529	1	\$XXX.XX	\$XXX.XX
363249	#M8007A, A06; MONITOR, INTELLIVUE MP70, 6-WAVE COLOR, FLAT TOUCH SCREEN - INCLUDES: EKG, ST, R, SPO2, NIBP, PRESSX2, ETCO2, DRUG CAL., ALL CABLES (\$23,448) & ESTIMATED INSTALLATION @ 10% (\$3,350)	M0	PHILIPS MED SYS INC Model #: M8007A, A06	1	\$XXX.XX	\$XXX.XX
363273	#M1116B, K01; MONITOR, COMPONENT SYSTEM THERMAL AR 3-CHANNEL RECORDER MODULE M1116B W/K01(20 ROLLS OF PAPER)	M0	PHILIPS MED SYS INC Model #: M1116B, K01	1	\$XXX.XX	\$XXX.XX
431283	#5388; PACEMAKER, DUAL CHAMBER (DDD), DIAL DRIVEN PULSE GENERATOR WITH RAPID ATRIAL PACING AND AUTOMATIC ADJUSTMENT OF AV INTERVAL, UPPER TRACKING RATE, AND PVARP. INCLUDES ATRIAL & VENTRICAL CABLE (MUST CONFIRM PRICING W/VENDOR BEFORE ORDERING)	M0	MEDTRONIC USA, INC. Model #: 5388	1	\$XXX.XX	\$XXX.XX
449504	#2M8953; I.V. STAND FOR USE W/FLO-GARD PUMPS, 5 CASTERS	M0	BAXTER - I.V. SYSTEMS DIV. Model #: 2M8953	1	\$XXX.XX	\$XXX.XX

000291

Date: 8/7/2008

Page: 117
04:13 PM

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB

DEPT: 090-EMERGENCY
 SPACE: 2180-TRAUMA

Item	Description	Class	Vendor	Qty	Price	Extd Price
560030	**USE ITEM #722684** #6701-1251-908 - SUCTION INTERMITTENT/CONT. DIAM ADAPTER SAFETY TRAP SUCTION UNIT; ISU, DIA, DS TR WG	M0	GE HEALTHCARE DATEX Model #: 6701-1251-908	2	\$XXX.XX	\$XXX.XX
706211	#E5021MD; FILM ILLUMINATOR, 4 PANEL, TRUVISION 4000, RECESS MOUNT, 118V, 60HZ, 4 BULBS PER PANEL, WITH FILM ACTIVATED SWITCH.	M0	GE HEALTHCARE (DIA) Model #: E5021MD	1	\$XXX.XX	\$XXX.XX
706291	***DISCONTINUED PER VENDOR-USE ITEM #662550*** #E5063ED; BRIGHT SPOT ILLUMINATOR, 110V, 60 HZ, 6" W X 8"H X 8"D, 7 LBS.	M0	GE HEALTHCARE (DIA) Model #: E5063ED.	1	\$XXX.XX	\$XXX.XX
707158	#1027-000-000; TRAUMA SERIES, STD UNIT (#1027-000-000; \$3,477.26) STD DESCENT HYDRAULICS (#8053-002-180; STD) RETRACTABLE 5TH WHEEL STEERING (#0853-006-110; \$181.30) TRANSFER BOARD/ARMBOARD (#1020-024-000; \$267.14) X-RAY DRAWER RIGHT (#1020-022-000; STD) X-RAY CENTERING LABEL (#1020-019-000; STD), 2 STAGE PERM FOLD IV POLE (#1010- 081-000; \$228.66) CHOOSE ACCENT COLOR: RED, PURPLE, TEAL, GREEN, GRAY, PINK OR BLUE. CHOOSE DEPARTMENT LABEL.	M0	STRYKER MEDICAL CORP Model #: 1027 W/ACCESS.	1	\$XXX.XX	\$XXX.XX
708113	#5433A; PACEMAKER CABLE FOR MODEL 5388 PACEMAKER	M0	MEDTRONIC USA, INC. Model #: 5433A	1	\$XXX.XX	\$XXX.XX
708114	#5433V; PACEMAKER CABLE FOR MODEL 5388 PACEMAKER	M0	MEDTRONIC USA, INC. Model #: 5433V	1	\$XXX.XX	\$XXX.XX
710389	#678376791MX; 767 INTEGRATED SYSTEM WITH 767 WALL TRANSFORMER, STANDARD OPHTHALMOSCOPE, MACROVIEW, OTOSCOPE, THERMOMETER, 767 WALL ANEROID, AND KLENSPEC PLUS DIAGNOSTIC OTOSCOPE SPECULA DISPENSER; 3.5V***PART#76791 CHANGED TO 76791-M*** (WELCH ALLYN)	M0	KERMA MEDICAL Model #: 678376791MX	1	\$XXX.XX	\$XXX.XX
710985	#4956P15764; IV STAND W/ FOUR HOOKS FOOT OPERATED, 5 CASTERS HEIGHT ADJUSTABLE 68"-108", HEAVY TIP RESISTANT BASE (PEDIGO)	M0	KERMA MEDICAL Model #: 4956P15764	1	\$XXX.XX	\$XXX.XX
713787	#PAR 30; ER CART ALUMINUM RED (\$1395.00); INCLUDES #ACB-1 CARDIAC BACK BOARD & #AOB-1 O2 TANK BRACKET. IV POLES (#PIV-1; \$105.00); TUBULAR RAILING (#PSR-1; \$130.00). DIMENSIONS: 45 1/2"H X 25"D X 32 3/4"W	M0	ARMSTRONG MEDICAL IND. Model #: PAR 30	1	\$XXX.XX	\$XXX.XX
714107	#11130-000001; STANDARD HARD PADDLES, 1 PAIR, FOR USE W/LIFEPAK 12	M0	MEDTRONIC EMERGENCY Model #: 11130-000001	1	\$XXX.XX	\$XXX.XX

000292

Date: 8/7/2008

Page: 118
04:13 PM

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB
 DEPT: 090-EMERGENCY
 SPACE: 2180-TRAUMA

Item	Description	Class	Vendor	Qty	Price	Extd Price
714119	***USE ITEM # 722036***#5563614500LB; WASTE CONTAINER, STEP-ON, 18 GAL. W/ LINER. 19 3/4" X 16 1/8"X26 1/8"H, FM- CALIFORNIA STATE FIRE MARSHALL APPROVED FOR FIRE SAFETY, COLOR: BEIGE (RUBBERMAID)	M0	KERMA MEDICAL Model #: 5563614500LB	1	\$XXX.XX	\$XXX.XX
714707	#LIFEPAK 12; BIPHASIC DEFIB/MONITOR, (#99400-000372; \$9,158.83) INCLUDES PACING, AED, EL SCREEN, PRINTER, ECG CABLE, QUIK-COMBO CABLE, 2 SETS QUIK- COMBO ELECTRODES, OPERATING INSTRUCTIONS. INCLUDES OPTIONS: AC POWER ADAPTER (#11400-000038; \$675.02), TWO LIFEPAK SLA BATTERIES (#11141- 000028; QTY. 2 \$154.29 EA=\$308.58), LP12 HOSPITAL CONFIG	M0	MEDTRONIC EMERGENCY Model #: 99400-000372-	1	\$XXX.XX	\$XXX.XX
714895	#4956SG93SS; INSTRUMENT TABLE, 24"D X 48"L X 34"H, NO SHELF, 3" RUBBER DBL. BALL BEARING CASTERS (PEDIGO)	M0	KERMA MEDICAL Model #: 4956SG93SS	1	\$XXX.XX	\$XXX.XX
715643	#8702 SOFTC; LAB STOOL, W/FOOTRING. AND BACK; FLAT TOP ALUMINUM BASE W/BLACK TOE CAPS; "D" RING HEIGHT ADJUSTMENT 23" - 33" FROM FLOOR, **SELECT VINYL COLOR: PEARL; PUTTY, TAUPE, GRAY, WARM GRAY, BLACK, TERRA ROSE, MONET, ROYAL RUBY, PORT, GRAPE, LAVENDER, BLUE, WEDGE WOOD, JADE, GROTTO, EMERALD, OR PURPLE	M7	HASSOC MEDICAL Model #: 8702/SOFT C	1	\$XXX.XX	\$XXX.XX
716155	#4956P1020SS; KICK BUCKET, 12QT. W/CASTERS & BUMPER, 13 1/2" DIA X 14"H (PEDIGO)	M0	KERMA MEDICAL Model #: 4956P1020SS	1	\$XXX.XX	\$XXX.XX
716157	#4956P1066SS; MAYO STAND TRAY 16 1/4" X 21 1/4", FOOT PEDAL OPERATED (PEDIGO)	M0	KERMA MEDICAL Model #: 4956P1066SS	2	\$XXX.XX	\$XXX.XX
717548	** PUMP IS ON FDA HOLD *** COLEAGUE CX3 (COLOR) TRIPLE PUMP MODEL 2M8163 W/GUARDIAN TECHNOLOGY OF RATE AND DOSE LIMITS; W/OCLUSION ALARMS	M0	BAXTER - I.V. SYSTEMS DIV. Model #: 2M8163	1	\$XXX.XX	\$XXX.XX
720437	#LA16; HARMONY LA DUAL 500 PACKAGE W/ HUB SPACER FOR ADDITION OF FUTURE LIGHthead. WHICH WILL INCLUDE: CEILING PATE ASSEMBLY, DUAL LIGHT ARMS W/ HUB SPACEER, 36" LIGHT ARM 44" LIGHT ARM, HUB SPACER, HARMONY 500 SPRING ARM & LIGHT HEAD (2), AND STANDARD MOUNT CONTROL CENTER	M0	STERIS/AMSCO PRODUCTS Model #: LA16	1	\$XXX.XX	\$XXX.XX
721095	INTUBATION EQUIPMENT**NEED FORMAL QUOTE - BUDGET ONLY!!** INCLUDES: LARYNGOSCOPE HANDLES, BLADES & MCGILL FORCEPTS. *** FOR BUDGETING ONLY - MUST GET QUOTE *** (RAUSCH OR WELCH ALLYN)	M0	KERMA MEDICAL Model #: INTUBATION	1	\$XXX.XX	\$XXX.XX

000293

Date: 8/7/2008

Page: 119
04:13 PM

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB

DEPT: 090-EMERGENCY
SPACE: 2180-TRAUMA

Item	Description	Class	Vendor	Qty	Price	Extd Price
Total Budget For Each Occurance Of This Type Space:						\$XXX.XX
1 Occurances Of This Type Space Included In The Budget Totalling:						\$XXX.XX

000294

Date: 8/7/2008

Page: 120
04:13 PM

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB

DEPT: 090-EMERGENCY
 SPACE: 2195-TRIAGE

Item	Description	Class	Vendor	Qty	Price	Extd Price
073468	#472-410N; CHAIR- MAX STACKER, WITHOUT ARMS, HARD GLIDES, SELECT COATED FRAME COLOR: SELECT POLYPROPYLENE COLOR FOR SEAT & BACK;	M0	INTERIOR DESIGN Model #: 472-410N	1	\$XXX.XX	\$XXX.XX
073499	#4535331DW, CRITERION HIGH BACK CHAIR PNEUMATIC HEIGHT ADJUSTABLE SEAT DEPTH, SOFT CASTERS, FABRIC: CANZONE STANDARD FINISH SOIL RETARDANT	M0	INTERIOR DESIGN Model #: 4535331DW	1	\$XXX.XX	\$XXX.XX
125000	**USE ITEM #722635**#6701-1267-921; AIR FLOWMETER, DISS W/ NUT & GLAND, DIA ADAPTER FM, A (A DS)	M4	GE HEALTHCARE DATEX Model #: 6701-1267-921	1	\$XXX.XX	\$XXX.XX
125100	**USE ITEM #722651**#6701-1260-921; OXYGEN FLOWMETER, W/DISS OUTLET, NUT & GLAND, DIA ADAPTER	M4	GE HEALTHCARE DATEX Model #: 6701-1260-921	1	\$XXX.XX	\$XXX.XX
175545	#MDS80529; HAMPER STAND CHROME, SQUARE WITH FOOT PEDAL OPERATED METAL LID (LID COLOR-WHITE), 18 5/8"W X 19 1/2"D X 37 3/4"H, 4 LID LABELS: (BIOHAZARD, SOILED LINEN, INFECTIOUS LINEN, & TRASH)	M4	MEDLINE INDUSTRIES, INC. Model #: MDS80529	1	\$XXX.XX	\$XXX.XX
504212	***USE ITEM #724657***#402LB; SCALE MD BALANCE BEAM. 350 LBS CAPACITY INCL. COUNTERWEIGHT TO 450 LBS. AND HEIGHT ROD	M7	CARDINAL HEALTH, & Model #: 402LB	1	\$XXX.XX	\$XXX.XX
504215	#4802; SCALE; PEDIATRIC MEASURES IN POUNDS AND KILOS, DIGITAL, 0-45 LB/20 KG 0.202/5 GM ACCURACY (\$1,895.00) W/CART #48800 (\$595.00)	M0	SCALE-TRONIX Model #: 4802/48800	1	\$XXX.XX	\$XXX.XX
558496	#1007-000-000; SM104 STRETCHER, 5TH WHEEL MOBILITY SOLUTION(1007-000-000; \$3,063.60) 30"W PT SURFACE(0785-010-307; \$152.44)PNEUMATIC BACKREST/HYDRAULIC KNEE CATCH COMPOSITE/STEEL (0785-010-303; \$343.36) DUAL END BRAKE/STEER CONTROLS(0853-003-205; STD) POP-UP STEERING HANDLES HEAD END(0785-048-020; \$190.92) 30" TRANSFER BOARD(0785-045-310; NC) 2 STAGE IV POLE HEAD LEFT(0785-035-338;\$228.66) 5"ULTRA COMFORT MATTRESS (0785-034-333; \$166.50) CHOOSE ACCENT COLOR: RED, PURPLE, GREEN, YELLOW, GRAY, TEAL, LT BLUE OR NAVY CHOOSE DEPARTMENT	M0	STRYKER MEDICAL CORP Model #: 1007 - SM104	1	\$XXX.XX	\$XXX.XX
560030	**USE ITEM #722684** #6701-1251-908 - SUCTION INTERMITTENT/CONT. DIAM ADAPTER SAFETY TRAP SUCTION UNIT; ISU, DIA, DS TR WG	M0	GE HEALTHCARE DATEX Model #: 6701-1251-908	1	\$XXX.XX	\$XXX.XX

000295

Date: 8/7/2008

HCA - The Healthcare Company

DCEE PROJECTS

GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RBDEPT: 090-EMERGENCY
SPACE: 2195-TRIAGEPage: 121
04:13 PM

Item	Description	Class	Vendor	Qty	Price	Extd Price
707648	#AP2-LTP-MAS; MONITOR, ACCUTORR PLUS NIBP MONITOR (#0998-00-044-94A; \$3,399) PREDICTIVE TEMP. MODULE (#0998-00-0129; \$346.75) ROLLING STAND (#ACCTROLLSTD; \$295.65) ACCUTORR PLUS MASIMO STARTER KIT (#0020-00-0130; \$335.80) INCLUDES ONE REUSABLE SENSOR, ONE 12' SP02 CABLE TWO ADULT DISPOSABLE SENSORS & ONE PEDIATRIC DISPOSABLE SENSOR	M0	DATASCOPE Model #: AP2-LTP-MAS	1	\$XXX.XX	\$XXX.XX
710389	#678376791MX; 767 INTEGRATED SYSTEM WITH 767 WALL TRANSFORMER, STANDARD OPHTHALMOSCOPE, MACROVIEW, OTOSCOPE, THERMOMETER, 767 WALL ANEROID, AND KLENSPEC PLUS DIAGNOSTIC OTOSCOPE SPECULA DISPENSER; 3.5V***PART#76791 CHANGED TO 76791-M*** (WELCH ALLYN)	M0	KERMA MEDICAL Model #: 678376791MX	1	\$XXX.XX	\$XXX.XX
713795	#5M877; WASTE-CAN; 18 GAL; STEP-ON; 19 3/4"X16 1/8"X 26 1/8"H, COLOR: BEIGE (#5M877; \$57.47) AND RIGID LINER; 18"L X 22" H X12 1/4" W; COLOR: GRAY; FOR OILY WASTE CONTAINERS (#5M891; \$18.72) FM-CALIFORNIA STATE FIRE MARSHALL APPROVED FOR FIRE SAFETY. (MANF. RUBBERMAID; #6145 & #6245)	M0	GRAINGER Model #: 5M877/5M891	1	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space: \$XXX.XX
2 Occurances Of This Type Space Included In The Budget Totaling: \$XXX.XX

000296

Date: 8/7/2008

Page: 122
04:13 PM

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB

DEPT: 090-EMERGENCY
SPACE: 2200-VENDING

Item	Description	Class	Vendor	Qty	Price	Extd Price
073468	#472-410N; CHAIR- MAX STACKER, WITHOUT ARMS, HARD GLIDES, SELECT COATED FRAME COLOR: _____ SELECT POLYPROPYLENE COLOR FOR SEAT & BACK: _____	M0	INTERIOR DESIGN Model #: 472-410N	4	\$XXX.XX	\$XXX.XX
713813	#3U653; WASTE-CAN; 23 GAL STEP-ON W/ WHEELS, 19 3/4"L X 32 1/2"H X 16 1/8"W. COLOR: RED (#3U653; \$80.55) AND RIGID LINER (#4KT51; \$23.33) FM-CALIFORNIA STATE FIRE MARSHALL APPROVED FOR FIRE SAFETY (MANF. RUBBERMAID #6146 & #624600GRAY)	M0.	GRAINGER Model #: 3U653/4KT51	1	\$XXX.XX	\$XXX.XX
869262	J30-28/90BVN, JOHNSON IND TABLE, BASE, SERIES - 90VBS 36"X36"SQUARE W/BAKED ENAMEL BASE. TABLE INCLUDES SUPER-LEVEL GLIDES AND INSTA-TABLE TOPPLATE FINISH: BASE-31 1/2"H OVERALL BASE HGT TOP-WILSONART-ANY SOLID COLOR *****ROUND TABLE USE ITEM #716059*****	M0	INTERIOR DESIGN Model #: J30-28/90BVN	1	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space: \$XXX.XX
1 Occurances Of This Type Space Included In The Budget Totaling: \$XXX.XX

00029

Date: 8/7/2008

Page: 123
04:13 PM

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB

DEPT: 090-EMERGENCY
 SPACE: 2210-WAITING

Item	Description	Class	Vendor	Qty	Price	Extd Price
020089	ARTWORK	M0	AMERICAN ART RESOURCES	8	\$XXX.XX	\$XXX.XX
		Model #:	220			
718528	#5M744; WASTE-CAN 28 QT RECTANGULAR FIRE RESISTANT (UNDERWRITES LABORATORY) 14.5" X 10.5" X 15.38"; COLOR GRAY; 1 EACH W/O LID(RUBBERMAID 2543) *PRODUCT SET UP TO ORDER IN INCREMENTS OF 1/EA PER KEVIN KOLFF, NAT. REP. ON 10/4/04	M0	GRAINGER	2	\$XXX.XX	\$XXX.XX
		Model #:	5M744			
861600	#2424SQ/PL/SE SPEC FOUR POINTS TABLE STD LAM. 16" WOODEDGE	M0	INTERIOR DESIGN	15	\$XXX.XX	\$XXX.XX
		Model #:	2424SQ/PL/SE			
861535	#2301SCS, SPEC FULL RING LOUNGE CHAIR 1 1/2" FRAME, 16" SEAT HEIGHT, GRADE 4	M0	INTERIOR DESIGN	40	\$XXX.XX	\$XXX.XX
		Model #:	2301CS			
861537	#2302CS SPEC FULL RING 2 SEATER, ARMS AT END ONLY, 16" SEAT HEIGHT, GRADE 4 FABRIC, SPECTONE FRAME	M0	INTERIOR DESIGN	15	\$XXX.XX	\$XXX.XX
		Model #:	2302CS			
862701	482, MAGAZINE RACK - FOUR SLOT MAGAZINE RACK, 14" X 34" X 5" SIDE PANEL FINISH; K-NAT. OAK, KS-MED OAK, MM-MED. MAHOG, W-WALNUT, FRONT: ANY P.P. COLOR ***PETER PEPPER***	M0	INTERIOR DESIGN	1	\$XXX.XX	\$XXX.XX
		Model #:	482			

Total Budget For Each Occurance Of This Type Space: \$XXX.XX
 1 Occurances Of This Type Space Included In The Budget Totaling: \$XXX.XX

00029

Date: 8/7/2008

Page: 124
04:13 PM

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB
 DEPT: 090-EMERGENCY
 SPACE: 2215-E.R. INSTRUMENTS

Item	Description	Class	Vendor	Qty	Price	Extd Price
560895	***FOR BUDGET ONLY*** SURGICAL INSTRUMENT AS PER ATTACHED LIST	M4	STRYKER MEDICAL CORP	2	\$XXX.XX	\$XXX.XX
		Model #:	SURGICAL			
560896	***FOR BUDGET ONLY*** SURGICAL INSTRUMENTS AS PER ATTACHED LIST	M4	STRYKER MEDICAL CORP	1	\$XXX.XX	\$XXX.XX
		Model #:	QUOTE			
721398	SURGICAL INSTRUMENTS***** *****MUST OBTAIN A QUOTE*****BUDGET NUMBER ONLY*****	M0	MIZUHO OSI	4	\$XXX.XX	\$XXX.XX
		Model #:	QUOTE			

Total Budget For Each Occurance Of This Type Space: \$XXX.XX
 1 Occurances Of This Type Space Included In The Budget Totaling: \$XXX.XX

00029E

Date: 8/7/2008

Page: 125
04:13 PM

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB

DEPT: 090-EMERGENCY
 SPACE: 9073-POINT OF USE SERVICE

Item	Description	Class	Vendor	Qty	Price	Extd Price
707956	#SSUKIT0273; LOUVERED PANEL; 36"W X 19"H WITH BINS (METRO)	M7	STORAGE SYSTEMS, INC. Model #: SSUKIT0273	40	\$XXX.XX	\$XXX.XX
715332	#SSUKIT0276; DOUBLE SIDED LOUVERED RACK W/CASTERS 36"W X30" D X 66"H; W/ASSORTMENT OF PLASTIC BINS	M0	STORAGE SYSTEMS, INC. Model #: SSUKIT0276	1	\$XXX.XX	\$XXX.XX
718363	#DJ05012133; WARMING CABINET, GLASS DOOR, DUAL COMPARTMENT W/ TWO STAINLESS STEEL SHELVES, 18" CABINET DEPTH, FREE STANDING, 120 VOLTS (CABINET MOUNTED UNITS INCLUDE POWER CORD WITH PLUG) ***DON'T FORGET TO ORDER THE SET TEMP. CONTROLLER. ITEM # 724808 ***	M0	STERIS/AMSCO PRODUCTS Model #: DJ05012133	1	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space: \$XXX.XX
 1 Occurances Of This Type Space Included In The Budget Totaling: \$XXX.XX

000300

Date: 8/7/2008

Page: 126
04:13 PM

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB
DEPT: 090-EMERGENCY
SPACE: 9104-16 CHANNEL CENTRAL STATION

Item	Description	Class	Vendor	Qty	Price	Extd Price
363882	#M3155B, A16; CARDIAC CNT: STATION 16 PATIENT- M3155B, A 16 INFORMATION CENTER, DUAL DISPLAY OPERATION, W/FULL DISCLOSURE VIA NETWORKED DATABASE, FLAT PANEL DISPLAY, RECORDER, LASERJET PRINTER, & ESTIMATED INSTALLATION @ 10%	M0	PHILIPS MED SYS INC Model #: M3155B, A16	1	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space: \$XXX.XX
1 Occurances Of This Type Space Included In The Budget Totaling: \$XXX.XX

000301

Date: 8/7/2008

Page: 127
04:13 PM

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB
DEPT: 090-EMERGENCY
SPACE: 9104-16 CHANNEL CENTRAL STATION

Item	Description	Class	Vendor	Qty	Price	Extd Price

000302

Date: 8/7/2008

Page: 128
04:13 PM

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB

DEPT: 095-ENDOSCOPY
 SPACE: 9093-N.S.

Item	Description	Class	Vendor	Qty	Price	Extd Price
073499	#4535331DW, CRITERION HIGH BACK CHAIR PNEUMATIC HEIGHT ADJUSTABLE SEAT DEPTH, SOFT CASTERS, FABRIC: CANZONE STANDARD FINISH SOIL RETARDANT	M0	INTERIOR DESIGN Model #: 4535331DW	3	\$XXX.XX	\$XXX.XX
634221	#2180CX01EE; THERMOMETER, FAST ELECTRONIC TURBOTEMP PACKAGE INCLUDES THERMOMETER UNIT, THREE AA BATTERIES, ELECTRONIC SECURITY BASE, ORAL AND RECTAL PROBES AND PROBE COVER WALL BRACKET DISPENSER. DUAL PROBE UNIT. ONE YEAR WARRANTY	M0	CARDINAL HEALTH ALARIS Model #: 2180CX01EE	2	\$XXX.XX	\$XXX.XX
713773	#5M745; WASTE-CAN; 40 QT 40 QT. (10 GAL) FIRE RESISTANT (UL) #EA-2544 BEIGE; (RUBBERMAID 2544), 15"L X 11 1/4"W X 20"H	M0	GRAINGER Model #: 5M745	3	\$XXX.XX	\$XXX.XX
714802	#MDS806300SLG; WHEELCHAIR EXCEL; 18"W, 250 LB CAPACITY, REMOVABLE DESK-LENGTH ARMS, SWINGAWAY DETACHABLE ELEVATING LEGRESTS; MAG WHEELS; CHART POCKET. ***COLOR: SILVER GRAY-SLG***	M0	MEDLINE INDUSTRIES, INC. Model #: MDS806300SLG	1	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space: \$XXX.XX
 1 Occurances Of This Type Space Included In The Budget Totalling: \$XXX.XX

000303

Date: 8/7/2008

Page: 129
04:13 PM**HCA - The Healthcare Company****DCEE PROJECTS****GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC**
10000RB

DEPT: 095-ENDOSCOPY

SPACE: 9094-CLEAN UP/WORK ROOM

Item	Description	Class	Vendor	Qty	Price	Extd Price
074814	#BY66150141; SONIC CLEANER, AMSCO RELIANCE SONIC 550 TABLETOP. 21"L X 14"W X 11"D. INCLUDES: 5-1/2 GALLON CAPACITY, PERFORATED TRAY ID 17-1/2" L X 10" W X 6" D, DRAINAGE DEVICE. ELECTRIC: 115 VOLTS, 50/60 HZ, 1 PHASE	M0	STERIS/AMSCO PRODUCTS Model #: BY66150141	1	\$XXX.XX	\$XXX.XX
713796	#5M877; WASTE-CAN; 18 GAL; STEP-ON, 19 3/4"X16 1/8"X 26 1/6"H, COLOR: BEIGE (#5M877; \$57.47) AND RIGID LINER; 18"L X 22" H X 12 1/4" W; COLOR: GRAY; FOR OILY WASTE CONTAINERS (#5M891; \$18.72) FM-CALIFORNIA STATE FIRE MARSHALL APPROVED FOR FIRE SAFETY. (MANF. RUBBERMAID; #6145 & #6246)	M0	GRAINGER Model #: 5M877/5M891	1	\$XXX.XX	\$XXX.XX
714072	***USE ITEM # 713782***#5563452088BG; UTILITY CART, 24"X36"X32.25"H, 400 LB MAX CAPACITY, NO MIDDLE SHELF COLOR: BEIGE (RUBBERMAID)	M0	KERMA MEDICAL Model #: 5563452088BG	1	\$XXX.XX	\$XXX.XX
714367	***DISCONTINUED***#DSD-201; DOUBLE ENDSCOPE DISINFECTOR; SET INCLUDES: LARGE BASINS, DISINFECTANT HEATER, AIR COMPRESSORS, PTR, H2O REGULATOR, H2O PREFILTRATION SYSTEM 4 CONNECTORS FOR OLYMPUS ENDOSCOPES, INSTRUCTION & SERVICE MANUALS. 36"W X 21"D X 46"H. ELECTRIC: 110 VAC, 60HZ, HOSPITAL GRADE POWER CORD, H2O REQ.: PORTABLE H2O FROM BLD COLD H2O SUPPLY (MAX. TEMP 100 DEGREES F) @ MINIMUM 40 PSI (2.75 BAR)	M0	OLYMPUS MEDICAL Model #: DSD-201	1	\$XXX.XX	\$XXX.XX
716613	#5563459800BG; **DISCONTINUED-SEE ITEM #723903** SHELF FOR CART4520 (RUBBERMAID)	M0	KERMA MEDICAL Model #: 5563459800BG	1	\$XXX.XX	\$XXX.XX
718241	#CLM-1076; PRE-FILTRATION SYSTEM FOR THE MV-1 OR MV-2	M0	OLYMPUS MEDICAL Model #: CLM-1076	1	\$XXX.XX	\$XXX.XX
718242	****DISCONTINUED***#DSD-1087; CHEMICAL TRANSFER PUMP FOR DSD 5002V AND 5001	M0	OLYMPUS MEDICAL Model #: DSD-1087	1	\$XXX.XX	\$XXX.XX
718551	#3U649; WASTE-CAN; STEP-ON 12 GAL; BIOHAZARDOUS, COLOR: RED. FM CALIFORNIA STATE FIRE MARSHALL APPROVED FOR FIRE SAFETY (RUBBERMAID 6144)	M0	GRAINGER Model #: 3U649	1	\$XXX.XX	\$XXX.XX
718640	**DISCONTINUED***#MK01-0055; ACTIVE VAPOR MGNT	M0	OLYMPUS MEDICAL Model #: MK01-0055	1	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space: \$XXX.XX
 1 Occurances Of This Type Space Included In The Budget Totaling: \$XXX.XX

000304

Date: 8/7/2008

Page: 130
04:13 PM

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB
DEPT: 095-ENDOSCOPY
SPACE: 9095-SCOPE STORAGE

Item	Description	Class	Vendor	Qty	Price	Extd Price
718986	#SSUKIT0331; CABINET, ENDOSCOPE HOLDS 18 ENDOSCOPES, #M1800.	M0	STORAGE SYSTEMS, INC. Model #: SSUKIT0331	2	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space: \$XXX.XX
1 Occurances Of This Type Space Included In The Budget Totalling: \$XXX.XX

000305

Date: 8/7/2008

HCA - The Healthcare Company**DCEE PROJECTS****GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB**Page: 131
04:13 PM

DEPT: 095-ENDOSCOPY

SPACE: 9096-MANOMETRY STUDIES/GASTRIC PH

Item	Description	Class	Vendor	Qty	Price	Extd Price
721201	MANOMETRY SYSTEM INCLUDING: ESOPHAGEAL, BILIARY, ANORECTAL - BUDGET COST - MUST OBTAIN QUOTE	M0 Model #:	MEDTRONIC SYNECTICS MANOMETRY	1	\$XXX.XX	\$XXX.XX
721202	BRAVO SWS PH SYSTEM BUDGET COST - MUST OBTAIN QUOTE	M0 Model #:	MEDTRONIC SYNECTICS BRAVO PH	1	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space:

\$XXX.XX

1 Occurances Of This Type Space Included In The Budget Totaling:

\$XXX.XX

000306

Date: 8/7/2008

Page: 132
04:13 PM

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB
DEPT: 095-ENDOSCOPY
SPACE: 9098-SOILED UTILITY

Item	Description	Class	Vendor	Qty	Price	Extd Price
713803	#3W224; WASTE-CAN; BRUTE 44 GAL (#3W224; \$25.67) 24"D X 31.5H; COLOR: GRAY (RUBBERMAID 2643) LID (#4W016; \$8.93)	M0	GRAINGER Model #: 3W224/4W016	1	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space: \$XXX.XX
1 Occurances Of This Type Space Included In The Budget Totaling: \$XXX.XX

000307

Date: 8/7/2008

HCA - The Healthcare Company

Page: 133
04:13 PMDCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RBDEPT: 095-ENDOSCOPY
SPACE: 9100-CC ALCOVE

Item	Description	Class	Vendor	Qty	Price	Extd Price
714707	#LIFEPAK 12; BIPHASIC DEFIB/MONITOR, (#99400-000372; \$9,158.83) INCLUDES PACING, AED, EL SCREEN, PRINTER, ECG CABLE, QUIK-COMBO CABLE, 2 SETS QUIK-COMBO ELECTRODES, OPERATING INSTRUCTIONS. INCLUDES OPTIONS: AC POWER ADAPTER (#11400-000038; \$675.02), TWO LIFEPAK SLA BATTERIES (#11141-000028; QTY. 2 \$154.29 EA.=\$308.58), LP12 HOSPITAL CONFIG	M0	MEDTRONIC EMERGENCY Model #: 99400-000372-	1	\$XXX.XX	\$XXX.XX
715617	#AE6975; SUCTION S-CORT PORTABLE (DUET), INCLUDES BOTH BATTERY AND PLUG-IN OPERATION	M0	ARMSTRONG MEDICAL IND. Model #: AE6975	1	\$XXX.XX	\$XXX.XX
715848	#SSUKIT0037; CART, LIFELINE EMERGENCY LEC 53 WITH DEFIB SWING ARM. INCLUDES: LEC9471 AMPULE INSERT, LEC 9460 TOP CAVITY TRAY W/4 DIVIDERS	M0	STORAGE SYSTEMS, INC. Model #: SSUKIT0037	1	\$XXX.XX	\$XXX.XX
721095	INTUBATION EQUIPMENT**NEED FORMAL QUOTE - BUDGET ONLY!!** INCLUDES: LARYNGOSCOPE HANDLES, BLADES & MCGILL FORCEPTS. *** FOR BUDGETING ONLY - MUST GET QUOTE *** (RAUSCH OR WELCH ALLYN)	M0	KERMA MEDICAL Model #: INTUBATION	1	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space: \$XXX.XX
 1 Occurances Of This Type Space Included In The Budget Totaling: \$XXX.XX

000308

Date: 8/7/2008

Page: 134
04:13 PM

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB
 DEPT: 095-ENDOSCOPY
 SPACE: 9101-ENDO PROCEDURE ROOM

Item	Description	Class	Vendor	Qty	Price	Extd Price
125100	**USE ITEM #722651**#6701-1260-921; OXYGEN FLOWMETER, W/DISS OUTLET, NUT & GLAND, DIA ADAPTER	M4	GE HEALTHCARE DATEX Model #: 6701-1260-921	1	\$XXX.XX	\$XXX.XX
175545	#MDS80529; HAMPER STAND CHROME, SQUARE WITH FOOT PEDAL OPERATED METAL LID (LID COLOR-WHITE), 18 5/8"W X 19 1/2"D X 37 3/4"H, 4 LID LABELS (BIOHAZARD, SOILED LINEN, INFECTIOUS LINEN, & TRASH)	M4	MEDLINE INDUSTRIES, INC. Model #: MDS80529	2	\$XXX.XX	\$XXX.XX
360774	#05A; MONITOR, SURGICAL BASIC OR PACU VIRIDIA 24, M1205A, H35, A16 ECG/RESP, NBP, SP02, C02	M0	PHILIPS MED SYS INC Model #: 05A	1	\$XXX.XX	\$XXX.XX
560010	**USE ITEM #722676**#6701-1224-908 - REGULATOR, STANDARD SUCTION DIAMOND ADAPTOR W/OVERFLOW TRAP AND DISS MALE CONT 3M, DIA, DS TRP WG	M0	GE HEALTHCARE DATEX Model #: 6701-1224-908	1	\$XXX.XX	\$XXX.XX
560122	**USE ITEM #722693**#6701-1247-901, HIGH SURGICAL/FREE FLOW VACUUM REGULATOR W/OHMEIDA DIAMOND ADAPTER AND TUBING NIPPLE -	M0	GE HEALTHCARE DATEX Model #: 6701-1247-901	2	\$XXX.XX	\$XXX.XX
713796	#5M877; WASTE-CAN; 18 GAL; STEP-ON, 19 3/4"X16 1/8"X 26 1/8"H, COLOR: BEIGE (#5M877; \$57.47) AND RIGID LINER; 18"L X 22" H X12 1/4" W; COLOR: GRAY; FOR OILY WASTE CONTAINERS (#5M891; \$18.72) FM- CALIFORNIA STATE FIRE MARSHALL APPROVED FOR FIRE SAFETY. (MANF. RUBBERMAID; #6145 & #6245)	M0	GRAINGER Model #: 5M877/5M891	1	\$XXX.XX	\$XXX.XX
715842	#9702; PHYSICIAN'S STOOL (SOFT CASTERS), NO BACK, FLAT TOP ALUMINUM BASE W/BLACK TOE CAPS; "D" RING HEIGHT ADJUSTMENT 17" - 22" FROM FLOOR, **SELECT VINYL COLOR: PEARL; PUTTY, TAUPE, GRAY, WARM GRAY, BLACK, TERRA ROSE, MONET, ROYAL RUBY, PORT, GRAPE, LAVENDER, BLUE, WEDGE WOOD, JADE, GROTTTO, EMERALD, OR PURPLE	M7	HASSOC MEDICAL Model #: 9702/SOFT C	1	\$XXX.XX	\$XXX.XX
716845	#APC 300; ARGON PLASMA SYSTEM COAGULATION & ENDOCUT UNIT - INCLUDES: 10132-011; 20132-065 (2); 20185- 009; 20192-082; 20189-022; 20132-158; 10128-205; 20189-027; 20183-053; 20183- 060; 1063-2 (2); 7910-2000; ALLIGATOR CLIPS**STILL VALID VIO/APC2 SYSTEM	M0	ERBE USA, INC Model #: APC 300 SYSTEM	1	\$XXX.XX	\$XXX.XX
717181	#8302/ SOFT C; STOOL W/ADJ. BACK SOFT CASTERS, FOOTRING, 20" W SEAT, HT. ADJ. 23"-33", FLAT TOP ALUMINUM BASE W/BLACK TOE CAPS. **SELECT VINYL COLOR: PEARL; PUTTY, TAUPE, GRAY, WARM GRAY, BLACK, TERRA ROSE, MONET, ROYAL RUBY, PORT, GRAPE, LAVENDER, BLUE, WEDGE WOOD, JADE, GROTTTO, EMERALD, OR PURPLE	M7	HASSOC MEDICAL Model #: 8302/SOFT C	1	\$XXX.XX	\$XXX.XX

000309

RECORD 004772

Date: 8/7/2008

Page: 135
04:13 PM

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB
 DEPT: 095-ENDOSCOPY
 SPACE: 9101-ENDO PROCEDURE ROOM

Item	Description	Class	Vendor	Qty	Price	Extd Price
717640	#SSUKIT0165; IV STAND #PEDP15764, 4 HOOK FOOT PEDAL OPERATION, A QTY OF 5: SS 2" CONDUCTIVE SWIVEL CASTERS HEIGHT ADJUSTMENT FROM 68" TO 108"	M0	STORAGE SYSTEMS, INC. Model #: SSUKIT0165	1	\$XXX.XX	\$XXX.XX
717642	#SSUKIT0171; MAYO STAND, #PEDP1066SS FOOT OPERATED 16" X 21 1/4" TRAY, ADJUSTABLE HEIGHT 26" TO 62", 2" CASTERS	M0	STORAGE SYSTEMS, INC. Model #: SSUKIT0171	1	\$XXX.XX	\$XXX.XX
718255	#SSUKIT0183; TABLE, INSTRUMENT SG-94-SS W/ LOWER SHELF, 24"D X 60"L X 34"H, CASTERS	M0	STORAGE SYSTEMS, INC. Model #: SSUKIT0183	1	\$XXX.XX	\$XXX.XX
718257	#SSUKIT0159; FOOTSTOOL, P-1015 14"D X 19"L X 6"H, STACKABLE & INTERLOCKING, SLIP RESISTANT TOP	M0	STORAGE SYSTEMS, INC. Model #: SSUKIT0159	1	\$XXX.XX	\$XXX.XX
718551	#3U649; WASTE-CAN; STEP-ON 12 GAL; BIOHAZARDOUS, COLOR: RED. FM CALIFORNIA STATE FIRE MARSHALL APPROVED FOR FIRE SAFETY (RUBBERMAID 6144)	M0	GRAINGER Model #: 3U649	1	\$XXX.XX	\$XXX.XX
718739	***DUPL. USE # 558004*** #0830-020-101; SURGISTOOL II, STOOL WITH TEAR DROP SEAT, 3 SPINDLE BASE, FOOT CONTROL HYDRAULICS, THERMOFORMED PLASTIC HOOD. HEIGHT RANGE 21" - 28.5", ADJUSTABLE CONTOURED BACKREST, FRONT END LOCKING SYSTEM, CONDUCTIVE CASTERS AND DUAL DENSITY FOAM CUSHIONS FOR SEAT AND BACKREST.	M0	STRYKER MEDICAL CORP Model #: 830-000-000	1	\$XXX.XX	\$XXX.XX
719333	*****SELECT VINYL: #SSUKIT0205; UTILITY TABLE WITH SHELF AND RAIL, 16"W X 20"L X 34"H; #SG-81- SS.	M0	STORAGE SYSTEMS, INC. Model #: SSUKIT0205	1	\$XXX.XX	\$XXX.XX
719788	***DISCONTINUED***RENAISSANCE 29" STRETCHER, # 1731 (\$3,220); 4" MATT 1710-040-000 (\$136.50); GLIDEWAY FOLD/FT 1711-021-000 (NC); PNEU/CRANK 1711-135- 000 (\$245); DUAL SIDE & FOOT 1231-030-210 (STD); STD DESCENT 1231-007-000 (STD); DUAL SIDE CTRL 1210-001-210 (STD); DUAL LOWER PEDAL 1210-501-000 (NC); RETRACT 5TH WHEEL 1010-260-010 (STD); POP-UP PUSH HANDLES, 1711-151-000 (STD); DUAL END BRAKE/STEER 1210-999 -999 (STD); IV CADDY 1050-001-000 (\$224); 2 STAGE PERM FOLD IV, HEAD LT #1711-112- 000 (\$210); 3 YR. WARRANTY	M0	STRYKER MEDICAL CORP Model #: #1731	1	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space: \$XXX.XX
 1 Occurances Of This Type Space Included In The Budget Totaling: \$XXX.XX

000310

Date: 8/7/2008

Page: 136
04:13 PM

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB
DEPT: 095-ENDOSCOPY
SPACE: 9101-ENDO PROCEDURE ROOM

Item	Description	Class	Vendor	Qty	Price	Extd Price

000311

Date: 8/7/2008

Page: 137
04:13 PM

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB
DEPT: 100-HOUSEKEEPING
SPACE: 2315-ARTWORK, 100 BEDS

Item	Description	Class	Vendor	Qty	Price	Extd Price
020092	ARTWORK, FRAMED AS PER ATTACHED	MO	AMERICAN ART RESOURCES	1	\$XXX.XX	\$XXX.XX
		Model #:	Art			

Total Budget For Each Occurance Of This Type Space: \$XXX.XX
1 Occurances Of This Type Space Included In The Budget Totaling: \$XXX.XX

000312

Date: 8/7/2008

Page: 138
04:13 PM

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB
DEPT: 100-HOUSEKEEPING
SPACE: 2321-CLEAN LINEN-100 BEDS

Item	Description	Class	Vendor	Qty	Price	Extd Price
510412	#SSUKIT0068; SHELVING, EPOXY WIRE WITH CASTERS, 60 X 24 X 74, 5 SHELVES	M0	STORAGE SYSTEMS, INC.	10	\$XXX.XX	\$XXX.XX
		Model #:	SSUKIT0068			
510434	#SSUKIT0008; LINEN CART, LARGE; 60 X 24 X 66, 5 SHELVES W/ COVER, DOLLY ON WHEELS, & SHELF GUARD	M0	STORAGE SYSTEMS, INC.	8	\$XXX.XX	\$XXX.XX
		Model #:	SSUKIT0008			

Total Budget For Each Occurance Of This Type Space: \$XXX.XX
1 Occurances Of This Type Space Included In The Budget Totalling: \$XXX.XX

000313

Date: 8/7/2008

HCA - The Healthcare Company

Page: 139
04:13 PMDCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RBDEPT: 100-HOUSEKEEPING
SPACE: 2362-HOUSEKEEPING EQUIPMENT-100 BED

Item	Description	Class	Vendor	Qty	Price	Extd Price
061415	#04146A, CARPET EXTRACTOR W/ METAL WAND	M0	CLARKE Model #: 04146A	1	\$XXX.XX	\$XXX.XX
061824	#1C-215H; MOPPING UNIT, DOUBLE-TANK STAINLESS STEEL, COMPLETE WITH TWO 7 1/2 GALLON STAINLESS STEEL MOP BUCKETS, 16-24 OZ. STAINLESS STEEL MOP WRINGER, STAINLESS CARRIER WITH HANDLE AND 7" X 14" WIRE BASKET.	M7	ROYCE ROLLS RINGER CO. Model #: #1C-215H	3	\$XXX.XX	\$XXX.XX
062021	#F36-08R; FOLDING CABINET STAINLESS STEEL; COMPLETE WITH 2 FOUR GALLON STAINLESS STEEL HALF OVAL PAILS, 12-16 OZ; STAINLESS STEEL MOP WRINGER, STAINLESS STEEL LOCKABLE DOOR; ANTIBACTERIAL ZIPPER BAG AND STAINLESS STEEL TRASH LID	M0	ROYCE ROLLS RINGER CO. Model #: F36-08R	6	\$XXX.XX	\$XXX.XX
097864	DRAPERIES, CUBICLE CURTAINS, SHOWER CURTAINS, AND BLINDS (AS PER ATTACHED)	M4	STANDARD TEXTILE Model #: PER QUOTE	1	\$XXX.XX	\$XXX.XX
099650	#T050; ELECTRIC DRYER, ALLIANCE/CISSELL W/DUAL DIGITAL TIMER AND REVERSING CYLINDER; ELECTRIC: 208-240/60/3; 75"H X 37 7/8"W X 53 1/2"D INCLUDES STARTUP	M0-	BARING INDUSTRIES, INC. Model #: T050	1	\$XXX.XX	\$XXX.XX
510303	#SSUKIT0207; SHELVING, STORAGE STARTER, 36 X 18 X 75 WITH 6 SHELVES INCLUDING FOOT PLATES **MUST SELECT COLOR: GRAY OR TAN **	M0	STORAGE SYSTEMS, INC. Model #: SSUKIT0207	5	\$XXX.XX	\$XXX.XX
658050	#02089A; WET DRY VAC, CTV-15, WITH TOOL KIT	M0	CLARKE Model #: 02089A	2	\$XXX.XX	\$XXX.XX
658250	#01016A; 20" FLOOR POLISHER, FM-2000	M0	CLARKE Model #: 01016A	2	\$XXX.XX	\$XXX.XX
658251	#508641; SOLUTION TANK ASSEMBLY FM 1500	M0	CLARKE Model #: 508641	1	\$XXX.XX	\$XXX.XX
658400	#53156A; PAD DRIVER ASSEMBLY PERMAGRIP	M0	CLARKE	2	\$XXX.XX	\$XXX.XX
	FM 2000, 20" FLOOR MAINTAINER		Model #: 53156A			
658451	#51707A; SCRUB BRUSH, POLYPROPYLENE, FM 2000, FLOOR MAINTAINER	M0	CLARKE Model #: 51707A	1	\$XXX.XX	\$XXX.XX
658614	***DISC. USE #724279***#03104A; VACUUM 614 COMBIVAC UPRIGHT	M0	CLARKE Model #: 03104A	6	\$XXX.XX	\$XXX.XX
658700	#02146A; NAP SAC BACKPACK VACUUM WITH TOOL KIT	M0	CLARKE Model #: 02146A	1	\$XXX.XX	\$XXX.XX
667155	#SU-640-C; WASHER-EXTRACTOR, FULLY. CLARUS CONTROL; S/S FRONT PANEL; 6" STEEL BASE; HOSES; 208-240/60/1 PHASE; 40 LB CAPACITY HOSE KIT 002012 3/4" MANF: HI-TEK WASCOMAT INCLUDES STARTUP	M0	BARING INDUSTRIES, INC. Model #: SU-640-C	1	\$XXX.XX	\$XXX.XX

000314

Date: 8/7/2008

Page: 140
04:13 PM

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB

DEPT: 100-HOUSEKEEPING
 SPACE: 2362-HOUSEKEEPING EQUIPMENT-100 BED

Item	Description	Class	Vendor	Qty	Price	Extd Price
713803	#3W224; WASTE-CAN; BRUTE 44 GAL (#3W224; \$25.57) 24"D X 31.5H; COLOR: GRAY (RUBBERMAID 2643) LID (#4W016; \$8.93)	M0	GRAINGER Model #: 3W224/4W016	4	\$XXX.XX	\$XXX.XX
713804	#5W007; DOLLY FOR BRUTE BLACK, ROUND (FOR 20, 32, 44 & 55 GAL CONTAINERS - RUBBERMAID # 2643)	M0	GRAINGER Model #: 5W007	4	\$XXX.XX	\$XXX.XX
713817	#1D653; TILT TRUCK CU. YARD 72 1/4" L X 34"D X 44"H. 1250 LBS CAP. COLOR: GREY RUBBERMAID	M0	GRAINGER Model #: 1D653	1	\$XXX.XX	\$XXX.XX
Total Budget For Each Occurance Of This Type Space:						\$XXX.XX
1 Occurances Of This Type Space Included In The Budget Totalling:						\$XXX.XX

000315

RECORD 004778

Date: 8/7/2008

Page: 141
04:13 PM

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB
DEPT: 100-HOUSEKEEPING
SPACE: 2410-SOILED LINEN

Item	Description	Class	Vendor	Qty	Price	Extd Price
713779	#5Z207; RUBBERMAID CART SOILED LINEN (\$280.60) W/2 SWIVEL 2 RIG CASTERS 32"X44 1/2"X 37" 18 BU CAPACITY 144 GAL 4619 GRAY WITH 4617 LID 5Z210 (\$105.29)	M0	GRAINGER Model #: 5Z207/5Z210	8	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space: \$XXX.XX
1 Occurances Of This Type Space Included In The Budget Totaling: \$XXX.XX

000316

Date: 8/7/2008

Page: 142
04:13 PM

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB
DEPT: 100-HOUSEKEEPING
SPACE: 2430-SUPERVISOR

Item	Description	Class	Vendor	Qty	Price	Extd Price
043891	#RBC15364A; BOOKCASE- 36" X 53" FINISH ANY STEELCASE PAINT:	M0	INTERIOR DESIGN Model #: RBC15364A	1	\$XXX.XX	\$XXX.XX
073499	#4535331DW, CRITERION HIGH BACK CHAIR PNEUMATIC HEIGHT ADJUSTABLE SEAT DEPTH, SOFT CASTERS, FABRIC: CANZONE STANDARD FINISH SOIL RETARDANT	M0	INTERIOR DESIGN Model #: 4535331DW	1	\$XXX.XX	\$XXX.XX
121900	8LF18302F- FILE - 2 DRAWER, LATERAL, HANGING FRAME, W/LOCK, 30"W, PAINT:	M0	INTERIOR DESIGN Model #: 8LF18302F	2	\$XXX.XX	\$XXX.XX
121977	RATCL1860F-FILE-TOP FOR TWO 30"LATERA FILES 60" X 18-1/8", PLASTIC LAMINATE;	M0	INTERIOR DESIGN Model #: RATCL1860F	1	\$XXX.XX	\$XXX.XX
705326	#474419M - GUEST CHAIR SNODDGRASS, OPEN LOOP ARMS WITH OPEN BACK BASE: POLISHED CHROME, FABRIC: REGIS, SOIL RETARDANT	M0	INTERIOR DESIGN Model #: 474419M	2	\$XXX.XX	\$XXX.XX
705895	DESK-TSAFDP3060F, DOUBLE PEDESTAL, 60X30X2 3/8 W/CENTER DRAWER LOCK, FLUSH END PANELS W/REF SHELF PAINT: LAMINATE:	M0	INTERIOR DESIGN Model #: TSAFDP3060F	1	\$XXX.XX	\$XXX.XX
718528	#5M744; WASTE-CAN 28 QT RECTANGULAR FIRE RESISTANT (UNDERWRITES LABORATORY) 14.5" X 10.5" X 15.38"; COLOR GRAY; 1 EACH W/O LID(RUBBERMAID 2543) *PRODUCT SET UP TO ORDER IN INCREMENTS OF 1/EA PER KEVIN KOLFF, NAT. REP. ON 10/4/04	M0	GRAINGER Model #: 5M744	1	\$XXX.XX	\$XXX.XX
862710	2042, COAT HOOK, SINGLE -1"WX7 1/2" X4 1/2" FINISH: GLOSS BLACK ***PETER PEPPER***	M4	INTERIOR DESIGN Model #: 2042	1	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space: \$XXX.XX
 1 Occurances Of This Type Space Included In The Budget Totalling: \$XXX.XX

000317

Date: 8/7/2008

Page: 143
04:13 PM

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB
DEPT: 100-HOUSEKEEPING
SPACE: 2430-SUPERVISOR

Item	Description	Class	Vendor	Qty	Price	Extd Price

000318

Date: 8/7/2008

Page: 144
04:13 PM

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB
 DEPT: 110-LABORATORY
 SPACE: 2530-BLOOD BANK

Item	Description	Class	Vendor	Qty	Price	Extd Price
040675	#BBR25-1B; BLOOD BANK REFRIGERATOR; 24.8 CF; 29"W X 36"D X 82 7/8"H; INCLUDES HEMAPRO 2000 TEMPERATURE MONITOR/ALARM AND 7ER TEMPERATURE CHART RECORDER: 115 VOLT.	M0	THERMO FISHER Model #: BBR25-1B	1	\$XXX.XX	\$XXX.XX
040752	#DTPMR-1B; REMOTE TEMPERATURE MONITOR FOR BLOOD BANKS	M0	THERMO FISHER Model #: DTPMR-1B	1	\$XXX.XX	\$XXX.XX
067800	***USE ITEM #724210***04531, CELL WASHER, SORVALL CW2 AUTOMATIC OPERATION, SINGLE DISTRIBUTOR FOR STD. 10 MM X 75 MM OR 12 MM X 75 MM TUBES, SALINE LEVEL DETECTION/ALARM SYS., DIGITAL DISPLAY, REQUIRES DEDICATED/POWER OUTLET, 120V, 60 HZ	M0	THERMO ELECTRON Model #: 04531	1	\$XXX.XX	\$XXX.XX
067960	#C1725-3;23;26-2; CENTRIFUGE, MEGAFUGE HERAEUS BRAND (#C1722-3; \$3,763.38) WITH SEALED SWINGOUT ROTOR (#C1725-23; \$1,853.88), 4 EACH RED ADAPTERS, 12 X 15 ML (#C1726-2; \$30.98 EA X 4 = \$123.92)	M0	CARDINAL HEALTH Model #: C1725-3;23;26-2	1	\$XXX.XX	\$XXX.XX
073499	#4535331DW, CRITERION HIGH BACK CHAIR PNEUMATIC HEIGHT ADJUSTABLE SEAT DEPTH, SOFT CASTERS, FABRIC; CANZONE STANDARD FINISH SOIL RETARDANT	M0	INTERIOR DESIGN Model #: 4535331DW	2	\$XXX.XX	\$XXX.XX
113200	#4R4414; EXTRACTOR; PLASMA, 1 UNIT PER CARTON, 4R4414 (ANCILLARY EQUIPMENT). TRANSFUSION THERAPIES. ***NOT ON CONTRACT***	M0	FENWAL, INC. Model #: 4R4414	1	\$XXX.XX	\$XXX.XX
151250	#CTF308-1B; UNDERCOUNTER BLOOD BANK FREEZER; 5.4 CF, 24"W X 24 1/8"D X 36"H, INCLUDES DTPM3000 TEMPERATURE MONITOR/ALARM; 115 VOLT (\$3,464.00), 7ER-1B WALL MOUNTED TEMPERATURE CHART RECORDER (\$956.00) AND DTPMR-1B REMOTE TEMPERATURE MONITOR (\$672.00)	M0	THERMO FISHER Model #: CTF308-1B PLUS	1	\$XXX.XX	\$XXX.XX
212000	#B7040-1; INCUBATOR MARSTERS 5380	M0	CARDINAL HEALTH Model #: B7040-1	1	\$XXX.XX	\$XXX.XX
275391	#B5061-2; SERO-FUGE 2002, 115V, 2400 AND 3400 RPM WITH 12 PLACE ROTOR	M0	CARDINAL HEALTH Model #: B5061-2	1	\$XXX.XX	\$XXX.XX
357190	**MICROSCOPE USE FOR BUDGET** PURPOSES ONLY - FACILITY TO GET QUOTE** MICROSCOPE, PLAN 10X, 50X OIL, 100X, IMMERSION OIL, L PLAN 10X EYEPIECES.**	M0	CARDINAL HEALTH Model #: budget	1	\$XXX.XX	\$XXX.XX
662700	#L6045-1A; VIEWER AGGLUTINATION TEST TUBE	M0	CARDINAL HEALTH Model #: L6045-1A	2	\$XXX.XX	\$XXX.XX

000319

Date: 8/7/2008

Page: 145
04:13 PM

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB

DEPT: 110-LABORATORY
SPACE: 2530-BLOOD BANK

Item	Description	Class	Vendor	Qty	Price	Extd Price
714119	***USE ITEM # 722036***#5563614500LB; WASTE CONTAINER, STEP-ON, 18 GAL. W/ LINER, 19 3/4" X 16 1/8"X26 1/8"H, FM- CALIFORNIA STATE FIRE MARSHALL APPROVED FOR FIRE SAFETY, COLOR: BEIGE (RUBBERMAID)	M0	KERMA MEDICAL Model #: 5563614500LB	2	\$XXX.XX	\$XXX.XX
715254	#MT515060; CENTRIFUGE MIS (FOR GEL SYSTEM)	M0	ORTHO-CLINICAL Model #: MT515060	1	\$XXX.XX	\$XXX.XX
715255	#MTS9680; MTS INCUBATOR (GEL SYSTEM)	M0	ORTHO-CLINICAL Model #: MTS9680	1	\$XXX.XX	\$XXX.XX
715256	#MTS9650; MTS WORKTABLE (GEL SYSTEM)	M0	ORTHO-CLINICAL Model #: MTS9650	1	\$XXX.XX	\$XXX.XX
715613	#MTS 9612; MTS DISPENSOR 1.0 ML	M0	ORTHO-CLINICAL Model #: MTS 9612	1	\$XXX.XX	\$XXX.XX
715614	#MTS9640; MTS TIPMASTER PIPETTOR	M0	ORTHO-CLINICAL Model #: MTS9640	1	\$XXX.XX	\$XXX.XX
718917	#MTS710142; BIO-HIT PIPETTOR	M0	ORTHO-CLINICAL Model #: MTS710142	1	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space: \$XXX.XX
1 Occurances Of This Type Space Included In The Budget Totalling: \$XXX.XX

000320

Date: 8/7/2008

Page: 146
04:13 PM

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB

DEPT: 110-LABORATORY
 SPACE: 2535-BODY HOLDING

Item	Description	Class	Vendor	Qty	Price	Extd Price
720000	#CCT101; CONCEALED CADAVER TRANSFER CART INCLUDES MT1 SS TRAY	M0	CSI INDUSTRIES, INC. Model #: CCT101	1	\$XXX.XX	\$XXX.XX
720006	#2EC; REFRIGERATOR, 2 BODY MORGUE REFRIGERATOR; END OPENING; TELESCOPING RACKS; INCLUDES (2) MT 1 BODY TRAYS SELF CONTAINED REFRIGERATION SYSTEM; 120/60/1 ELECTRICAL; STAINLESS STEEL FINISH ON FRONT AND DOORS; STUCCO EMBOSSED ALUMINUM REMAINDER OF FINISH; OPTIONS: STAINLESS STEEL INTERIOR; STAINLESS STEEL EXTERIOR; DTPM SERIES TEMPERATURE MONITOR/ALARM; 7 ER MODEL CHART RECORDER; BARIATRIC CAPACITY. NOTE: CALL VENDOR FOR PRICING ON OPTIONS.	M0	CSI INDUSTRIES, INC. Model #: 2EC	1	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space: \$XXX.XX
 1 Occurances Of This Type Space Included In The Budget Totaling: \$XXX.XX

000321

Date: 8/7/2008

Page: 147
04:13 PM

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB

DEPT: 110-LABORATORY
 SPACE: 2540-CHEMISTRY

Item	Description	Class	Vendor	Qty	Price	Extd Price
000038	#05060298; RAPIDLAB 1240 BLOOD GAS ANALYZER	M0	SIEMENS HEALTHCARE Model #: 05060298	1	\$XXX.XX	\$XXX.XX
036110	#B5905-1C; A.D. BILIRUBINOMETER, NEW VERSION	M0	CARDINAL HEALTH Model #: B5905-1C	1	\$XXX.XX	\$XXX.XX
041028	BLOOD, GAS ACCESSORY MODEL 201 #475505 TICKET PRINTER **ACQUIRED THUR CPRR** (PURCHASE ORDER WILL NOT BE ISSUED, HOSPITAL TO ARRANGE WITH VENDOR)	M0	SIEMENS HEALTHCARE Model #: 475505	1		
055700	#S1347-2; CABINET, 45 GAL, 2 SHELVES, 2 DOORS, LAB SAFETY STORAGE 43"W X 18"D X 65"H	M0	CARDINAL HEALTH Model #: S1347-2	1	\$XXX.XX	\$XXX.XX
073499	#4535331DW, CRITERION HIGH BACK CHAIR PNEUMATIC HEIGHT ADJUSTABLE SEAT DEPTH, SOFT CASTERS, FABRIC: CANZONE STANDARD FINISH SOIL RETARDANT	M0	INTERIOR DESIGN Model #: 4535331DW	2	\$XXX.XX	\$XXX.XX
078908	CO-OXIMETER, MODEL 270, MEASURES FIV HB FACTIONS, Oz PARAMETERS, 50- MICROLITER SAMPLE #475270	M0	SIEMENS HEALTHCARE Model #: 475270	1	\$XXX.XX	\$XXX.XX
179597	#H2105-13; BLOCK HEATING 20X13MMD	M0	CARDINAL HEALTH Model #: H2105-13	1	\$XXX.XX	\$XXX.XX
179598	#H2105-16; BLOCK HEATING 12X16MMD	M0	CARDINAL HEALTH Model #: H2105-16	1	\$XXX.XX	\$XXX.XX
179599	#H2105-1; DRI BATH MODULAR HEAT. DROP SHIP ONLY.	M0	CARDINAL HEALTH Model #: H2105-1	1	\$XXX.XX	\$XXX.XX
212200	#J1512; INCUBATOR PERCESSION SCIENTIFI #31487 300-700C RANGE DOUBLE DOOR 42"W X 21"D X 39"H 120V 50/60HZ 594W	M0	CARDINAL HEALTH Model #: J1512	1	\$XXX.XX	\$XXX.XX
270000	#S1313-24; KIT FIRST AID 24 UNIT	M4	CARDINAL HEALTH Model #: S1313-24	1	\$XXX.XX	\$XXX.XX
359400	#S8249-1; MIXER MAXI-MIX II VORTEX	M0	CARDINAL HEALTH Model #: S8249-1	1	\$XXX.XX	\$XXX.XX
427000	#N6025-30; OSMOMETER SINGLE SAMPLE - OSMOMETER WIDE RANGE 0.2ML REQUIREMENT	M0	CARDINAL HEALTH Model #: N6025-30	1	\$XXX.XX	\$XXX.XX
440800	#1112001; ORION 3-STAR BENCHTOP PH METER (MFR. THERMO SCIENTIFIC)	M0	CARDINAL HEALTH Model #: 1112001	1	\$XXX.XX	\$XXX.XX
442500	#DS52410050; PIPET BASKET, HDPE E, 1EA/CS.	M4	CARDINAL HEALTH Model #: DS52410050	1	\$XXX.XX	\$XXX.XX
442600	#P5250-2; WASHER PIPET, 24", 4/CS	M0	CARDINAL HEALTH Model #: P5250-2	1	\$XXX.XX	\$XXX.XX
475800	#SMB580; REFRIGERATOR OD, 70"X 32"1/4 X 76"H, 1/2HP, 115/60/1, 15 AMP, 68 CU. FT.	M0	MASTER-BILT Model #: SMB580	2	\$XXX.XX	\$XXX.XX

000322

Date: 8/7/2008

Page: 148
04:13 PM

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB
 DEPT: 110-LABORATORY
 SPACE: 2540-CHEMISTRY

Item	Description	Class	Vendor	Qty	Price	Extd Price
502399	#P5063-4; POSITIVE DISPLACEMENT PIPETTER, MODEL 4830, 1 - 20 UL(MFR. EPPENDORF N. AMERICA # 022440501)	M4	CARDINAL HEALTH Model #: P5063-4	1	\$XXX.XX	\$XXX.XX
502429	#P5063-50; TIP MAXIPETTOR, PIPETTOR AIR DISPLACEMENT DIGITAL, ADJUSTABLE 1-10ML. (MFR. EPPENDORF N. AMERICA #022290002)	M4	CARDINAL HEALTH Model #: P5063-50	1	\$XXX.XX	\$XXX.XX
532003	#S6011-11; SPECTROPHOTOMETER 20+ SPECTRON	M0	CARDINAL HEALTH Model #: S6011-11	1	\$XXX.XX	\$XXX.XX
625995	#C3290-5A; TACHOMETER, POCKET OPTICAL TACH 99 TAPE.	M0	CARDINAL HEALTH Model #: C3290-5A	1	\$XXX.XX	\$XXX.XX
640600	#C6540-1; TIMER UNIVERSAL 60 MIN X 1 SEC C6540-1	M4	CARDINAL HEALTH Model #: C6540-1	2	\$XXX.XX	\$XXX.XX
707472	#LP2200S; BALANCE, SARTORIUS ISO CAL MOTORIZED WEIGHT, BUILT IN PROGRAM, COUNTING, NET TOTAL, WEIGHING IN %, MASS UNIT CONVERSION BY TOGGING, - ISO/GLP OUTPUT FOR QUALITY ASSURANCE & BI DIRECTIONAL RS232 INTERFACE TO A PC OR PRINTER UNIT CAN BE CALIBRATED & ADJ. BALANCE	M0	CARDINAL HEALTH Model #: LP2200S	1	\$XXX.XX	\$XXX.XX
710162	#ZAFS6008D; AFS 8 ANALYZER FEED SYSTEM, 120V, 60 HZ WITH BUILT-IN DEGASSER AND 10; TANK AND AERATOR KIT. REQUIRES WATER LINE (1-1/2"NPT) AND DRAIN	M0	MILLIPORE COPORATION Model #: ZAFS6008D	1		
714119	***USE ITEM # 722036***#5563614500LB; WASTE CONTAINER, STEP-ON, 18 GAL. W/ LINER. 19 3/4" X 16 1/8"X26 1/8"H, FM-CALIFORNIA STATE FIRE MARSHALL APPROVED FOR FIRE SAFETY, COLOR: BEIGE (RUBBERMAID)	M0	KERMA MEDICAL Model #: 5563614500LB	1	\$XXX.XX	\$XXX.XX
714138	***USE ITEM # 721228***#5563614500R; BIOHAZARDOUS WASTEBASKET STEP-ON, 18 GAL, 19 3/4" X 16 1/8" X 26 1/2" (\$46.91) LINER #6245, \$17.89) FM - CALIFORNIA STATE FIRE MARSHALL APPROVED FOR FIRE SAFETY. COLOR: RED (RUBBERMAID)	M0	KERMA MEDICAL Model #: 5563614500R	1	\$XXX.XX	\$XXX.XX
715996	#2504; S/P DIGITAL BAROMETER	M0	CARDINAL HEALTH Model #: B2504	1	\$XXX.XX	\$XXX.XX
720483	CHEMISTRY ANALYZER, DIMENSION RXL, 62.5"W X 44"H X 32"D	M0	SIEMENS HEALTHCARE Model #: RXL MAX	1	\$XXX.XX	\$XXX.XX
721239	*****INCLUDE WATER SYSTEM (#710162) WITH INSTRUMENT***** **USE ITEM #147570** #R3830-16 ULTRA LOW TEMP CYRO-FRIDGE, 17.2 CU FT, 79.5"H X 33.5"W X 34.25"D, 115V, 10.5 AMP	M0	CARDINAL HEALTH Model #: DUPL	1	\$XXX.XX	\$XXX.XX

000323

Date: 8/7/2008

Page: 149
04:13 PM

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB
DEPT: 110-LABORATORY
SPACE: 2540-CHEMISTRY

Item	Description	Class	Vendor	Qty	Price	Extd Price
Total Budget For Each Occurance Of This Type Space:						\$XXX.XX
1 Occurances Of This Type Space Included In The Budget Totaling:						\$XXX.XX

000324

Date: 8/7/2008

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB

DEPT: 110-LABORATORY
 SPACE: 2550-LAB DIRECTOR

Item	Description	Class	Vendor	Qty	Price	Extd Price
043891	#RBC15364A; BOOKCASE- 36" X 53" FINISH ANY STEELCASE PAINT:	M0	INTERIOR DESIGN Model #: RBC15364A	1	\$XXX.XX	\$XXX.XX
073499	#4535331DW, CRITERION HIGH BACK CHAIR PNEUMATIC HEIGHT ADJUSTABLE SEAT DEPTH, SOFT CASTERS, FABRIC: CANZONE STANDARD FINISH SOIL RETARDANT	M0	INTERIOR DESIGN Model #: 4535331DW	1	\$XXX.XX	\$XXX.XX
121900	8LF18302F- FILE - 2 DRAWER, LATERAL, HANGING FRAME, W/LOCK, 30"W, PAINT:	M0	INTERIOR DESIGN Model #: 8LF18302F	2	\$XXX.XX	\$XXX.XX
121977	RATCL1860F-FILE-TOP FOR TWO 30"LATERA FILES 60" X 18-1/8", PLASTIC LAMINATE;	M0	INTERIOR DESIGN Model #: RATCL1860F	1	\$XXX.XX	\$XXX.XX
705328	#474419M - GUEST CHAIR SNODDGRASS, OPEN LOOP ARMS WITH OPEN BACK BASE: POLISHED CHROME, FABRIC: REGIS, SOIL RETARDANT	M0	INTERIOR DESIGN Model #: 474419M	2	\$XXX.XX	\$XXX.XX
705895	DESK-TSAFDP3060F, DOUBLE PEDESTAL, 60X30X2 3/8 W/CENTER DRAWER LOCK, FLUSH END PANELS W/REF SHELF PAINT: LAMINATE:	M0	INTERIOR DESIGN Model #: TSAFDP3060F	1	\$XXX.XX	\$XXX.XX
718528	#5M744; WASTE-CAN 28 QT RECTANGULAR FIRE RESISTANT (UNDERWRITES LABORATORY) 14.5" X 10.5" X 15.38"; COLOR GRAY; 1 EACH W/O LID(RUBBERMAID 2543) *PRODUCT SET UP TO ORDER IN INCREMENTS OF 1/EA PER KEVIN KOLFF. NAT. REP. ON 10/4/04	M0	GRAINGER Model #: 5M744	1	\$XXX.XX	\$XXX.XX
862710	2042, COAT HOOK, SINGLE -1"WX7 1/2" X4 1/2" FINISH: GLOSS BLACK ***PETER PEPPER***	M4	INTERIOR DESIGN Model #: 2042	1	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space: \$XXX.XX
 1 Occurances Of This Type Space Included In The Budget Totalling: \$XXX.XX

000325

Date: 8/7/2008

Page: 151
04:13 PM

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB
DEPT: 110-LABORATORY
SPACE: 2581-COAGULATION SEMI AUTOMATED

Item	Description	Class	Vendor	Qty	Price	Extd Price
720486	SYSMEX CA-540 SYSTEM: DIMENSIONS: 21.5"W X 19.2"H X 18.5"D	M0	SIEMENS HEALTHCARE Model #: CA540	1	\$XXX.XX	\$XXX.XX
Total Budget For Each Occurance Of This Type Space:						\$XXX.XX
1 Occurances Of This Type Space Included In The Budget Totaling:						\$XXX.XX

000326

Date: 8/7/2008

Page: 152
04:13 PM

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03180 - Berkeley Med Ctr-Moncks Corner, SC
10000RB

DEPT: 110-LABORATORY
SPACE: 2630-HEMATOLOGY

Item	Description	Class	Vendor	Qty	Price	Extd Price
073499	#4535331DW, CRITERION HIGH BACK CHAIR PNEUMATIC HEIGHT ADJUSTABLE SEAT DEPTH, SOFT CASTERS, FABRIC: CANZONE STANDARD FINISH SOIL RETARDANT	M0	INTERIOR DESIGN Model #: 4535331DW	1	\$XXX.XX	\$XXX.XX
356700	#B4390-1; CENTRIFUGE READACRIT, 6-75MM TUBES, 6 PLACE, 115V.	M0	CARDINAL HEALTH Model #: B4390-1	1	\$XXX.XX	\$XXX.XX
357190	**MICROSCOPE USE FOR BUDGET** PURPOSES ONLY - FACILITY TO GET QUOTE** MICROSCOPE, PLAN 10X, 50X OIL, 100X, IMMERSION OIL, L PLAN 10X EYEPIECES.**	M0	CARDINAL HEALTH Model #: budget	2	\$XXX.XX	\$XXX.XX
358900	#R4187-1; MIXER NUTATOR 1105 117V	M0	CARDINAL HEALTH Model #: R4187-1	2	\$XXX.XX	\$XXX.XX
475800	#SMB580; REFRIGERATOR OD, 70"X 32 1/4 X 76"H, 1/2HP, 115/60/1, 15 AMP, 58 CU. FT.	M0	MASTER-BILT Model #: SMB580	1	\$XXX.XX	\$XXX.XX
524005	#S7600-1A; STAINER GLX 115V	M0	CARDINAL HEALTH Model #: S7600-1A	1	\$XXX.XX	\$XXX.XX
714119	***USE ITEM # 722036***#5563614500LB; WASTE CONTAINER, STEP-ON, 18 GAL. W/ LINER. 19 3/4" X 16 1/8"X26 1/8"H, FM-CALIFORNIA STATE FIRE MARSHALL APPROVED FOR FIRE SAFETY, COLOR: BEIGE (RUBBERMAID)	M0	KERMA MEDICAL Model #: 5563614500LB	1	\$XXX.XX	\$XXX.XX
714138	***USE ITEM # 721228***#5563614500R; BIOHAZARDOUS WASTEBASKET STEP-ON, 18 GAL, 19 3/4" X 16 1/8" X 26 1/2" (\$46.91) LINER #6245, \$17.89) FM - CALIFORNIA STATE FIRE MARSHALL APPROVED FOR FIRE SAFETY. COLOR: RED (RUBBERMAID)	M0	KERMA MEDICAL Model #: 5563614500R	1	\$XXX.XX	\$XXX.XX
720572	#6605155; MAXM A/L HEMATOLOGY ANALYZER INCLUDES: ANALYZER, WORKSTATION, MONITOR, POWER SUPPLY, LINE CONDITIONER AND UPS.	M0	BECKMAN COULTER, INC. Model #: 6605155	1	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space: \$XXX.XX
1 Occurances Of This Type Space Included In The Budget Totaling: \$XXX.XX

000327

Date: 8/7/2008

Page: 153
04:13 PM

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB
DEPT: 110-LABORATORY
SPACE: 2650-JANITOR CLOSET

Item	Description	Class	Vendor	Qty	Price	Extd Price
065671	#316; CART JANITOR SINGLE TANK UNIT, W/16- OZ WRINGER, 6 GAL OVAL TANK	M0 Model #: 316	ROYCE ROLLS RINGER CO.	1	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space: \$XXX.XX
1 Occurances Of This Type Space Included In The Budget Totaling: \$XXX.XX

000328

Date: 8/7/2008

Page: 154
04:13 PM

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB

DEPT: 110-LABORATORY
 SPACE: 2670-LOUNGE

Item	Description	Class	Vendor	Qty	Price	Extd Price
073468	#472-410N; CHAIR- MAX STACKER, WITHOUT ARMS, HARD GLIDES, SELECT COATED FRAME COLOR: _____ SELECT POLYPROPYLENE COLOR FOR SEAT & BACK: _____	M0	INTERIOR DESIGN Model #: 472-410N	4	\$XXX.XX	\$XXX.XX
430279	#JEM25DM; MICROWAVE OVEN DIMENSIONS: 11 3/16"H X 23 25/32"W X 12 9/32"D. 120V AMP 11.5/120V WATTS 1300/MHZ 2450. CONTRACTOR TO SHELF MOUNT SELECT COLOR: BLACK (BB) OR WHITE (VVV).	M0	GENERAL ELECTRIC CO Model #: JEM25DM	1	\$XXX.XX	\$XXX.XX
713796	#5M877; WASTE-CAN; 18 GAL; STEP-ON, 19 3/4"X16 1/8"X 26 1/8"H, COLOR: BEIGE (#5M877; \$57.47) AND RIGID LINER; 18"L X 22" H X12 1/4" W; COLOR: GRAY; FOR OILY WASTE CONTAINERS (#5M891; \$18.72) FM-CALIFORNIA STATE FIRE MARSHALL APPROVED FOR FIRE SAFETY. (MANF. RUBBERMAID; #6145 & #6245)	M0	GRAINGER Model #: 5M877/5M891	1	\$XXX.XX	\$XXX.XX
715053	#8573; COFFEE MAKER, LO-PROFILE 3-STATION, AUTOMATIC COFFEE BREWER, FROM SUPERIOR COFFEE FOR REFERENCE ONLY, HOSPITAL TO LEASE (MFG. - BLOOMFIELD) PLUMBING REQUIREMENT: 1/4" OR 3/8" WATER CONNECTION	M0	SARA LEE COFFEE & TEA Model #: 8573	1		
715344	**DISC. USE ITEM # 720028**#GTS17KBS, REFRIGERATOR: TOP MOUNT. NO FROST, 4 SPILT SPILL PROOF ADJ. GLASS SHELVES. 18.6 CU. FT. CAP. 64 3/4"H X 31"D X 28"W. 120V/ 60HZ/ 15AMP. SELECT COLOR: WHITE OR BISQUE. HINGE: RIGHT (CAN BE FIELD MODIFIED TO LEFT)	M0	GENERAL ELECTRIC CO Model #: GTS17KBS DUPL	1	\$XXX.XX	\$XXX.XX
861500	#2424SQ/PL/SE SPEC FOUR POINTS TABLE STD LAM. 16" WOODEDGE	M0	INTERIOR DESIGN Model #: 2424SQ/PL/SE	2	\$XXX.XX	\$XXX.XX
861510	#4101M, COMPANION SINGLE SEAT, SPEC COMPANION CHAIR, ARMLESS, 1.75" FRAME, MID BACK, 4 POINTS TO THE FLOOR, GRADE 4 FABRIC	M0	INTERIOR DESIGN Model #: 4101M	4	\$XXX.XX	\$XXX.XX
861534	#4102M, SPEC TWO SEATER, COMPANION ARMLESS, 1.75" FRAME, GRADE 4 FABRIC	M0	INTERIOR DESIGN Model #: 4102M	1	\$XXX.XX	\$XXX.XX
869262	J30-28/90BVN, JOHNSON IND TABLE, BASE, SERIES - 90VBS 36"X36" SQUARE W/BAKED ENAMEL BASE. TABLE INCLUDES SUPER-LEVEL GLIDES AND INSTA-TABLE TOPPLATE FINISH: BASE-31 1/2"H OVERALL BASE HGT TOP-WILSONART-ANY SOLID COLOR *****ROUND TABLE USE ITEM #716059*****	M0	INTERIOR DESIGN Model #: J30-28/90BVN	1	\$XXX.XX	\$XXX.XX

000329

RECORD 004792

Date: 8/7/2008

HCA - The Healthcare Company

DCEE PROJECTS

**GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB**

DEPT: 110-LABORATORY

SPACE: 2670-LOUNGE

Page: 155
04:13 PM

Item	Description	Class	Vendor	Qty	Price	Extd Price
Total Budget For Each Occurance Of This Type Space:						\$XXX.XX
1 Occurances Of This Type Space Included In The Budget Totaling:						\$XXX.XX

000330

Date: 8/7/2008

Page: 156
04:13 PM

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB
 DEPT: 110-LABORATORY
 SPACE: 2710-PATHOLOGIST

Item	Description	Class	Vendor	Qty	Price	Extd Price
043891	#RBC15364A; BOOKCASE- 36" X 53" FINISH ANY STEELCASE PAINT:	M0	INTERIOR DESIGN Model #: RBC15364A	1	\$XXX.XX	\$XXX.XX
073499	#4535331DW, CRITERION HIGH BACK CHAIR PNEUMATIC HEIGHT ADJUSTABLE SEAT DEPTH, SOFT CASTERS, FABRIC: CANZONE STANDARD FINISH SOIL RETARDANT	M0	INTERIOR DESIGN Model #: 4535331DW	1	\$XXX.XX	\$XXX.XX
121900	8LF18302F- FILE - 2 DRAWER, LATERAL, HANGING FRAME, W/LOCK, 30"W, PAINT:	M0	INTERIOR DESIGN Model #: 8LF18302F	2	\$XXX.XX	\$XXX.XX
121977	RATCL1860F-FILE-TOP FOR TWO 30"LATERA FILES 60" X 18-1/8", PLASTIC LAMINATE;	M0	INTERIOR DESIGN Model #: RATCL1860F	1	\$XXX.XX	\$XXX.XX
357190	**MICROSCOPE USE FOR BUDGET** PURPOSES ONLY - FACILITY TO GET QUOTE** MICROSCOPE , PLAN 10X, 50X OIL, 100X, IMMERSION OIL, L PLAN 10X EYEPieces.**	M0	CARDINAL HEALTH Model #: budget	1	\$XXX.XX	\$XXX.XX
705095	TSAFSP3060FTSRP - DESK-#1836M, PEDESTAL LEFT EXE RETURN RIGHT W/LOCK 60X 30 DESK- 37 1/2 X 19 3/4 X 29 3/4 HIGH RETURN, PLASTIC LAMINATE: PAINT:	M0	INTERIOR DESIGN Model #: TSAFSP3060FTSRP	1	\$XXX.XX	\$XXX.XX
705326	#474419M - GUEST CHAIR SNODDGRASS, OPEN LOOP ARMS WITH OPEN BACK BASE: POLISHED CHROME, FABRIC: REGIS, SOIL RETARDANT	M0	INTERIOR DESIGN Model #: 474419M	2	\$XXX.XX	\$XXX.XX
718528	#5M744; WASTE-CAN 28 QT RECTANGULAR FIRE RESISTANT (UNDERWRITES LABORATORY) 14.5" X 10.5" X 15.38"; COLOR GRAY; 1 EACH W/O LID(RUBBERMAID 2543) *PRODUCT SET UP TO ORDER IN INCREMENTS OF 1/EA PER KEVIN KOLFF, NAT. REP. ON 10/4/04	M0	GRAINGER Model #: 5M744	1	\$XXX.XX	\$XXX.XX
862710	2042, COAT HOOK, SINGLE -1"WX7 1/2" X4 1/2" FINISH: GLOSS BLACK ***PETER PEPPER***	M4	INTERIOR DESIGN Model #: 2042	1	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space: \$XXX.XX
 1 Occurances Of This Type Space Included In The Budget Totalling: \$XXX.XX

000331

Date: 8/7/2008

HCA - The Healthcare Company

DCEE PROJECTS

GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB

DEPT: 110-LABORATORY

SPACE: 2780-STORAGE

Page: 157
04:13 PM

Item	Description	Class	Vendor	Qty	Price	Extd Price
000205	#SSUKIT0255; STORAGE CABINET, 36 X 24 X 78 WITH 4 SHELVES, ASSEMBLED	M0	STORAGE SYSTEMS, INC. Model #: #SSUKIT0255	6	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space:

\$XXX.XX

1 Occurances Of This Type Space Included In The Budget Totaling:

\$XXX.XX

000332

Date: 8/7/2008

Page: 158
04:13 PM

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB

DEPT: 110-LABORATORY
 SPACE: 2810-URINALYSIS

Item	Description	Class	Vendor	Qty	Price	Extd Price
				1	\$XXX.XX	\$XXX.XX
067960	#C1725-3;23;26-2; CENTRIFUGE, MEGAFUGE HERAEUS BRAND (#C1722-3; \$3,763.38) WITH SEALED SWINGOUT ROTOR (#C1725-23; \$1,853.88), 4 EACH RED ADAPTERS, 12 X 15 ML (#C1726-2; \$30.98 EA X 4 = \$123.92)	MO	CARDINAL HEALTH Model #: C1725-3;23;26-2	1	\$XXX.XX	\$XXX.XX
073499	#4535331DW, CRITERION HIGH BACK CHAIR PNEUMATIC HEIGHT ADJUSTABLE SEAT DEPTH, SOFT CASTERS, FABRIC: CANZONE STANDARD FINISH SOIL RETARDANT	MO	INTERIOR DESIGN Model #: 4535331DW	1	\$XXX.XX	\$XXX.XX
074892	#U2261-500; CLINITEK 500 AUTOMATED STRIP READER, 14"W X 19.5"D X 7.8"H (HOSPITAL PURCHASES THE STRIPS AND THE INSTRUMENT AND SERVICE ARE PROVIDED AT NO COST TO THE HOSPITAL)	MO	CARDINAL HEALTH Model #: U2261-500	1	\$XXX.XX	\$XXX.XX
357190	**MICROSCOPE USE FOR BUDGET** PURPOSES ONLY - FACILITY TO GET QUOTE** MICROSCOPE, PLAN 10X, 60X OIL, 100X, IMMERSION OIL; L PLAN 10X EYEPIECES.**	MO	CARDINAL HEALTH Model #: budget	1	\$XXX.XX	\$XXX.XX
646800	#B5998-1; TABLE STAND, 115V 60CY	MO	CARDINAL HEALTH Model #: B5998-1	1	\$XXX.XX	\$XXX.XX
646950	#B5996-1; REFRACTOMETER - TS METER, LEICA	MO	CARDINAL HEALTH Model #: B5996-1	1	\$XXX.XX	\$XXX.XX
713796	#5M877; WASTE-CAN; 18 GAL; STEP-ON, 19 3/4"X16 1/8"X 26 1/6"H, COLOR: BEIGE (#5M877; \$57.47) AND RIGID LINER; 18"L X 22" H X12 1/4" W; COLOR: GRAY; FOR OILY WASTE CONTAINERS (#5M891; \$18.72) FM-CALIFORNIA STATE FIRE MARSHALL APPROVED FOR FIRE SAFETY. (MANF. RUBBERMAID; #6145 & #6245)	MO	GRAINGER Model #: 5M877/5M891	1	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space: \$XXX.XX
 1 Occurances Of This Type Space Included In The Budget Totaling: \$XXX.XX

000333

Date: 8/7/2008

HCA - The Healthcare Company

DCEE PROJECTS

GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB

DEPT: 110-LABORATORY

SPACE: 2820-VENIPUNCTURE

Page: 159
04:13 PM

Item	Description	Class	Vendor	Qty	Price	Extd Price
069503	#L5165-2A; CHAIR S/P, BLOOD DRAWING, WITH SIDE MOUNTED STORAGE CABINET. PRIVATE LABEL.	MO	CARDINAL HEALTH Model #: L5165-2A	2	\$XXX.XX	\$XXX.XX
714119	***USE ITEM # 722036***#5563614500LB; WASTE CONTAINER, STEP-ON, 18 GAL. W/ LINER. 19 3/4" X 16 1/8"X26 1/8"H, FM-CALIFORNIA STATE FIRE MARSHALL APPROVED FOR FIRE SAFETY, COLOR: BEIGE (RUBBERMAID)	MO	KERMA MEDICAL Model #: 5563614500LB	1	\$XXX.XX	\$XXX.XX
714138	***USE ITEM # 721228***#5563614500R; BIOHAZARDOUS WASTEBASKET STEP-ON, 18 GAL, 19 3/4" X 16 1/8" X 26 1/2" (\$46.91) LINER #6245, \$17.89) FM - CALIFORNIA STATE FIRE MARSHALL APPROVED FOR FIRE SAFETY. COLOR: RED (RUBBERMAID)	MO	KERMA MEDICAL Model #: 5563614500R	1	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space: \$XXX.XX
1 Occurances Of This Type Space Included In The Budget Totalling: \$XXX.XX

000334

RECORD 004797

Date: 8/7/2008

Page: 160
04:13 PM

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB
DEPT: 110-LABORATORY
SPACE: 8046-CENTRAL SPECIMEN PROCESSING

Item	Description	Class	Vendor	Qty	Price	Extd Price
067960	#C1725-3;23;26-2; CENTRIFUGE, MEGAFUGE HERAEUS BRAND (#C1722-3; \$3,763.38) WITH SEALED SWINGOUT ROTOR (#C1725-23; \$1,853.88), 4 EACH RED ADAPTERS, 12 X 15 ML (#C1726-2; \$30.98 EA X 4 = \$123.92)	M0	CARDINAL HEALTH Model #: C1725-3;23;26-2	1	\$XXX.XX	\$XXX.XX
147542	#R3863-3A; FREEZER PLASMA, 4.9 CU. FT., -30C. 115V, 60HZ, 24 X 24 X 34.38 UNDERCOUNTER	M0	CARDINAL HEALTH Model #: R3863-3A	1	\$XXX.XX	\$XXX.XX
477382	#R3862-10A; REFRIGERATOR, S/P GENERAL PURPOSE LAB; 17 CU FT; 115 V; 1.8A/15 BREAKER; 32" W X 26.5" D X 65.5" H	M0	CARDINAL HEALTH Model #: R3862-10AR	1	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space: \$XXX.XX
1 Occurances Of This Type Space Included In The Budget Totaling: \$XXX.XX

000335

RECORD 004798

Date: 8/7/2008

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB
DEPT: 110-LABORATORY
SPACE: 9046-CENTRAL SPECIMEN PROCESSING

Page: 161
04:13 PM

Item	Description	Class	Vendor	Qty	Price	Extd Price

000336

Date: 8/7/2008

HCA - The Healthcare CompanyPage: 162
04:13 PM**DCEE PROJECTS****GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB**DEPT: 120-LOBBIES
SPACE: 3160-WAITING AREA

Item	Description	Class	Vendor	Qty	Price	Extd Price
000029	#D1490, HALLMARK LAMP- CERAMIC GINGER JAR STYLE, 28"H, SHADE; MUSHROOM PLEAT - 6 X 18 X 10, COLOR: EGGSHELL, CERAMIC COLOR: ANY STD SOLID OR CRACKLE	M0	INTERIOR DESIGN Model #: D1490	2	\$XXX.XX	\$XXX.XX
718528	#5M744; WASTE-CAN 28 QT RECTANGULAR FIRE RESISTANT (UNDERWRITES LABORATORY) 14.5" X 10.5" X 15.38"; COLOR GRAY; 1 EACH W/O LID(RUBBERMAID 2543) *PRODUCT SET UP TO ORDER IN INCREMENTS OF 1/EA PER KEVIN KOLFF, NAT. REP. ON 10/4/04	M0	GRAINGER Model #: 5M744	1	\$XXX.XX	\$XXX.XX
860082	#AC-1414PA; ARCH. SUP. PLANTER - STATIONARY CYLINDRICAL METAL PLANTER W/RECESSED BOTTOM W/RIM CONSTRUCTION 14"DIA X 14"H, FINISH: POLISHED CHROME	M4	INTERIOR DESIGN Model #: AC-1414PA	2	\$XXX.XX	\$XXX.XX
861399	A/TFX/WD/1929 TELEPHONE/FAX STAND NEVERS A19"W BLX 19"D X 29"H, STANDARD WOOD FINISH	M0	INTERIOR DESIGN Model #: A/TFX/WD/1929	4	\$XXX.XX	\$XXX.XX
861412	#41212, BRAUN FULL INSERT LOVESEAT GRADE F FABRIC, STANDARD WOOD FINISH, WIELAND	M0	INTERIOR DESIGN Model #: 41212	6	\$XXX.XX	\$XXX.XX
861457	#41011-M, SINGLE SEAT UNIT BRAUN MODULAR, 4110-RA OPEN RIGHT ARM, GRADE E FABRIC, STANDARD WOOD FINISH, WIELAND	M0	INTERIOR DESIGN Model #: 41011-M	4	\$XXX.XX	\$XXX.XX
861458	41110-LA BRAUN MODULAR SINGLE SEAT UNIT #41011M, OPEN LEFT ARM 41110- LA, GRADE 5 FABRIC, STANDARD WOOD FINISH, WIELAND	M0	INTERIOR DESIGN Model #: 41110-LA	4	\$XXX.XX	\$XXX.XX
861468	#7503 AGI, RADIO CLUB TABLE TEXTURED BLACK BASE DIAM: 20", HEIGHT 22" PORTUGUSE LIMESTONE	M0	INTERIOR DESIGN Model #: 7503	1	\$XXX.XX	\$XXX.XX
862701	482, MAGAZINE RACK - FOUR SLOT MAGAZINE RACK, 14" X 34" X 5" SIDE PANEL FINISH: K-NAT. OAK, KS-MED OAK,MM-MED. MAHOG, W-WALNUT, FRONT: ANY P.P. COLOR ***PETER PEPPER***	M0	INTERIOR DESIGN Model #: 482	1	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space: \$XXX.XX
 2 Occurances Of This Type Space Included In The Budget Totaling: \$XXX.XX

000337

Date: 8/7/2008

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB
DEPT: 120-LOBBIES
SPACE: 3160-WAITING AREA

Page: 163
 04:13 PM

Item	Description	Class	Vendor	Qty	Price	Extd Price

000338

Date: 8/7/2008

HCA - The Healthcare Company**DCEE PROJECTS****GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB**

DEPT: 130-MAINTENANCE

SPACE: 3280-MAINTENANCE ENGINEER

Page: 164
04:13 PM

Item	Description	Class	Vendor	Qty	Price	Extd Price
043891	#RBC15364A; BOOKCASE- 36" X 53" FINISH ANY STEELCASE PAINT:	M0	INTERIOR DESIGN Model #: RBC15364A	1	\$XXX.XX	\$XXX.XX
073499	#4535331DW, CRITERION HIGH BACK CHAIR PNEUMATIC HEIGHT ADJUSTABLE SEAT DEPTH, SOFT CASTERS, FABRIC: CANZONE STANDARD FINISH SOIL RETARDANT	M0	INTERIOR DESIGN Model #: 4535331DW	1	\$XXX.XX	\$XXX.XX
121900	8LF18302F- FILE - 2 DRAWER, LATERAL, HANGING FRAME, W/LOCK, 30"W, PAINT:	M0	INTERIOR DESIGN Model #: 8LF18302F	2	\$XXX.XX	\$XXX.XX
121977	RATCL1860F-FILE-TOP FOR TWO 30"LATERA FILES 60" X 18-1/8", PLASTIC LAMINATE;	M0	INTERIOR DESIGN Model #: RATCL1860F	1	\$XXX.XX	\$XXX.XX
705326	#474419M - GUEST CHAIR SNODDGRASS, OPEN LOOP ARMS WITH OPEN BACK BASE: POLISHED CHROME, FABRIC: REGIS, SOIL RETARDANT	M0	INTERIOR DESIGN Model #: 474419M	2	\$XXX.XX	\$XXX.XX
705895	DESK-TSAFDP3060F, DOUBLE PEDESTAL, 60X30X2 3/8 W/CENTER DRAWER LOCK, FLUSH END PANELS W/REF SHELF PAINT: LAMINATE:	M0	INTERIOR DESIGN Model #: TSAFDP3060F	1	\$XXX.XX	\$XXX.XX
718528	#5M744; WASTE-CAN 28 QT RECTANGULAR FIRE RESISTANT (UNDERWRITES LABORATORY) 14.5" X 10.5" X 15.38"; COLOR GRAY; 1 EACH W/O LID(RUBBERMAID 2543) *PRODUCT SET UP TO ORDER IN INCREMENTS OF 1/EA PER KEVIN KOLFF; NAT. REP. ON 10/4/04	M0	GRAINGER Model #: 5M744	1	\$XXX.XX	\$XXX.XX
862710	2042, COAT HOOK, SINGLE -1"WX7 1/2" X4 1/2" FINISH: GLOSS BLACK ***PETER PEPPER***	M4	INTERIOR DESIGN Model #: 2042	1	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space:

\$XXX.XX

1 Occurances Of This Type Space Included In The Budget Totaling:

\$XXX.XX

000339

RECORD 004802

Date: 8/7/2008

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB

Page: 165
04:13 PM

DEPT: 130-MAINTENANCE
SPACE: 3305-BIO-MEDICAL EQUIPMENT

Item	Description	Class	Vendor	Qty	Price	Extd Price
110300	#2247693; ELECTROSURGICAL ANALYZER 454A; 50 OHMS STEPS - 50 TO 1550 OHMS RANGE CREST FACTOR & PEAK VOLT CLOSED CIRCUIT	M0	FLUKE ELECTRONICS Model #: 2247693	1	\$XXX.XX	\$XXX.XX
352200	#2251478; METER, DEFIBRILATOR; QED-6M153W0133	M0	FLUKE ELECTRONICS Model #: 2251478	1	\$XXX.XX	\$XXX.XX
646660	#260-8RT; TOOL, SIMPSON METER	M0	GRAYBAR ELECTRIC Model #: 260-8RT	1	\$XXX.XX	\$XXX.XX
646874	#2247382; MEDTESTER, AUTOMATED ELECTRICAL SAFETY & PERFORMANCE ANALYZER W/DEFIBRILLATOR-BASE UNIT TEST OPTION & BAR CODE (-14 ENHANCEMENT MODULES AVAILABLE (CALL FOR QUOTE))	M0	FLUKE ELECTRONICS Model #: 2247382	1	\$XXX.XX	\$XXX.XX
646875	ANALYZER OR METER; INFUSION PUMP ANALYZER; IDA 4 PLUS CHANNEL. ALSO AVAILABLE IN 1, 2 OR 3 CHANNEL CONFIGURATIONS	M0	FLUKE ELECTRONICS Model #: 2250127	1	\$XXX.XX	\$XXX.XX
646876	#2249787; METER, DIGITAL PRESSURE DPM3	M0	FLUKE ELECTRONICS Model #: 2249787	1	\$XXX.XX	\$XXX.XX
646877	#2249876; METER, ECG ANALYZER ESA 505 PRORS	M0	FLUKE ELECTRONICS Model #: 2249876	1	\$XXX.XX	\$XXX.XX
646886	#CR-7000; TOOL, CRT ANALYZER; RESTORER.	M0	SENCORE Model #: CR-7000	1	\$XXX.XX	\$XXX.XX
646890	***OBSOLETE*** #TF-46; TOOL, SUPER CRICKET TRANSISTOR/ FET TESTER.	M0	SENCORE Model #: TF-46	1	\$XXX.XX	\$XXX.XX
646891	#VP401; MULTIMEDIA VIDEO TEST GENERATOR (NTSC COMPOSITE; S-VIDEO, COMPONENT & RF/RGB/X/DVI)	M0	SENCORE Model #: VP401	1	\$XXX.XX	\$XXX.XX
646893	#HP-200; TOOL, 50,000 VOLT HIGH VOLTAGE PROBE.	M4	SENCORE Model #: HP-200	1	\$XXX.XX	\$XXX.XX
646895	TOOL DISPLAYMAX JR 2000 SIGNAL LEVEL METER FOR ANTENNA INSTALLATION	M0	EDDIE WARNER, INC. Model #: 2000	1	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space: \$XXX.XX
1 Occurances Of This Type Space Included In The Budget Totaling: \$XXX.XX

000340

Date: 8/7/2008

HCA - The Healthcare Company
DCEE PROJECTS
Page: 166
04:13 PM
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB

 DEPT: 130-MAINTENANCE
 SPACE: 3310-REPAIR

Item	Description	Class	Vendor	Qty	Price	Extd Price
073476	#4537300S, CRITERION MIDBACK STOOL PNEUMATIC HEIGHT VINYL UPHOLSTRY STANDARD FINISH	M0	INTERIOR DESIGN Model #: 4537300S	1	\$XXX.XX	\$XXX.XX
261900	**DISC. USE ITEM # 724556**KEY MACHINE #3100000	M0	BARNES DISTRIBUTION Model #: 3100000	1	\$XXX.XX	\$XXX.XX
646530	#12-7012; TOOL, PSYCHROMETER SLING BACHRACH	M4	UNITED REFRIGERATION Model #: 12-7012	1	\$XXX.XX	\$XXX.XX
646535	TOOL, SEWER PLASTICORE SPRING TO USE W/MP-25 3/8"X25" BASIN PLUG CORE 3/8" MARCO	M4	NOLAND COMPANY Model #: 000	1	\$XXX.XX	\$XXX.XX
646545	TOOL, SEWER W/#1 HEADSET & #1 OPEN HEAD LEADER 1 1/2" LINE MARCO #8080	M0	NOLAND COMPANY Model #: 8080	1	\$XXX.XX	\$XXX.XX
646555	TOOL, SEWER PROFESSIONAL PACK MARCO	M0	NOLAND COMPANY Model #: G	1	\$XXX.XX	\$XXX.XX
646560	#43299B; TOOL, REFRIGERATION, CHARGING CYLINDER 2 1/2 LB. CAPACITY ROBINAIRE	M0	UNITED REFRIGERATION Model #: 43299B	1	\$XXX.XX	\$XXX.XX
646565	TOOL, SEWER PLASTICORE MARCOSCOPE WHE3-6 FT W/CL34 SNAP LOCK BULB	M4	NOLAND COMPANY Model #: WHE3	1	\$XXX.XX	\$XXX.XX
646580	#CR4; TOOL, REFRIGERATION, HUMIDITY RECORDER	M0	UNITED REFRIGERATION Model #: CR4	2	\$XXX.XX	\$XXX.XX
646590	#RLD-H10G1; TOOL, REFRIGERATION, LEAK DETECTOR, #25303;	M0	UNITED REFRIGERATION Model #: RLD-H10G1	1	\$XXX.XX	\$XXX.XX
646600	#14010; TOOL, REFRIGERATION VACUUM GAUGE ROBINAIRE	M0	UNITED REFRIGERATION Model #: 14010	1	\$XXX.XX	\$XXX.XX
646605	#10-5022; TOOL, TEST KIT, COMBUSTION- OIL	M0	UNITED REFRIGERATION Model #: 10-5022	1	\$XXX.XX	\$XXX.XX
646606	#190244; GAS TEST KIT, MONOXOR, COMBUSTION ANALYZER, CHEMICAL, CO. (BACHARACH)	M0	UNITED REFRIGERATION Model #: 190244	1	\$XXX.XX	\$XXX.XX
646620	#15400; TOOL, REFRIGERATION, VACUUM PUMP ROBINAIRE	M0	UNITED REFRIGERATION Model #: 15400	1	\$XXX.XX	\$XXX.XX
646660	#260-8RT; TOOL, SIMPSON METER	M0	GRAYBAR ELECTRIC Model #: 260-8RT	1	\$XXX.XX	\$XXX.XX
646670	#1750; TOOL, WOODHEAD CIRCUIT TESTERS	M4	GRAYBAR ELECTRIC Model #: 12389	1	\$XXX.XX	\$XXX.XX
646680	#31-057; TOOL, ELECTRIC FISH TAPE, IDEA	M4	GRAYBAR ELECTRIC Model #: 31-057	1	\$XXX.XX	\$XXX.XX
646700	***DISCONTINUED-NO TOOL, SPEED INDICATOR	M0	GRAYBAR ELECTRIC Model #: 359987	1	\$XXX.XX	\$XXX.XX

000344

RECORD 004804

Date: 8/7/2008

HCA - The Healthcare CompanyPage: 167
04:13 PM**DCEE PROJECTS****GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB**DEPT: 130-MAINTENANCE
SPACE: 3310-REPAIR

Item	Description	Class	Vendor	Qty	Price	Extd Price
646705	#74-001: TOOL, CONDUIT BENDER JDEAL	M4	GRAYBAR ELECTRIC Model #: 74-001	1	\$XXX.XX	\$XXX.XX
646710	#B-1678; TOOL, CONDUIT BENDER B-2 APPLETON	M4	GRAYBAR ELECTRIC Model #: B-1678	1	\$XXX.XX	\$XXX.XX
646715	#B-1679; TOOL, CONDUIT BENDER B-3 APPLETON	M4	GRAYBAR ELECTRIC Model #: B-1679	1	\$XXX.XX	\$XXX.XX
646720	#RS-3; TOOL, AMPROBE W/CASE AND LEADS	M4	GRAYBAR ELECTRIC Model #: RS-3	1	\$XXX.XX	\$XXX.XX
646725	#TM-43; TOOL, AMPROBE TEST MASTER KIT	M0	GRAYBAR ELECTRIC Model #: TM-43	1	\$XXX.XX	\$XXX.XX
646805	#36390; TOOL, PIPE THREADER, 1/2" - 1 1/4"	M0	GRAYBAR ELECTRIC Model #: 36390	1	\$XXX.XX	\$XXX.XX
646810	#66997; TOOL, RIGID VISE	M4	GRAYBAR ELECTRIC Model #: 66997	1	\$XXX.XX	\$XXX.XX
646815	#1760; TOOL, TENSION TESTER DANIEL WOODHEAD	M4	GRAYBAR ELECTRIC Model #: 1760	1	\$XXX.XX	\$XXX.XX
646878	#123-495; TOOL, CAPCITANCE BOX IET	M0	CONTACT EAST, INC. Model #: 123-495	1	\$XXX.XX	\$XXX.XX
646879	#513-200; TOOL, RESISTANCE SUBSTITUTION BOX	M0	CONTACT EAST, INC. Model #: 513-200	1	\$XXX.XX	\$XXX.XX
646880	#114-443; TOOL, UNIVERSAL SOLDAPULLT	M4	CONTACT EAST, INC. Model #: 114-443	1	\$XXX.XX	\$XXX.XX
646881	#114-291 TOOL, REPLACEMENT TIP FOR SOLDAPULLT	M4	CONTACT EAST, INC. Model #: 114-291	1	\$XXX.XX	\$XXX.XX
646882	#65-095; TOOL, GROUNDING WRIST STRAPS	M4	CONTACT EAST, INC. Model #: 65-095	1	\$XXX.XX	\$XXX.XX
717855	MAINTENANCE EQUIPMENT - HOSPITAL TO GET LOCAL QUOTE	M0	HCA Model #: QUOTE	1	\$XXX.XX	\$XXX.XX
718528	#5M744; WASTE-CAN 28 QT RECTANGULAR FIRE RESISTANT (UNDERWRITES LABORATORY) 14.5" X 10.5" X 15.38"; COLOR GRAY; 1 EACH W/O LID(RUBBERMAID 2543) *PRODUCT SET UP TO ORDER IN INCREMENTS OF 1/EA PER KEVIN KOLFF, NAT. REP. ON 10/4/04	M0	GRAINGER Model #: 5M744	1	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space: \$XXX.XX

1 Occurances Of This Type Space Included In The Budget Totaling: \$XXX.XX

Date: 8/7/2008

HCA - The Healthcare Company
DCEE PROJECTSPage: 168
04:13 PM**GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC**
10000RB**DEPT: 130-MAINTENANCE**
SPACE: 3330-STORAGE, EQUIPMENT

Item	Description	Class	Vendor	Qty	Price	Extd Price
160400	***DISC. NO REPLACEMENT***#8741; GENERATOR PORTABLE (CRADEL)	M0	GRAYBAR ELECTRIC Model #: 8741	1	\$XXX.XX	\$XXX.XX
160450	***DISC. NO REPLACEMENT***#1194; GENERATOR PORTABLE 3000 WATT INSTEAD OF 1350	M0	GRAYBAR ELECTRIC Model #: 1194	1	\$XXX.XX	\$XXX.XX
510250	#SSUKIT0208; SHELVING, STORAGE, 36 X 18 X 75 WITH 6 SHELVES, INCLUDING FOOT PLATES	M7	STORAGE SYSTEMS, INC. Model #: SSUKIT0208	10	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space: \$XXX.XX

1 Occurances Of This Type Space Included In The Budget Totaling: \$XXX.XX

000342

Date: 8/7/2008

HCA - The Healthcare Company
DCEE PROJECTSPage: 169
04:13 PM**GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC**
10000RB**DEPT: 130-MAINTENANCE**
SPACE: 3330-STORAGE, EQUIPMENT

Item	Description	Class	Vendor	Qty	Price	Extd Price

000343

RECORD 004807

Date: 6/7/2008

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB

Page: 170
04:13 PM

DEPT: 140-MATERIELS MANAGEMENT
SPACE: 3470-GENERAL STORAGE-100 BEDS

Item	Description	Class	Vendor	Qty	Price	Extd Price
061822	***USE ITEM #724590***#61490-010; CART, LAKESIDE #744 , 22 X 39 X 37; 3 SHELVES 21 X 33"; STATIONAL FRONT WHEELS & BACK SWIVEL CASTERS; 650# CAPACITY	M0	CARDINAL HEALTH, & Model #: 61490-010	2	\$XXX.XX	\$XXX.XX
065770	***USE ITEM #724591***#52B40100; CART, TOMAC BASKET CART W/O BASKETS	M0	CARDINAL HEALTH, & Model #: 52B40100	1	\$XXX.XX	\$XXX.XX
065771	***USE ITEM #724592***#52B10200; TOMAC-6"WIRE BASKET FOR CART	M4	CARDINAL HEALTH, & Model #: 52B10200	1	\$XXX.XX	\$XXX.XX
065772	***USE ITEM #724593***#52B11100; TOMAC-12" WIDE BASKET FOR CART	M4	CARDINAL HEALTH, & Model #: 52B11100	1	\$XXX.XX	\$XXX.XX
509920	SHELVING - MEDICAL RECORDS/MEDICAL RECORDS FILE ROOM	M0	STORAGE SYSTEMS, INC. Model #: SHELVING1	1	\$XXX.XX	\$XXX.XX
650927	#SSUKIT0455; PALLET JACK, HAND TRUCK, FORKS ARE 27"W X 48"L X 2" LOWERED HEIGHT, 5000 LB. CAPACITY	M0	STORAGE SYSTEMS, INC. Model #: SSUKIT0455	2	\$XXX.XX	\$XXX.XX
707741	#SSUKIT0615; HAND TRUCK, TWO WHEEL 450 LB. CAPACITY, 8" X 2" HARD RUBBER WHEELS, 6" X 14" NOSE PLATE	M0	STORAGE SYSTEMS, INC. Model #: SSUKIT0615	2	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space: \$XXX.XX
1 Occurances Of This Type Space Included In The Budget Totalling: \$XXX.XX

000344

Date: 8/7/2008

HCA - The Healthcare Company
DCEE PROJECTS
Page: 171
04:13 PM
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB

 DEPT: 140-MATERIELS MANAGEMENT
 SPACE: 3500-MAIL/DUPLICATION

Item	Description	Class	Vendor	Qty	Price	Extd Price
073476	#4537300S, CRITERION MIDBACK STOOL PNEUMATIC HEIGHT VINYL UPHOLSTRY STANDARD FINISH	M0	INTERIOR DESIGN Model #: 4537300S	1	\$XXX.XX	\$XXX.XX
301300	#1225; LETTER OPENER	M0	PITNEY BOWES Model #: 1225	1	\$XXX.XX	\$XXX.XX
344600	#FSYS01; MAIL UNIT MODULE CONSISTING OF 68" STORAGE TABLE WITH DOORS AND #FT86EL (36 SORT PKTS. 3" X 11" EA.), ELEVATED LEGAL DEPTH (15") SINGLE SORTERS.	M0	PITNEY BOWES Model #: FSYS01	1	\$XXX.XX	\$XXX.XX
344681	#DM1000; ELECTRONIC MAILING MACHINE SYSTEM - WOW, INTELLILINK INTERFACE/PSD, 15 LB INTERFACED WEIGHING, SCALE STAND, BVS POSTAGE PASS, BASIC ACCOUNTING 25 DEPT. SOFTWARE, 15/30 LB. SCALE PLATFORM, POWER STACKER, INTELLILINK SUBSCRIPTION, WIDTH: 24", HEIGHT: 19", LENGTH W/POWER STACKER: 87", WEIGHT: 137 LBS. (62.5 KG), ELECTRICAL: OPERATES ON 100-240 VAC, 50/60 HZ, 8.5 AMPS MAX. PLUS 3.0 AMPS MAX. ACCESSORY OUTLET, UL LISTED, ENEGRY STAR	M0	PITNEY BOWES Model #: DM1000	1	\$XXX.XX	\$XXX.XX
504801	#EMS 10A; SCALE, N600, 15# ELECTRONIC MAILING W/ZIP TO ZONE FEATURES- #2491 & EXPRESS MAIL- #A582	M0	PITNEY BOWES Model #: EMS 10A	1	\$XXX.XX	\$XXX.XX
718528	#5M744; WASTE-CAN 28 QT RECTANGULAR FIRE RESISTANT (UNDERWRITES LABORATORY) 14.5" X 10.5" X 15.38"; COLOR GRAY; 1 EACH W/O LID(RUBBERMAID 2543) *PRODUCT SET UP TO ORDER IN INCREMENTS OF 1/EA PER KEVIN KOLFF, NAT. REP. ON 10/4/04	M0	GRAINGER Model #: 5M744	1	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space: \$XXX.XX
 1 Occurances Of This Type Space Included In The Budget Totalling: \$XXX.XX

000345

RECORD 004809

Date: 8/7/2008

Page: 172
04:13 PM

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB

DEPT: 140-MATERIELS MANAGEMENT
SPACE: 3510-MATERIELS MANAGER

Item	Description	Class	Vendor	Qty	Price	Extd Price
043891	#RBC15364A; BOOKCASE- 36" X 53" FINISH ANY STEELCASE PAINT:	M0	INTERIOR DESIGN Model #: RBC15364A	1	\$XXX.XX	\$XXX.XX
073499	#4535331DW, CRITERION HIGH BACK CHAIR PNEUMATIC HEIGHT ADJUSTABLE SEAT DEPTH, SOFT CASTERS, FABRIC: CANZONE STANDARD FINISH SOIL RETARDANT	M0	INTERIOR DESIGN Model #: 4535331DW	1	\$XXX.XX	\$XXX.XX
121900	8LF18302F- FILE - 2 DRAWER, LATERAL, HANGING FRAME, W/LOCK, 30"W, PAINT:	M0	INTERIOR DESIGN Model #: 8LF18302F	2	\$XXX.XX	\$XXX.XX
121977	RATCL1860F-FILE-TOP FOR TWO 30"LATERA FILES 60" X 18-1/8", PLASTIC LAMINATE;	M0	INTERIOR DESIGN Model #: RATCL1860F	1	\$XXX.XX	\$XXX.XX
705328	#474419M - GUEST CHAIR SNODDGRASS, OPEN LOOP ARMS WITH OPEN BACK BASE: POLISHED CHROME, FABRIC: REGIS, SOIL RETARDANT	M0	INTERIOR DESIGN Model #: 474419M	2	\$XXX.XX	\$XXX.XX
705895	DESK-TSAFDP3060F, DOUBLE PEDESTAL, 60X30X2 3/8 W/CENTER DRAWER LOCK, FLUSH END PANELS W/REF SHELF PAINT: LAMINATE:	M0	INTERIOR DESIGN Model #: TSAFDP3060F	1	\$XXX.XX	\$XXX.XX
718528	#5M744; WASTE-CAN 28 QT RECTANGULAR FIRE RESISTANT (UNDERWRITES LABORATORY) 14.5" X 10.5" X 15.38"; COLOR GRAY; 1 EACH W/O LID(RUBBERMAID 2543) *PRODUCT SET UP TO ORDER IN INCREMENTS OF 1/EA PER KEVIN KOLFF, NAT. REP. ON 10/4/04	M0	GRAINGER Model #: 5M744	1	\$XXX.XX	\$XXX.XX
862710	2042, COAT HOOK, SINGLE -1"WX7 1/2" X4 1/2" FINISH: GLOSS BLACK ***PETER PEPPER***	M4	INTERIOR DESIGN Model #: 2042	1	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space: \$XXX.XX
1 Occurances Of This Type Space Included In The Budget Totalling: \$XXX.XX

000346

Date: 8/7/2008

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB

Page: 173
04:13 PM

DEPT: 140-MATERIELS MANAGEMENT
 SPACE: 3520-MATERIELS MANAGER ASSISTANT

Item	Description	Class	Vendor	Qty	Price	Extd Price
043891	#RBC15364A; BOOKCASE- 36" X 53" FINISH ANY STEELCASE PAINT:	M0	INTERIOR DESIGN Model #: RBC15364A	1	\$XXX.XX	\$XXX.XX
073499	#4535331DW, CRITERION HIGH BACK CHAIR PNEUMATIC HEIGHT ADJUSTABLE SEAT DEPTH, SOFT CASTERS, FABRIC: CANZONE STANDARD FINISH SOIL RETARDANT	M0	INTERIOR DESIGN Model #: 4535331DW	1	\$XXX.XX	\$XXX.XX
121900	8LF18302F- FILE - 2 DRAWER, LATERAL, HANGING FRAME, W/LOCK, 30"W, PAINT:	M0	INTERIOR DESIGN Model #: 8LF18302F	2	\$XXX.XX	\$XXX.XX
121877	RATCL1860F-FILE-TOP FOR TWO 30"LATERA FILES 60" X 18-1/8", PLASTIC LAMINATE;	M0	INTERIOR DESIGN Model #: RATCL1860F	1	\$XXX.XX	\$XXX.XX
705326	#474419M - GUEST CHAIR SNODDGRASS, OPEN LOOP ARMS WITH OPEN BACK BASE: POLISHED CHROME, FABRIC: REGIS, SOIL RETARDANT	M0	INTERIOR DESIGN Model #: 474419M	2	\$XXX.XX	\$XXX.XX
705895	DESK-TSAFDP3060F, DOUBLE PEDESTAL, 60X30X2 3/8 W/CENTER DRAWER LOCK, FLUSH END PANELS W/REF SHELF PAINT: LAMINATE:	M0	INTERIOR DESIGN Model #: TSAFDP3060F	1	\$XXX.XX	\$XXX.XX
718528	#5M744; WASTE-CAN 28 QT RECTANGULAR FIRE RESISTANT (UNDERWRITES LABORATORY) 14.5" X 10.5" X 15.38"; COLOR GRAY; 1 EACH W/O LID(RUBBERMAID 2543) *PRODUCT SET UP TO ORDER IN INCREMENTS OF 1/EA PER KEVIN KOLFF, NAT. REP. ON 10/4/04	M0	GRAINGER Model #: 5M744	1	\$XXX.XX	\$XXX.XX
862710	2042, COAT HOOK, SINGLE -1"WX7 1/2" X4 1/2" FINISH: GLOSS BLACK ***PETER PEPPER***	M4	INTERIOR DESIGN Model #: 2042	1	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space: \$XXX.XX
 2 Occurances Of This Type Space Included In The Budget Totaling: \$XXX.XX

000347

Date: 8/7/2008

HCA - The Healthcare Company
DCEE PROJECTSPage: 174
04:13 PMGENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RBDEPT: 140-MATERIELS MANAGEMENT
SPACE: 3620-STORAGE, SECURITY

Item	Description	Class	Vendor	Qty	Price	Extd Price
510303	#SSUKIT0207; SHELVING, STORAGE STARTER, 36 X 18 X 75 WITH 6 SHELVES INCLUDING FOOT PLATES **MUST SELECT COLOR: GRAY OR TAN **	MD	STORAGE SYSTEMS, INC. Model #: SSUKIT0207	5	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space: \$XXX.XX
1 Occurances Of This Type Space Included In The Budget Totaling: \$XXX.XX

000348

Date: 8/7/2008

HCA - The Healthcare Company**DCEE PROJECTS****GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB****DEPT: 140-MATERIELS MANAGEMENT
SPACE: 3630-STORAGE,INFLAMMABLES/EXPLOSIVE**Page: 175
04:13 PM

Item	Description	Class	Vendor	Qty	Price	Extd Price
510306	#SSUKIT0359; CABINET, FLAMMABLE, 25450, 45 GAL. CAPACITY - VENT TO OUTSIDE - CONTRACTOR TO PROVIDE EXHAUST PIPE/DUCT	M0	STORAGE SYSTEMS, INC. Model #: SSUKIT0359	1	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space:	\$XXX.XX
1 Occurances Of This Type Space Included In The Budget Totaling:	\$XXX.XX

000349

RECORD 004813

Date: 8/7/2008

Page: 176
04:13 PM

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB
DEPT: 140-MATERIELS MANAGEMENT
SPACE: 3630-STORAGE,INFLAMMABLES/EXPLOSIVE

Item	Description	Class	Vendor	Qty	Price	Extd Price

000350

Date: 8/7/2008

HCA - The Healthcare Company

DCEE PROJECTS

GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RBDEPT: 150-MEDICAL RECORDS
SPACE: 3700-CLERICAL STATIONPage: 177
04:13 PM

Item	Description	Class	Vendor	Qty	Price	Extd Price
435762	#98213-P3 - PANEL TACKABLE ACOUSTICAL 30" W X 65"H PAINT; HINGE COLOR: _____ FABRIC; GROUP 3	M0	INTERIOR DESIGN Model #: 98213-P3	2	\$XXX.XX	\$XXX.XX
435764	#98218-P3-PANEL TACKABLE ACOUSTICAL PANEL 36"W X 65"H, PAINT: _____ HINGE COLOR: _____ FABRIC; GROUP 3	M0	INTERIOR DESIGN Model #: 98218-P3	1	\$XXX.XX	\$XXX.XX
435767	98216-P3-PANEL- TACKABLE ACOUSTICAL PANEL 60"W X 65"H, PAINT: _____ HINGE COLOR: _____ FABRIC; GROUP 3	M0	INTERIOR DESIGN Model #: 98216-P3	1	\$XXX.XX	\$XXX.XX
705009	9059-B, UNIT ASSEMBLIES, 9000 SERIES SINGLE B PED RIGHT, KNEESPACE 42 3/4", 30" X 60" W PAINT: 18" BACK PANEL	M0	INTERIOR DESIGN Model #: 9059B.	1	\$XXX.XX	\$XXX.XX
705023	9013DEFL, UNIT ASSEMBLY LEFT HAND MACHINE RETURN UNIT KNEESPACE 33 7/8"-35"W X 26 1/4"H PAINT; LAMINATE; 18" BACK PANEL HT	M0	INTERIOR DESIGN Model #: 9013DEFL	1	\$XXX.XX	\$XXX.XX
705149	#4535331DW - 453 SERIES DESK/TASK CHAIR PNEUMATIC HEIGHT ADJUSTABLE HEIGHT & WIDTH ARMS FABRIC: REGIS, SOIL RETARDANT STANDARD FINISHES SOFT CASTERS	M0	INTERIOR DESIGN Model #: 4535331DW--	1	\$XXX.XX	\$XXX.XX
705660	98814B - COAT HOOK -COAT HOOK FOR STRUCTURAL PANELS- CLEAR PLASTIC ONLY	M4	INTERIOR DESIGN Model #: 98814B	1	\$XXX.XX	\$XXX.XX
705747	986831DA15S -ELECTRICAL DUPLEX RECEPTAC L-1, FINISH:	M0	INTERIOR DESIGN Model #: 986831DA15S	1	\$XXX.XX	\$XXX.XX
705748	#986832DA15S/L-2 -6/CTN ELECTRICAL DUPLEX RECEPTAC L-2, FINISH:	M0	INTERIOR DESIGN Model #: 986832DA15S/L-2	1	\$XXX.XX	\$XXX.XX
705873	#98669, 6/CTN ELECTRICAL RIGHT ANGLE BASE POWER IN ASSEMBLY	M4	INTERIOR DESIGN Model #: 98669	1	\$XXX.XX	\$XXX.XX
705874	ELECTRICAL, 986831DA15S/L-3 TRIPLEX RECEPTACLE L-3 FINISH; 6/CTN	M4	INTERIOR DESIGN Model #: 986831DA15S/L-3	1	\$XXX.XX	\$XXX.XX
705945	99409-COMPONENT CENTER DRAWER -SC9 FOR US W/25"D WORK SURFACE 19 1/4"W PAINT FINISH:	M0	INTERIOR DESIGN Model #: 99409	1	\$XXX.XX	\$XXX.XX
718528	#5M744; WASTE-CAN 28 QT RECTANGULAR FIRE RESISTANT (UNDERWRITES LABORATORY) 14.5" X 10.5" X 15.38"; COLOR GRAY; 1 EACH W/O LID(RUBBERMAID 2543) *PRODUCT SET UP TO ORDER IN INCREMENTS OF 1/EA PER KEVIN KOLFF, NAT. REP. ON 10/4/04	M0	GRAINGER Model #: 5M744	1	\$XXX.XX	\$XXX.XX

000351

Date: 8/7/2008

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB
DEPT: 150-MEDICAL RECORDS
SPACE: 3700-CLERICAL STATION

Page: 178
04:13 PM

Item	Description	Class	Vendor	Qty	Price	Extd Price
Total Budget For Each Occurance Of This Type Space:						\$XXX.XX
17 Occurances Of This Type Space Included In The Budget Totaling:						\$XXX.XX

000352

Date: 8/7/2008

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB
DEPT: 150-MEDICAL RECORDS
SPACE: 3760-FILE, MOVABLE

Page: 179
04:13 PM

Item	Description	Class	Vendor	Qty	Price	Extd Price
706391	SHELVING - MEDICAL RECORDS *** REFER TO STORAGE SYSTEMS VENDOR DRAWING**	M0	STORAGE SYSTEMS, INC. Model #: SHELVING-med re	2	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space: \$XXX.XX
1 Occurances Of This Type Space Included In The Budget Totaling: \$XXX.XX

000353

Date: 8/7/2008

Page: 180
04:13 PM

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB
 DEPT: 150-MEDICAL RECORDS
 SPACE: 3760-FILE, MOVABLE

Item	Description	Class	Vendor	Qty	Price	Extd Price

000354

Date: 8/7/2008

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB
 DEPT: 170-NUCLEAR MEDICINE
 SPACE: 3900-ALCOVE

Page: 181
04:13 PM

Item	Description	Class	Vendor	Qty	Price	Extd Price
707304	#0737-000-000; TRANSPORT STRETCHER, STD UNIT (#0737-000-000; \$2,434.60) DUAL END BRAKE STEER CONTROLS (#0753-003-105; STD) 2 STAGE PERMANENT FOLD IV POLE HEAD END NO PUSH HANDLES (#0734-035-075; \$293.04) UPRIGHT O2 BOTTLE HOLDER (#1020-130-000; \$68.82) 3" STANDARD MATTRESS (#1059-325-001; STD) CHOOSE ACCENT COLOR: RED, GRAY OR BLUE.	M0	STRYKER MEDICAL CORP Model #: 0737/ 2 STAGE	1	\$XXX.XX	\$XXX.XX
714802	#MDS806300SLG; WHEELCHAIR EXCEL; 18"W, 250 LB CAPACITY, REMOVABLE DESK- LENGTH ARMS, SWINGAWAY DETACHABLE ELEVATING LEGRESTS; MAG WHEELS; CHART POCKET. ***COLOR: SILVER GRAY - SLG***	M0	MEDLINE INDUSTRIES, INC. Model #: MDS806300SLG	2	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space: \$XXX.XX

1 Occurances Of This Type Space Included In The Budget Totaling: \$XXX.XX

000355

Date: 8/7/2008

HCA - The Healthcare Company

DCEE PROJECTS

GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RBDEPT: 170-NUCLEAR MEDICINE
SPACE: 3907-ADAC DUAL HEAD CAMERAPage: 182
04:13 PM

Item	Description	Class	Vendor	Qty	Price	Extd Price
000141	#N-VP-P15; VERTEX PKG EPIC CAMERA/ PEGASYS 15 IMAGING PACKAGE DUAL HEAD RECTANGULAR GAMMA CAMERA SYSTEM 20"X15" FOV W/N-V-LCS LASER CONTOUR SYSTEM, N-PSW-CEX CEQUAL CARDIAC, N- PSW-X4 AUTO SPECT, N-PSW-PROIN SPECT SOFTWARE, Q-GAT-IV CARDIAC GATE, Q-HC- C0DUS1 PRINTER	M0	PHILIPS MEDICAL Model #: N-VP-P15	1	\$XXX.XX	\$XXX.XX
541301	***USE ITEM #723964***IV STAND, #BMW1129-R2, DOUBLE V STYLE HOOK W/HEAVY NO TIP WEIGHTED BASE; ADJUSTABLE 6' TO 9' W/POSITIVE LOCK; MOUNTED ON FIVE 3" DIAMETER, EASY- SWIVEL BALL CASTERS (1129-V2). USE #710985 AS REPLACEMENT ITEM	M0	GETINGE USA Model #: BMW1129-R2	1	\$XXX.XX	\$XXX.XX
556405	***USE ITEM #723969***STOOL, REVOLVING, S/S SEAT W/ INSERT; 2" CONDUCTIVE CASTERS; HEIGHT ADJUSTABLE 19" TO 31"; #BMW1053-C	M0	GETINGE USA Model #: BMW1053-C	1	\$XXX.XX	\$XXX.XX
556676	***USE ITEM #724667***#72955; STEPSTOOL W/HANDLES #2030	M0	CARDINAL HEALTH, & Model #: 72955	1	\$XXX.XX	\$XXX.XX
676375	*****DISCONTINUED SEE ITEM # #719116; PULMONEX XENON DEL/TRAP SINGLE (TRAP - FOR USE WHEN STUDIES DO NOT EXCEED 15 PROCEDURES PER MONTH)	M0	RADIOLOGY SPECIALTY Model #: 132-502	1	\$XXX.XX	\$XXX.XX
713796	#5M877; WASTE-CAN; 18 GAL; STEP-ON, 19 3/4"X16 1/8"X 26 1/6"H, COLOR: BEIGE (#5M877; \$57.47) AND RIGID LINER; 18"L X 22" H X12 1/4" W; COLOR: GRAY; FOR OILY WASTE CONTAINERS (#5M891; \$18.72) FM- CALIFORNIA STATE FIRE MARSHALL APPROVED FOR FIRE SAFETY. (MANF. RUBBERMAID; #6145 & #6245)	M0	GRAINGER Model #: 5M877/5M891	1	\$XXX.XX	\$XXX.XX
715150	#101435; ILLUMINATOR, 5/5 PANEL SURFACE MT 4 BULB W/AUTO SWITCH CHAMELEON SERIES	M0	RADIOLOGY SPECIALTY Model #: 101435	1	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space: \$XXX.XX
1 Occurances Of This Type Space Included In The Budget Totaling: \$XXX.XX

000356

Date: 8/7/2008

HCA - The Healthcare CompanyPage: 183
04:13 PM**DCEE PROJECTS****GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB**DEPT: 170-NUCLEAR MEDICINE
SPACE: 3960-HOT LAB

Item	Description	Class	Vendor	Qty	Price	Extd Price
090500	#121-180; DECONTAMINATION KIT	M0	RADIOLOGY SPECIALTY Model #: 121-180	1	\$XXX.XX	\$XXX.XX
097853	#086-265; ATOMLAB 100 DOSE CALIBRATOR W/RS-232 PORT, WELL INSERT, VIAL/SYRINGE DIPPER, MOLY SHIELD AND PRINTER	M0	RADIOLOGY SPECIALTY Model #: 086-265	1	\$XXX.XX	\$XXX.XX
192450	#L5253-1A; HOOD PROTECTOR 5' LINED WITH BLOWER. COLOR: WHITE (USE ITEM #192451 FOR BASE)	M0	CARDINAL HEALTH Model #: L5253-1A	1	\$XXX.XX	\$XXX.XX
195110	#H2400-1; HOT PLATE STIRRER 500F, 115V	M0	CARDINAL HEALTH Model #: H2400-1	1	\$XXX.XX	\$XXX.XX
301240	#002-248; LEAD BRICK	M4	RADIOLOGY SPECIALTY Model #: 002-248	36	\$XXX.XX	\$XXX.XX
352150	#051-007; SURVEY METER: INCLUDES CHECK SOURCE AND CHECK SOURCE HOLDER.	M0	RADIOLOGY SPECIALTY Model #: 051-007	1	\$XXX.XX	\$XXX.XX
471790	#005-300; HAND CLEANER, CASE OF 200	M4	RADIOLOGY SPECIALTY Model #: 005-300	1	\$XXX.XX	\$XXX.XX
476500	#1175R; UNDERCOUNTER REFRIG. W/O LOCK, U-LINE 34 1/8"H X 23 15/16" W X 23 3/16"D, 120V/60/1, COLOR: WHITE OR BLACK SELECT HINGE: RIGHT OR LEFT (REPLACES MODEL #75R)	M0	BARING INDUSTRIES, INC. Model #: 1175RWOLLOCK	1	\$XXX.XX	\$XXX.XX
565701	#009-205; SYRINGE HOLDER	M4	RADIOLOGY SPECIALTY Model #: 009-205	2	\$XXX.XX	\$XXX.XX
565702	#007-700; SYRINGE SHIELD, 1CC	M4	RADIOLOGY SPECIALTY Model #: 007-700	2	\$XXX.XX	\$XXX.XX
565703	#007-900; SYRINGE SHIELD, 5CC	M4	RADIOLOGY SPECIALTY Model #: 007-900	2	\$XXX.XX	\$XXX.XX
565704	#007-800; SYRINGE SHIELD, 3CC	M4	RADIOLOGY SPECIALTY Model #: 007-800	2	\$XXX.XX	\$XXX.XX
616510	#042-216; TABLE TOP SHIELD	M0	RADIOLOGY SPECIALTY Model #: 042-216	1	\$XXX.XX	\$XXX.XX
664201	#001-236 VIAL SHIELD	M4	RADIOLOGY SPECIALTY Model #: 001-236	2	\$XXX.XX	\$XXX.XX
668070	#039-108; WASTE STG, W/100 REPLACEMENT LINERS 040-108	M0	RADIOLOGY SPECIALTY Model #: 039-108	1	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space: \$XXX.XX
 1 Occurances Of This Type Space Included In The Budget Totalling: \$XXX.XX

000357

Date: 8/7/2008

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB
DEPT: 170-NUCLEAR MEDICINE
SPACE: 3960-HOT LAB

Page: 184
04:13 PM

Item	Description	Class	Vendor	Qty	Price	Extd Price

000358

RECORD 004822

Date: 8/7/2008

HCA - The Healthcare CompanyPage: 185
04:13 PM**DCEE PROJECTS****GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB**DEPT: 180-NURSING SERVICE
SPACE: 4110-ALCOVE

Item	Description	Class	Vendor	Qty	Price	Extd Price
707304	#0737-000-000; TRANSPORT STRETCHER, STD UNIT (#0737-000-000; \$2,434.60) DUAL END BRAKE STEER CONTROLS (#0753-003-105; STD) 2 STAGE PERMANENT FOLD IV POLE HEAD END NO PUSH HANDLES (#0734-035-075; \$293.04) UPRIGHT O2 BOTTLE HOLDER (#1020-130-000; \$68.82) 3" STANDARD MATTRESS (#1059-326-001; STD) CHOOSE ACCENT COLOR: RED, GRAY OR BLUE.	M0	STRYKER MEDICAL CORP Model #: 0737/ 2 STAGE	1	\$XXX.XX	\$XXX.XX
709712	#MDS806800; WHEELCHAIR, EXTRA-WIDE, 22" WIDE, 350 LB CAPACITY W/REMOVABLE DESK LENGTH ARMS, SWINGAWAY DETACHABLE FOOTRESTS. COLOR: NAVY	M0	MEDLINE INDUSTRIES, INC. Model #: MDS806800	4	\$XXX.XX	\$XXX.XX
715765	#MDS85190; IV/O2 TANK HOLDER FOR WHEELCHAIR	M0	MEDLINE INDUSTRIES, INC. Model #: MDS85190	5	\$XXX.XX	\$XXX.XX
715888	***USE ITEM # 723561***#MDS809575, WHEELCHAIR, Bariatric, THE SHUTTLE, 26" WIDE, 700LB CAPACITY, REMOVABLE DESK LENGTH ARMS, SWING-AWAY DETACHABLE ELEVATING LEGRESTS. COLOR: BLACK	M0	MEDLINE INDUSTRIES, INC. Model #: MDS809575	1	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space: \$XXX.XX
2 Occurances Of This Type Space Included In The Budget Totaling: \$XXX.XX

000359

RECORD 004823

Date: 8/7/2008

HCA - The Healthcare Company**DCEE PROJECTS****GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB**DEPT: 180-NURSING SERVICE
SPACE: 4120-ANTEROOM (ISOLATION)Page: 186
04:13 PM

Item	Description	Class	Vendor	Qty	Price	Extd Price
175545	#MDS80529; HAMPER STAND CHROME, SQUARE WITH FOOT PEDAL OPERATED METAL LID (LID COLOR--WHITE), 18 5/8"W X 19 1/2"D X 37 3/4"H, 4 LID LABELS (BIOHAZARD, SOILED LINEN, INFECTIOUS LINEN, & TRASH)	M4	MEDLINE INDUSTRIES, INC. Model #: MDS80529	1	\$XXX.XX	\$XXX.XX
713796	#5M877; WASTE-CAN; 18 GAL; STEP-ON, 19 3/4"X16 1/8"X 26 1/8"H, COLOR: BEIGE (#5M877; \$57.47) AND RIGID LINER; 18"L X 22" H X 12 1/4" W; COLOR: GRAY; FOR OILY WASTE CONTAINERS (#5M891; \$18.72) FM-CALIFORNIA STATE FIRE MARSHALL APPROVED FOR FIRE SAFETY. (MANF. RUBBERMAID; #6145 & #6245)	M0	GRAINGER Model #: 5M877/5M891	1	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space: \$XXX.XX
4 Occurances Of This Type Space Included In The Budget Totalling: \$XXX.XX

000360

Date: 8/7/2008

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB
DEPT: 180-NURSING SERVICE
SPACE: 4150-CLEAN LINEN

Page: 187
04:13 PM

Item	Description	Class	Vendor	Qty	Price	Extd Price
510434	#SSUKIT0008; LINEN CART, LARGE; 60 X 24 X 66, 5 SHELVES W/ COVER, DOLLY ON WHEELS, & SHELF GUARD	M0 Model #:	STORAGE SYSTEMS, INC. SSUKIT0008	2	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space: \$XXX.XX

2 Occurances Of This Type Space Included In The Budget Totalling: \$XXX.XX

000361

Date: 8/7/2008

HCA - The Healthcare Company
DCEE PROJECTS
Page: 188
04:13 PM
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB

 DEPT: 180-NURSING SERVICE
 SPACE: 4170-CONFERENCE ROOM

Item	Description	Class	Vendor	Qty	Price	Extd Price
073468	#472-410N; CHAIR- MAX STACKER, WITHOUT ARMS, HARD GLIDES, SELECT COATED FRAME COLOR: _____ SELECT POLYPROPYLENE COLOR FOR SEAT & BACK: _____	M0	INTERIOR DESIGN Model #: 472-410N	15	\$XXX.XX	\$XXX.XX
718528	#5M744; WASTE-CAN 28 QT RECTANGULAR FIRE RESISTANT (UNDERWRITES LABORATORY) 14.5" X 10.5" X 15.38"; COLOR GRAY; 1 EACH W/O LID(RUBBERMAID 2543) *PRODUCT SET UP TO ORDER IN INCREMENTS OF 1/EA PER KEVIN KOLFF, NAT. REP. ON 10/4/04	M0	GRAINGER Model #: 5M744	1	\$XXX.XX	\$XXX.XX
861402	CAQE48-SC, EGAN VISUAL WHITE WONDER SKETCHING BD COMBINED W/CORK DISPLAY PANEL ON DOORS & FLIPCHART ON LEFT DOOR W/PULL-DOWN PROJECTION SCREEN 48X45X3 CLOSED, 96X45X2 OPEN, FINISH: LAMINATE	M0	INTERIOR DESIGN Model #: CAQE48-SC	1	\$XXX.XX	\$XXX.XX
861739	HOWE TABLE, TM3T-24T30, TEMPEST SERIES, DIMENSIONS: 30X60 NON-FOLDING, 1 3/4" VINYL EDGE BLACK OR BROWN, BASE 1 3/4" ROUND STL TUBING, POLISHED CHROME, SELF LEVELING GLIDES W/BLACK PLASTIC CAP, TOP: NON STD FORMICA COLOR: _____	M0	INTERIOR DESIGN Model #: TM3T-24T30	1	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space:	\$XXX.XX
2 Occurances Of This Type Space Included In The Budget Totaling:	\$XXX.XX

000362

Date: 8/7/2008

HCA - The Healthcare CompanyPage: 189
04:13 PM**DCEE PROJECTS****GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB****DEPT: 180-NURSING SERVICE
SPACE: 4180-DICTATION**

Item	Description	Class	Vendor	Qty	Price	Extd Price
704408	#4571223, CHAIR, SWIVEL-TILT DESK CHAIR, W/O ARMS, STD HARD CASTER FINISH; SHELL: FABRIC; REGIS	M0	INTERIOR DESIGN Model #: 4571223	2	\$XXX.XX	\$XXX.XX
718528	#5M744; WASTE-CAN 28 QT RECTANGULAR FIRE RESISTANT (UNDERWRITES LABORATORY) 14.5" X 10.5" X 15.38"; COLOR GRAY; 1 EACH W/O LID(RUBBERMAID 2543) *PRODUCT SET UP TO ORDER IN INCREMENTS OF 1/EA PER KEVIN KOLFF, NAT. REP. ON 10/4/04	M0	GRAINGER Model #: 5M744	2	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space:

\$XXX.XX

8 Occurances Of This Type Space Included In The Budget Totalling:

\$XXX.XX

000363

Date: 8/7/2008

HCA - The Healthcare Company

DCEE PROJECTS

GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
1000RBDEPT: 180-NURSING SERVICE
SPACE: 4265-LOUNGE, EMPLOYEEPage: 190
04:13 PM

Item	Description	Class	Vendor	Qty	Price	Extd Price
073468	#472-410N; CHAIR- MAX STACKER, WITHOUT ARMS, HARD GLIDES, SELECT COATED FRAME COLOR; SELECT POLYPROPYLENE COLOR FOR SEAT & BACK;	M0	INTERIOR DESIGN Model #: 472-410N	4	\$XXX.XX	\$XXX.XX
430279	#JEM25DM; MICROWAVE OVEN DIMENSIONS: 11 3/16"H X 23 25/32"W X 12 9/32"D. 120V AMP 11.5/120V WATTS 1300/MHZ 2450. CONTRACTOR TO SHELF MOUNT SELECT COLOR: BLACK (BB) OR WHITE (WW).	M0	GENERAL ELECTRIC CO Model #: JEM25DM	1	\$XXX.XX	\$XXX.XX
475603	***DISC. USE #717545***#GTS18WCP; REFRIGERATOR, 17.9 CU. FT. NO FROST, W/FACTORY INSTALLED ICEMAKER; 66 5/8" H X 32 1/8" D X 29 1/2" W. 120V/60 HZ/15AMPS. SELECT COLOR: WHITE OR BISQUE; HINGE: RIGHT; ***DOOR SWING CAN BE FIELD MODIFIED IF REQUIRED****	M0	GENERAL ELECTRIC CO Model #: GTS18WCP	1	\$XXX.XX	\$XXX.XX
510301	#SSUKIT0250; LOCKER, DOUBLE TIER; 12 X 15 X 72, INCLUDES ALL TRIM	M0	STORAGE SYSTEMS, INC. Model #: SSUKIT0250	15	\$XXX.XX	\$XXX.XX
713796	#5M877; WASTE-CAN; 18 GAL; STEP-ON, 19 3/4"X16 1/8"X 26 1/6"H, COLOR: BEIGE (#5M877; \$57.47) AND RIGID LINER; 18" L X 22" H X 12 1/4" W; COLOR: GRAY; FOR OILY WASTE CONTAINERS (#5M891; \$18.72) FM-CALIFORNIA STATE FIRE MARSHALL APPROVED FOR FIRE SAFETY. (MANF. RUBBERMAID; #6145 & #6245)	M0	GRAINGER Model #: 5M877/5M891	1	\$XXX.XX	\$XXX.XX
716053	#8573; COFFEE MAKER, LO-PROFILE 3-STATION, AUTOMATIC COFFEE BREWER, FROM SUPERIOR COFFEE FOR REFERENCE ONLY, HOSPITAL TO LEASE (MFG. - BLOOMFIELD) PLUMBING REQUIREMENT: 1/4" OR 3/8" WATER CONNECTION	M0	SARA LEE COFFEE & TEA Model #: 8573	1		
861500	#2424SQ/PL/SE SPEC FOUR POINTS TABLE STD LAM. 16" WOODEDGE	M0	INTERIOR DESIGN Model #: 2424SQ/PL/SE	2	\$XXX.XX	\$XXX.XX
861510	#4101M, COMPANION SINGLE SEAT, SPEC COMPANION CHAIR, ARMLESS, 1.75" FRAME, MID BACK, 4 POINTS TO THE FLOOR, GRADE 4 FABRIC	M0	INTERIOR DESIGN Model #: 4101M	4	\$XXX.XX	\$XXX.XX
861534	#4102M, SPEC TWO SEATER, COMPANION ARMLESS, 1.75" FRAME, GRADE 4 FABRIC	M0	INTERIOR DESIGN Model #: 4102M	1	\$XXX.XX	\$XXX.XX
869262	J30-28/90BVN, JOHNSON IND TABLE, BASE, SERIES - 90VBS 36"X36" SQUARE W/BAKED ENAMEL BASE. TABLE INCLUDES SUPER-LEVEL GLIDES AND INSTA-TABLE TOPPLATE. FINISH: BASE-31 1/2"H OVERALL BASE HGT TOP-WILSONART-ANY SOLID COLOR *****ROUND TABLE USE ITEM #716059*****	M0	INTERIOR DESIGN Model #: J30-28/90BVN	1	\$XXX.XX	\$XXX.XX

000364

Date: 8/7/2008

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB
DEPT: 180-NURSING SERVICE
SPACE: 4265-LOUNGE, EMPLOYEE

Page: 191
04:13 PM

Item	Description	Class	Vendor	Qty	Price	Extd Price
Total Budget For Each Occurance Of This Type Space:						\$XXX.XX
2 Occurances Of This Type Space Included In The Budget Totalling:						\$XXX.XX

000365

Date: 8/7/2008

HCA - The Healthcare Company

DCEE PROJECTS

GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RBDEPT: 180-NURSING SERVICE
SPACE: 4270-MEDICATION ROOMPage: 192
04:13 PM

Item	Description	Class	Vendor	Qty	Price	Extd Price
062000	***NO LONGER CARRIED***#311E04; CART CASSETTE MEDICATION W/CARDEX 6" NARCO/ SUPPLY DRAWER OVER (2) 4-TIER CASS BIN CAP (24) 6"BINS OR (32) 4 1/2" BINS OR (48) 3"BINS 311E04.*ORDER BINS SEPARATE* (IF EXTERNAL LOCK REQUIRED - USE LOCK #062196) NOTE: SPECIFY COLOR: ALMOND, BLUE, WALNUT, FEDERAL BLUE OR PEARL FOR SIDE PANELS.	M0	UNITED HOSPITAL SUPPLY Model #: 311E04	1	\$XXX.XX	\$XXX.XX
062154	#BN4032BGE; CART ACCESSORY BIN 4 1/2"W FOR USE W/MED CART (4ACROSS)	M0	UNITED HOSPITAL SUPPLY Model #: BN4032BGE	32	\$XXX.XX	\$XXX.XX
062161	***NO LONGER CARRIED***#XM4041; DIVIDERS (SLOT) FOR 1/2"BIN CART ACCESSORY	M4	UNITED HOSPITAL SUPPLY Model #: XM4041	50	\$XXX.XX	\$XXX.XX
062175	***NO LONGER CARRIED***#DRI000; 3" DRAWER SUPPLY FOR MED-CART ACCESSORY	M0	UNITED HOSPITAL SUPPLY Model #: DRI000	1	\$XXX.XX	\$XXX.XX
062196	***NO LONGER CARRIED***#LA1000; EXTERNAL WALL LOCK (DPC OR MED CART) CART ACCESSORY	M0	UNITED HOSPITAL SUPPLY Model #: - LA1000	1	\$XXX.XX	\$XXX.XX
062209	#MM4038; LABELS FOR 4 1/2" MEDICATION BIN (PKG1000) CART ACCESSORY	M0	UNITED HOSPITAL SUPPLY Model #: MM4038	1	\$XXX.XX	\$XXX.XX
713813	#3U653; WASTE-CAN; 23 GAL STEP-ON W/ WHEELS, 19 3/4"L X 32 1/2"H X 16 1/8"W. COLOR: RED (#3U653; \$80.55) AND RIGID LINER (#4KT51; \$23.33) FM-CALIFORNIA STATE FIRE MARSHALL APPROVED FOR FIRE SAFETY (MANF. RUBBERMAID #6146 & #624600GRAY)	M0	GRAINGER Model #: 3U653/4KT51	1	\$XXX.XX	\$XXX.XX
718171	#REF5; REFRIGERATOR, UNDERCOUNTER, WITH LOCK AND KEY, SS INTERIOR/EXTERIOR, 4.8 CU. FT., 115 V, 60HZ, 1PH, 8.0 AMPS, MAX.FUSE 15 AMPS, HOSPITAL GRADE CORD & PLUG - NEMA 5- 15, 33 DEGREES F - 40 DEGREES F (1 DEGREE C - 5 DEGREES C) REVERSIBLE DOOR SWING/HANDLE, 34HX23.75WX25.5D, NSF, UL & CUL LISTED.	M0	FOLLETT CORPORATION Model #: REF5	1	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space: \$XXX.XX
 2 Occurances Of This Type Space Included In The Budget Totaling: \$XXX.XX

000366

Date: 8/7/2008

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB
 DEPT: 180-NURSING SERVICE
 SPACE: 4290-NOURISHMENT ROOM

Page: 193
04:13 PM

Item	Description	Class	Vendor	Qty	Price	Extd Price
203200	#110FB400A; ICE MAKER DISP.115/1 12.2A, (#110FB400A; \$4212) SENSORS SAFE DISPENSING PKG (#SENSORS SAFE; \$98.00), FR STANDING STG 24 1/2"W X 28.25"D X 68.125"H, 90 LBS STG, 400 LBS/DAY ICE PRODUCTION AIR COOLED, INCLUDES WATER STATION, WATER FILTER(NOT INCLUDED) **FLOOR DRAIN REQUIRED**	M0	FOLLETT CORPORATION Model #: 110FB400A	1	\$XXX.XX	\$XXX.XX
430279	#JEM25DM; MICROWAVE OVEN DIMENSIONS: 11 3/16"H X 23 25/32"W X 12 9/32"D. 120V AMP 11.5/120V WATTS 1300/MHZ 2450. CONTRACTOR TO SHELF MOUNT SELECT COLOR: BLACK (BB) OR WHITE (WW).	M0	GENERAL ELECTRIC CO Model #: JEM25DM	1	\$XXX.XX	\$XXX.XX
713813	#3U653; WASTE-CAN; 23 GAL STEP-ON W/ WHEELS, 19 3/4"L X 32 1/2"H X 16 1/8"W. COLOR: RED (#3U653; \$80.55) AND RIGID LINER (#4KT51; \$23.33) FM-CALIFORNIA STATE FIRE MARSHALL APPROVED FOR FIRE SAFETY. (MANF. RUBBERMAID #6146 & #624600GRAY)	M0	GRAINGER Model #: 3U653/4KT51	1	\$XXX.XX	\$XXX.XX
715053	#8573; COFFEE MAKER, LO-PROFILE 3-STATION, AUTOMATIC COFFEE BREWER, FROM SUPERIOR COFFEE FOR REFERENCE ONLY, HOSPITAL TO LEASE (MFG. - BLOOMFIELD) PLUMBING REQUIREMENT: 1/4" OR 3/8" WATER CONNECTION	M0	SARA LEE COFFEE & TEA Model #: 8573	1		
715344	**DISC. USE ITEM # 720028**#GTS17KBS, REFRIGERATOR; TOP MOUNT. NO FROST, 4 SPILT SPILL PROOF ADJ. GLASS SHELVES. 18.6 CU. FT. CAP. 64 3/4"H X 31"D X 28"W. 120V/ 60HZ/ 15AMP. SELECT COLOR: WHITE OR BISQUE. HINGE: RIGHT (CAN BE FIELD MODIFIED TO LEFT)	M0	GENERAL ELECTRIC CO Model #: GTS17KBS DUPL	1	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space: \$XXX.XX
 2 Occurances Of This Type Space Included In The Budget Totalling: \$XXX.XX

000367

Date: 8/7/2008

HCA - The Healthcare Company**DCEE PROJECTS****GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB**DEPT: 180-NURSING SERVICE
SPACE: 4300-NURSES STATIONPage: 194
04:13 PM

Item	Description	Class	Vendor	Qty	Price	Extd Price
042301	***USE ITEM #724583***#5090-06 BLOOD PRESSURE UNIT, POCKET STYLE, TYCOS POCKET ANEROIDS W/CHILD VELCRO CUFF	M0	CARDINAL HEALTH, & Model #: 5090-06	1	\$XXX.XX	\$XXX.XX
061622	#7000-31; CARD POCKET, VISITRAY, 31 CAP, 8" X 5" FORMS, DOUBLE-LIP POCKETS, 17-5/8" X 9-13/16" W X 1-3/16" THICK. COLOR TO BE SELECTED AT ORDER.	M4	CARSTENS Model #: 7000-31	4	\$XXX.XX	\$XXX.XX
061629	#7300-26; CARD POCKET, VISITRAY, 26CAP, 8- FORMS, DOUBLE-LIP POCKETS, COLOR TO BE SELECTED AT ORDER.	M4	CARSTENS Model #: 7300-26	2	\$XXX.XX	\$XXX.XX
068855	***USE ITEM #724594***#GF7103A-4; CHAIR, COMMODE LUMEX ECONO VERSAGUARD 3 IN 1***PRICE PER ONE CASE CONTAINING 4 @ \$86.16 PER UNIT***	M0	CARDINAL HEALTH, & Model #: GF7103A-4	2	\$XXX.XX	\$XXX.XX
073499	#4535331DW, CRITERION HIGH BACK CHAIR PNEUMATIC HEIGHT ADJUSTABLE SEAT DEPTH, SOFT CASTERS, FABRIC: CANZONE STANDARD FINISH SOIL- RETARDANT	M0	INTERIOR DESIGN Model #: 4535331DW	6	\$XXX.XX	\$XXX.XX
073654	#630-02; CHART CADDYS CUSTOMLINE ROTO CHART CADDY, FLOOR MODEL W/4 LOCKING CARPET CASTERS, 30 CAPACITY, FOR TOP OPENING CHARTS	M0	CARSTENS Model #: 630-02	1	\$XXX.XX	\$XXX.XX
073766	#1572-00; CHARTHOLDERS ANODIZED ALUMINUM TOP-OPENING SPRINGLOADED CHARTHOLDERS 9"X12" 1/2" CAPACITY (100 SHEETS)	M4	CARSTENS Model #: 1572-00	60	\$XXX.XX	\$XXX.XX
073770	#1610-01; CHARTHOLDER ACCESSORIES E-Z VIEW BRACKET, FOR TOP-OPENING SPRINGLOADED CHARTHOLDERS, SS FACTORY RIVETED	M4	CARSTENS Model #: 1610-01	60	\$XXX.XX	\$XXX.XX
634221	#2180CX01EE; THERMOMETER, FAST ELECTRONIC TURBOTEMP PACKAGE INCLUDES THERMOMETER UNIT, THREE AA BATTERIES, ELECTRONIC SECURITY BASE, ORAL AND RECTAL PROBES AND PROBE COVER WALL BRACKET DISPENSER. DUAL PROBE UNIT. ONE YEAR WARRANTY	M0	CARDINAL HEALTH ALARIS Model #: 2180CX01EE	4	\$XXX.XX	\$XXX.XX
709481	#99400-002492; LIFEPAK 12; BIPHASIC DEFIBRILLATOR PKG: INCLUDES MONITOR/DEFIBRILLATOR, AED, EXTERNAL PACING, EL DISPLAY, SPO2 PULSE OXIMETRY, 50MM PRINTER, 3-LEAD ECG CABLE QUICK-COMBO (#99400-002492; \$10,241.73) AUX-POWER SUPPLY (#11400- 000038; \$675.02), STANDARD HARD- PADDLES (#11130-000001; \$420.28), TWO SEALED-LEAD ACID BATTERIES (#11141- 000028; \$154.29 EA X QTY. 2 = \$308.58)	M0	MEDTRONIC EMERGENCY Model #: 99400-002492-	1	\$XXX.XX	\$XXX.XX

000368

Date: 8/7/2008

HCA - The Healthcare Company

DCEE PROJECTS

GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RBDEPT: 180-NURSING SERVICE
SPACE: 4300-NURSES STATIONPage: 195
04:13 PM

Item	Description	Class	Vendor	Qty	Price	Extd Price
710877	#678397150M; DIAGNOSTIC SET; WITH OPHTHALMOSCOPE, MACROVIEW OTOSCOPE, RECHARGEABLE HANDLE, AND HARD CASE. 3.5V (WELCH ALLYN)	M0	KERMA MEDICAL Model #: 678397150M	1	\$XXX.XX	\$XXX.XX
713787	#PAR 30; ER CART ALUMINUM RED (\$1395.00); INCLUDES #ACB-1 CARDIAC BACK BOARD & #AOB-1 O2 TANK BRACKET. IV POLES (#PIV-1; \$105.00); TUBULAR RAILING (#PSR-1; \$130.00). DIMENSIONS: 45 1/2"H X 25"D X 32 3/4"W	M0	ARMSTRONG MEDICAL IND. Model #: PAR 30	1	\$XXX.XX	\$XXX.XX
714768	#018701124005; PORTABLE ASPIRATOR GOMCO PUMP MODEL # 4005, 12"H X 9"D X 12"W (ALLIED HEALTHCARE)	M0	KERMA MEDICAL Model #: 018701124005	2	\$XXX.XX	\$XXX.XX
715617	#AE6975; SUCTION S-CORT PORTABLE (DUET), INCLUDES BOTH BATTERY AND PLUG-IN OPERATION	M0	ARMSTRONG MEDICAL IND. Model #: AE6975	1	\$XXX.XX	\$XXX.XX
718528	#5M744; WASTE-CAN 28 QT RECTANGULAR FIRE RESISTANT (UNDERWRITES LABORATORY) 14.5" X 10.5" X 15.38"; COLOR GRAY; 1 EACH W/O LID(RUBBERMAID 2543). *PRODUCT SET UP TO ORDER IN INCREMENTS OF 1/EA PER KEVIN KOLFF, NAT. REP. ON 10/4/04	M0	GRAINGER Model #: 5M744	3	\$XXX.XX	\$XXX.XX
721095	INTUBATION EQUIPMENT**NEED FORMAL QUOTE - BUDGET ONLY!** INCLUDES: LARYNGOSCOPE HANDLES, BLADES & MCGILL FORCEPTS. *** FOR BUDGETING ONLY - MUST GET QUOTE *** (RAUSCH OR WELCH ALLYN)	M0	KERMA MEDICAL Model #: INTUBATION	1	\$XXX.XX	\$XXX.XX
721767	STAND #2014373-001 ROLLING, WITH POLE MOUNT, BASKET FOR CUFF AND TUBING (USE WITH PROCARE 420)	M0	GE HEALTHCARE - SYS Model #: 2014373-001	3	\$XXX.XX	\$XXX.XX
722005	#DPC420N-US; DINAMAP PROCARE 420 MONITOR, AUSCULTATORY BP, HEART RATE, IVAC TURBO TEMP, NELLCOR OXIMAX SPO2 & PRINTER; 2009010-068 PROMOTION TRACKING #	M0	GE HEALTHCARE - SYS Model #: DPC420N-US	3	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space: \$XXX.XX
2 Occurances Of This Type Space Included In The Budget Totalling: \$XXX.XX

000369

Date: 8/7/2008

HCA - The Healthcare Company
DCEE PROJECTS
Page: 196
04:13 PM
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB

 DEPT: 180-NURSING SERVICE
 SPACE: 4310-NURSING SUPERVISOR

Item	Description	Class	Vendor	Qty	Price	Extd Price
020093	ARTWORK	M0	AMERICAN ART RESOURCES	1	\$XXX.XX	\$XXX.XX
		Model #:	ARTWORK			
043891	#RBC15364A; BOOKCASE- 36" X 53" FINISH ANY STEELCASE PAINT:	M0	INTERIOR DESIGN	1	\$XXX.XX	\$XXX.XX
		Model #:	RBC15364A			
073499	#4535331DW, CRITERION HIGH BACK CHAIR PNEUMATIC HEIGHT ADJUSTABLE SEAT DEPTH, SOFT CASTERS, FABRIC: CANZONE STANDARD FINISH SOIL RETARDANT	M0	INTERIOR DESIGN	1	\$XXX.XX	\$XXX.XX
		Model #:	4535331DW			
121900	8LF18302F- FILE - 2 DRAWER, LATERAL, HANGING FRAME, W/LOCK, 30"W, PAINT:	M0	INTERIOR DESIGN	2	\$XXX.XX	\$XXX.XX
		Model #:	8LF18302F			
121977	RATCL1860F-FILE-TOP FOR TWO 30"LATERA FILES 60" X 18-1/8", PLASTIC LAMINATE;	M0	INTERIOR DESIGN	1	\$XXX.XX	\$XXX.XX
		Model #:	RATCL1860F			
705326	#474419M - GUEST CHAIR SNODDGRASS, OPEN LOOP ARMS WITH OPEN BACK BASE: POLISHED CHROME, FABRIC: REGIS, SOIL RETARDANT	M0	INTERIOR DESIGN	2	\$XXX.XX	\$XXX.XX
		Model #:	474419M			
705895	DESK-TSAFDP3060F, DOUBLE PEDESTAL, 60X30X2 3/8 W/CENTER DRAWER LOCK, FLUSH END PANELS W/REF SHELF PAINT: LAMINATE:	M0	INTERIOR DESIGN	1	\$XXX.XX	\$XXX.XX
		Model #:	TSAFDP3060F			
718528	#5M744; WASTE-CAN 28 QT RECTANGULAR FIRE RESISTANT (UNDERWRITES LABORATORY) 14.5" X 10.5" X 15.38"; COLOR GRAY; 1 EACH W/O LID(RUBBERMAID 2543) *PRODUCT SET UP TO ORDER IN INCREMENTS OF 1/EA PER KEVIN KOLFF, NAT. REP. ON 10/4/04	M0	GRAINGER	1	\$XXX.XX	\$XXX.XX
		Model #:	5M744			
862710	2042, COAT HOOK, SINGLE -1"WX7 1/2" X4 1/2" FINISH: GLOSS BLACK ***PETER PEPPER***	M4	INTERIOR DESIGN	1	\$XXX.XX	\$XXX.XX
		Model #:	2042			

Total Budget For Each Occurance Of This Type Space: \$XXX.XX
 4 Occurances Of This Type Space Included In The Budget Totalling: \$XXX.XX

000370

Date: 8/7/2008

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB

Page: 197
04:13 PM

DEPT: 180-NURSING SERVICE
 SPACE: 4352-PRIVATE PATIENT RM.-CA300 CAREASSIST BED

Item	Description	Class	Vendor	Qty	Price	Extd Price
000047	#CA305; BED, CAREASSIST; HARDPAN 36X80-84, WITHOUT SLEEP SURFACE, AUTO CONTOUR, DINING CHAIR POSITION, TREND/REVERSE TREND, SHEARLESS PIVOT, BATTERY BACKUP, 4 WHEEL CENTRAL BREAK AND STEER, FIXED HEIGHT HD80, BRAKE NOT SET ALARM, PATIENT CONTROLS PENDANT, IV ROD, BED EXIT SYSTEM AND NURSE CALL, ENTERTAINMENT AND LIGHT CONTROLS, IN- BED SCALE *****MUST ORDER MATTRESS BG PRODUCT # M03-1000384 (721659) OR A0-117600-384 (721659)*****	M0	HILL ROM COMPANY, INC Model #: CA305	1	\$XXX.XX	\$XXX.XX
014505	**USE ITEM #724577***#5091-38; WALL-MOUNTED W/ADULT VELCRO CUFF, ANEROID, LATEX FREE, CHARCOAL (#5091- 38; \$140.80) SMALL STAINLESS STEEL BASKET W/ INFLATION SYSTEM (#5091-13; \$22.32)	M0	CARDINAL HEALTH, & Model #: 5091-38/5091-13	1	\$XXX.XX	\$XXX.XX
035421	#P3769-108; BED, ACCESSORY SIDECOM COMMUNICATION RECEPTACLE KIT; 8' LENGTH, INCLUDES LOW VOLTAGE LIGHTING CONTROLLER W/5-GANG S/S FACEPLATE (110V)	M0	HILL ROM COMPANY, INC Model #: P3769-108	1	\$XXX.XX	\$XXX.XX
055100	#P8203BSC-100; CABINET BEDSIDE "CLASSIC" 3 DRAWERS, HOODED CASTERS. CHOOSE HLP FOR TOP: ROK-LIGHT OAK, MOK-MEDIUM OAK, 734-NATURAL MAPLE, WN9-HONEY MAPLE, 705-WILD CHERRY, 935-SHAKER CHERRY, 084-DARK CHERRY, 70T-MONTANA WALNUT, 283-ALMOND LEATHER, 655-NATURAL LEGACY, 157- ANTIQUE WHITE, 482-WHITE NEBULA, OR M07-LIGHT NEUTRAL CHOOSE WOOD FINISH: LIGHT OAK, MED. OAK, WILD CHERRY, MONTANA WALNUT, NATURAL MAPLE, HONEY MAPLE, COLONIAL CHERRY OR DARK CHERRY.	M0	HILL ROM COMPANY, INC Model #: P8203BSC-100	1	\$XXX.XX	\$XXX.XX
081555	CUBICLE CURTAIN ***BUDGET COST***	M4	STANDARD TEXTILE Model #: CURTAIN	1	\$XXX.XX	\$XXX.XX
125000	**USE ITEM #722635***#6701-1267-921; AIR FLOWMETER, DISS W/ NUT & GLAND, DIA ADAPTER FM, A (A DS)	M4	GE HEALTHCARE DATEX Model #: 6701-1267-921	1	\$XXX.XX	\$XXX.XX
125100	**USE ITEM #722651***#6701-1260-921; OXYGEN FLOWMETER, W/DISS OUTLET, NUT & GLAND, DIA ADAPTER	M4	GE HEALTHCARE DATEX Model #: 6701-1260-921	1	\$XXX.XX	\$XXX.XX
449504	#2M8953; I.V. STAND FOR USE W/FLO-GARD PUMPS, 5 CASTERS	M0	BAXTER - I.V. SYSTEMS DIV. Model #: 2M8953	1	\$XXX.XX	\$XXX.XX
560030	**USE ITEM #722684*** #6701-1251-908 - SUCTION INTERMITTENT/CONT. DIAM ADAPTER SAFETY TRAP SUCTION UNIT; ISU, DIA, DS TR WG	M0	GE HEALTHCARE DATEX Model #: 6701-1251-908	1	\$XXX.XX	\$XXX.XX

000371

Date: 8/7/2008

HCA - The Healthcare CompanyPage: 198
04:13 PM**DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB**DEPT: 180-NURSING SERVICE
SPACE: 4352-PRIVATE PATIENT RM.-CA300 CAREASSIST BED

Item	Description	Class	Vendor	Qty	Price	Extd Price
613021	*****DUPLICATE USE 035622*****P600OBT-TABLE, OVERBED PMJR W/VANITY, MIRR TOP TRAY, FOOD TRAY. SELECT HPL COLOR: LIGHT OAK, MEDIUM OAK, NATURAL MAPLE, WILD CHERRY OR DARK CHERRY	M0	HILL ROM COMPANY, INC Model #: P600OBT-220	1	\$XXX.XX	\$XXX.XX
713796	#5M877; WASTE-CAN; 18 GAL; STEP-ON, 19 3/4"X16 1/8"X 26 1/8"H, COLOR: BEIGE (#5M877; \$57.47) AND RIGID LINER; 18"L X 22" H X12 1/4" W; COLOR: GRAY; FOR OILY WASTE CONTAINERS (#5M891; \$18.72) FM-CALIFORNIA STATE FIRE MARSHALL APPROVED FOR FIRE SAFETY. (MANF. RUBBERMAID; #6145 & #6245)	M0	GRAINGER Model #: 5M877/5M891	1	\$XXX.XX	\$XXX.XX
717546	** PUMP IS ON FDA HOLD *** COLEAGUE CX3 (COLOR) TRIPLE PUMP MODEL 2M8163 W/GUARDIAN TECHNOLOGY OF RATE AND DOSE LIMITS; W/OCCCLUSION ALARMS	M0	BAXTER - I.V. SYSTEMS DIV. Model #: 2M8163	1	\$XXX.XX	\$XXX.XX
720560	#1105 CHAIR, HIGH BACK, HAMPTON CAROLINA, GROUP 1 FABRIC SELECTION: _____, SELECT STANDARD WOOD FINISH: _____	M0-	INTERIOR DESIGN Model #: 1105	1	\$XXX.XX	\$XXX.XX
720561	#733-66MP; RECLINER, NEMSCHOFF WALLSAVER, REMOVABLE SEAT/BACK COVERS, PUSH BAR, RETRACTABLE FOOTREST, HEAVY DUTY CASTERS, FULLY UPHL., SELECT FROM SERIES 4 UPHL. _____	M0	INTERIOR DESIGN Model #: 733-66MP	1	\$XXX.XX	\$XXX.XX
721265	#1659-S; SLEEPER, REMOVABLE COVERS, DIMENSIONS: 32"W X 37 1/2"D X 33 1/2"H, WITHOUT CASTERS, FABRIC: _____, STYLE: AMIGO (MFG. #1659-S)	M0	INTERIOR DESIGN Model #: 1659-S	1	\$XXX.XX	\$XXX.XX
721655	#A0-117610-384; MATTRESS, ACCUMAX QUANTUM AD, 35 X 84; ELASTI MAX GREEN 4-WAY STRETCH TOP; HEAVY DUTY GREEN VINYL; FOR HILL-ROM CARE-ASSIST BED	M0	ENCOMPASS Model #: A0-117610-384	1	\$XXX.XX	\$XXX.XX
721965	#115; HEX-BASE IV STAND (\$338.95), INCLUDES AS STD: 4 HOOK TOP, 6 LEGS W/3" PREIUM RUBBER CASTERS, 22" DIAMETER - WEIGHTED BASE, #217 PATIENT SUPPORT WHEEL, #218 SNAP-IN TRAY; #205 4-OUTLET ELECTRICAL STRIP (\$147.05). ****PRICE LISTED IS FOR 11-29 UNITS ***	M0	PRYOR Model #: #115 w/205	1	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space: \$XXX.XX
36 Occurances Of This Type Space Included In The Budget Totaling: \$XXX.XX

000372

Date: 8/7/2008

HCA - The Healthcare Company

Page: 199

DCEE PROJECTS

04:13 PM

**GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB**DEPT: 180-NURSING SERVICE
SPACE: 4380-SOILED UTILITY

Item	Description	Class	Vendor	Qty	Price	Extd Price
175545	#MDS80529; HAMPER STAND CHROME, SQUARE WITH FOOT PEDAL OPERATED METAL LID (LID COLOR-WHITE), 18 5/8"W X 19 1/2"D X 37 3/4"H, 4 LID LABELS (BIOHAZARD, SOILED LINEN, INFECTIOUS LINEN, & TRASH)	M4	MEDLINE INDUSTRIES, INC. Model #: MDS80529	1	\$XXX.XX	\$XXX.XX
510435	#SSUKIT0009; LINEN CART, SMALL; 48 X 24 X 66; 4 SHELVES, W/ COVER, DOLLY & SHELF GUARD	M0	STORAGE SYSTEMS, INC. Model #: SSUKIT0009	1	\$XXX.XX	\$XXX.XX
713813	#3U653; WASTE-CAN; 23 GAL STEP-ON W/ WHEELS, 19 3/4"L X 32 1/2"H X 16 1/8"W. COLOR: RED (#3U653; \$80.55) AND RIGID LINER (#4KT51; \$23.33) FM-CALIFORNIA STATE FIRE MARSHALL APPROVED FOR FIRE SAFETY (MANF. RUBBERMAID #6146 & #624600GRAY)	M0	GRAINGER Model #: 3U653/4KT51	1	\$XXX.XX	\$XXX.XX
715985	#73055-2PR; BULK TRUCK, REGRIND, 48 CU.FT. CAPACITY, 48"L X 28 1/2"W X 66 1/2"H	M0	TINGUE BROWN & CO. Model #: 3055-72PR	3	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space:

\$XXX.XX

2 Occurances Of This Type Space Included In The Budget Totalling:

\$XXX.XX

000373

RECORD 004837

Date: 8/7/2008

HCA - The Healthcare Company

DCEE PROJECTS

GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RBDEPT: 180-NURSING SERVICE
SPACE: 4390-STORAGEPage: 200
04:13 PM

Item	Description	Class	Vendor	Qty	Price	Extd Price
361040	#M3046A; MONITOR, TRANSPORT M4 MODEL 3046A, A03(\$3,273.20) W/ M3001A,C06,H08 MULTI-MEASUREMENT MODULE (EKG,NIBP,SPO2,1- PRESSURE,TEMP, ACCESSORY PKG) (\$4,046.70)	M0	PHILIPS MED SYS INC Model #: M3046A	2	\$XXX.XX	\$XXX.XX
510303	#SSUKIT0207; SHELVING, STORAGE STARTER, 36 X 18 X 75 WITH 6 SHELVES INCLUDING FOOT PLATES ***MUST SELECT COLOR: GRAY OR TAN **	M0	STORAGE SYSTEMS, INC. Model #: SSUKIT0207	8	\$XXX.XX	\$XXX.XX
706830	#M3155A, A08; CARDIAC CNT. STATION , 8 PATIENT- M3155B, A 08 INFORMATION CENTER, DUAL DISPLAY OPERATION, W/FULL DISCLOSURE VIA NETWORKED DATABASE, FLAT PANEL DISPLAY, RECORDER, LASERJET PRINTER, & ESTIMATED INSTALLATION @ 10%	M0	PHILIPS MED SYS INC Model #: M3155A, A08	2	\$XXX.XX	\$XXX.XX
706832	#M48411; 8-BED 1.4 GHZ TELEMETRY SYSTEM W/24,000 SQ FT 1.4 INFRASTRUCTURE; SPO2, TELEMON C X2; INSTALLATION (ESTIMATED). *** MUST PURCHASE A CENTRAL STATION - USE # 706830 ****	M0	PHILIPS MED SYS INC Model #: M48411 (8 BED)	2	\$XXX.XX	\$XXX.XX
706881	#MDS89664; COMMODE, #4 IN 1, COLOR: WHITE, 1 CASE OF 4 UNITS, 19" WIDTH BETWEEN ARMS, 14" SEAT WIDTH, 250 LB WT CAPACITY. 30"H X 18"D X 24 1/2" BASE WIDTH	M0	MEDLINE INDUSTRIES, INC. Model #: MDS89664	6	\$XXX.XX	\$XXX.XX
716572	#PVCMI264BAR; PVC SHOWER CHAIR, EXTRA WIDE, 29 1/2" W X 27 1/2"D X 41 1/4"H.	M0	MEDLINE INDUSTRIES, INC. Model #: PVCMI264BAR	9	\$XXX.XX	\$XXX.XX
716742	**DISCONTINUED NO SUB**#88200; HOYER LIFT	M0	MEDLINE INDUSTRIES, INC. Model #: MDS88200	2	\$XXX.XX	\$XXX.XX
717108	#222; BLANKETROL II UNIT .HYPER-HYPHTHERMIA UNIT ***NO PROBES OR BLANKETS. YOU NEED COMPLETE UNIT ORDER #198000****	M0	CINCINNATI SUB-ZERO Model #: 222R.	2	\$XXX.XX	\$XXX.XX
717109	#286; HOSE; 9' REUSABLE CONNECTING HOSE	M0	CINCINNATI SUB-ZERO Model #: 286	4	\$XXX.XX	\$XXX.XX
717110	#4900B; REUSABLE PROBE CONNECTING HOSE	M0	CINCINNATI SUB-ZERO Model #: 4900B	4	\$XXX.XX	\$XXX.XX
719230	TRIA DOPPLER #T344-D, W/ACCU-RATE DISPLAY & INTERCHANGEABLE 2 & 5: DOUBLE BEAT SYSTEM, TWO PROBES FOR FETAL & VASCULAR, SPEAKER, AQUASONIC CLEAR GEL & BATTERIES	M0	COOPER SURGICAL Model #: T344-D	4	\$XXX.XX	\$XXX.XX
719286	#MDS86410W; WALKER 2-BUTTON WALKER WITH 3" WHEELS. 2EA/CASE	M0	MEDLINE INDUSTRIES, INC. Model #: MDS86410W	4	\$XXX.XX	\$XXX.XX

000374

Date: 8/7/2008

HCA - The Healthcare CompanyPage: 201
04:13 PM**DCEE PROJECTS****GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB****DEPT: 180-NURSING SERVICE
SPACE: 4390-STORAGE**

Item	Description	Class	Vendor	Qty	Price	Extd Price
721258	#1FD39; CART UTILITY; 600 LB LOAD, 2 TIER, 39"L X 18"W X 33"H, (RUBBERMAID 4500-88) COLOR: BEIGE	M0	GRAINGER Model #: 1FD39	8	\$XXX.XX	\$XXX.XX
721547	#52294621001801; CPM MACHINE KNEE PERFORMA (SAMMONS PRESTON)	M0	KERMA MEDICAL Model #: 52294621001801	6	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space:

\$XXX.XX

1 Occurances Of This Type Space Included In The Budget Totaling:

\$XXX.XX

000375

RECORD 004839

Date: 8/7/2008

Page: 202
04:13 PM

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB

DEPT: 180-NURSING SERVICE
SPACE: 4400-TOILET

Item	Description	Class	Vendor	Qty	Price	Extd Price
718528	#5M744; WASTE-CAN 28 QT RECTANGULAR FIRE RESISTANT (UNDERWRITES LABORATORY) 14.5" X 10.5" X 15.38"; COLOR GRAY; 1 EACH W/O LID(RUBBERMAID 2543) *PRODUCT SET UP TO ORDER IN INCREMENTS OF 1/EA PER KEVIN KOLFF, NAT. REP. ON 10/4/04	M0	GRAINGER Model #: 5M744	1	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space: \$XXX.XX

4 Occurances Of This Type Space Included In The Budget Totaling: \$XXX.XX

000376

Date: 8/7/2008

HCA - The Healthcare Company

DCEE PROJECTS

GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RBDEPT: 180-NURSING SERVICE
SPACE: 4401-TOILET, PAT. BATH/SHWR.Page: 203
04:13 PM

Item	Description	Class	Vendor	Qty	Price	Extd Price
081556	CURTAIN, SHOWER ***BUDGET COST*** OVERLAY AND LINER	M4	STANDARD TEXTILE Model #: -0-	1	\$XXX.XX	\$XXX.XX
718528	#5M744; WASTE-CAN 28 QT RECTANGULAR FIRE RESISTANT (UNDERWRITES LABORATORY) 14.5" X 10.5" X 15.38"; COLOR GRAY; 1 EACH W/O LID(RUBBERMAID 2543) *PRODUCT SET UP TO ORDER IN INCREMENTS OF 1/EA PER KEVIN KOLFF, NAT. REP. ON 10/4/04	M0	GRAINGER Model #: 5M744	1	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space: \$XXX.XX
24 Occurances Of This Type Space Included In The Budget Totaling: \$XXX.XX

000377

Date: 8/7/2008

HCA - The Healthcare Company**DCEE PROJECTS****GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB**Page: 204
04:13 PMDEPT: 180-NURSING SERVICE
SPACE: 4420-TUB ROOM

Item	Description	Class	Vendor	Qty	Price	Extd Price
175545	#MDS80529; HAMPER STAND CHROME. SQUARE WITH FOOT PEDAL OPERATED METAL LID (LID COLOR-WHITE), 18 5/8"W X 19 1/2"D X 37 3/4"H, 4 LID LABELS (BIOHAZARD, SOILED LINEN, INFECTIOUS LINEN, & TRASH)	M4	MEDLINE INDUSTRIES, INC. Model #: MDS80529	1	\$XXX.XX	\$XXX.XX
718528	#5M744; WASTE-CAN 28 QT RECTANGULAR FIRE RESISTANT (UNDERWRITES LABORATORY) 14.5" X 10.5" X 15.38"; COLOR GRAY; 1 EACH W/O LID(RUBBERMAID 2543) *PRODUCT SET UP TO ORDER IN INCREMENTS OF 1/EA PER KEVIN KOLFF, NAT. REP. ON 10/4/04	M0	GRAINGER Model #: 5M744	1	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space:

\$XXX.XX

1 Occurances Of This Type Space Included In The Budget Totalling:

\$XXX.XX

000378

Date: 8/7/2008

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB

Page: 205
04:13 PM

DEPT: 180-NURSING SERVICE
 SPACE: 4430-WAITING

Item	Description	Class	Vendor	Qty	Price	Extd Price
718528	#5M744; WASTE-CAN 28 QT RECTANGULAR FIRE RESISTANT (UNDERWRITES LABORATORY) 14.5" X 10.5" X 15.38"; COLOR GRAY; 1 EACH W/O LID (RUBBERMAID 2543) *PRODUCT SET UP TO ORDER IN INCREMENTS OF 1/EA PER KEVIN KOLFF, NAT. REP. ON 10/4/04	M0	GRAINGER Model #: 5M744	2	\$XXX.XX	\$XXX.XX
861500	#2424SQ/PL/SE SPEC FOUR POINTS TABLE STD LAM. 16" WOODEDGE	M0	INTERIOR DESIGN Model #: 2424SQ/PL/SE	8	\$XXX.XX	\$XXX.XX
861535	#2301SCS, SPEC FULL RING LOUNGE CHAIR 1 1/2" FRAME, 16" SEAT HEIGHT, GRADE 4	M0	INTERIOR DESIGN Model #: 2301CS	24	\$XXX.XX	\$XXX.XX
861537	#2302CS SPEC FULL RING 2 SEATER, ARMS AT END ONLY, 16" SEAT HEIGHT, GRADE 4 FABRIC, SPECTONE FRAME	M0	INTERIOR DESIGN Model #: 2302CS	12	\$XXX.XX	\$XXX.XX
862701	482, MAGAZINE RACK - FOUR SLOT MAGAZINE RACK, 14" X 34" X 5" SIDE PANEL FINISH; K-NAT. OAK, KS-MED OAK, MM-MED. MAHOG, W-WALNUT, FRONT: ANY P.P. COLOR ***PETER PEPPER***	M0	INTERIOR DESIGN Model #: 482	1	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space: \$XXX.XX
 1 Occurances Of This Type Space Included In The Budget Totaling: \$XXX.XX

000379

Date: 8/7/2008

Page: 206
04:13 PM

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB

DEPT: 180-NURSING SERVICE
 SPACE: 9075-POINT OF USE SERVICES

Item	Description	Class	Vendor	Qty	Price	Extd Price
707956	#SSUKIT0273; LOUVERED PANEL; 36"W X 19"H WITH BINS (METRO)	M7	STORAGE SYSTEMS, INC. Model #: SSUKIT0273	60	\$XXX.XX	\$XXX.XX
715332	#SSUKIT0276; DOUBLE SIDED LOUVERED RACK W/CASTERS 36"W X 30" D X 66"H; W/ASSORTMENT OF PLASTIC BINS	M0	STORAGE SYSTEMS, INC. Model #: SSUKIT0276	4	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space: \$XXX.XX
 2 Occurances Of This Type Space Included In The Budget Totalling: \$XXX.XX

000380

Date: 8/7/2008

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB
 DEPT: 180-NURSING SERVICE
 SPACE: 9075-POINT OF USE SERVICES

Page: 207
 04:13 PM

Item	Description	Class	Vendor	Qty	Price	Extd Price

000381

Date: 8/7/2008

HCA - The Healthcare Company

DCEE PROJECTS

GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RBDEPT: 185-NURSERY
SPACE: 4505-ANTE ROOMPage: 208
04:13 PM

Item	Description	Class	Vendor	Qty	Price	Extd Price
175545	#MDS80529; HAMPER STAND CHROME, SQUARE WITH FOOT PEDAL OPERATED METAL LID (LID COLOR-WHITE), 18 5/8"W X 19 1/2"D X 37 3/4"H, 4 LID LABELS (BIOHAZARD, SOILED LINEN, INFECTIOUS LINEN, & TRASH)	M4	MEDLINE INDUSTRIES, INC. Model #: MDS80529	1	\$XXX.XX	\$XXX.XX
713796	#5M877; WASTE-CAN; 18 GAL; STEP-ON, 19 3/4"X16 1/8"X 26 1/8"H, COLOR: BEIGE (#5M877; \$57.47) AND RIGID LINER; 18"L X 22" H X12 1/4" W; COLOR: GRAY; FOR OILY WASTE CONTAINERS (#5M891; \$18.72) FM-CALIFORNIA STATE FIRE MARSHALL APPROVED FOR FIRE SAFETY. (MANF. RUBBERMAID; #6145 & #6245)	M0	GRAINGER Model #: 5M877/5M891	1	\$XXX.XX	\$XXX.XX
714139	***USE ITEM # 713798***#5563614300LB; WASTE CAN, STEP-ON 8 GAL. 15 1/4 X 15 3/4 X 17 1/8 FM-CALIFORNIA STATE FIRE MARSHALL APPROVED FOR FIRE SAFETY. COLOR: LIGHT BEIGE (RUBBERMAID)	M0	KERMA MEDICAL Model #: 5563614300LB	2	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space: \$XXX.XX
 1 Occurances Of This Type Space Included In The Budget Totaling: \$XXX.XX

000382

Date: 8/7/2008

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB
DEPT: 185-NURSERY
SPACE: 4510-CLEAN LINEN

Page: 209
04:13 PM

Item	Description	Class	Vendor	Qty	Price	Extd Price
510434	#SSUKIT0008; LINEN CART, LARGE; 60 X 24 X 66, 5 SHELVES W/ COVER, DOLLY ON WHEELS, & SHELF GUARD	M0	STORAGE SYSTEMS, INC. Model #: SSUKIT0008	1	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space:

\$XXX.XX

1 Occurances Of This Type Space Included In The Budget Totaling:

\$XXX.XX

000383

Date: 8/7/2008

Page: 210
04:13 PM

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB
DEPT: 185-NURSERY
SPACE: 4530-DICTATION STATION

Item	Description	Class	Vendor	Qty	Price	Extd Price
704408	#4571223, CHAIR, SWIVEL-TILT DESK CHAIR, W/O ARMS, STD HARD CASTER FINISH; SHELL: FABRIC: REGIS	M0	INTERIOR DESIGN Model #: 4571223	1	\$XXX.XX	\$XXX.XX
718528	#5M744; WASTE-CAN 28 QT RECTANGULAR FIRE RESISTANT (UNDERWRITES LABORATORY) 14.5" X 10.5" X 15.38"; COLOR GRAY; 1 EACH W/O LID(RUBBERMAID 2543) *PRODUCT SET UP TO ORDER IN INCREMENTS OF 1/EA PER KEVIN KOLFF, NAT. REP. ON 10/4/04	M0	GRAINGER Model #: 5M744	1	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space: \$XXX.XX
2 Occurances Of This Type Space Included In The Budget Totaling: \$XXX.XX

000384

Date: 8/7/2008

HCA - The Healthcare Company**DCEE PROJECTS****GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB**DEPT: 185-NURSERY
SPACE: 4550-FORMULA ROOMPage: 211
04:13 PM

Item	Description	Class	Vendor	Qty	Price	Extd Price
510346	#SSUKIT0058; SHELVING, WIRE W/CASTERS 36 X 18 X 74, 5 SHELVES (METRO)	M7	STORAGE SYSTEMS, INC. Model #: SSUKIT0058	5	\$XXX.XX	\$XXX.XX
713796	#5M877; WASTE-CAN; 18 GAL; STEP-ON, 19 3/4"X16 1/8"X 26 1/6"H, COLOR: BEIGE (#5M877; \$57.47) AND RIGID LINER; 18"L X 22" H X12 1/4" W, COLOR: GRAY; FOR OILY WASTE CONTAINERS (#5M891; \$18.72) FM- CALIFORNIA STATE FIRE MARSHALL APPROVED FOR FIRE SAFETY. (MANF. RUBBERMAID; #6145 & #6245)	M0	GRAINGER Model #: 5M877/5M891	1	\$XXX.XX	\$XXX.XX
715643	#8702 SOFTC; LAB STOOL, W/FOOTRING AND BACK; FLAT TOP ALUMINUM BASE W/BLACK TOE CAPS; "D" RING HEIGHT ADJUSTMENT 23" - 33" FROM FLOOR, **SELECT VINYL COLOR: PEARL; PUTTY, TAUPE, GRAY, WARM GRAY, BLACK, TERRA ROSE, MONET, ROYAL RUBY, PORT, GRAPE, LAVENDER, BLUE, WEDGE WOOD, JADE, GROTTO, EMERALD, OR PURPLE	M7	HASSOC MEDICAL Model #: 8702/SOFT C	1	\$XXX.XX	\$XXX.XX
716037	USE 722600**DISCONTINUED***#1175F; FREEZER, UNDERCOUNTER, U-LINE 8 CU. FT.; 34"H X 23 7/8"W X 23 7/16"D, 120V/60/1; 2.5 AMPS, COLOR: WHITE ONLY	M0	FOOD SYSTEMS Model #: 1175F	1	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space: \$XXX.XX
1 Occurances Of This Type Space Included In The Budget Totalling: \$XXX.XX

000285

Date: 8/7/2008

HCA - The Healthcare Company
DCEE PROJECTS
Page: 212
04:13 PM
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB

 DEPT: 185-NURSERY
 SPACE: 4560-GOWN ROOM

Item	Description	Class	Vendor	Qty	Price	Extd Price
175545	#MDS80529; HAMPER STAND; CHROME, SQUARE WITH FOOT PEDAL OPERATED METAL LID (LID COLOR-WHITE), 18 5/8"W X 18 1/2"D X 37 3/4"H, 4 LID LABELS (BIOHAZARD, SOILED LINEN, INFECTIOUS LINEN, & TRASH)	M4	MEDLINE INDUSTRIES, INC. Model #: MDS80529	1	\$XXX.XX	\$XXX.XX
713796	#5M877; WASTE-CAN; 18 GAL; STEP-ON, 19 3/4"X16 1/8"X 26 1/6"H, COLOR: BEIGE (#5M877; \$57.47) AND RIGID LINER; 18"L X 22" H X 12 1/4" W; COLOR: GRAY; FOR OILY WASTE CONTAINERS (#5M891; \$18.72) FM-CALIFORNIA STATE FIRE MARSHALL APPROVED FOR FIRE SAFETY. (MANF. RUBBERMAID; #6145 & #6245)	M0	GRAINGER Model #: 5M877/5M891	1	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space:

\$XXX.XX

1 Occurances Of This Type Space Included In The Budget Totaling:

\$XXX.XX

000386

Date: 8/7/2008

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB

Page: 213
04:13 PM

DEPT: 185-NURSERY
 SPACE: 4565-INCUBATOR, TRANSPORT

Item	Description	Class	Vendor	Qty	Price	Extd Price
361040	#M3046A; MONITOR, TRANSPORT M4 MODEL 3046A, A03(\$3,273.20) W/ M3001A,C06,H08 MULTI- MEASUREMENT MODULE (EKG,NIBP,SPO2,1- PRESSURE,TEMP, ACCESSORY PKG) (\$4,046.70)	M0	PHILIPS MED SYS INC Model #: M3046A	1	\$XXX.XX	\$XXX.XX
719579	#3300A, CV3 TRANSPORT VENTILATOR W/AIR ENTRAINMENT	M0	CARDINAL RESPIRATORY Model #: 3300A	1	\$XXX.XX	\$XXX.XX
720785	K673 (T1500-1) , TRANSPORT INCUBATOR WITH HOOD AND IV POLE	M0	HILL ROM COMPANY, INC Model #: K673 (T1500-1)	1	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space: \$XXX.XX
 1 Occurances Of This Type Space Included In The Budget Totaling: \$XXX.XX

000387

Date: 8/7/2008

HCA - The Healthcare Company**DCEE PROJECTS****GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB****DEPT: 185-NURSERY****SPACE: 4570-JANITOR CLOSET**Page: 214
04:13 PM

Item	Description	Class	Vendor	Qty	Price	Extd Price
714882	#F36-110R; STAINLESS DBL TANK FOLDAWAY, INCLUDES DOOR, BAG AND LID	M0 Model #:	ROYCE ROLLS RINGER CO. F36-110R	1	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space:

\$XXX.XX

1 Occurances Of This Type Space Included In The Budget Totaling:

\$XXX.XX

000388

Date: 8/7/2008

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB
DEPT: 185-NURSERY
SPACE: 4580-INFANT HEARING

Page: 215
04:13 PM

Item	Description	Class	Vendor	Qty	Price	Extd Price
718190	#010038 HEARING SCREENER ALGO 3 W/ NHS DATA TRACKING SOFTWARE. INCLUDES: ON-SITE CLINICAL EDUCATION PROGRAM/ INSERVICE, IMPLEMENTATION BOOK, PRESS KIT MATERIAL AND VIDEOTAPES; 1 YEAR SDT WARRANTY.	M0	NATUS MEDICAL, INC. Model #: 010038	1	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space: \$XXX.XX
1 Occurances Of This Type Space Included In The Budget Totaling: \$XXX.XX

000389

Date: 8/7/2008

HCA - The Healthcare Company

DCEE PROJECTS

GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB

DEPT: 185-NURSERY

SPACE: 4610-NURSERY, FULL TERM

Page: 216
04:13 PM

Item	Description	Class	Vendor	Qty	Price	Extd Price
036131	#6600-0198-900; BILI BLANKET LIGHT METER PACKAGE	M0	GE HEALTHCARE DATEX Model #: 6600-0198-900	2	\$XXX.XX	\$XXX.XX
042608	MONITOR #DP410N-US DINAMAP DP 410, ASAP, TTMP, NEL SPO2 .US, (\$4,158); #088030 DINAMAP PRO 100- 400 SERVICE CD (NC); #2009802-001 MNL OPR PRO 100-400V2 ENGLISH (NC); #2013367-001 WARRANTY SHEET, DP100- 400V2, 3-YEAR P&L (NC)	M0	GE HEALTHCARE - SYS Model #: DP410N-US	1	\$XXX.XX	\$XXX.XX
125100	**USE ITEM #722651**#6701-1260-921; OXYGEN FLOWMETER, W/DISS OUTLET, NUT & GLAND, DIA ADAPTER	M4	GE HEALTHCARE DATEX Model #: 6701-1260-921	4	\$XXX.XX	\$XXX.XX
175545	#MDS80529; HAMPER STAND CHROME, SQUARE WITH FOOT PEDAL OPERATED METAL LID (LID COLOR-WHITE), 18 5/8"W X 19 1/2"D X 37 3/4"H, 4 LID LABELS (BIOHAZARD, SOILED LINEN, INFECTIOUS LINEN, & TRASH)	M4	MEDLINE INDUSTRIES, INC. Model #: MDS80529	2	\$XXX.XX	\$XXX.XX
212601	IWS 3400; RADANT WARMER; STANDARD SIZE BED WITH ELEVATING BASE, MICROPROCESSOR-DRIVEN SERVO/MANUAL CONTROLLER, PASS- THROUGH TWO DRAWER PACKAGE, TWO TEMP PROBES, MONITOR SHELF, INSTRUMENT SHELF, DRAWER ORGANIZER, 24" IV POLE, INSTALLATION. (REQUIRES QUOTE)	M0	GE HEALTHCARE DATEX Model #: IWS 3400	2	\$XXX.XX	\$XXX.XX
560010	**USE ITEM #722676**#6701-1224-908 - REGULATOR, STANDARD SUCTION DIAMO ADAPTOR W/OVERFLOW TRAP AND DISS MALE CONT 3M, DIA, DS TRP WG	M0	GE HEALTHCARE DATEX Model #: 6701-1224-908	3	\$XXX.XX	\$XXX.XX
707086	#P15-5232; ROCKER/GLIDER TRADITIONAL STYLE. ***CHOOSE WOOD FINISH: LIGHT OAK, MED. OAK, WILD CHERRY, MONTANA WALNUT, NATURAL MAPLE, HONEY MAPLE, COLONIAL CHERRY OR DARK CHERRY. ***SELCT VINYL	M0	HILL ROM COMPANY, INC Model #: P15-5232	3	\$XXX.XX	\$XXX.XX
710387	#6783011710; OPHTHALMOSCOPE HEAD 3.5V (WELCH ALLYN)	M0	KERMA MEDICAL Model #: 6783011710	1	\$XXX.XX	\$XXX.XX
710388	#6783025020; OTOSCOPE HEAD 3.5V DIAGNOSTIC HALOGEN WITH SPECULA (WELCH ALLYN)	M0	KERMA MEDICAL Model #: 6783025020	1	\$XXX.XX	\$XXX.XX
710539	#56328; SCALE, INFANT ROLL AROUND WARM SCALE W/ CART	M0	OLYMPIC MEDICAL Model #: 56328	1	\$XXX.XX	\$XXX.XX
710879	#6783071630; DESK CHARGER 3.5V INCLUDES TWO 3.5V RECHARGEABLE HANDLES, 110-130V, 50/60HZ, UL LISTED, CSA CERTIFIED *****NEED TO SPECIFY INSTRUMENT HEADS TO COMPLETE SET*****SEE ITEMS #724971 & #710388 FOR INST. HEADS**** (WELCH ALLYN)	M0	KERMA MEDICAL Model #: 6783071630	1	\$XXX.XX	\$XXX.XX

000390

Date: 8/7/2008

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB
DEPT: 185-NURSERY
SPACE: 4610-NURSERY, FULL TERM

Page: 217
04:13 PM

Item	Description	Class	Vendor	Qty	Price	Extd Price
711299	#0383015; BILIBED WITH DUAL HOUR METERS INCLUDES IRRADIATION UNIT, EXTERNAL STOP/START SWITCH, BABY SUPPORT, 6 WASHABLE BILICOMBIS (#8000338) OR 10 DISPOSABLE BILICOMBIS (#8000336) FOR USE ONLY WITH BILICOMBI & MEDELA REPLACEMENT LIGHTS	M0	MEDELA Model #: 0383015	2	\$XXX.XX	\$XXX.XX
713796	#5M877; WASTE-CAN; 16 GAL; STEP-ON, 19 3/4"X16 1/8"X 26 1/8"H, COLOR: BEIGE (#5M877; \$57.47) AND RIGID LINER; 18" L X 22" H X 12 1/4" W; COLOR: GRAY; FOR OILY WASTE CONTAINERS (#5M891; \$18.72) FM-CALIFORNIA STATE FIRE MARSHALL APPROVED FOR FIRE SAFETY. (MANF. RUBBERMAID; #6145 & #6245)	M0	GRAINGER Model #: 5M877/5M891	2	\$XXX.XX	\$XXX.XX
713961	INCUBATOR, CARE PLUS; SERIES 4000 INCUBATOR, NON-ELEVATING, INNER WALLS WITH STANDARD RELATIVE HUMIDITY (NO THERMALINK), GRAY, LARGE HOOD (REQUIRES QUOTE)	M0	GE HEALTHCARE DATEX Model #: SERIES 4000	1	\$XXX.XX	\$XXX.XX
715551	#1175R; REFRIGERATOR, ADJ. TEMP. CONTROL, FRONT AIR DISCHARGE, NO DRAIN, 120/1, 2.4 AMPS, AUTO. DEFROST, UL LISTED, 23 7/8" W X 23 7/16" D X 34 1/8" H, 6.0 CU. FT. SPECIFY COLOR: TEXTURED BLACK OR WHITE VINYL FINISH. **SPECIFY RIGHT OR LEFT HINGE**	M0	FOOD SYSTEMS Model #: 1175R	1	\$XXX.XX	\$XXX.XX
715643	#8702 SOFTC; LAB STOOL, W/FOOTRING AND BACK; FLAT TOP ALUMINUM BASE W/BLACK TOE CAPS; "D"-RING HEIGHT ADJUSTMENT 23" - 33" FROM FLOOR, **SELECT VINYL COLOR: PEARL; PUTTY, TAUPE, GRAY, WARM GRAY, BLACK, TERRA ROSE, MONET, ROYAL RUBY, PORT, GRAPE, LAVENDER, BLUE, WEDGE WOOD, JADE, GROTTO, EMERALD, OR PURPLE	M7	HASSOC MEDICAL Model #: 8702/SOFT C	2	\$XXX.XX	\$XXX.XX
716312	#003215; ROLLING STAND FOR PRO 100-400 SERIES MONITORS	M0	GE HEALTHCARE - SYS Model #: 003215	1	\$XXX.XX	\$XXX.XX
717173	#4956P15766; IV STAND 6 HOOKS, FOOT OPERATED. ADJUSTED 68"-108", HEAVY, TIP RESISTANT, SS, 5 CASTERS (PEDIGO)	M0	KERMA MEDICAL Model #: 4956P15766	1	\$XXX.XX	\$XXX.XX
719398	#47347028X13; INFANT BASSINET, W/ 3 COMPARTMENT STORAGE CABINET, NO DOORS, 29"L X 17"D X 17"H (NK MEDICAL)	M0	KERMA MEDICAL Model #: 47347028X13	8	\$XXX.XX	\$XXX.XX
719399	#47347028X21; MATTRESS 2" FLAME RETARDENT, 26" L X 12 1/2" W X 2"H. (NK MEDICAL)	M0	KERMA MEDICAL Model #: 47347028X21	8	\$XXX.XX	\$XXX.XX
719400	#473469576X1; BASKET; CLEAR 28"L X 14"W X 9"H (NK MEDICAL)	M0	KERMA MEDICAL Model #: 473469576X1	8	\$XXX.XX	\$XXX.XX
720165	FM030OH, 0-3LPM NEONATAL O2 FLOWMETER W/OHMEDA QUICK CONNECT	M0	CARDINAL RESPIRATORY Model #: FM030OH	4	\$XXX.XX	\$XXX.XX

000391

Date: 8/7/2008

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB
DEPT: 185-NURSERY
SPACE: 4610-NURSERY, FULL TERM

Page: 218
04:13 PM

Item	Description	Class	Vendor	Qty	Price	Extd Price
					Total Budget For Each Occurance Of This Type Space:	\$XXX.XX
					1 Occurances Of This Type Space Included In The Budget Totaling:	\$XXX.XX

000392

Date: 8/7/2008

HCA - The Healthcare Company

DCEE PROJECTS

GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB

DEPT: 185-NURSERY

SPACE: 4612-NURSERY LEVEL III PER BED

Page: 219
04:13 PM

Item	Description	Class	Vendor	Qty	Price	Extd Price
094189	***USE ITEM #724600***#WA97150-M; DIAGNOSTIC SET OTOSCOPE, OPHTHALMASCOPE WITH CARRYING CASE	M0	CARDINAL HEALTH, & Model #: WA97150-M	1	\$XXX.XX	\$XXX.XX
125000	**USE ITEM #722635**#6701-1267-921; AIR FLOWMETER, DISS W/ NUT & GLAND, DIA ADAPTER FM, A (A DS)	M4	GE HEALTHCARE DATEX Model #: 6701-1267-921	1	\$XXX.XX	\$XXX.XX
125100	**USE ITEM #722651**#6701-1260-921; OXYGEN FLOWMETER, W/DISS OUTLET, NUT & GLAND, DIA ADAPTER	M4	GE HEALTHCARE DATEX Model #: 6701-1260-921	1	\$XXX.XX	\$XXX.XX
361054	#M8004A- A04; MONITOR, INTELLIVUE MP50 - NICU W/ NEONATAL SOFTWARE, 4 WAVE COLOR TOUCH FLAT DISPLAY. INCLUDES: ECG, RESP, TEMP, NBP, SP02, PRESS X1, DRUG CAL, ALL CABLES (\$11,550) & ESTIMATED INSTALLATION @ 10% (\$1,650) *** RECOMMENDED FOR LEVEL II NICU ***	M0	PHILIPS MED SYS INC Model #: M8004A- A04	1	\$XXX.XX	\$XXX.XX
431255	#51810; OXYHOOD FOR INFANTS OVER 3600 GMS W/INLET DEFLECTOR	M0	OLYMPIC MEDICAL Model #: 51810	1	\$XXX.XX	\$XXX.XX
431256	#51808; OXYHOOD FOR INFANTS 1000-3600 GMS W/INLET DEFLECTOR	M0	OLYMPIC MEDICAL Model #: 51808	1	\$XXX.XX	\$XXX.XX
431257	#51806; OXYHOOD FOR INFANTS UNDER 1000 GMS W/INLET DEFLECTOR	M0	OLYMPIC MEDICAL Model #: 51806	1	\$XXX.XX	\$XXX.XX
560010	**USE ITEM #722676**#6701-1224-908 - REGULATOR, STANDARD SUCTION DIAMO ADAPTOR W/OVERFLOW TRAP AND DISS MALE CONT 3M, DIA, DS TRP WG	M0	GE HEALTHCARE DATEX Model #: 6701-1224-908	1	\$XXX.XX	\$XXX.XX
560030	**USE ITEM #722684** #6701-1251-908 - SUCTION INTERMITTENT/CONT. DIAM ADAPTER SAFETY TRAP SUCTION UNIT; ISU, DIA, DS TR WG	M0	GE HEALTHCARE DATEX Model #: 6701-1251-908	2	\$XXX.XX	\$XXX.XX
707086	#P15-5232; ROCKER/GLIDER TRADITIONAL STYLE. ***CHOOSE WOOD FINISH: LIGHT OAK, MED. OAK, WILD CHERRY, MONTANA WALNUT, NATURAL MAPLE, HONEY MAPLE, COLONIAL CHERRY OR DARK CHERRY. ***SELCT VINYL	M0	HILL ROM COMPANY, INC Model #: P15-5232	1	\$XXX.XX	\$XXX.XX
707333	***USE ITEM # 721631*** SYRINGE PUMP - AUTO SYRINGE, #AS50 PROD. CODE #1M8550	M0	BAXTER - I.V. SYSTEMS DIV. Model #: AS50	1	\$XXX.XX	\$XXX.XX
713796	#5M877; WASTE-CAN; 18 GAL; STEP-ON, 19 3/4"X16 1/8"X 26 1/8"H, COLOR: BEIGE (#5M877; \$57.47) AND RIGID LINER; 18"L X 22" H X12 1/4" W; COLOR: GRAY; FOR OILY WASTE CONTAINERS (#5M891; \$18.72) FM- CALIFORNIA STATE FIRE MARSHALL APPROVED FOR FIRE SAFETY. (MANF. RUBBERMAID; #6145 & #6245)	M0	GRAINGER Model #: 5M877/5M891	1	\$XXX.XX	\$XXX.XX

000393

Date: 8/7/2008

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB
 DEPT: 185-NURSERY
 SPACE: 4612-NURSERY LEVEL III PER BED

Page: 220
04:13 PM

Item	Description	Class	Vendor	Qty	Price	Extd Price
714546	*****OBSOLETE SINCE 2004 DO NOT ORDER****MINIOX 3000 O2 MONITOR. PART #4-023394-00	M0	COVIDIEN - Model #: 4-023394-00	1	\$XXX.XX	\$XXX.XX
715643	#8702 SOFTC; LAB STOOL; W/FOOTRING AND BACK; FLAT TOP ALUMINUM BASE W/BLACK TOE CAPS; "D" RING HEIGHT ADJUSTMENT 23" - 33" FROM FLOOR. **SELECT VINYL COLOR: PEARL; PUTTY, TAUPE, GRAY, WARM GRAY, BLACK, TERRA ROSE, MONET, ROYAL RUBY, PORT, GRAPE, LAVENDER, BLUE, WEDGE WOOD, JADE, GROTTO, EMERALD, OR PURPLE	M7	HASSOC MEDICAL Model #: 8702/SOFT C	1	\$XXX.XX	\$XXX.XX
715758	#6600-0407-900 WARMER, INFANT 4400 \$11,076, 6600-0549-800 SHELF \$425, 0217-5378-800 IV POLE 12" DUAL \$148.75, 6600-0208-902 BED SCALE \$2,545.75, 0217-5374-800 UTIL PST 3.5"X1" \$119, 0217-5376-800 UTIL PST 20"X1" \$242.25, 6600-0414-800 PWR. STRIP \$165.75, 6721-1251-808 INTER/CONT SUC W/DISS-HIT, ADAPT, TRAP & MANIF. BKT. \$534.95, 6700-0458-805 VAC. HOSE ASSY. HIT 8' \$60.00, 0217-5367-800 SLIDE BKT. \$79.80, 0217-5377-800 MANOMETER W/MAN \$233.75, 0217-5359-800 UNV. BRKT. \$85, 6700-0458-804 HOSE \$75, 6600-0220-900 ZEE FRM \$93.50 COLOR:	M0	GE HEALTHCARE DATEX Model #: 6600-0407-900	1	\$XXX.XX	\$XXX.XX
716030	#OPC6527; BABYLOG VENTILATOR RESP DRAGER BABYLOG 8000 PRE-T(#OPC6527;\$18,938.25) BUTTON BATTERY 12 V 17H(#1843303;\$78.81EA X2) FLOW SENSOR HOUSING LIGHT(#8411130;\$96.56) MODIFICATION KIT PSV/VG(#OPC0854;\$0.00) TEST LUNG CPL INFANT (#8408742;\$31.95) O2 SENSOR(#6850645;\$128.88) KIT FILTER O2(#8414702;\$130.64) KIT FILTER AIR(#8414703;\$130.64) TROLLEY BABLOG 8000-97(#8418097;\$697.68) SOFTWARE KIT 5 BL8000(#OPC0848;\$0.00) ADAPTER DISS O2(#M34875;\$40.46) ADAPTER DISS AIR(#M32370;\$60.78) MOUNTING BRACKET F&P(#MP01002;\$108)	M0	DRAEGER MEDICAL, INC Model #: OPC6527	1	\$XXX.XX	\$XXX.XX
717173	#4956P15768; IV STAND 6 HOOKS, FOOT OPERATED. ADJUSTED 68"-108", HEAVY, TIP RESISTANT, SS, 5 CASTERS (PEDIGO)	M0	KERMA MEDICAL Model #: 4956P15768	2	\$XXX.XX	\$XXX.XX
717546	** PUMP IS ON FDA HOLD *** COLEAGUE CX3 (COLOR) TRIPLE PUMP MODEL 2M8163 W/GUARDIAN TECHNOLOGY OF RATE AND DOSE LIMITS; W/OCCCLUSION ALARMS	M0	BAXTER - I.V. SYSTEMS DIV. Model #: 2M8163	1	\$XXX.XX	\$XXX.XX
719814	BIO-2001, O2 BLENDER	M0	CARDINAL RESPIRATORY Model #: BIO-2001	1	\$XXX.XX	\$XXX.XX
719815	BIO-2008, HOSE KIT O2 AND AIR, FOR O2 BLENDER	M0	CARDINAL RESPIRATORY Model #: BIO-2008	1	\$XXX.XX	\$XXX.XX

000394

Date: 8/7/2008

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB
DEPT: 185-NURSERY
SPACE: 4612-NURSERY LEVEL III PER BED

Page: 221
04:13 PM

Item	Description	Class	Vendor	Qty	Price	Extd Price
720185	FM0300H, 0-3LPM NEONATAL O2 FLOWMETER W/OHMEDA QUICK CONNECT	M0	CARDINAL RESPIRATORY Model #: FM0300H	1	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space: \$XXX.XX
1 Occurances Of This Type Space Included In The Budget Totaling: \$XXX.XX

000395

RECORD 004859

Date: 8/7/2008

HCA - The Healthcare Company**DCEE PROJECTS****GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB**DEPT: 185-NURSERY
SPACE: 4615-BASSINETPage: 222
04:13 PM

Item	Description	Class	Vendor	Qty	Price	Extd Price
713796	#5M877; WASTE-CAN; 18 GAL; STEP-ON, 19 3/4"X16 1/8"X 26 1/6"H, COLOR: BEIGE (#5M877; \$57.47) AND RIGID LINER; 18"L X 22" H X12 1/4" W; COLOR: GRAY; FOR OILY WASTE CONTAINERS (#5M891; \$18.72) FM-CALIFORNIA STATE FIRE MARSHALL APPROVED FOR FIRE SAFETY. (MANF. RUBBERMAID; #6145 & #6245)	M0	GRAINGER Model #: 5M877/5M891	1	\$XXX.XX	\$XXX.XX
719399	#47347028X21; MATTRESS 2" FLAME RETARDENT, 26"L X 12 1/2"W X 2"H. (NK MEDICAL)	M0	KERMA MEDICAL Model #: 47347028X21	1	\$XXX.XX	\$XXX.XX
719400	#473469576X1; BASKET; CLEAR 28"L X 14"W X 9"H (NK MEDICAL)	M0	KERMA MEDICAL Model #: 473469576X1	1	\$XXX.XX	\$XXX.XX
721092	#47347028X12; BASSINET STAINLESS STEEL W/ CLOSED CABINET & DOORS. 31"L X 17"W X 38 1/4"H, (NO BASKET OR PAD) (NK MEDICAL)	M0	KERMA MEDICAL Model #: 47347028X12	1	\$XXX.XX	\$XXX.XX
722635	#6701-1267-921; FLOWMETER, AIR DISS W/ NUT & GLAND, DIA ADAPTER FM, A (A Model #: 6701-1267-921 DS)	M0	OHIO MEDICAL Model #: 6701-1267-921	1	\$XXX.XX	\$XXX.XX
722651	#6701-1260-921; FLOWMETER, OXYGEN, W/ DISS OUTLET, NUT & GLAND, DIA ADAPTER	M4	OHIO MEDICAL Model #: 6701-1260-921	1	\$XXX.XX	\$XXX.XX
722684	#8701-1251-908; SUCTION INTERM & CONT. CONTINUOUS DIAMOND ADAPTER SAFETY TRAP SUCTION UNITL ISU, DIA, DS TR WG	M0	OHIO MEDICAL Model #: 8701-1251-908	1	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space: \$XXX.XX
 9 Occurances Of This Type Space Included In The Budget Totaling: \$XXX.XX

000396

Date: 6/7/2008

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB
 DEPT: 185-NURSERY
 SPACE: 4630-NURSES STATION

Page: 223
04:13 PM

Item	Description	Class	Vendor	Qty	Price	Extd Price
061821	#7000-21; CARD POCKET, VISITRAY, 21 CAP, 8"x5" FORMS, DOUBLE-LIP POCKETS, 14-1/2" L X 9-13/16" W X 1-3/16" THICK. COLOR TO BE SELECTED AT ORDER	M4	CARSTENS Model #: 7000-21	2	\$XXX.XX	\$XXX.XX
073499	#4535331DW, CRITERION HIGH BACK CHAIR PNEUMATIC HEIGHT ADJUSTABLE SEAT DEPTH, SOFT CASTERS, FABRIC: CANZONE STANDARD FINISH SOIL RETARDANT	M0	INTERIOR DESIGN Model #: 4535331DW	3	\$XXX.XX	\$XXX.XX
073655	#620-02; CHART CADDYS CUSTOMLINE ROTO CHART CADDY FLOOR MODEL W/4 LOCKING CARPET CASTERS, 20 CAPACITY, FOR TOP OPENING CHARTS	M0	CARSTENS Model #: 620-02	1	\$XXX.XX	\$XXX.XX
073765	#1572-00; CHARTHOLDERS ANODIZED ALUMINUM TOP-OPENING SPRINGLOADED CHARTHOLDERS 9"x12" 1/2" CAPACITY (100 SHEETS)	M4	CARSTENS Model #: 1572-00	20	\$XXX.XX	\$XXX.XX
073770	#1610-01; CHARTHOLDER ACCESSORIES E-Z VIEW BRACKET, FOR TOP-OPENING SPRINGLOADED CHARTHOLDERS; SS. FACTORY RIVETED	M4	CARSTENS Model #: 1610-01	20	\$XXX.XX	\$XXX.XX
175545	#MDS80529; HAMPER STAND CHROME, SQUARE WITH FOOT PEDAL OPERATED METAL LID (LID COLOR-WHITE), 18 5/8"W X 19 1/2"D X 37 3/4"H, 4 LID LABELS (BIOHAZARD, SOILED LINEN, INFECTIOUS LINEN, & TRASH)	M4	MEDLINE INDUSTRIES, INC. Model #: MDS80529	1	\$XXX.XX	\$XXX.XX
634221	#2180CX01EE; THERMOMETER, FAST ELECTRONIC TURBOTEMP PACKAGE INCLUDES THERMOMETER UNIT, THREE AA BATTERIES, ELECTRONIC SECURITY BASE, ORAL AND RECTAL PROBES AND PROBE COVER WALL BRACKET DISPENSER. DUAL PROBE UNIT. ONE YEAR WARRANTY	M0	CARDINAL HEALTH ALARIS Model #: 2180CX01EE	1	\$XXX.XX	\$XXX.XX
648790	***USE ITEM #724677***#31442-060; TRANSILLUMINATOR HALOGEN W/COBALT BL FILTER #41101	M4	CARDINAL HEALTH, & Model #: 31442-060	1	\$XXX.XX	\$XXX.XX
706811	#PBL-PC-9A; PREMIER BROSELOW CART, COMPLETE W/MODULES, ALUMINUM, 32 3/4"W X 25"D X 45 1/2"H	M0	ARMSTRONG MEDICAL IND. Model #: PBL-PC-9A	1	\$XXX.XX	\$XXX.XX
714707	#LIFEPAK 12; BIPHASIC DEFIB/MONITOR, (#99400-000372; \$9,158.83) INCLUDES PACING, AED, EL SCREEN, PRINTER, ECG CABLE, QUIK-COMBO CABLE, 2 SETS QUIK-COMBO ELECTRODES, OPERATING INSTRUCTIONS. INCLUDES OPTIONS: AC POWER ADAPTER (#11400-000038; \$675.02), TWO LIFEPAK SLA BATTERIES (#11141-000028; QTY. 2 \$154.29 EA.=\$308.58), LP12 HOSPITAL CONFIG	M0	MEDTRONIC EMERGENCY Model #: 99400-000372-	1	\$XXX.XX	\$XXX.XX

000397

Date: 8/7/2008

HCA - The Healthcare Company

DCEE PROJECTS

GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB

DEPT: 185-NURSERY

SPACE: 4630-NURSES STATION

Page: 224
04:13 PM

Item	Description	Class	Vendor	Qty	Price	Extd Price
715617	#AE6975; SUCTION S-CORT PORTABLE (DUET), INCLUDES BOTH BATTERY AND PLUG-IN OPERATION	M0	ARMSTRONG MEDICAL IND. Model #: AE6975	1	\$XXX.XX	\$XXX.XX
718528	#5M744; WASTE-CAN 28 QT RECTANGULAR FIRE RESISTANT (UNDERWRITES LABORATORY) 14.5" X 10.5" X 15.38"; COLOR GRAY; 1 EACH W/O LID(RUBBERMAID 2543) *PRODUCT SET UP TO ORDER IN INCREMENTS OF 1/EA PER KEVIN KOLFF, NAT. REP. ON 10/4/04	M0	GRAINGER Model #: 5M744	3	\$XXX.XX	\$XXX.XX
721095	INTUBATION EQUIPMENT**NEED FORMAL QUOTE - BUDGET ONLY!!** INCLUDES: LARYNGOSCOPE HANDLES, BLADES & MCGILL FORCEPTS. *** FOR BUDGETING ONLY - MUST GET QUOTE *** (RAUSCH OR WELCH ALLYN)	M0	KERMA MEDICAL Model #: INTUBATION	1	\$XXX.XX	\$XXX.XX
721337	#B800; BILICHECK SYSTEM W/2 PKG DISPOSABLE TIPS (10/PKG) #800-10 (\$3,995); CHARGER BASE #H100-0800-21 (\$350); BATTERY PACK (2 RECHARGEABLE) #H130-0800-20 (\$60); 1 YR WARRANTY	M0	RESPIRONICS Model #: B800	1	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space:

\$XXX.XX

1 Occurances Of This Type Space Included In The Budget Totaling:

\$XXX.XX

000398

Date: 8/7/2008

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB
DEPT: 185-NURSERY
SPACE: 4650-SOILED UTILITY

Page: 225
04:13 PM

Item	Description	Class	Vendor	Qty	Price	Extd Price
175545	#MDS80529; HAMPER STAND CHROME, SQUARE WITH FOOT PEDAL OPERATED METAL LID (LID COLOR-WHITE), 18 5/8"W X 19 1/2"D X 37 3/4"H, 4 LID LABELS (BIOHAZARD, SOILED LINEN, INFECTIOUS LINEN, & TRASH)	M4 Model #:	MEDLINE INDUSTRIES, INC. MDS80529	1	\$XXX.XX	\$XXX.XX
715985	#73055-2PR; BULK TRUCK, REGRIND, 48 CU.FT. CAPACITY, 48"L X 28 1/2"W X 66 1/2"H	M0 Model #:	TINGUE BROWN & CO. 3055-72PR	2	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space:

\$XXX.XX

1 Occurances Of This Type Space Included In The Budget Totaling:

\$XXX.XX

000399

RECORD 004863

Date: 8/7/2008

HCA - The Healthcare Company

DCEE PROJECTS

GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB

DEPT: 185-NURSERY

SPACE: 4660-STORAGE ROOM

Page: 226
04:13 PM

Item	Description	Class	Vendor	Qty	Price	Extd Price
510303	#SSUKIT0207; SHELVING, STORAGE STARTER, 36 X 18 X 75 WITH 6 SHELVES INCLUDING FOOT PLATES **MUST SELECT COLOR: GRAY OR TAN **	M0	STORAGE SYSTEMS, INC. Model #: SSUKIT0207	1	\$XXX.XX	\$XXX.XX
510304	#SSUKIT0206; SHELVING, STORAGE STARTER 36 X 18 X 75 WITH 6 SHELVES, INCLUDING FOOT PLATES	M0	STORAGE SYSTEMS, INC. Model #: SSUKIT0206	1	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space: \$XXX.XX

1 Occurances Of This Type Space Included In The Budget Totaling: \$XXX.XX

000400

Date: 8/7/2008

HCA - The Healthcare Company

Page: 227

DCEE PROJECTS

04:13 PM

GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB

DEPT: 185-NURSERY

SPACE: 4690-TOILET

Item	Description	Class	Vendor	Qty	Price	Extd Price
718528	#5M744; WASTE-CAN 28 QT RECTANGULAR FIRE RESISTANT (UNDERWRITES LABORATORY) 14.5" X 10.5" X 15.38"; COLOR GRAY; 1 EACH W/O LID(RUBBERMAID 2543) *PRODUCT SET UP TO ORDER IN INCREMENTS OF 1/EA PER KEVIN KOLFF, NAT. REP. ON 10/4/04	M0	GRAINGER Model #: 5M744	1	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space:

\$XXX.XX

1 Occurances Of This Type Space Included In The Budget Totaling:

\$XXX.XX

000401

Date: 8/7/2008

HCA - The Healthcare Company

Page: 228

04:13 PM

DCEE PROJECTS

GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB

DEPT: 185-NURSERY

SPACE: 9105-LACATION/BREAST ROOM

Item	Description	Class	Vendor	Qty	Price	Extd Price
070776	#15-5132; TRADITIONAL ROCKER, ***CHOOSE WOOD FINISH: LIGHT OAK, MED. OAK, WILD CHERRY, MONTANA WALNUT, NATURAL MAPLE, HONEY MAPLE, COLONIAL CHERRY OR DARK CHERRY. ***SELECT UPHOLSTERY:	M0	HILL ROM COMPANY, INC Model #: 15-5132	2	\$XXX.XX	\$XXX.XX
713798	#5M875; WASTE-CAN; 8 GAL; STEP-ON; BEIGE FM-CALIFORNIA STATE FIRE MARSHALL APPROVED FOR FIRE SAFETY. RUBBERMAID # 6143, 15 3/4"W X 17 1/8"H X 16 1/4"L. COLOR: BEIGE	M0	GRAINGER Model #: 5M875	2	\$XXX.XX	\$XXX.XX
719652	#016SC01; LACTINA SELECT BREASTPUMP, 3 YEAR WARRANTY, ADJUSTABLE PUMPING SPPED & VACUUM AUROCYCCE NURSING ACTION ALSO OPERATES BY BATTERY OR VEHICLE LIGHTING WITH THE OPTION POWERPAK. 10"X10 1/2"X17 3/4"; 10 LBS; 1 PER CASE.	M0	MEDELA Model #: 016SC01	2	\$XXX.XX	\$XXX.XX
719653	#6000291; LACTINA TROLLEY TABLE; 5 WHEELS STAND, INCLUDES HOLDER FOR DOUBLE PUMPING	M0	MEDELA Model #: 6000291	2	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space:

\$XXX.XX

1 Occurances Of This Type Space Included In The Budget Totalling:

\$XXX.XX

000402

Date: 8/7/2008

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB
DEPT: 185-NURSERY
SPACE: 9105-LACATION/BREAST ROOM

Page: 229
 04:13 PM

Item	Description	Class	Vendor	Qty	Price	Extd Price

000403

Date: 8/7/2008

HCA - The Healthcare CompanyPage: 230
04:13 PM**DCEE PROJECTS****GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB**DEPT: 190-OBSTETRICS
SPACE: 4810-ALCOVE

Item	Description	Class	Vendor	Qty	Price	Extd Price
709712	#MDS806800; WHEELCHAIR, EXTRA-WIDE, 22" WIDE, 350 LB CAPACITY W/REMOVABLE DESK LENGTH ARMS, SWINGAWAY DETACHABLE FOOTRESTS. COLOR: NAVY	M0	MEDLINE INDUSTRIES, INC. Model #: MDS806800	3	\$XXX.XX	\$XXX.XX
715765	#MDS85190; IV/O2 TANK HOLDER FOR WHEELCHAIR	M0	MEDLINE INDUSTRIES, INC. Model #: MDS85190	4	\$XXX.XX	\$XXX.XX
715888	***USE ITEM # 723561***#MDS809575, WHEELCHAIR, Bariatric, THE SHUTTLE, 26" WIDE, 700LB CAPACITY, REMOVABLE DESK LENGTH ARMS, SWING-AWAY DETACHABLE ELEVATING LEGRESTS. COLOR: BLACK	M0	MEDLINE INDUSTRIES, INC. Model #: MDS809575	1	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space: \$XXX.XX
 2 Occurances Of This Type Space Included In The Budget Totaling: \$XXX.XX

000404

Date: 8/7/2008

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB
DEPT: 190-OBSTETRICS
SPACE: 4820-ANESTHESIA STORAGE

Page: 231
04:13 PM

Item	Description	Class	Vendor	Qty	Price	Extd Price
510346	#SSUKIT0058; SHELVING, WIRE W/CASTERS 36 X 18 X 74, 5 SHELVES (METRO)	M7	STORAGE SYSTEMS, INC. Model #: SSUKIT0058	4	\$XXX.XX	\$XXX.XX
707956	#SSUKIT0273; LOUVERED PANEL; 36"W X 18"H WITH BINS (METRO)	M7	STORAGE SYSTEMS, INC. Model #: SSUKIT0273	12	\$XXX.XX	\$XXX.XX
719744	#APB AA 5; 24" 5 DRW CART; PUSH BUTTOM LOCK; DRAWER SETUP: 3" (3), 6" , 9" , COLOR: BEIGE/DARK BLUE	M0	ARMSTRONG MEDICAL IND. Model #: APB AA 5	2	\$XXX.XX	\$XXX.XX
719745	#ASB-IN; SHARPS CONTAINER BRACKET	M0	ARMSTRONG MEDICAL IND. Model #: ASB-IN	2	\$XXX.XX	\$XXX.XX
719746	#APT-2; PLASTIC TOP	M0	ARMSTRONG MEDICAL IND. Model #: APT-2	2	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space: \$XXX.XX
1 Occurances Of This Type Space Included In The Budget Totaling: \$XXX.XX

000405

Date: 8/7/2008

HCA - The Healthcare Company

DCEE PROJECTS

GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB

DEPT: 190-OBSTETRICS

SPACE: 4856-LDR W/LIBERTY HILL FURNITURE

Page: 232
04:13 PM

Item	Description	Class	Vendor	Qty	Price	Extd Price
020093	ARTWORK	M0	AMERICAN ART RESOURCES Model #: ARTWORK	2	\$XXX.XX	\$XXX.XX
035415	****DUPLICATE USE 000256***P15130 TABLE, DROP LEAF, 29"H X 30"D WHEN LEAF IS UP 15" LEAFDOWN; FINISH: P15130XCON999	M0	HILL ROM COMPANY, INC Model #: P15130	1	\$XXX.XX	\$XXX.XX
035422	#P3612EC; 2" COMFORT PAD, FIRE CODED, FOR AFFINITY BIRTHING BED, 34 X 88	M0	HILL ROM COMPANY, INC Model #: P3612EC	1	\$XXX.XX	\$XXX.XX
070776	#15-5132; TRADITIONAL ROCKER, ***CHOOSE WOOD FINISH: LIGHT OAK, MED. OAK, WILD CHERRY, MONTANA WALNUT, NATURAL MAPLE, HONEY MAPLE, COLONIAL CHERRY OR DARK CHERRY. ***SELECT UPHOLSTERY:	M0	HILL ROM COMPANY, INC Model #: 15-5132	1	\$XXX.XX	\$XXX.XX
070852	#K9131/LIB-420; ENTERTAINMENT CENTER LIBERTY HILL, WSINGLE WARDROBE (RIGHT SIDE FACING) ***CHOOSE WOOD FINISH: LIGHT OAK, MED. OAK, WILD CHERRY, MONTANA WALNUT, NATURAL MAPLE, HONEY MAPLE, COLONIAL CHERRY OR DARK CHERRY.	M0	HILL ROM COMPANY, INC. Model #: K9131/LIB420	1	\$XXX.XX	\$XXX.XX
071390	#P120VIS-100; CHAIR SIDE W/O ARMS, STRAIGHT LEG. ***CHOOSE WOOD FINISH: LIGHT OAK, MED. OAK, WILD CHERRY, MONTANA WALNUT, NATURAL MAPLE, HONEY MAPLE, COLONIAL CHERRY OR DARK CHERRY. ***SELECT VINYL	M0	HILL ROM COMPANY, INC Model #: P120VIS-100	2	\$XXX.XX	\$XXX.XX
097857	CUBICLE CURTAIN, SHOWER CURTAIN & WINDOW TREATMENT *** REQUIRES QUOTE *****	M0	STANDARD TEXTILE Model #: CUBICLE/WINDOW	1	\$XXX.XX	\$XXX.XX
113902	MATERNAL/FETAL MONITOR, #259; W/INTEGRATED MATERNAL ECG, PULSE OX &NIBP; DUAL US TRANSDUCER; FECG; TOCO TRANSDUCER; EVENT MARKER; ALL CABLES & ACCESSORIES *** REQUIRE QUOTE ***	M0	GE HEALTHCARE IT Model #: 259	1	\$XXX.XX	\$XXX.XX
125000	**USE ITEM #722635**#6701-1267-921; AIR FLOWMETER, DISS W/ NUT & GLAND, DIA ADAPTER FM, A (A DS)	M4	GE HEALTHCARE DATEX Model #: 6701-1267-921	2	\$XXX.XX	\$XXX.XX
125100	**USE ITEM #722651**#6701-1260-921; OXYGEN FLOWMETER, W/DISS OUTLET, NUT & GLAND, DIA ADAPTER	M4	GE HEALTHCARE DATEX Model #: 6701-1260-921	2	\$XXX.XX	\$XXX.XX
175545	#MDS80529; HAMPER STAND CHROME, SQUARE WITH FOOT PEDAL OPERATED METAL LID (LID COLOR-WHITE), 18 5/8"W X 19 1/2"D X 37 3/4"H, 4 LID LABELS (BIOHAZARD, SOILED LINEN, INFECTIOUS LINEN, & TRASH)	M4	MEDLINE INDUSTRIES, INC. Model #: MDS80529	1	\$XXX.XX	\$XXX.XX

000406

RECORD 004870

Date: 8/7/2008

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB

Page: 233
04:13 PM

DEPT: 190-OBSTETRICS
 SPACE: 4856-LDR W/LIBERTY HILL FURNITURE

Item	Description	Class	Vendor	Qty	Price	Extd Price
325166	#AS7006000006003; LIGHT, DUAL BIRTHING LD202; 2X2 SQUARE LIGHT HEADS, 20" MINIMUM ABOVE CEILING CLEARANCE (INCLUDES VARIABLE INTENSITY CONTROL)	M0	STERIS/AMSCO PRODUCTS Model #: AS7006000006003	1	\$XXX.XX	\$XXX.XX
560030	**USE ITEM #722664** #6701-1251-908 - SUCTION INTERMITTENT/CONT. DIAM ADAPTER SAFETY TRAP SUCTION UNIT; ISU, DIA, DS TR WG	M0	GE HEALTHCARE DATEX Model #: 6701-1251-908	2	\$XXX.XX	\$XXX.XX
613020	#P600/OBT-230; TABLE, OVERBED PATIENTMATE 632 W/VANITY MIRROR TOP TRAY FOODTRAY & STG COMPARTMENT ***CHOOSE LAMINATE: ROK-LIGHT OAK, MOK-MEDIUM OAK, 734-NATURAL MAPLE, WVN9-HONEY MAPLE, 705-WILD CHERRY, 935-SHAKER CHERRY, 084-DARK CHERRY, 70T-MONTANA WALNUT, 293-ALMOND LEATHER, 655-NATURAL LEGACY, 157-ANTIQUE WHITE, 462-WHITE NEBULA, M07-LIGHT NEUTRAL ***CHOOSE BASE TYPE: STANDARD K OR LOW K	M0	HILL ROM COMPANY, INC Model #: P600/OBT-230	1	\$XXX.XX	\$XXX.XX
706335	#P15116LIB; CASE CART LIBERTYHILL	M0	HILL ROM COMPANY, INC Model #: P15116LIB	1	\$XXX.XX	\$XXX.XX
706351	#K9147LIB-400; ENTERTAINMENT CTR. LIBERTYHILL WITH POCKET DOORS. ***CHOOSE WOOD FINISH: LIGHT OAK, MED. OAK, WILD CHERRY, MONTANA WALNUT, NATURAL MAPLE, HONEY MAPLE, COLONIAL CHERRY OR DARK CHERRY.	M0	HILL ROM COMPANY, INC Model #: K9147LIB-400	1	\$XXX.XX	\$XXX.XX
707446	#P1505LIB; BIRTHING MIRROR - LIBERTY HILL STYLE ***CHOOSE WOOD FINISH: LIGHT OAK, MED. OAK, WILD CHERRY, MONTANA WALNUT, NATURAL MAPLE, HONEY MAPLE, COLONIAL CHERRY OR DARK CHERRY.	M0	HILL ROM COMPANY, INC Model #: P1505LIB	1	\$XXX.XX	\$XXX.XX
706920	RESUSCITARE LDR WARMER W/CART- INCLUDES: P82BRWR-1, BRW RESUSCITARE, RM2001(\$6,765.50); 8200152 MONITOR SHELF ASSY; 8200153 IV POLE ASSY; 8100654 INSERT, MODIFIED, RW BRW; 820055031M CART ASSEMBLY BRW, (\$2,870). FINISH:	M0	DRAGER -AIR SHIELDS Model #: P82BRWR-1WCART	1	\$XXX.XX	\$XXX.XX
709343	*****DISCONTINUED***** #P1596; RACK QUILT	M0	HILL ROM COMPANY, INC Model #: P1596	1	\$XXX.XX	\$XXX.XX
709716	#155431; CUSHION SET, TRADITIONAL INCLUDES SEAT & BACK. SELECT VINYL:	M0	HILL ROM COMPANY, INC Model #: 155431	1	\$XXX.XX	\$XXX.XX
713773	#5M745; WASTE-CAN; 40 QT 40 QT. (10 GAL) FIRE RESISTANT (UL) #EA-2544 BEIGE; (RUBBERMAID 2544), 15"L X 11 1/4"W X 20"H	M0	GRAINGER Model #: 5M745	2	\$XXX.XX	\$XXX.XX

000407

Date: 8/7/2008

HCA - The Healthcare Company

Page: 234

04:13 PM

DCEE PROJECTS

GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB

DEPT: 190-OBSTETRICS

SPACE: 4856-LDR W/LIBERTY HILL FURNITURE

Item	Description	Class	Vendor	Qty	Price	Extd Price
713796	#5M877; WASTE-CAN; 18 GAL; STEP-ON, 19 3/4"X16 1/8"X 26 1/6"H, COLOR: BEIGE (#5M877; \$57.47) AND RIGID LINER; 18"L X 22" H X12 1/4" W; COLOR: GRAY; FOR OILY WASTE CONTAINERS (#5M891; \$18.72) FM-CALIFORNIA STATE FIRE MARSHALL APPROVED FOR FIRE SAFETY. (MANF. RUBBERMAID; #6145 & #6245)	M0	GRAINGER Model #: 5M877/5M891	1	\$XXX.XX	\$XXX.XX
715004	***USE ITEM # 709441*** I.V. PUMP, DUAL CHANNEL, FLO-GUARD 6301. MODEL #2M8064	M0	BAXTER - I.V. SYSTEMS DIV. Model #: 2M8064	1	\$XXX.XX	\$XXX.XX
715124	#P3769-112; BED, ACCESSORY SIDECOM COMMUNICATION RECEPTACLE KIT; 12' LENGTH CABLE, INCLUDES LOW VOLTAGE LIGHTING CONTROLLER W/ 5-GANG S/S FACEPLATE (110V)	M0	HILL ROM COMPANY, INC Model #: P3769-112	1	\$XXX.XX	\$XXX.XX
715349	#P127LIB; MONITOR CART, DATA MANAGEMENT, PERINATAL (FOR FETAL MONITOR) ***SELECT STYLE: LIBERTY HILL, FREEDOM HILL OR CONTEMPORARY ***CHOOSE HLP FOR TOP: ROK-LIGHT OAK, MOK-MEDIUM OAK, 734-NATURAL MAPLE, WN9-HONEY MAPLE, 705-WILD CHERRY, 935-SHAKER CHERRY, 084-DARK CHERRY, 70T-MONTANA WALNUT, 293-ALMOND LEATHER, 655-NATURAL LEGACY, 157-ANTIQUE WHITE, 462-WHITE NEBULA, OR M07-LIGHT NEUTRAL ***CHOOSE WOOD FINISH: LIGHT OAK, MED. OAK, WILD CHERRY, MONTANA WALNUT, NATURAL MAPLE, HONEY MAPLE, COLONIAL CHERRY OR DARK CHERRY	M0	HILL ROM COMPANY, INC Model #: P127LIB	1	\$XXX.XX	\$XXX.XX
715574	#H262-76SA, DAYBED WITH ARMS, 82"W X 35"D X 33"H. STANDARD WOOD FINISH, GRADE 8 FABRIC, METAL CONSTRUCTION, (BRAYTON)	M0	INTERIOR DESIGN Model #: H262-76SA	1	\$XXX.XX	\$XXX.XX
715642	#9702; PHYSICIAN'S STOOL (SOFT CASTERS), NO BACK, FLAT TOP ALUMINUM BASE W/BLACK TOE CAPS; "D" RING HEIGHT ADJUSTMENT 17" - 22" FROM FLOOR, ***SELECT VINYL COLOR: PEARL, PUTTY, TAUPE, GRAY, WARM GRAY, BLACK, TERRA ROSE, MONET, ROYAL RUBY, PORT, GRAPE, LAVENDER, BLUE, WEDGE WOOD, JADE, GROTTO, EMERALD, OR PURPLE	M7	HASSOC MEDICAL Model #: 9702/SOFT C	1	\$XXX.XX	\$XXX.XX
720214	#115/#205; HEX-BASE IV STAND (\$370.40), INCLUDES AS STD: 4 HOOK TOP, 6 LEGS W/3" PREIUM RUBBER CASTERS, 22" DIAMETER - WEIGHTED BASE, #217 PATIENT SUPPORT WHEEL, #218 SNAP-IN TRAY; #205 4-OUTLET ELECTRICAL STRIP (\$155.23). *****PRICE LISTED IS FOR 1-10 UNITS - ADDITIONAL DISCOUNTS GIVEN FOR 10-30, 30-50 & 50-100 UNITS. *****	M0	PRYOR Model #: 115/205	1	\$XXX.XX	\$XXX.XX

000408

Date: 8/7/2008

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB

Page: 235
04:13 PM

DEPT: 190-OBSTETRICS
 SPACE: 4856-LDR W/LIBERTY HILL FURNITURE

Item	Description	Class	Vendor	Qty	Price	Extd Price
721048	#AF550; AFFINITY 4 BIRTHING, (\$9,332.37) CONSIST OF: P3700 -AF550 PKG W/ STRAIGHT CUT FRAME, LIFT OFF FOOT SECTION; P3614EE AIR MATTRESS, STRAIGHT CUT; P3617 CONTEMPORARY HEADBOARD; P7832 3 PACK DELIVERY DRAPES; P2217 IV POLE; P3627C HEAD SECTION SLIP COVER STRAIGHT; WITH P3704 CALF SUPPORT(\$644.08); HEADBOARD FINISH:	M0	HILL ROM COMPANY, INC Model #: AF550	1	\$XXX.XX	\$XXX.XX
721301	#SLP-732; 375 SLEEPER CHAIR W/SLP732 PACKAGE. 32" WIDE. ***CHOOSE WOOD FINISH: LIGHT OAK, MED. OAK, WILD CHERRY, MONTANA WALNUT, NATURAL MAPLE, HONEY-MAPLE, COLONIAL CHERRY OR DARK CHERRY. ***SELECT VINYL:	M0	HILL ROM COMPANY, INC Model #: SLP-732	1	\$XXX.XX	\$XXX.XX
722975	#P141211178; LD202 SINGLE WALL CONTROL. **NO SPEC**	M0	STERIS/AMSCO PRODUCTS Model #: P141211178	1	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space: \$XXX.XX
 6 Occurances Of This Type Space Included In The Budget Totalling: \$XXX.XX

000409

Date: 8/7/2008

HCA - The Healthcare Company**DCEE PROJECTS****GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Comer, SC
10000RB****DEPT: 190-OBSTETRICS****SPACE: 4857-DELIVERY/SECTION ROOM**Page: 236
04:13 PM

Item	Description	Class	Vendor	Qty	Price	Extd Price
000257	#HL-90; WARMER, BLOOD/FLUID "HOT-LINE" (INFUSION SYSTEM NOT INCLUDED)	M4	SMITHS MEDICAL ASD, INC Model #: HL-90	1	\$XXX.XX	\$XXX.XX
061419	#BAC-27-PB; CART ANESTHESIA (BLUE) OR #CHCA-655-PB-13 (VANILLA). 6- DRAWER DELUXE STATION WITH #CPB-1 COMBINATION PUSH BUTTON LOCK AND ACCESSORIES. CHOOSE COLOR: BLUE (#04099) OR VANILLA (#04299)	M0	BLUE BELL BIO MEDICAL Model #: BAC-27-PB	1	\$XXX.XX	\$XXX.XX
113902	MATERNAL/FETAL MONITOR, #259; W/INTEGRATED MATERNAL ECG, PULSE OX & NIBP; DUAL US TRANSDUCER; FECG; TOCO TRANSDUCER; EVENT MARKER; ALL CABLES & ACCESSORIES *** REQUIRE QUOTE ***	M0	GE HEALTHCARE IT Model #: 259	1	\$XXX.XX	\$XXX.XX
175545	#MDS80529; HAMPER STAND CHROME, SQUARE WITH FOOT PEDAL OPERATED METAL LID (LID COLOR-WHITE), 18 5/8"W X 19 1/2"D X 37 3/4"H, 4 LID LABELS (BIOHAZARD, SOILED LINEN, INFECTIOUS LINEN, & TRASH)	M4	MEDLINE INDUSTRIES, INC. Model #: MDS80529	2	\$XXX.XX	\$XXX.XX
212817	#6600-0055-851 - HOSE RET. CLIP PKG OF 6	M4	GE HEALTHCARE DATEX Model #: 6600-0055-851	2	\$XXX.XX	\$XXX.XX
363250	#M8004A, A06; MONITOR, INTELLIVUE MP50 W/ANESTHESIA SOFTWARE, 6 WAVE COLOR TOUCH FLAT DISPLAY. INCLUDES: ECG, RE SP, TEMP, NBP, SP02, PRESS X2, ETCO2, ANESTHESIA GAS MODULE, RECORDER DRUG CAL, ALL CABLES (\$24,967) & ESTIMATED INSTALLATION @ 10% (\$3,587)	M0	PHILIPS MED SYS INC Model #: M8004A, A06	1	\$XXX.XX	\$XXX.XX
560121	**USE ITEM #722692**#6711-1247-914 -STAND, THERAPY MULTIPURPOSE (MPTS), HIGH SURGICAL FREE-FLOW SUCTION REGULATOR, OVERFLOW SAFETY TRAP, S/F- F 700 90NP TR MPTS W/AGC	M0	GE HEALTHCARE DATEX Model #: 6711-1247-914	2	\$XXX.XX	\$XXX.XX
706763	1009-9002-000-S/5 AVANCE ANESTHESIA MACHINE W/2 VAPORS; W/FLAT PANEL DISPLAY MOUNT INTEGRATION KIT; ANES GAS MONITOR. (REQUIRES QUOTE)	M0	GE HEALTHCARE DATEX Model #: 1009-9002-00	1	\$XXX.XX	\$XXX.XX
707080	#ST010201; SURGICAL TABLE 3085SP, ELECTRIC-POWERED, IA COMPATIBLE. TABLE-TOP W/2' TABLETOP PADS, 120VOLT. (IF REMOVABLE X-RAY TOPS ARE NEEDED ORDER ITEM #594001)	M0	STERIS/AMSCO PRODUCTS Model #: ST010201	1	\$XXX.XX	\$XXX.XX
707151	RESUSCITAIRE RADIANT INFANT WARMER K82. WITH RESUSCITATION PKG (O2 & SUCTION); VARIABLE HEIGHT ADJ.; IV POLE; SHELF; PASS-THROUGH DRAWER; LOCKING CASTERS	M0	DRAGER -AIR SHIELDS Model #: K82	1	\$XXX.XX	\$XXX.XX

000410

Date: 8/7/2008

HCA - The Healthcare Company

Page: 238

DCEE PROJECTS

04:13 PM

**GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB**

DEPT: 190-OBSTETRICS

SPACE: 4857-DELIVERY/SECTION ROOM

Item	Description	Class	Vendor	Qty	Price	Extd Price
716551	#BF413; STANDARD ACCESSORY PACKAGE W/ 3" ARMBOARD PAD AND STD LENGTH STRAP FOR 3086/3080 TABLE. INCLUDES: ANESTHESIA ARMBOARD W/ 3" PAD (BF804/ QTY. 2) PERINEAL CUTOFF FILLER PIECE (BF205) CABLE WRAP (BF316) CONDUCTIVE RESTRAINT STRAP: STANDARD LENGTH (66.5") (#BF45)	M0	STERIS/AMSCO PRODUCTS Model #: BF413	1	\$XXX.XX	\$XXX.XX
717058	#SSUKIT0025; CASE CART, CLOSED WITH POLY CASTERS, L36P; 44"W X 28 1/2"D X 38 1/4"H	M0	STORAGE SYSTEMS, INC. Model #: SSUKIT0025	2	\$XXX.XX	\$XXX.XX
717173	#4956P15766; IV STAND 6 HOOKS, FOOT OPERATED. ADJUSTED 68"-108", HEAVY, TIP RESISTANT, SS, 5 CASTERS (PEDIGO)	M0	KERMA MEDICAL Model #: 4956P15766	2	\$XXX.XX	\$XXX.XX
717181	#8302/ SOFT C; STOOL W/ADJ. BACK SOFT CASTERS, FOOTRING, 20" W SEAT, HT. ADJ. 23"-33", FLAT TOP ALUMINUM BASE W/BLACK TOE CAPS. **SELECT VINYL COLOR: PEARL, PUTTY, TAUPE, GRAY, WARM GRAY, BLACK, TERRA ROSE, MONET, ROYAL RUBY, PORT, GRAPE, LAVENDER, BLUE, WEDGE WOOD, JADE, GROTTTO, EMERALD, OR PURPLE	M7	HASSOC MEDICAL Model #: 8302/SOFT C	1	\$XXX.XX	\$XXX.XX
718246	**USE ITEM #722757**VACUUM HOSE #0995-6444-010, 15 FEET (\$3.24 PER FT)	M0	GE HEALTHCARE DATEX Model #: 0995-6444-010.	2	\$XXX.XX	\$XXX.XX
718985	#920889; PATIENT TRANSFER ROLLER RACK KIT, SHORT	M0	ALIMED INC. Model #: 920889	1	\$XXX.XX	\$XXX.XX
719016	#FORCE FXCS; SYSTEM ELECTROSURGICAL UNIT (\$6,500.00) W/E6008 (\$300.00)& E6009 (\$100.00) FOOT SWITCHES AND CART #UC8009 (\$450.00)	M0	COVIDIEN - U.S. SURGICAL Model #: FORCE FXCS/CART	1	\$XXX.XX	\$XXX.XX
719058	#BF083; CLARK SOCKETS (PAIR) 1 PAIR, TABLE ACCESSORY	M0	STERIS/AMSCO PRODUCTS Model #: BF083	1	\$XXX.XX	\$XXX.XX
719459	#002220-501 - VC-2 SYSTEM, , 115V	M0	GYRUS ACMI Model #: 002220-501	1	\$XXX.XX	\$XXX.XX
720162	CART FOR G.E. 120 FETAL COROMETRICS MONITOR. INCLUDES: #CO-0001-16C, MOUNTING ADAPTER FOR COROMETRICS MONITOR 115-116-118-120-172-250 (\$365.00); #RS-0006-67, ROLL STAND GENERIC MOUNT - 38" POST, 9" PLUNGER PLATE, AND 21" GSX BASE W/10 (\$551.00); #RS-0001-24 ROLL STAND BASKET (2" POST)-6" W/WIRE HOOKS AND CABLE CORD WRAP (\$63.00); #RS-0004-18D RS HANDLE WITH GRIP FOR 2" DIAMETER POST (\$40.00)	M0	GXC CORP. Model #: CART	1	\$XXX.XX	\$XXX.XX

000412

Date: 8/7/2008

HCA - The Healthcare Company**DCEE PROJECTS****GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB****DEPT: 190-OBSTETRICS****SPACE: 4857-DELIVERY/SECTION ROOM**Page: 237
04:13 PM

Item	Description	Class	Vendor	Qty	Price	Extd Price
709457	**USE ITEM #722713**#1010-8015-000 - REGULATOR, STD. SUCTION REGULATOR KIT SUCT W/VAC REG & TRAP FOR RAIL MTG	M0	GE HEALTHCARE DATEX Model #: 1010-8015-000	1	\$XXX.XX	\$XXX.XX
713773	#5M745; WASTE-CAN; 40 QT 40 QT. (10 GAL) FIRE RESISTANT (UL) #EA- 2544 BEIGE ; (RUBBERMAID 2544), 15"L X 11 1/4"W X 20"H	M0	GRAINGER Model #: 5M745	2	\$XXX.XX	\$XXX.XX
713813	#3U653; WASTE-CAN; 23 GAL STEP-ON W/ WHEELS, 19 3/4"L X 32 1/2"H X 16 1/8"W. COLOR: RED (#3U653; \$80.55) AND RIGID LINER (#4KT51; \$23.33) FM: CALIFORNIA STATE FIRE MARSHALL APPROVED FOR FIRE SAFETY (MANF. RUBBERMAID #6146 & #624600GRAY)	M0	GRAINGER Model #: 3U653/4KT51	1	\$XXX.XX	\$XXX.XX
714414	#4956SG82SS; TABLE INSTRUMENT, 16"W X 20"L X 34"H W/SHELF, 3" CASTERS (PEDIGO)	M0	KERMA MEDICAL Model #: 4956SG82SS	1	\$XXX.XX	\$XXX.XX
714416	#4956P1078SS; STAND, SOLUTION SINGLE BASIN, 13.25" DIA, 7 QT SS BASIN, 2" CASTERS, "U" RAME (PEDIGO)	M0	KERMA MEDICAL Model #: 4956P1078SS	1	\$XXX.XX	\$XXX.XX
714900	#49560P1015; FOOTSTOOL, 14"D X 19"L X 6"H, SLIP RESISTANT TOP, STACKABLE & INTERLOCKING (PEDIGO)	M0	KERMA MEDICAL Model #: 49560P1015	2	\$XXX.XX	\$XXX.XX
714988	#4956SG92SS; INSTRUMENT TABLE; 24" X 48" X 34" W/SHELF 3" RUBBER CASTERS (PEDIGO)	M0	KERMA MEDICAL Model #: 4956SG92SS	1	\$XXX.XX	\$XXX.XX
715153	#101462; ILLUMINATOR, 2 PANEL RECESSED MT 4 BULB W/AUTO SWITCH CHAMELEON SERIES	M7	RADIOLOGY SPECIALTY Model #: 101462	1	\$XXX.XX	\$XXX.XX
715642	#9702; PHYSICIAN'S STOOL (SOFT CASTERS), NO BACK, FLAT TOP ALUMINUM BASE W/BLACK TOE CAPS; "D" RING HEIGHT ADJUSTMENT 17" - 22" FROM FLOOR, **SELECT VINYL COLOR: PEARL; PUTTY, TAUPE, GRAY, WARM GRAY, BLACK, TERRA ROSE, MONET, ROYAL RUBY, PORT, GRAPE, LAVENDER, BLUE, WEDGE WOOD, JADE, GROTTA, EMERALD, OR PURPLE	M7	HASSOC MEDICAL Model #: 9702/SOFT C	1	\$XXX.XX	\$XXX.XX
716036	SURGICAL INSTRUMENTS AS PER QUOTE	M0	CARDINAL HEALTH - Model #: SUR INSTR	1	\$XXX.XX	\$XXX.XX
716155	#4956P1020SS; KICK BUCKET, 12QT. W/CASTERS & BUMPER, 13 1/2" DIA X 14"H (PEDIGO)	M0	KERMA MEDICAL Model #: 4956P1020SS	2	\$XXX.XX	\$XXX.XX
716157	#4956P1066SS; MAYO STAND TRAY 16 1/4" X 21 1/4", FOOT PEDAL OPERATED (PEDIGO)	M0	KERMA MEDICAL Model #: 4956P1066SS	1	\$XXX.XX	\$XXX.XX

000411

Date: 8/7/2008

HCA - The Healthcare Company
DCEE PROJECTS
GENERAL EQUIPMENT LIST FOR PROJECT A03190 - Berkeley Med Ctr-Moncks Corner, SC
10000RB
 DEPT: 190-OBSTETRICS
 SPACE: 4857-DELIVERY/SECTION ROOM

Page: 239
04:13 PM

Item	Description	Class	Vendor	Qty	Price	Extd Price
720437	#LA16; HARMONY LA DUAL 500 PACKAGE W/ HUB SPACER FOR ADDITION OF FUTURE LIGHthead. WHICH WILL INCLUDE: CEILING PATE ASSEMBLY, DUAL LIGHT ARMS W/ HUB SPACEER, 36" LIGHT ARM 44" LIGHT ARM, HUB SPACER, HARMONY 500 SPRING ARM & LIGHT HEAD (2), AND STANDARD MOUNT CONTROL CENTER	M0	STERIS/AMSCO PRODUCTS Model #: LA16	1	\$XXX.XX	\$XXX.XX
721095	INTUBATION EQUIPMENT**NEED FORMAL QUOTE - BUDGET ONLY!** INCLUDES: LARYNGOSCOPE HANDLES, BLADES & MCGILL FORCEPTS. *** FOR BUDGETING ONLY - MUST GET QUOTE *** (RAUSCH OR WELCH ALLYN)	M0	KERMA MEDICAL Model #: INTUBATION	1	\$XXX.XX	\$XXX.XX

Total Budget For Each Occurance Of This Type Space: \$XXX.XX
 2 Occurances Of This Type Space Included In The Budget Totaling: \$XXX.XX

000413

RECORD 004877