

STATE OF SOUTH CAROLINA  
IN THE  
COURT OF APPEALS

RECEIVED

SEP 12 2013

Appeal from the Administrative Law Court  
Honorable Ralph King Anderson, III, Administrative Law Judge  
Case No. 04-ALC-07-0126-CC

SC Court of Appeals

Sierra Club,

Appellant,

v.

South Carolina Department of Health and  
Environmental Control and Chem-Nuclear  
Systems, LLC,

Respondents.

FINAL JOINT BRIEF OF THE RESPONDENTS,  
CHEM-NUCLEAR SYSTEMS, LLC AND  
SOUTH CAROLINA DEPARTMENT OF HEALTH  
AND ENVIRONMENTAL CONTROL

Stephen P. Groves, Sr., Esquire  
Mary D. Shahid, Esquire  
Sara S. Rogers, Esquire  
NEXSEN PRUET, LLC  
205 King Street, Suite 400  
Charleston, South Carolina 29401  
Telephone: 843.720.1725  
Telecopier: 843.414.8206

*Attorneys for the Respondent,  
Chem-Nuclear Systems, LLC*

Jacquelyn S. Dickman, Esquire  
Deputy General Counsel  
Claire H. Prince, Esquire  
Office of General Counsel  
S.C. Dept. of Health & Env'tl. Control  
2600 Bull Street  
Columbia, South Carolina 29201  
Telephone: 803.898.3350  
Telecopier: 803.898.3367

*Attorneys for the Respondent,  
S.C. Dept. of Health & Env'tl. Control*

Jacquelyn S. Dickman, Esquire  
Deputy General Counsel  
Claire H. Prince, Esquire  
Office of General Counsel  
*South Carolina Department of Health and  
Environmental Control*  
2600 Bull Street  
Columbia, South Carolina 29201  
Telephone: 803.898.3350  
Telecopier: 803.898.3367

*Attorneys for the Respondent,  
South Carolina Department of Health and  
Environmental Control*

# TABLE OF CONTENTS

TABLE OF CONTENTS .....	iii
TABLE OF AUTHORITIES .....	v
I. STATEMENT OF ISSUES ON APPEAL.....	1
A. Whether The ALJ Correctly Applied The Relevant Findings Of Fact From The <u>2005 ALC Order</u> In Concluding Chem-Nuclear Had Complied With The Remanded Portions Of The Regulation And SCDHEC's Decision To Renew The Operations License Was Proper? .....	1
B. Whether The Disposal Technology Utilized At The Barnwell Facility Meets The Regulatory Definition Of "Disposal" By Ensuring The Isolation Of Wastes In Compliance With The Regulatory Requirements? .....	1
C. Whether The ALJ Misconstrued The Regulatory Requirements In Concluding The Factual Findings From The <u>2005</u> <u>ALC Order</u> Support Affirmance Of The Renewal Of Operations License 097? .....	1
II. STATEMENT OF THE CASE .....	2
III. STATEMENT OF THE FACTS .....	3
IV. ARGUMENT AND CITATION OF AUTHORITY .....	9
Standard of Review .....	9

A.	The ALJ Correctly Applied The Relevant Findings Of Fact From The <u>2005 ALC Order</u> To Conclude That Chem-Nuclear Complied With The Remanded Portions Of The Regulation And SCDHEC’s Decision To Renew The Operating License Was Proper.....	10
B.	The Disposal Technology Utilized At The Barnwell Facility Meets The Regulatory Definition Of “Disposal” By Ensuring The Isolation Of Wastes In Compliance With The Regulatory Requirements..	14
C.	The ALJ Did Not Misconstrue The Regulatory Requirements In Concluding That The Factual Findings From The <u>2005 ALC Order</u> Support Affirmance Of The Renewal of Operating License 097 .....	19
	1. Remanded Sections: Sections 7.10.5 Through 7.10.10 .....	19
	(a) 24A <u>S.C. Code Ann. Reg.</u> 61-63 Part VII, <u>Sec.</u> 7.10.6.....	19
	(b) 24A <u>S.C. Code Ann. Reg.</u> 61-63 Part VII, <u>Sec.</u> 7.10.7.....	21
	(c) 24A <u>S.C. Code Ann. Reg.</u> 61-63 Part VII, <u>Sec.</u> 7.10.8.....	22
	2. Remanded Sections: <u>S. C. Code Ann. Reg.</u> § 61.63, <u>Sec.</u> 7.11.....	25
	(a) 24A <u>S.C. Code Ann. Reg.</u> 61-63 Part VII, <u>Sec.</u> 7.11.11.1.....	25
	(b) 24A <u>S.C. Code Ann. Reg.</u> 61-63 Part VII, <u>Sec.</u> 7.11.11.2.....	27

(c)	<u>24A S.C. Code Ann. Reg.</u> 61-63 Part VII, <u>Sec. 7.11.11.4</u> .....	28
(d)	<u>24A S.C. Code Ann. Reg.</u> 61-63 Part VII, <u>Sec. 7.11.11.6</u> .....	29
(e)	<u>24A S.C. Code Ann. Reg.</u> 61-63 Part VII, <u>Sec. 7.11.11.7</u> .....	30
(f)	<u>24A S.C. Code Ann. Reg.</u> 61-63 Part VII, <u>Sec. 7.23.6</u> .....	30
V.	CONCLUSION .....	32

# TABLE OF AUTHORITIES

Page

## CASE DECISIONS

<u>Centex International, Inc. v. South Carolina Department of Revenue, ___ S.C. ___, ___ S.E.2d ___ (2013) (2013 WL 3816542, filed 24 July 2013)</u> .....	9
<u>Greeneagle, Inc., v. South Carolina Department of Health and Environmental Control, 399 S.C.91, 730 S.C.2d 869 (Ct.App. 2012)</u> .....	33
<u>Hampton Friends of the Arts v. South Carolina Department of Revenue, 401 S.C. 372, 737 S.E.2d 628 (2013)</u> .....	33
<u>Media General Communications, Inc. v. South Carolina Department of Revenue, 388 S.C. 138, 694 S.E.2d 525 (2010)</u> .....	9
<u>Murphy v. South Carolina Department of Health and Environmental Control, 396 S. C. 633, 723 S. E. 2d 191 (2012)</u> .....	32
<u>Original Blue Ribbon Taxi Corp. v. South Carolina Department of Motor Vehicles, 380 S.C. 600, 670 S.E.2d 674 (Ct.App.2008)</u> .....	9
<u>Sierra Club v. SCDHEC and Chem-Nuclear Systems, LLC, 2005 WL 2997193 (S.C. Admin. Law. Judge. Div., filed 13 October 2005)</u> .....	2
<u>Sierra Club v. SCDHEC and Chem-Nuclear Systems, LLC, 387 S.C. 424, 693 S.E.2d 13 (Ct.App. 2010), <i>rehearing denied</i> (3 May 2010), <i>certiorari denied</i> (21 July 2011)</u> .....	2, 3, 13

**STATUTES, REGULATIONS, AND COURT RULES**

S.C. Code Ann. § 1-23-380  
(Thomson Reuters West 2010) .....9

S.C. Code Ann. § 1-23-610(B)  
(Thomson Reuters West 2010) .....9, 32

S.C. Code Ann. §§ 48-46-10, et seq.  
(Thomson Reuters West 2010) .....4

S.C. Code Ann. §§ 48-46-30(3)  
(Thomson Reuters West 2010) .....4

S.C. Code Ann. §§ 48-46-60(5)(B)  
(Thomson Reuters West 2010) .....4

S.C. Code Ann. § 48-46-40(A)(5)(D)  
(Thomson Reuters West 2010) ..... 5

S.C. Code Ann. § 48-46-40(A)(6)(a)  
(Thomson Reuters West 2010) .....

S.C. Code Ann. §§ 48-46-80  
(Thomson Reuters West 2010) .....4

24A S. C. Code Ann. Reg. § 61-63  
(Thomson Reuters West 2010) ..... *passim*

24A S. C. Code Ann. Reg. § 61-63, Part VII  
(Thomson Reuters West 2010) ..... *passim*

24A S. C. Code Ann. Reg. § 61-63, Sec. 7.2.6  
(Thomson Reuters West 2010) ..... 14

24A S. C. Code Ann. Reg. § 61-63, Sec. 7.2.8  
(Thomson Reuters West 2010) ..... 25-26

24A S. C. Code Ann. Reg. § 61-63, Sec. 7.2.9  
(Thomson Reuters West 2010) ..... 16, 22

24A S. C. Code Ann. Reg. § 61-63, Sec. 7.2.17  
(Thomson Reuters West 2010) ..... 16

24A <u>S. C. Code Ann. Reg. § 61-63, Sec. 7.2.22</u> (Thomson Reuters West 2010) .....	20-21
24A <u>S. C. Code Ann. Reg. § 61-63,</u> Secs. 7.10.5 through 7.10.10 (Thomson Reuters West 2010) .....	3, 13, 19
24A <u>S. C. Code Ann. Reg. § 61-63,</u> Sec. 7.10.5 (Thomson Reuters West 2010) .....	3, 13, 19
24A <u>S. C. Code Ann. Reg. § 61-63,</u> Sec. 7.10.6 (Thomson Reuters West 2010) .....	3, 10, 13, 15, 19, 20
24A <u>S. C. Code Ann. Reg. § 61-63,</u> Sec. 7.10.7 (Thomson Reuters West 2010) .....	3, 13, 19, 21, 22
24A <u>S. C. Code Ann. Reg. § 61-63,</u> Sec. 7.10.8 (Thomson Reuters West 2010) .....	3, 10, 13, 19, 22, 24
24A <u>S. C. Code Ann. Reg. § 61-63,</u> Sec. 7.10.9 (Thomson Reuters West 2010) .....	3, 13
24A <u>S. C. Code Ann. Reg. § 61-63,</u> Sec. 7.10.10 (Thomson Reuters West 2010) .....	3, 13, 19
24A <u>S. C. Code Ann. Reg. § 61-63,</u> Sec. 7.10.11 (Thomson Reuters West 2010) .....	3, 10, 11, 12, 13
24A <u>S. C. Code Ann. Reg. § 61-63,</u> Sec. 7.11.9 (Thomson Reuters West 2010) .....	16, 25
24A <u>S. C. Code Ann. Reg. § 61-63,</u> Sec. 7.11.10 (Thomson Reuters West 2010) .....	25
24A <u>S. C. Code Ann. Reg. § 61-63,</u> Sec. 7.11.11 (Thomson Reuters West 2010) .....	17, 22, 25
24A <u>S. C. Code Ann. Reg. § 61-63,</u> Sec. 7.11.11.1 (Thomson Reuters West 2010) .....	17, 25, 26
24A <u>S. C. Code Ann. Reg. § 61-63,</u> Sec. 7.11.11.2 (Thomson Reuters West 2010) .....	17, 22, 25, 27

24A <u>S. C. Code Ann. Reg. § 61-63,</u> Sec. 7.11.11.3 (Thomson Reuters West 2010) .....	25
24A <u>S. C. Code Ann. Reg. § 61-63,</u> Sec. 7.11.11.4 (Thomson Reuters West 2010) .....	25, 28, 29
24A <u>S. C. Code Ann. Reg. § 61-63,</u> Sec. 7.11.11.5 (Thomson Reuters West 2010) .....	25
24A <u>S. C. Code Ann. Reg. § 61-63,</u> Sec. 7.11.11.6 (Thomson Reuters West 2010) .....	25, 28, 29
24A <u>S. C. Code Ann. Reg. § 61-63,</u> Sec. 7.11.11.7 (Thomson Reuters West 2010) .....	25, 28, 30
24A <u>S. C. Code Ann. Reg. § 61-63,</u> Sec. 7.17 (Thomson Reuters West 2010) .....	16
24A <u>S. C. Code Ann. Reg. § 61-63,</u> Sec. 7.18 (Thomson Reuters West 2010) .....	6, 16, 17, 23, 24
24A <u>S. C. Code Ann. Reg. § 61-63,</u> Sec. 7.19 (Thomson Reuters West 2010) .....	16
24A <u>S. C. Code Ann. Reg. § 61-63,</u> Sec. 7.20 (Thomson Reuters West 2010) .....	16, 17
24A <u>S. C. Code Ann. Reg. § 61-63,</u> Sec. 7.21 (Thomson Reuters West 2010) .....	17
24A <u>S. C. Code Ann. Reg. § 61-63, Sec. 7.23.6</u> .....	3, 10, 12, 13, 30, 31, 32

**BOOKS, TREATISES, AND LEGAL ENCYCLOPEDIAS**

<u>American Heritage Dictionary of the English Language</u> .....	25
---	----

## I. STATEMENT OF ISSUES ON APPEAL

- A. Whether The ALJ Correctly Applied The Relevant Findings Of Fact From The 2005 ALC Order In Concluding Chem-Nuclear Had Complied With The Remanded Portions Of The Regulation And SCDHEC's Decision To Renew The Operations License Was Proper?
- B. Whether The Disposal Technology Utilized At The Barnwell Facility Meets The Regulatory Definition Of "Disposal" By Ensuring The Isolation Of Wastes In Compliance With The Regulatory Requirements?
- C. Whether The ALJ Misconstrued The Regulatory Requirements In Concluding The Factual Findings From The 2005 ALC Order Support Affirmance Of The Renewal Of Operations License 097?

## II. STATEMENT OF THE CASE

The Respondents, Chem-Nuclear Systems, LLC (“Chem-Nuclear”) and South Carolina Department of Health and Environmental Control (“SCDHEC” or “the Department”), jointly adopt the Statement of the Case submitted by the Appellant, Sierra Club, and, in addition, supplements the Statement of the Case as follows:

In its Final Order and Decision issued 13 October 2005 (the “2005 ALC Order”), reviewed by this Court of Appeals,<sup>1</sup> Administrative Law Judge John D. Geathers approved renewal of Chem-Nuclear’s license for operation of the low-level radioactive waste disposal facility in Barnwell, South Carolina. Judge Geathers, however, ordered Chem-Nuclear to conduct a study and submit the results to SCDHEC. This study included evaluation of “the scientific and economic feasibility of employing or implementing designs and operational procedures at the Barnwell Site that will (1) shelter the disposal trenches from rainfall and prevent rainfall from entering the trenches, (2) provide temporary dry storage facilities for the storage of wastes received during wet conditions, and (3) provide for sealing and grouting the concrete disposal vaults to prevent the intrusion of water to the maximum extent feasible.”<sup>2</sup> Chem-Nuclear followed Judge Geathers’ directive and sent the report<sup>3</sup> to SCDHEC on 11 April 2006.

---

<sup>1</sup> Sierra Club v. SCDHEC and Chem-Nuclear Systems, LLC, 387 S.C. 424, 693 S.E.2d 13 (Ct.App. 2010), *rehearing denied* (3 May 2010), *certiorari denied* (21 July 2011).

<sup>2</sup> Sierra Club v. SCDHEC and Chem-Nuclear Systems, LLC, 2005 WL 2997193 (S. C. Admin. Law. Judge.Div., filed 13 October 2005). (R.pp.36-66).

<sup>3</sup> The report was entitled Evaluation of the Scientific and Economic Feasibility for implementing new Designs and Operational Procedures at the Barnwell

This Court of Appeals affirmed in part, and remanded in part the 2005 ALC Order back to the ALC.<sup>4</sup> On remand this Court of Appeals “instructed the ALC to apply the factual findings from its 2005 Order in determining . . . whether Chem Nuclear is in compliance with DHEC Regulation 61-63, Part VII, Sections 7.10.5 through 7.10.10, 7.11, and 7.23.6.” (R.p.2).<sup>5</sup>

The ALC, the Honorable Ralph King Anderson, III, concluded “[the Sierra Club] must demonstrate, by a preponderance of the evidence, that renewal is not authorized based on the ALC’s factual findings in the 2005 Decision as applied to the sections of R. 61-63 discussed above.” (R.p.22). The ALC concluded “[the Sierra Club] failed to carry that burden, [determining] that the factual findings in the 2005 Decision, when applied to 24A S. C. Code Ann. Reg. 61-63, [§§] 7.10.5-7.10.10, 7.11, and 7.23.6, demonstrate that the Barnwell Facility is compliant with these regulations and that renewal of License No. 097 was proper.” (R.p.22).

### III. STATEMENT OF THE FACTS

Chem-Nuclear operates a low-level radioactive waste (“LLRW”) disposal facility in Barnwell County, South Carolina (the “Barnwell Facility”) on property generally contiguous to the Savannah River Site. (R.p.38, para. 1).<sup>6</sup> Chem-

---

Site as Directed by the South Carolina Administrative Law Court Order Dated October 13, 2005.

<sup>4</sup> Sierra Club v. SCDHEC and Chem-Nuclear Systems, LLC, 387 S.C. 424, 693 S.E. 2d 13.

<sup>5</sup> Sierra Club v. SCDHEC and Chem-Nuclear Systems, LLC, 387 S.C. 424, 439, 693 S.E. 2d 13, 20-21.

<sup>6</sup> Beginning in the early 1950s, the Savannah River Site historically produced the basic material used in the fabrication of nuclear weapons. See [www.srs.gov/general/about/history1.htm](http://www.srs.gov/general/about/history1.htm).

Nuclear began disposal operations at the Barnwell Facility in 1971 pursuant to License No. 097. (R.p.38, para. 1). Chem-Nuclear has been the only operator of the Barnwell Facility since 1971. (R.p.38, paras. 1, 2). SCDHEC has renewed License No. 097 seven times. (R.p.38, para. 1; R.p.42, para. 18). Including SCDHEC's seven renewals, License No. 097 has been amended 48 times. (R.p.38, para. 1; R.p.42, para. 18). The most recent license renewal, constituting the 49<sup>th</sup> amendment, is the subject of the underlying contested case (R.p.42, para. 18) and this appeal..

In 2000, almost 30 years after Chem-Nuclear commenced disposal operations at the Barnwell Facility, the South Carolina Legislature enacted the Atlantic Interstate Low-Level Radioactive Waste Compact Implementation Act (the "Compact Act").<sup>7</sup> Through this legislation, the South Carolina joined the Atlantic Low-Level Radioactive Waste Compact (the "Atlantic Compact") along with the States of Connecticut and New Jersey.<sup>8</sup> In turn, the Barnwell Facility became the designated regional waste disposal facility of LLRW for the Atlantic Compact.<sup>9</sup> The Compact Act established declining limits on LLRW volumes which can be disposed of at the Barnwell Facility by the compact members.<sup>10</sup> Consequently, commencing in Fiscal Year 2008-2009, the Compact Act limited the Barnwell Facility to acceptance of disposal of in-region LLRW only, which resulted in a substantial

---

<sup>7</sup> See S.C. Code Ann. §§ 48-46-10, *et seq.* (Thomson Reuters West 2010).

<sup>8</sup> See S.C. Code Ann. §§ 48-46-30(3) (Thomson Reuters West 2010); S.C. Code Ann. §§ 48-46-60(5)(B) (Thomson Reuters West 2010).

<sup>9</sup> See S.C. Code Ann. §§ 48-46-40 (Thomson Reuters West 2010).

<sup>10</sup> S.C. Code Ann. § 48-46-40(A)(6) (Thomson Reuters West 2010).

reduction of waste volumes entering the facility.<sup>11</sup> Consequently, the Barnwell Facility has received only approximately 8000 cubic feet per year of LLRW, or less, from the three Atlantic Compact states since Fiscal Year 2008-2009 as compared to previous rates as high as 1.2 million cubic feet per year. (R.p.38, para. 3 – R.p.39, para. 1).

It is undisputed that tritium,<sup>12</sup> a radioactive isotope of hydrogen, moves through groundwater at the Barnwell Facility. (R.pp.43-44, paras.24-35). Tritium admittedly migrates with rainwater and groundwater. (R.p.43, para. 24). Tritium was initially discovered in the trenches at the Barnwell Facility in 1974. (R.pp.43-44, para. 29; R.p.50, para. 65). Thereafter, through the benefit of an extensive system of groundwater monitoring wells, Chem-Nuclear and SCDHEC have been able to map a fairly exact tritium dispersal “plume”. (R.pp.43-44, para. 29; R.p.50, para. 65).

Groundwater becomes surface water in Mary’s Branch Creek, beyond the boundaries of the property owned by the State of South Carolina and leased by Chem-Nuclear, but, nevertheless, within the confines of property adjoining the disposal facility and owned by Chem-Nuclear. (R.p.44, para. 32). The first point in Mary’s Branch Creek where a hypothetical member of the general public *might* receive a dose of radiation is the compliance point for purposes of SCDHEC’s monitoring. (R.p.44, para. 32). The compliance point approved by SCDHEC is an appropriate point of compliance in that it provides for measuring compliance

---

<sup>11</sup> S.C. Code Ann. § 48-46-40(A)(6)(a) (Thomson Reuters West 2010).

<sup>12</sup> Tritium has a half-life of 12.3 years and decays to approximately one-fourth of its original quantity of radiation in 24.6 years. (R.p.43, para. 27).

consistent with Section 7.18 of the regulation. (R.pp.44-45, paras. 32, 37-38). The evidence demonstrated that tritium has a travel time through groundwater of 20 years between the trenches and Mary's Branch Creek. (R.p.47, para. 49).

The regulatory limit for exposure to radioactive materials is the equivalent of an annual dose of 25 millirems ("*mrem*") to the whole body. (R.p.44, para. 33).<sup>13</sup> The highest concentration of tritium detected in Mary's Branch Creek, from a sample taken in July 2001, resulted in a hypothetical annual dose of 5.7 *mrem*, well below the applicable regulatory limit. (R.p.45, paras. 39, 41). Sampling data disclosed at the 2005 ALC hearing provided evidence that since July, 2001, there had been a ***declining*** trend in tritium concentration at the compliance point. (R.p.45, paras. 39, 41; R.pp.47-48, para. 52).

The "tritium plume" originated as a consequence of early disposal practices. (R.pp.43-44, para. 29). A considerable amount of waste disposed during the early years of operations of the Barnwell Facility was packaged in unreliable containment and waste forms like paper or cardboard. (R.pp.43-44, para. 29). The use of engineered barriers, groundwater travel time, and decay have ensured that tritium concentrations at the compliance point remain well below regulatory limits. (R.p.46, para. 46). In 1995, *Part VII* of *R. 61-63* was amended to require engineered barriers for all waste disposed at the Barnwell Facility. (R.p.40, para. 9). The primary engineered barriers used at the Barnwell Facility since 1995 are concrete vaults and enhanced capping of trenches. (R.p.42, para. 20; R.p.51, para. 72).

---

<sup>13</sup> See generally 24A S.C. Code Ann. Regs. 61-63, § 7.18 (Thomson Reuters West 2010).

Waste is transported to the Barnwell Facility in casks, or containers, such as high-integrity polyethylene disposal containers (R.pp.56-57, para. 107) which are placed in rectangular and cylindrical reinforced concrete vaults stacked up to three high on the trench floor. (R.p.53, para. 82-84). Voids between vaults are backfilled for stability within the trench and the vaults are covered with a clay cap. (R.p.53, para. 84). Once trenches are filled they are covered with an enhanced cap consisting of clay overlain by polyethylene and bentonite materials, sand, and topsoil to allow for vegetation growth. (R.pp.53-54, para. 85).

The concrete vaults are not sealed against water intrusion and the vault floors contain holes to allow water to drain from the vaults. (R.p.46, para. 47; R.p.56, para. 101). The bottoms of the trenches are lined with sandy clay that is not compacted nor designed to be impermeable. (R.pp.53-56, paras. 81-103). Rather, it is designed to allow water to migrate from the bottom of the trench. (R.pp.53-56, paras. 81-103).

The declining trend in groundwater concentrations of tritium near trenches constructed with engineered barriers, attributed to better containment of waste, demonstrates that Chem-Nuclear has successfully minimized contact between waste and rain water. (R.pp.56-57, para. 107). Moreover, Chem-Nuclear has implemented a surface water management plan to manage precipitation collected in the trenches. (R.pp.56-58, paras. 105-113). Water is pumped, when necessary, into adjacent trenches or a lined pond. (R.p.58, para. 117).

The Sierra Club has appealed on the basis that the law<sup>14</sup> requiring Chem-Nuclear to minimize contact between the waste and rain water actually means that Chem-Nuclear must prevent any and all contact between waste and rain water (i.e.; there can be no contact whatsoever). Rain undisputedly enters the trenches at the Barnwell Facility which are still active and open (i.e.; still receiving material, in the process of being covered over, etc.). (R.p.47, para. 49; R.p.56, para. 101). However, through the use of engineered barriers Chem-Nuclear has significantly minimized the actual contact between the waste and rain water (R.p.58, para. 117), although admittedly it hasn't been completely eliminated. The lengthy groundwater travel time, the engineered barriers, and the extended decay rates of radioactive materials all operate together to insure that any release of radioactive material would be and, indeed, is well below the applicable regulatory limits.

Importantly, the compliance point, or point of release, is located on real property controlled by Chem-Nuclear. (R.p.44, para. 32). Access to the Mary's Branch Creek at the point of release is restricted as the area is fenced and, in addition, is heavily vegetated. (R.p.44, para. 32; R.p.45, para. 42). There are no known consumers and/or users of Mary's Branch Creek in and around the compliance point. (R.pp.45-46, para. 43). The particular property, including Mary's Branch Creek, is the subject of a Restrictive Covenant prohibiting the use of the groundwater and surface water as a drinking water source. (R.p.46, para. 44). Moreover, there are no known drinking water wells down gradient of the Barnwell Facility. (R.pp.45-46, paras. 42-45).

---

<sup>14</sup> See 24A S.C. Code Reg. § 61-63, Part VII (Thomson Reuters West 2010).

## IV. ARGUMENT AND CITATION OF AUTHORITY

### *Standard of Review*

The Sierra Club asserts S. C. Code Ann. § 1-23-380 establishes this Court of Appeals' standard of review. On the contrary, the review standard specifically applicable to an ALC's final order and/or decision is set forth in S. C. Code Ann. § 1-23-610. That statute specifically provides:

- (B) The review of the administrative law judge's order must be confined to the record. The court may not substitute its judgment for the judgment of the administrative law judge as to the weight of the evidence on questions of fact. The court of appeals may affirm the decision or remand the case for further proceedings; or, it may reverse or modify the decision if the substantive rights of the petitioner have been prejudiced because the finding, conclusion, or decision is:
  - (a) in violation of constitutional or statutory provisions;
  - (b) in excess of the statutory authority of the agency;
  - (c) made upon unlawful procedure;
  - (d) affected by other error of law;
  - (e) clearly erroneous in view of the reliable, probative, and substantial evidence on the whole record; or
  - (f) arbitrary or capricious or characterized by abuse of discretion or clearly unwarranted exercise of discretion.<sup>15</sup>

---

<sup>15</sup> See S. C. Code Ann. § 1-23-610(B) (Thomson Reuters West 2010). See also generally Centex Intern., Inc. v. S. C. Dep't of Revenue, \_\_\_ S.C. \_\_\_, \_\_\_, \_\_\_ S.E.2d \_\_\_, \_\_\_ (2013) (2013 WL 3816542, \*3, filed 24 July 2013) (citing Original Blue Ribbon Taxi Corp. v. S.C. Dep't of Motor Vehicles, 380 S.C. 600, 604, 670 S.E.2d 674, 676 (Ct.App.2008); Media Gen. Commc'ns, Inc. v. S.C. Dep't of Revenue, 388 S.C. 138, 144, 694 S.E.2d 525, 528 (2010)).

Here, the Sierra Club claims that the ALJ committed legal error on remand when he concluded that Chem-Nuclear's disposal practices complied with the law.<sup>16</sup> Sierra Club alleges legal error because undisputedly rainwater may come into contact with waste and then infiltrate the groundwater. Sierra Club claims that proper construction of these regulatory requirements would lead to a conclusion that they are violated upon a demonstration of water coming into contact with waste. It is the Sierra Club's analysis which is legally flawed, not that of the ALJ, as will be discussed herein.

**A. The ALJ Correctly Applied The Relevant Findings Of Fact From The 2005 ALC Order To Conclude That Chem-Nuclear Complied With The Remanded Portions Of The Regulation And SCDHEC's Decision To Renew The Operating License Was Proper.**

The Sierra Club contends that the ALJ "discarded" findings from the 2005 ALC Order that are material to compliance with specific regulations, "re-weighed" the evidence, and "ignored" some facts in favor of others. (*Appellant's Brief*, p.33). Specifically, Sierra Club highlights certain findings that it believes should have been relevant to the ALJ's conclusions on remand. (*Appellant's Brief*, pp.11-14). These findings concern the so-called "North Carolina" model, the tritium contamination in Mary's Branch Creek, the design of the waste containment vault, and the study required by the 2005 ALC Order. (*Appellant's Brief*, pp.11-14).

---

<sup>16</sup> See 24A S.C. Code Ann. Reg. §§ 61-63 Part VII - 7.10.6, 7.10.8, 7.11.11, and 7.23.6 (Thomson Reuters West 2010).

Regarding the “North Carolina” model which the Sierra Club has steadfastly argued *should* be the standard for compliance, the ALJ correctly noted that there is no information upon which to evaluate the “North Carolina” design since the facility was (a) never constructed, (b) a license was never issued, (c) no facility exists which uses the “North Carolina” design, and (d) the “North Carolina” design feature of “assured isolation” exists only in theory. (R.p.15, para. 2; R.p.52, paras. 73-74, 76). Rather than focus on the non-existent “North Carolina” model, the ALJ examined current disposal practices and technologies to determine if they complied with the requirements for license renewal, including extensive application of the factual findings to the objectives of minimizing contact between waste and water in S.C. Code Ann. Reg. § 61-63, Sec. 7.11.11 and minimizing to the extent practicable the contact of water with waste during storage, disposal and after disposal pursuant to Section 7.23.6. (R.pp.9-22).

Second, the ALJ not only did not ignore, but acknowledged the fact that earlier disposal practices at the Barnwell Facility resulted in tritium contamination in the groundwater leading to Mary’s Branch Creek. The ALJ stated that “[i]n the early years at the Barnwell [F]acility, the acceptable waste disposal practices for low-level radioactive facilities resulted in tritium releases into the trenches. These early disposal practices included unreliable containment and waste forms, including packaging in paper and cardboard containers.” (R.p.18; R.pp.43-44, para. 29). The ALJ applied the findings from the 2005 ALC Order that reflect that:

The changes in design and operations at the Barnwell facility . . . the use of vaults to stabilize the trenches, the use of high-integrity polyethylene disposal containers to contain waste forms, the elimination of liquid waste, and the installation of impermeable caps on inactive trenches – have enhanced site performance so as to support Chem-Nuclear’s predictions of a declining trend in radioactive releases to the general environment.

(R.p.18; R.pp.56-57, para. 107).

Acknowledging that past disposal practices, even though in compliance with the regulation at that time, contributed to the releases of tritium to groundwater does not negate the findings that show disposal practices and technology have changed and improved significantly since then. (R.p.18; R.pp.56-57, para. 107).

Third, the Sierra Club asserts the ALJ ignored relevant findings concerning the containment vault design and the contact of waste with water, specifically focusing on the fact the vaults were not grouted and sealed against water intrusion and contained holes in the vault bottom. (*Appellant’s Brief*, p.14). In fact, the ALJ reviewed relevant findings concerning the vaults and the trench system, and applied these findings to the license requirements in S.C. Code Ann. Reg. § 61-63, Sec. 7.23.6 that provide for “minimizing to the extent practicable” the contact of water with waste in the design and construction of the disposal units (vaults) and engineered barriers. (R.p.20).

The ALJ also applied the findings concerning the vaults and the engineered barriers to the requirements of S.C. Code Ann. Reg. § 61-63, Sec. 7.11.11 and the seven objectives for the engineered barriers. These objectives

contain qualitative standards for minimizing contact of water with waste and, in turn, the ALJ rightly concluded Chem-Nuclear and the operating license complied with these objectives. (R.pp.13-19).

Finally, the Sierra Club continues to cite the study required by the 2005 ALC Order concerning methods to reduce contact between waste and rainfall and other water at the facility.<sup>17</sup> The decision of the ALC in 2005 sustaining SCDHEC's decision to renew Chem-Nuclear's operating license was not conditioned upon the study or its results. Rather than focusing on the study, Judge Anderson correctly applied the factual findings concerning the Blue Ribbon panel of experts' review of the Environmental Radiological Performance Verification ("ERPV") which concluded that "the Barnwell Facility poses a minimal risk to either the environment or members of the public, both today and in the long-term future." Notably, the Appellant did not refute the findings and conclusions of either the ERPV or the Blue Ribbon Panel. (R.pp.4, 6; R.p.50, para. 66).

This Court of Appeals instructed the ALJ to "rul[e] on whether Chem-Nuclear's current waste disposal practices are in compliance with S.C. Code Ann. Reg. § 61-63, Secs. 7.11, 7.23.6, and 7.10.5-7.10.10 by applying the factual findings from the 2005 ALC Order. (R.p.2) (Emphasis added).<sup>18</sup> In reaching its

---

<sup>17</sup> Chem-Nuclear submitted a proposed outline in response to the 2005 ALC Order; SCDHEC concurred with the outline in December 2005; the study was submitted to SCDHEC in April 2006, and SCDHEC acknowledged receipt in September 2006; SCDHEC's response to the report was issued in April 2008.

<sup>18</sup> Sierra Club v. SCDHEC and Chem-Nuclear Systems, LLC, 387 S.C. 424, 439, 693 S.E. 2d 13, 20-21.

conclusions, the ALJ did not discard findings from the 2005 ALC Order, re-weigh the evidence, or ignore some facts in favor of others. Rather, the ALJ applied the factual findings to the technical requirements of the remanded sections of the regulation, and appropriately concluded that the Barnwell facility license is compliant with the regulations, and the license renewal is proper. That the ALJ did not cite every factual finding in the 2005 ALC Order or employ all of the findings relied upon by Appellant does not mean that the ALJ committed errors of law. It simply means that the factual findings, in total and in context, support the conclusions reached by the ALJ.

**B. The Disposal Technology Utilized At The Barnwell Facility Meets The Regulatory Definition Of "Disposal" By Ensuring The Isolation Of Wastes In Compliance With The Regulatory Requirements.**

The Sierra Club's pervading argument against the operating license renewal for the Barnwell facility is that the disposal<sup>19</sup> technology does not isolate waste from the environment. The Sierra Club appends a dictionary definition of "isolation" to waste disposal, asserting that "this license approval must be viewed in the context of disposal that will ensure that wastes are isolated, separated and quarantined from man's biosphere and food chain." (*Appellant's Brief*, pp.9, 23). This narrow rendition of disposal and waste isolation is inaccurate, contradicts the plain language of the regulation, and misses the contextual connections between the regulatory definitions and the licensing requirements of S.C. Code Ann. Reg. § 61-63.

---

<sup>19</sup> S.C. Code Ann. Reg. § 61-63, Sec. 7.2.6 (Thomson Reuters West 2010) provides that "Disposal" means "the isolation of wastes from the biosphere inhabited by man and his food chain by emplacement in a land disposal facility."

S.C. Code Ann. Reg. § 61-63 does not contain a definition of “isolation” or “waste isolation,” however, in the context of the regulation and in particular the sections on remand, isolation of wastes in a land disposal facility means the disposal of waste in a manner that is expected to provide adequate protection of human health and the environment. That is why S.C. Code Ann. Reg. § 61-63, Sec. 7.10.6 requires SCDHEC issue the operating license upon a finding that the Barnwell Facility’s disposal site design, operations, closure, and post-closure institutional control “are adequate to protect the public health and safety...” (R.p.4). The ALJ noted that this section is a qualitative standard designed to ensure that the public’s health and safety are protected through the long-term stability of the disposed waste and disposal site. (R.p.4). In finding Chem-Nuclear had complied with this statutory section, the ALJ correctly focused on (1) the findings regarding the use of engineered barriers and (2) the mechanisms that afford a buffer against the risk of exposure to the general public. (R.pp.4, 5).

The use of engineered barriers for the underground burial of wastes serves to isolate waste from man’s biosphere as contemplated in the disposal definition. (R.pp.53-56, paras. 81-103). As the ALJ correctly noted, the current disposal technology at the Barnwell Facility is most accurately described as enhanced shallow land burial with engineered barriers: the primary engineered barriers being disposal trenches; disposal vaults; and enhanced caps. (R.p.10; R.53, para. 81).

The Barnwell Facility is a “near-surface disposal facility” which means a “land disposal facility in which waste is disposed of within approximately the upper 30 meters of the earth’s surface.” (R.p.53, para. 81).<sup>20</sup> Engineered barriers are defined as man-made structures or devices intended to improve the land disposal facility’s ability to meet the performance objectives in Part VII of the applicable regulation, and include above or below grade vaults or equivalent structures.<sup>21</sup>

The engineered barriers used to isolate waste must be designed and constructed to **complement and improve** the ability of the disposal facility to meet the performance objectives.<sup>22</sup> As the ALJ discussed in his review of S.C. Code Ann. Reg. § 61-63, Sec. 7.11.9, these objectives include:

- a. S.C. Code Ann. Reg. § 61-63, Sec. 7.18, which specifically provides that concentrations of radioactive material may be released to the general environment so long as it does not exceed the dose rate and reasonable efforts are made to maintain releases of radioactively in effluents to the general environment “as low as is reasonably achievable”;
- b. S.C. Code Ann. Reg. § 61-63, Sec. 7.19, protection from inadvertent intruders;
- c. S.C. Code Ann. Reg. § 61-63, Sec. 7.20, protection of individuals during operations to maintain radiation exposures “as low as is reasonably achievable”; and

---

<sup>20</sup> See S.C. Code Ann. Reg. § 61-63, Sec. 7.2.17 (Thomson Reuters West 2010).

<sup>21</sup> See S.C. Code Ann. Reg. § 61-63, Sec. 7.2.9 (Thomson Reuters West 2010) (Emphasis added).

<sup>22</sup> See S.C. Code Ann. Reg. § 61-63, Sec. 7.11.9 (Thomson Reuters West 2010).

- d. S.C. Code Ann. Reg. § 61-63, Sec. 7.21, disposal site stability at closure to eliminate, “to the extent practicable” the need for ongoing maintenance after closure.

(R.pp.10-11). If disposal means that there can be absolutely no contact between waste and water, then S.C. Code Ann. Reg. § 61-63, Sec. 7.18 would not allow for a dose rate below which concentrations of radioactive material released to the general environment (including, air, groundwater, surface water, soil) is allowable, and S.C. Code Ann. Reg. § 61-63, Sec. 7.20 would not provide that radiation exposure to workers during site operations should be “as low as reasonably achievable.” Waste isolation, in the context of the plain language of the regulatory provisions does not contemplate preventing or quarantining all waste from contact with water.

S.C. Code Ann. Reg. § 61-63, Sec. 7.11.11 is a key provision that clearly shows that the objectives for the engineered barriers to accomplish waste isolation are not absolute. The objectives in this section place the concept of waste isolation into a context that acknowledges that shallow land disposal by definition cannot provide absolute isolation from the elements, including rainfall. S.C. Code Ann. Reg. § 61-63, Sec. 7.11.11.1, for example, provides that engineered barriers should be designed and constructed to *minimize* the migration of water onto disposal units, and S.C. Code Ann. Reg. § 61-63, Sec. 7.11.11.2, provides that they should *minimize* the migration of waste or waste contaminated water out of disposal units.

These statutory objectives do not absolutely prohibit contact by the waste with water; rather, they recognize and moreover, acknowledge, that the goal of the disposal units and engineered barriers is that they be designed and constructed to *minimize* waste to water contact. The ALJ's 2012 Final Order discusses in detail the factual findings that indicate compliance with these objectives. (R.pp.12-20).

While buried waste is isolated through the use of engineered barriers, releases of radioactive material (*e.g.*; tritium) to the general environment are also isolated through mechanisms that protect the public and the environment. (R.pp.56-58, paras. 105-113). In addition to controlling the disposal site under its operating license, Chem-Nuclear also owns three parcels of property around the site, including the property at the regulatory compliance point at Mary's Branch Creek. (R.p.7; R.p.44, para. 32). There are restrictive covenants and easements on the three parcels of property to protect the compliance point from access by the general public. (R.p.46, para. 44). There is a fence and heavy vegetation at the entry point to prevent the general public from accessing Mary's Branch Creek at the compliance point, and there are no consumers of water from the Creek. (R.p.7; R.p.45, para. 42). All of these mechanisms further ensure waste isolation within the regulatory requirements.

The Sierra Club correctly notes the words of a regulation must be given their plain and ordinary meaning. (*Appellant's Brief*, p.33). That is why it is difficult to understand the Sierra Club's attempt to impose an inaccurate interpretation of disposal and waste isolation onto and as a substitute for the

plain language of the regulatory provisions reviewed on remand. By cloaking its fundamental argument in a definition of disposal that is not supported by the language contained in the regulation is to misapprehend the meaning of the regulation and to misconstrue the regulatory requirements that are, in fact, supported by the factual findings from the 2005 ALC Order. (R.pp.36-66).

In the following sections, each of the remanded provisions will be discussed in more detail to demonstrate that the ALJ did not commit errors of law in applying the factual findings, and in concluding that Chem-Nuclear is in compliance with the regulations, and SCDHEC's operating license renewal was proper.

**C. The ALJ Did Not Misconstrue The Regulatory Requirements In Concluding That The Factual Findings Form The 2005 ALC Order Support Affirmance Of The Renewal of Operating License 097.**

**1. Remanded Sections:  
Sections 7.10.5 Through 7.10.10.**

The ALJ's final order in this matter addresses S.C. Code Ann. Reg. § 61-63, Secs. 7.10.6, 7.10.7, 7.10.8, and 7.10.10. The Sierra Club only contests the ALC's conclusions regarding S.C. Code Ann. Reg. § 61-63, Secs. 7.10.6, 7.10.7, and 7.10.8. (*Appellant's Brief*, pp.27-28).

**(a) 24A S.C. Code Ann. Reg. 61-63 Part VII, Sec. 7.10.6**

S.C. Code Ann. Reg. § 61-63, Sec. 7.10.6 sets forth the following requirements:

The applicant's proposed disposal site, disposal site design, land disposal facility operations, disposal site closure, and post closure institutional control are adequate to protect the public health and safety in

that they will provide reasonable assurance that long-term stability of the disposed waste and the disposal site will be achieved and will eliminate to the extent practicable the need for ongoing active maintenance of the disposal site following closure.**23**

The ALJ found that the disposal practices assured the stability of the waste. (R.p.7). In addition, the review by the Blue Ribbon panel confirmed Chem-Nuclear's predictions of declining concentrations of tritium flowing into Mary's Branch Creek. (R.p.50, para. 65). Further, the property restrictions placed on the property surrounding the compliance point protected the public's health and safety. (R.p.46, para. 44).

The Sierra Club challenges the ALJ's conclusion regarding the stability of the waste (*Appellant's Brief*, pp.28-30) arguing that the waste isn't stable because "waste leave[s] the disposal vaults and the trenches and migrate[s] into the groundwater." (*Appellant's Brief*, p.30) "Stability" is defined in S.C. Code Ann. Reg. § 61-63, Sec. 7.2.20 as "structural stability" and the ALJ correctly focused on the backfilling between vaults and the caps both of which are used, with the vaults, to provide long-term structural stability for the waste. (R.p.7).

There is no finding in the 2005 ALC Order (R.pp.36-66) upon which anyone could reasonably conclude that waste, as defined in S.C. Code Ann. Reg. § 61-63, Sec. 7.2.22, is not stable and becomes displaced at the Barnwell Facility. There is no finding in the 2005 ALC Order (R.pp.36-66) upon which anyone could reasonably conclude that waste, as defined in S.C. Code Ann. Reg. § 61-63, Sec. 7.2.22 is unearthed after burial and that the public is subject

---

**23** S.C. Code Ann. Reg. § 61-63, Sec. 7.10.6 (Thomson Reuters West 2010).

to exposure from the unearthed waste. There is reference in the Findings of Fact contained in the 2005 ALC Order that, with regard to earlier unreliable containment, “[i]t is undisputed that it is inadvisable to attempt to uncover or excavate these containers and waste in order to provide better containment.” (R.p.44, para. 30).

Tritium, driven by rainwater percolating to ground water, may migrate from the disposal site but, in that process, there is no disturbance of waste or waste forms. And, the incorporation of engineered barriers into the Barnwell Facility, coupled with groundwater travel time and decay rates, results in a release of radioactive material into the environment well below the applicable regulatory limit. The stability or instability of the waste forms has nothing to do with the migration of rain-driven tritium through groundwater.

**(b) 24A S.C. Code Ann. Reg. 61-63 Part VII, Sec. 7.10.7**

S.C. Code Ann. Reg. § 61-63, Sec. 7.10.7 requires that Chem-Nuclear provide “reasonable assurance that the applicable technical requirements of this part will be met.” The Sierra Club concludes that Chem-Nuclear has failed to demonstrate reasonable assurances based on the “extensive findings that the vaults are unsealed and ungrouted allowing water to fall into the vaults; the vaults have holes in the bottom to allow water to migrate out of the vaults; the trenches are designed to allow water to percolate into the groundwater.” (*Appellant’s Brief*, p.32).

“Engineered barriers” are defined in S.C. Code Ann. Reg. § 61-63, Sec. 7.2.9 as “a man-made structure or device that is intended to improve the land disposal facility’s ability to meet the performance objectives in this part. This shall include above or below grade vaults or equivalent structures.” S.C. Code Ann. Reg. § 61-63, Sec. 7.11.11 identifies the “technical requirements” as contemplated in S.C. Code Ann. Reg. § 61-63, Sec. 7.10.7, for engineered barriers with the overriding requirement relative to this appeal set forth in S.C. Code Ann. Reg. § 61-63, Sec. 7.11.11.2 “to minimize migration of waste or waste contaminated water out of the disposal unit.” With the incorporation of new disposal techniques and the use of engineered barriers, beginning in 1995, tritium concentrations began to decline at the compliance point. (R.pp.56-57, para. 107).

Consequently, Chem-Nuclear has not only provided assurances, but has demonstrated that the engineered barriers satisfy the performance objectives of S.C. Code Ann. Reg. § 61-63, Sec. 7.11.11 and the technical requirements of S.C. Code Ann. Reg. § 61-63, Part VII are met.

**(c) 24A S.C. Code Ann. Reg. 61-63 Part VII, Sec. 7.10.8**

S.C. Code Ann. Reg. § 61-63, Sec. 7.10.8 refers to the applicant’s proposed institutional controls and the requirement that the applicant provide reasonable assurance the controls are provided for the length of time necessary to protect public health and safety through post-closure. The Sierra Club argues that there were “multiple releases from the site over its history” from which the ALJ should have concluded that the waste was not stable and that exposure of

the public was likely. (*Appellant's Brief*, pp.30-32). The Sierra Club further claims that it was irrelevant that a release was below regulatory limits. (*Appellant's Brief*, p.31).

The Sierra Club's claim is a misapprehension of the requirements of S.C. Code Ann. Reg. § 61-63, Part VII. The statutory scheme anticipates that a release may occur and addresses that possibility by establishing specific release limits. In fact, S.C. Code Ann. Reg. § 61-63, Sec. 7.18 specifically provides that:

Concentrations of radioactive material which ***may*** be released to the general environment in groundwater, surface water, air, soil, plants, or animals shall not result in an annual dose exceeding an equivalent of 25 mrems to the whole body, 75 mrems to the thyroid, and 25 mrems to any other organ of any member of the public. Reasonable efforts should be made to maintain releases of radioactivity in effluents to the general environment as low as is reasonably achievable.<sup>24</sup>

The data collected by Chem-Nuclear demonstrates that the groundwater migrating off the disposal site and into Mary's Branch Creek does not exceed the regulatory limits and, therefore, is allowable under S.C. Code Ann. Reg. § 61-63, Sec. 7.18 as a concentration that may be released into the environment. Moreover, Chem-Nuclear strives to reduce any release as low as is reasonably achievable ("ALARA"). (R.pp.56-58, para. 104-113). Chem-Nuclear has incorporated disposal practices to ensure that any releases are well below allowable limits.

---

<sup>24</sup> S.C. Code Ann. Reg. § 61-63, Sec. 7.18 (Thomson Reuters West 2010) (Emphasis added).

The Sierra Club is inaccurate in stating that the ALJ concluded in the 2005 ALC Order that there have been “multiple releases from the site over its history.” (*Appellant’s Brief*, p.31). The only evidence of any releases from the site is the concentration measured at the compliance point, which under S.C. Code Ann. Reg. § 61-63, Sec. 7.18, is authorized, and the release which occurred in 1998-1999 when water pumped from Trench 86 percolated into the groundwater which flowed under a neighboring property occupied by St. Paul Church and contaminated the groundwater. (R.pp.48-49, para. 56). It is not reasonably disputed that Chem-Nuclear detected and confirmed the release and conducted remediation activities. (R.pp.48-49, para. 56).

The ALJ, in the 2012 Final Order, relied on the data collected at the compliance point, and the trend of decreasing concentrations of tritium in the groundwater flowing into the Mary’s Branch Creek, to conclude that the requirements of S.C. Code Ann. Reg. § 61-63, Sec. 7.10.8 have been satisfied. (R.pp.6-8). The Sierra Club relies on the same data, or evidence of a release to surface water, to argue that Chem-Nuclear has failed to provide the necessary assurances. The Sierra Club, however, ignores that the concentration measured at the compliance point, where groundwater flowing under the Barnwell Facility migrates to surface water off-site, is an allowable release under S.C. Code Ann. Reg. § 61-63, Sec. 7.18.

2. **Remanded Sections:**  
**S.C. Code Ann. Reg. § 61-63, Sec. 7.11.**

The 2012 Final Order includes findings and conclusions addressing S.C. Code Ann. Reg. § 61-63, Secs. 7.11.9, 7.11.10, and 7.11.11.1-7. (R.pp.10-19). While the Sierra Club explains that it is addressing S.C. Code Ann. Reg. § 61-63, Secs. 7.11.9, 7.11.10 and 7.11.11, the Sierra Club's brief actually includes only a discussion of S.C. Code Ann. Reg. § 61-63, Sec. 7.11.11. (*Appellant's Brief*, p.16, footnote no. 3). In particular, the Sierra Club addresses S.C. Code Ann. Reg. § 61-63, Secs. 7.11.11.1, 7.11.11.2, 7.11.11.4, 7.11.11.6, and 7.11.11.7.

(a) **24A S.C. Code Ann. Reg. 61-63 Part VII, Sec. 7.11.11.1**

In accordance with S.C. Code Ann. Reg. § 61-63, Sec. 7.11.11.1, the disposal units and engineered barriers shall be designed and constructed “to minimize the migration of water onto the disposal units.” The Sierra Club argues that the engineered barriers “do not prevent water from entering the disposal units.” (*Appellant's Brief*, p.17). There is, however, a difference in meaning between “minimize” and “prevent.” The term “minimize” is defined as “to reduce to the smallest possible amount, extent, size, or degree.”<sup>25</sup> The term “prevent” is defined as “to keep from happening.”<sup>26</sup> The regulation imposes a requirement to simply ***minimize*** the migration of water into the vault or trench.<sup>27</sup>

---

<sup>25</sup> American Heritage Dictionary of the English Language (online edition) (found at <http://www.ahdictionary.com/word/search.html?q=minimize>).

<sup>26</sup> American Heritage Dictionary of the English Language (online edition) (found at <http://www.ahdictionary.com/word/search.html?q=prevent>).

<sup>27</sup> 24A S.C. Code Ann. Reg. 61-63, Sec. 7.2.8 (Thomson Reuters West 2010) states that “[d]isposal unit’ means a discrete portion of the disposal site into which waste is placed for disposal. For near-surface disposal, the unit is usually a vault or trench.”

The ALJ noted the following to support compliance with S.C. Code Ann.

Reg. § 61-63, Sec. 7.11.11.1:

- 1) the trench facilitates drainage of water, not the collection of water;
- 2) water accumulation is monitored;
- 3) Chem-Nuclear implements a surface water management plan to manage precipitation in the trenches;
- 4) vaults are capped; and
- 5) trenches are capped.

(R.pp.17-20). The Sierra Club relies in its arguments challenging the findings and conclusions of the ALC on the undisputed fact that that the vaults are potentially exposed to rain fall during loading and unloading and the lids are not grouted or sealed. (*Appellant's Brief*, pp.17-19).

It is clear from the ALC factual findings recited in the 2012 Final Order that Chem-Nuclear has minimized the migration of water into the vault or trench, by facilitating drainage, managing any accumulated standing water, capping the vault, and capping the trench. (R.pp.10-22). These facts clearly provide evidentiary support for minimization. The Sierra Club's insistence on sealing or grouting the lids on the vaults supports the Sierra Club's position that the regulation requires elimination of water into the vault or trench, but sealing or grouting is not necessary to accomplish minimization. The design of the vault allows for drainage of water out of the vault and away from the waste.

**(b) 24A S.C. Code Ann. Reg. §61-63 Part VII, Sec. 7.11.11.2**

The disposal units (vaults and trenches) must also be designed and constructed to “minimize the migration of waste or waste contaminated water out of the disposal units.” The Sierra Club claims Chem-Nuclear’s disposal practices fail to minimize the migration of waste or waste contaminated water out of the disposal units since the units allow for drainage. (*Appellant’s Brief*, pp.19-21). Moreover, the Sierra Club claims the ALJ ignored the implication of the finding in the 2005 ALC Order that some monitoring wells showed increases in tritium concentrations between 1997-2001, and that tritium levels varied with rainfall data. (*Appellant’s Brief*, p.20). That finding, however, did not relate to data collected at the compliance point. Instead it related to the extensive groundwater data collected by Chem-Nuclear – 30 years of data for more than 200 sampling points.

Clearly Chem-Nuclear has minimized the migration of waste or waste contaminated water out of disposal units since incorporating engineered barriers in its disposal practices. Evidence in 2005 indicating a decline in tritium concentrations at the compliance point since 2001 and a resulting reduction of radioactive material in groundwater support a finding of minimization.

Importantly, S.C. Code Ann. Reg. § 61-63, Sec. 7.11.11.2 distinguishes between “waste” and “waste contaminated water.” This distinction is relevant since Appellant makes no distinction between the waste placed within the container and the vault, and the waste contaminated water resulting from rainwater coming in contact with waste. Under the regulatory regime applicable

to land disposal of radioactive waste, waste contaminated water is distinct from waste. This distinction is important in evaluating Appellant's claims that "waste" isn't properly isolated as required by S.C. Code Ann. Reg. § 61-63, Secs. 7.11.11.6 and 7.11.11.7, discussed below. (*Appellant's Brief*, pp.23-26). The waste forms are isolated, as is demonstrated below. Groundwater migrates under the Barnwell Facility, not the waste forms.

**(c) 24A S.C. Code Ann. Reg. § 61-63 Part VII, Sec. 7.11.11.4**

S.C. Code Ann. Reg. § 61-63, Sec. 7.11.11.4 requires that the engineered barriers be designed to allow for "temporary collection and retention of water and other liquids for a time sufficient to allow for the detection and removal or other remedial measures without the contamination of groundwater or the surrounding soil." The Sierra Club claims that the contamination of groundwater which migrated to the adjacent property is a demonstration that Chem-Nuclear has failed to meet this objective. (*Appellant's Brief*, pp.22-23). In fact, the incident described in the 2005 ALC Order (R.pp.48-49, para. 56) is demonstrative that Chem-Nuclear has implemented a system of surface water management to prevent the accumulation of water in the trenches. The fact that the "pumped water ponded on the Chem-Nuclear property and then percolated through the soil and into the groundwater" is not indicative of a lack of a surface water management system. It may be indicative of a mechanical or other failure that has since been addressed, but it is clear that a temporary collection system exists. The factual findings in the 2005 ALC Order, that Chem-Nuclear implements a surface water management plan to manage precipitation, which

includes pumping into adjacent trenches or a lined pond (R.p.58, para. 117), supports the conclusions in the 2012 Final Order that Chem-Nuclear has satisfied the requirements of S.C. Code Ann. Reg. § 61-63, Sec. 7.11.11.4.

**(d) 24A S.C. Code Ann. Reg. § 61-63 Part VII, Sec. 7.11.11.6**

S.C. Code Ann. Reg. § 61-63, Sec. 7.11.11.6 requires assurances that “the waste will be isolated for at least the institutional control period.” The Sierra Club claims the waste isn’t isolated “because it is entering the soils and groundwater as a direct result of Chem-Nuclear’s disposal practices.” (*Appellant’s Brief*, pp.23-24). Restrictions on waste forms and characteristics that have been imposed over the past 20 years (including the use of high integrity containers to contain waste forms and the elimination of liquid waste) have increased the reliability and waste isolation capabilities at the facility. (R.pp.52-53, para. 79; R.pp.56-57, para. 107). The current waste forms are isolated in disposal containers, including high integrity polyethelene containers, and encapsulated in capped vaults. (R.p.18; R.p.55, paras. 94-95, 98; R.pp.56-57, para. 107). Upon closure of the Barnwell Facility all trenches are capped with a vegetated land cover. (R.p.56, para. 100). Tritium migrates through the groundwater, released from the trenches, and is released into Mary’s Branch Creek but the concentration released is authorized, or permitted, under the applicable regulatory standard.

(e) **24A S.C. Code Reg. § 61-63 Part VII, Sec. 7.11.11.7**

S.C. Code Ann. Reg. § 61-63, Sec. 7.11.11.7 requires prevention of contact between waste and the surrounding earth. Appellant argues that the infiltration of water into the soil and groundwater beneath the trenches is evidence of failure of Chem-Nuclear to adhere to this design objective. (*Appellant's Brief*, pp.25-26). The ALJ properly concluded that the waste was the item or items placed in the container and stored in a reinforced concrete block. (R.pp.18-19). The ALJ concluded that the use of the engineered barriers as described in the findings contained in the 2005 Order, prevented contact between the waste and the surrounding earth. (R.pp.18-19). The ALJ also appropriately noted the findings regarding the composition of the trench bottoms, and the design features that move water out of the trenches as further evidence of preventing contact between waste and the surrounding earth. (R.p.19).

3. **Remanded Section:**  
**24A S.C. Code Ann. Reg. § 61-63 Part VII, Sec. 7.23.6**

S.C. Code Ann. Reg. § 61-63, Sec. 7.23.6 is the provision that requires the Barnwell site be designed to minimize to the extent practicable the contact of water with waste during storage, disposal, and after disposal. To meet this requirement, waste forms are placed in disposal containers such as high-integrity polyethylene disposal containers, for shipment to the Barnwell facility except for large components which may be placed directly into the trench. (R.p.46, para. 44; R.p.55, paras. 94-95; R.pp.56-57, para. 107). The shipping casks holding the disposal containers are off-loaded from the transport vehicles, and may be

temporarily stored under cover or taken directly to the disposal unit. (R.p.54, para. 88; R.p.55, paras. 93-95). The disposal unit is a thick concrete vault placed in the trench. (R.p.55, para. 98). A minimum of five-foot separation between the trench and the high water table is required. (R.p.51, para. 69). The bottom of the trench is lined with partially impermeable clay/sand or sandy clay. (R.p.56, para. 103). The disposal container holding the waste is taken out of the cask and placed into the vault. (R.p.5, para. 95). Once the vault is filled and closed with a vault lid that serves as an intrusion barrier, backfill material is used to fill the void spaces between the vaults. (R.pp.55-56, para. 99). Impermeable caps are constructed over inactive trenches. (R.p.56, para. 100). Together, these techniques provide a multi-phased system for waste isolation.

The plain language of S.C. Code Ann. Reg. § 61-63, Sec. 7.23.6 recognizes the qualitative nature of the requirements for the disposal techniques utilized to accomplish waste isolation. The ALJ carefully noted the three phases of operation at the site – temporary storage, disposal, and after disposal – in concluding that Chem-Nuclear has minimized the possibility of contact with water in each of these phases. (R.p.21).

The Sierra Club claims that Chem-Nuclear failed to demonstrate compliance with S.C. Code Ann. Reg. § 61-63, Sec. 7.23.6 because:

the . . . disposal practices at the Barnwell Facility fail . . . to prevent contact of waste and water. . . . The trenches are open and uncovered until they are filled with vaults, and only then are they covered with dirt. The design allows rainfall that accumulates in the trenches to percolate into the soil, and drive the groundwater movement that is carrying tritium and other radioactive materials into Mary's Branch Creek.

(Appellant's Brief, pp.26-27). Notably, S.C. Code Ann. Reg. § 61-63, Sec. 7.23.6 does not require "prevention." Moreover, the standard in S.C. Code Ann. Reg. § 61-63, Sec. 7.23.6 is *minimization* "to the maximum extent practicable the contact of water with waste during storage, the contact of standing water with waste during disposal, and the contact of percolating or standing water with wastes after disposal," **not the standard** applied by the Sierra Club in its arguments on appeal.

The multi-phased system described herein – the use of disposal containers, concrete vaults, and capping – result in minimization of the contact of water with waste during storage, disposal, and after disposal. The disposal practices are designed to prevent the accumulation of water in the trenches – and the resulting exposure between containers, waste forms, and standing water – by insuring that drainage from the vaults and trenches is facilitated.

## V. **CONCLUSION**

In applying S.C. Code Ann. § 1-23-610(B) this Court of Appeals has held that "[a]s to factual issues, judicial review of administrative agency orders is limited to a determination of whether the order is supported by substantial evidence."<sup>28</sup> Moreover, "[s]ubstantial evidence sufficient to support a finding of the ALC is evidence which, considering the record as a whole, would allow reasonable minds to reach the conclusion that the administrative agency

---

<sup>28</sup> Murphy v. S. C. Dep't of Health and Env't'l Control, 396 S. C. 633, 723 S. E. 2d 191 (2012).

reached.”<sup>29</sup> Additionally, in reviewing the application of a statute or regulation, appellate courts apply the “plain meaning rule.” “Under the plain meaning rule, it is not the court’s place to change the meaning of a clear and unambiguous statute.”<sup>30</sup>

There is no issue as to whether the factual findings of the ALC, in 2005, were supported by substantial evidence. This Court of Appeals did not remand the case to the ALC for the taking of additional evidence. Rather, the remand was for the purpose of applying “its factual findings to the technical requirements of” S.C. Code Ann. Reg. § 61-63, Secs. 7.10.5-7.10.10, 7.11.11, and 7.23.6. The Sierra Club has conceded that there was substantial evidence to support the factual findings in the 2005 ALC Order. The Sierra Club argues, in this appeal, that the factual findings from the 2005 ALC Order including findings that rain water is allowed to percolate into groundwater from the bottom of the trenches, and findings that the tritium plume at the facility is attributable to that migration, dictate a conclusion that Chem-Nuclear has not complied with regulatory requirements. But, in order to adopt the Sierra Club’s position, this Court of Appeals must substitute the term “prevent” for the term “minimize.” The applicable rule of statutory construction articulated above belies the Sierra Club’s argument.

---

<sup>29</sup> Greeneagle, Inc., v. S. C. Dep’t of Health and Env’tl Control, 730 S. C. 2d 869, 871 (Ct.App. 2012).

<sup>30</sup> Hampton Friends of the Arts v. S. C. Dep’t of Revenue, 401 S.C. 372, 737 S.E.2d 628 (2013).

Based on the factual findings of the 2005 ALC Order, as relied on and cited in the 2012 Final Order, Chem-Nuclear has satisfied the challenged requirements. Minimization is clearly demonstrated by current disposal practices as well as by compliance with the regulatory standard for allowable exposures to radiation and by the site performance which demonstrates that tritium concentrations at the compliance point are well below regulatory limits.

Based upon the foregoing arguments and citation of authority, the Respondents, Chem-Nuclear Systems, LLC, and the South Carolina Department of Health and Environmental Control, respectfully request this Court of Appeals to affirm the decision of the Administrative Law Court in all respects.

Respectfully submitted:

*NEXSEN PRUET, LLC*

By: 



Stephen P. Groves, Sr., Esquire  
Mary D. Shahid, Esquire, Esquire  
Sara S. Rogers, Esquire  
*NEXSEN PRUET, LLC*  
205 King Street, Suite 400  
Charleston, South Carolina 29401  
Telephone: 843.720.1725  
Telecopier: 843.414.8206  
E-Mail: [sgroves@nexsenpruet.com](mailto:sgroves@nexsenpruet.com)  
[mshahid@nexsenpruet.com](mailto:mshahid@nexsenpruet.com)  
[srogers@nexsenpruet.com](mailto:srogers@nexsenpruet.com)

*Attorneys for the Respondent,  
Chem-Nuclear Systems, LLC*

*Additional Appellate Counsel List On The Following Page*

SOUTH CAROLINA DEPARTMENT OF HEALTH  
AND ENVIRONMENTAL CONTROL

By:

Jacquelyn S. Dickman, Esquire  
Deputy General Counsel

Claire H. Prince, Esquire  
Office of General Counsel

2600 Bull Street

Columbia, South Carolina 29201

Telephone: 803.898.3350

Telecopier: 803.898.3367

E-Mail: [dickmajs@dhec.sc.gov](mailto:dickmajs@dhec.sc.gov)  
[princech@dhec.sc.gov](mailto:princech@dhec.sc.gov)

*Attorneys for the Respondent,  
South Carolina Department of Health  
and Environmental Control*

Charleston, South Carolina

11 September 2013

NPCOL1:3521212.1-BR-(SPG) 049893-00002

STATE OF SOUTH CAROLINA  
IN THE  
COURT OF APPEALS

---

Appeal from the Administrative Law Court  
Honorable Ralph King Anderson, III, Administrative Law Judge  
Case No. 04-ALC-07-0126-CC

---

RECEIVED

SEP 12 2013

SC Court of Appeals

Appellant,

Appellant,

v.

South Carolina Department of Health and  
Environmental Control and Chem-Nuclear  
Systems, LLC,

Respondents.

---

**Proof of Service  
for the Final Brief of the Respondents,  
Chem-Nuclear Systems, LLC and the South Carolina  
Department of Health and Environmental Control**

---

Stephen P. Groves, Sr., Esquire  
Mary D. Shahid, Esquire, Esquire  
NEXSEN PRUET, LLC  
205 King Street, Suite 400  
Charleston, South Carolina 29401  
Telephone: 843.720.1725  
Telecopier: 843.414.8206


*Attorneys for the Respondent,  
Chem-Nuclear Systems, LLC*

I, Stephen P. Groves, Esquire, hereby certify that on 11 September 2013, served one copy each of the *Final Joint Respondents' Brief* submitted on behalf of the Respondents, Chem-Nuclear Systems, LLC, and the South Carolina Department of Health and Environmental Control on all counsel of record herein via United States Mail, postage pre-paid, and addressed as follows:

Amy E. Armstrong, Esquire  
Michael G. Corley, Esquire  
*SOUTH CAROLINA ENVIRONMENTAL LAW PROJECT*  
Post Office Box 1380  
Pawleys Island, South Carolina 29585

Robert Guild, Esquire  
314 Pall Mall  
Columbia, South Carolina 29201

*Attorneys for the Appellant,  
Appellant*



Stephen P. Groves, Sr., Esquire

Charleston, South Carolina

11 September 2013

NPCOL1:3521212.1-BR-(SPG) 049893-00002